

**EXHIBIT 30**

WYSP(FM) FCC 302 Application  
License Former Main Antenna as an  
Auxiliary  
Section III-16(b) Environmental  
CBS Radio East Inc.  
July 18, 2007

CBS Radio East Inc. (herein CBS), the licensee of WYSP(FM), Philadelphia, PA, proposes to operate, when necessary, its former main antenna as an auxiliary with a maximum effective radiated power of 15 kW H&V at a center of radiation 273 meters above ground level. WYSP utilizes an ERI model 1053-2CP antenna. The tower is surrounded by a locked fence and has signs posted which warn of the RF exposure environment within the fence. Because the WYSP antenna is mounted on a tower also utilized by others, the worksheets are not being used.

Calculations were made to determine the ground level RF exposure caused by the WYSP auxiliary operation. A worst case field factor of 0.5 was used for the 1053-2CP antenna. The calculations showed that no areas on the ground would receive RF levels in excess of 1.8 percent of the MPE for General Population as a result of the WYSP operation. Accordingly, the WYSP facility is categorically excluded by FCC Rules from having to consider the contributions of other stations at the site.

If work is done on the tower or in an area where over exposure could occur, CBS, in cooperation with other users of the tower, will take necessary action to prevent the overexposure of workers including reducing the WYSP and other transmitting powers or ceasing operation completely to assure that work is performed at the site without exceeding the FCC MPEs for occupational/controlled exposure.



Edwin L. Nass, Director of Spectrum Management  
CBS Corporation (parent corporation of licensee)

July 18, 2007