

Exhibit 13 Page 1

Templo De Dios, Inc. 1

Identification of Facilities

Mexia, Texas

CALL FORMAT LATITUDE	ST	CITY ARN LONGITUDE	FREQ OWNER HAAT:m AMSL:m	CHN	CL	ERP	STAT
Proposed	TX	MEXIA	101.50000		D	180.00	LIC
Unknown or	New CP	BLFT-20160216AAP	TEMPLO DE DIOS, INC.	1			
32-13-29.0	N	96-43-56.0 W	-12.852	129.000			
K268BQ	TX	MEXIA	101.50000		D	35.00	LIC
Unknown or	New CP	BLFT-20180326AAT	TEMPLO DE DIOS, INC.	1			
32-09-05.0	N	96-38-48.0 W	37.704	175.000			
KDGE	TX	FORT WORTH-DALLAS	102.10000		C	98480.00	LIC
Unknown or	New CP	BLH-20141222AFE	CAPSTAR TX, LLC, AS DEBTOR IN POSSESSION				
32-35-20.0	N	96-58-05.0 W	519.156	736.000			
WRR	TX	DALLAS	101.10000		C	98000.00	LIC
Unknown or	New CP	BMLH-20160229ABS	CITY OF DALLAS, TEXAS				
32-35-19.0	N	96-58-05.0 W	485.903	697.000			
K268CL	TX	GARLAND	101.50000		D	250.00	CP
Unknown or	New CP	BPFT-20170315AAS	RADIO FORTALEZA INTERNACIONAL				
32-45-50.0	N	96-41-11.0 W	43.316	207.000			
K268CL	TX	GARLAND	101.50000		D	250.00	LIC
Unknown or	New CP	BLFT-20150902ADZ	RADIO FORTALEZA INTERNACIONAL				
32-48-13.0	N	96-37-39.0 W	33.100	204.000			
NEW	TX	CLEBURNE	101.50000		D	250.00	APP
Unknown or	New CP	BNPFT-20180125ABA	SIGA BROADCASTING CORPORATION				
32-16-59.0	N	97-24-45.0 W	0.097	267.000			
KCBI	TX	DALLAS	90.90000		C	98000.00	LIC
Unknown or	New CP	BLED-19880511KB	FIRST DALLAS MEDIA, INC.				
32-35-22.0	N	96-58-10.0 W	439.614	651.000			
KYDA	TX	AZLE	101.70000		C	92000.00	LIC
Unknown or	New CP	BMLD-20121119AJA	EDUCATIONAL MEDIA FOUNDATION				
33-26-13.0	N	97-29-05.0 W	580.447	901.000			
KNUE	TX	TYLER	101.50000		C0	98000.00	LIC
Unknown or	New CP	BLH-19850307KT	TOWNSQUARE MEDIA TYLER LICENSE, LLC				
32-15-35.0	N	94-57-02.0 W	314.917	463.000			
KYLP-LP	TX	GREENVILLE	101.50000		LP100	100.00	LIC
Unknown or	New CP	BLL-20080711ACP	IGLESIA CRISTIANA EBENEZER OF GREENVILLE, INC.				
33-07-24.0	N	96-05-47.0 W	4.780	193.300			

Exhibit 13 Page 2
Templo De Dios, Inc. 1
Identification of Facilities
Mexia, Texas

K267AI TX MOODY 101.30000 D 250.00 LIC

Unknown or New CP BMLFT-20170111ABO GARY L. MOSS

31-32-15.0 N 97-05-32.0 W 63.305 230.000

KLTD TX TEMPLE 101.70000 C3 16500.00 LIC

Unknown or New CP BLH-19951106KB TOWNSQUARE MEDIA KILLEEN-TEMPLE LICENSE, LLC

31-16-24.0 N 97-23-31.0 W 105.070 340.000

KKEE TX CENTERVILLE 101.30000 A 5200.00 LIC

Unknown or New CP BLH-20161202ABU BRYAN BROADCASTING LICENSEE CORPORATION

31-14-36.0 N 95-58-40.0 W 57.283 185.300

KROX-FM TX BUDA 101.50000 C2 12500.00 LIC

Unknown or New CP BLH-20110830AEH EMMIS AUSTIN RADIO BROADCASTING COMPANY, L.P.

30-19-20.0 N 97-48-03.0 W 227.045 476.200

K267CA TX TEMPLE 101.30000 D 225.00 LIC

Unknown or New CP BLFT-20160418ABE AMERICAN BROADCASTING OF TEXAS

31-05-38.4 N 97-34-51.0 W 164.066 403.000

KROX-FM TX BUDA 101.50000 C1 86000.00 CP

Unknown or New CP BPH-20141229AGM EMMIS AUSTIN RADIO BROADCASTING COMPANY, L.P.

30-02-42.0 N 97-52-50.0 W 291.415 554.000

KOXE TX BROWNWOOD 101.30000 C1 100000.00 LIC

Unknown or New CP BMLH-20080721ABA BROWN COUNTY BROADCASTING CO.

31-43-45.0 N 99-01-12.0 W 111.446 627.000

K267CB TX SHERMAN 101.30000 D 250.00 LIC

Unknown or New CP BLFT-20170327AAW BOB MARK ALLEN PRODUCTIONS, INC.

33-40-33.6 N 96-35-04.0 W 132.255 375.000

Exhibit 13 Page 3
Templo De Dios, Inc. 1
Interference Area
Mexia, Texas

The proposed translator will broadcast on 268, which is within the 60 dBu contour of second adjacent station WRR on channel 266, and the 60 dBu contour of third adjacent station KDGE on channel 271. The WRR interfering contour at the translator site is 76.4 dBu F(50,50) and the KDGE contour at the translator site is 77.4 dBu F(50,50). Using the ratio of 100:1 (translator to WRR and KDGE) on the second and third adjacent channels, the population within the proposed translator 116.4 dBu and 117.4 dBu contour is zero. Applying the antenna manufacturer's vertical radiation pattern the area of interference is able to be more accurately calculated geometrically than just by using the free space equation alone. This particular antenna is a four bay full-wave spaced Shively 6812b. It was determined from the manufacturer's vertical plan that at 50 degrees below horizontal the interference area would extend 19.2 meters toward the ground. We have proposed the antenna radiation center will be 21 meters above ground, thus the interference area will never reach the ground with an Effective Radiated Power of 180 watts. There are no occupied structures or elevated roadways within the interference area of the translator.

Therefore, the application is in compliance with the following: §74.1204 (d) "The provisions of this section concerning prohibited overlap will not apply where the area of such overlap lies entirely over water. In addition, an application otherwise precluded by this section will be accepted if it can be demonstrated that no actual interference will occur due to intervening terrain, lack of population or such other factors as may be applicable."


[illegible]

 State Borders
  City Borders
  Lat/Lon Grid

Templo De Dios, Inc. 1
Exhibit 13 Figure 2

Depression Angle Below Horizontal	Antenna Relative Field	ERP (Watts)	Distance to interfering Contour from Antenna (m)	Horizontal Distance of Interfering contour from tower (m)	Vertical Clearance of Interfering contour above TGL (m)
5	0.886	141.3	126	125.5	10.0
10	0.529	50.4	75	73.9	8.0
15	0.140	3.5	20	19.3	15.8
20	0.146	3.8	21	19.7	13.8
25	0.247	11.0	35	31.7	6.2
30	0.181	5.9	26	22.5	8.0
35	0.032	0.2	5	4.1	18.1
40	0.108	2.1	15	11.5	11.4
45	0.180	5.8	26	18.4	2.6
50	0.174	5.4	25	16.1	1.8
55	0.112	2.3	16	9.2	7.9
60	0.030	0.2	5	2.5	16.7
65	0.042	0.3	6	2.5	15.6
70	0.087	1.4	13	4.4	8.8
75	0.100	1.8	14	3.6	7.5
80	0.084	1.3	12	2.1	9.2
85	0.049	0.4	7	0.6	14.0
90	0.000	0.0	0	0.0	21.0
Minimum Clearance above TGL:					1.8 m

Elevation pattern



Antenna models: 6014, 6015, 6020, 6510, 6513, 6600, & 68xx except 6832, 4-bay half-wave-spaced

Test frequency: 98.1 MHz

Gain (maximum):

	Power	dB
6014, 6015, 68xx:	1.32	1.19 dB
6510, 6513, 6600:	2.64	4.19 dB

Document No. 68xx-4-bay hw (130628)

A Division of Howell Laboratories, Inc., P. O. Box 389, Bridgton, Maine 04009 USA

(207) 647-3327

1-888-SHIVELY

Fax: (207)647-8273

An Employee-Owned Company

www.shively.com

sales@shively.com

Certified to ISO-9001

Degrees	Rel. Field	Degrees	Rel. Field	Degrees	Rel. Field	Degrees	Rel. Field	Degrees	Rel. Field
1	0.998	19	0.433	37	0.147	55	0.140	73	0.022
2	0.992	20	0.388	38	0.159	56	0.132	74	0.019
3	0.982	21	0.343	39	0.169	57	0.123	75	0.016
4	0.968	22	0.299	40	0.177	58	0.115	76	0.013
5	0.950	23	0.257	41	0.184	59	0.107	77	0.011
6	0.929	24	0.215	42	0.188	60	0.099	78	0.008
7	0.905	25	0.175	43	0.191	61	0.092	79	0.007
8	0.877	26	0.137	44	0.193	62	0.084	80	0.005
9	0.846	27	0.100	45	0.192	63	0.077	81	0.004
10	0.812	28	0.066	46	0.191	64	0.070	82	0.003
11	0.776	29	0.033	47	0.188	65	0.063	83	0.002
12	0.738	30	0.003	48	0.185	66	0.056	84	0.001
13	0.697	31	0.026	49	0.180	67	0.050	85	0.001
14	0.655	32	0.052	50	0.175	68	0.045	86	0.001
15	0.612	33	0.075	51	0.169	69	0.039	87	0.000
16	0.568	34	0.096	52	0.162	70	0.034	88	0.000
17	0.523	35	0.115	53	0.155	71	0.030	89	0.000
18	0.478	36	0.132	54	0.147	72	0.026	90	0.000

Elevation Pattern Tabulation

Antenna models: 6014, 6015, 6020, 6510, 6513, 6600, & 68xx except 6832, 4-bay full-wave-spaced.

Relative Field at 0° Depression = 1.000

Exhibit 13 Figure 5
Aerial Photo of the 16.1 Meter Vicinity Surrounding the Proposed Tower Site

