

Starboard Media Foundation, Inc.

REFERENCE
44 46 38.0 N.
91 28 29.0 W.

CH# 300D - 107.9 MHz, Pwr= 0.25 kW, HAAT= 75.9 M, COR= 354.2 M
Average Protected F(50-50)= 11.3 km
Omni-directional

DISPLAY DATES
DATA 07-29-16
SEARCH 07-29-16

CH CITY	CALL	TYPE ANT STATE	AZI <--	DIST FILE #	LAT LNG	PWR(kW) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*
300C Anoka	KQQL	LIC _C_ MN	293.2 111.9	162.92 BLH20050812ABH	45 20 20.0 93 23 27.0	100.000 333	176.7 612	75.3 Amfm Broadcasting Licenses	-26.1*	45.7
300C Wausau	WBCV	LIC _CN WI	78.2 259.7	163.52 BLH19850205KW	45 03 33.0 89 26 10.0	100.000 314	172.6 742	72.7 Nrg License Sub, Lic	-20.8*	50.8
298C1 Neillsville	WCCN-FM	LIC _CN WI	106.7 287.3	70.70 BLH19980513KC	44 35 30.0 90 37 09.0	100.000 176	7.6 504	61.2 Central Wisconsin B/cg Inc	53.3	8.4
299A St. Charles	KDZZ	LIC ZCN MN	216.0 35.5	100.98 BLH19980410KF	44 02 25.0 92 13 05.0	1.950 174	45.3 533	30.0 Townsquare Media Rochester	44.7	56.5

Terrain database is NGDC 30 SEC, R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM
In & Out distances between contours are shown at closest points. Reference zone= East Zone, Co to 3rd adjacent.
All separation margins (if shown) include rounding.
Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, _= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)
***affixed to 'IN' or 'OUT' values = site inside restricted contour.
Reference station has protected zone issue: AM tower