EXHIBITS 6 & 7APPLICATION FOR CONSTRUCTION PERMIT

Applicant Howard Mintz

Mutually exclusive group # M474 Facility ID # 131347

File # BNPTTL-20000829AYN Location Corpus Christi, Texas

Channel 64

This Technical Exhibit is attached to FCC Form 346 in support of this application's request for a construction permit for the Low Power Television Station referenced above. This application has been designated as a SINGLETON pursuant to correspondence received from the Federal Communications Commission dated February 4, 2003.

The proposed station is designed as follows:

Frequency Offset:

Antenna radiation center height above ground level:

Maximum effective radiated power:

PLUS OFFSET

128 meters

1 KW

Antenna type and model #: Directional Scala 4DR-16-2HW

Orientation: 210 degrees
Coordinates: 27-48-00 N
97-23-31 W

1054130

FCC Tower Registration: 1054130

A study has been conducted using the provisions of sections 74.703, 74.705, 74.706, 74.707, and 74.709 which indicates that the proposal will not create prohibited interference with other existing or proposed NTSC full power, DTV, Land Mobile or LPTV facilities other than the LPTV facilities listed below. However, based upon the provisions of OET 69, the proposed station's operation complies with the FCC's interference criteria towards the aforementioned stations.

LPTV Facilities

An interference analysis was conducted using 74.707 criteria and OET 69 Bulletin standards with regard to the effect of the proposed station on the LPTV stations shown below. As indicated in the table below, the operations of the proposed station will result in interference to 0 persons in the existing or proposed LPTVs' protected contours.

| Protected LPTV Station | FCC Service Population | Proposed |
|-----------------------------|------------------------|-------------------------|
| | | Interference Population |
| K63EU, CH 63 | 229,875 | 0 (0.0%) |
| CORPUS CHRISTI, TX | | |
| FILE No. BLTTL-19971103IL | | |
| LICENSED | | |
| PROPOSED FACILITY, CH 49 | 194,995 | 0 (0.0%) |
| CORPUS CHRISTI, TX | | |
| FILE No. BNPTTL-20000831ELA | | |
| PROPOSED FACILITY, CH 49 | 150,568 | 0 (0.0%) |
| CORPUS CHRISTI, TX | | |
| FILE No. BNPTTL-20000831BNY | | |

As indicated in the above table, no interference will be caused to any existing or proposed LPTV facilities by Applicant's proposed facility.

Waiver of Received Interference

Applicant agrees to waive and accept interference received, if any, from all other applicants within mutually exclusive group #M474.

Environmental Considerations

The proposed LPTV Corpus Christi CH 64 facilities were evaluated in terms of potential radiofrequency radiation (RFR) exposure at ground level at the base of the tower in accordance with OET Bulletin No. 65, "Evaluating Compliance With FCC-Specified Guidelines for Human Exposure to Radiofrequency Radiation." The calculated power density at the base of the tower was calculated using the appropriate equation on Page 13 of the Bulletin. Using a greater than expected vertical relative field value of .2, a maximum visual effective radiated power of 1.0 kilowatts and 10 percent aural power, the calculated power density at 2 meters above ground level at the base of the tower is 0.0005 milliwatt per square centimeter (MW/CM2), or .09 percent of the Commission's recommended limit applicable to general population/uncontrolled exposure areas (0.515 MW/CM2 for TV channel 64). However, as this is a multi-user site, measurements will be made to substantiate compliance with the RF emission rules.

Access to the transmitting site will be restricted and appropriately marked with warning signs. Furthermore, as this is a multi-user site, an agreement will be in effect in the event that workers or other authorized personnel enter the restricted area or climb the tower to ensure that appropriate measures will be taken to assure worker safety with respect to radio frequency radiation exposure. Such measures include reducing the average exposure by spreading out the work over a longer period of time, wearing "accepted" RFR protective clothing and/or RFR exposure monitors or scheduling work when the stations are at reduced power or shut down.

In addition, it appears that the existing tower is otherwise excluded from environmental processing as it complies with all the criteria for such an exclusion in Section 1.1306.

.