

EXHIBIT 12

Waiver Request of Section 74.1204
Yakima WA K218CX 28 Watts ERP
Calvary Chapel of Twin Falls, Inc. 8/07


The proposed site is contained entirely inside the service contour of second-adjacent stations KYPL Yakima and KDNA Yakima

KYPL

The proposed site is contained entirely inside the service contour of second-adjacent station KYPL, 216C1, 26kW, Yakima, WA. The level of least arriving protected F(50,50) signal at the proposed transmitter site is 97.7-dBu. Using the Undesired-to-Desired method for calculating proposed interference, the interfering contour with respect to KYPL is 137.7-dBu (free-space contour method employed). The interfering signal would, in the worst case at the maximum radial, extend 5 meters from the center of radiation, which exists under the present BSTA-20070305ACM at 7 meters. There is no request to change the cable, antenna or AGL. This is a previously authorized no population site and no changes have been made at the site. There are no residences, businesses or roads that are located within the interfering contour, which does not touch the ground, and Calvary Chapel of Twin Falls, Inc. respectfully requests a waiver of the FM translator contour overlap regulations with respect to second-adjacent channel station KYPL.


KDNA

The proposed site is contained entirely inside the service contour of second-adjacent station KDNA, 220C1, 18.5kW, Yakima, WA. The level of least arriving protected F(50,50) signal at the proposed transmitter site is 112.1-dBu. Using the Undesired-to-Desired method for calculating proposed interference, the interfering contour with respect to KDNA is 152.1-dBu (free-space contour method employed). The interfering signal would, in the worst case at the maximum radial, extend 1 meter from the center of radiation, which exists under the present BSTA-20070305ACM at 7 meters. There is no request to change the cable, antenna or AGL. This is a previously authorized no population site and no changes have been made at the site. There are no residences, businesses or roads that are located within the interfering contour, which does not touch the ground, and Calvary Chapel of Twin Falls, Inc. respectfully requests a waiver of the FM translator contour overlap regulations with respect to second-adjacent channel station KDNA.



1:1,832,031

Scale in km



N K218CX 218D .028KW 568M AMSL

N. Lat. 46 31 58 W. Lng. 120 29 26

K218CX^D

CCTF - 08/07

18

Contour.out

TERRAIN AND CONTOUR DATA

August 2007 - Minor Change Application

N. Lat. = 46 31 58 W. Lng. = 120 29 26

HAAT and Distance to Contour - FCC Method - 03 Arc Sec.

K218CX, Calvary Chapel Of Twin Falls,, BLFT-20010502ABB

Azi.	AV EL	HAAT	ERP kW	dBk	Field	60-F5
000	374.4	193.6	0.0280	-15.53	1.000	10.53
030	494.4	73.6	0.0280	-15.53	1.000	6.40
060	400.1	167.9	0.0280	-15.53	1.000	9.82
090	383.2	184.8	0.0280	-15.53	1.000	10.30
120	351.4	216.6	0.0280	-15.53	1.000	11.12
150	267.0	301.0	0.0280	-15.53	1.000	13.07
180	267.3	300.7	0.0280	-15.53	1.000	13.06
210	288.9	279.1	0.0280	-15.53	1.000	12.59
240	374.1	193.9	0.0280	-15.53	1.000	10.54
270	461.8	106.2	0.0280	-15.53	1.000	7.73
300	374.8	193.2	0.0280	-15.53	1.000	10.52
330	356.6	211.4	0.0280	-15.53	1.000	10.99

Ave EI = 366.16 M HAAT= 201.84 M AMSL= 568 M