

FOR
FCC
USE
ONLY

**FCC 302-AM
APPLICATION FOR AM
BROADCAST STATION LICENSE**

(Please read instructions before filling out form.)

FOR COMMISSION USE ONLY

FILE NO.

SECTION I - APPLICANT FEE INFORMATION			
1. PAYOR NAME (Last, First, Middle Initial) <p style="text-align: center;">Santa Barbara Broadcasting, Inc.</p>			
MAILING ADDRESS (Line 1) (Maximum 35 characters) 1317 Santa Barbara Street, Santa Barbara, CA 93101			
MAILING ADDRESS (Line 2) (Maximum 35 characters)			
CITY SANTA BARBARA	STATE OR COUNTRY (if foreign address) CA		ZIP CODE
TELEPHONE NUMBER (include area code) 805.568.1444	CALL LETTERS KZSB	OTHER FCC IDENTIFIER (if applicable)	
2. A. Is a fee submitted with this application? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
B. If No, indicate reason for fee exemption (see 47 C.F.R. Section			
<input type="checkbox"/> Governmental Entity <input type="checkbox"/> Noncommercial educational licensee <input type="checkbox"/> Other (Please explain):			
C. If Yes, provide the following information:			
Enter in Column (A) the correct Fee Type Code for the service you are applying for. Fee Type Codes may be found in the "Mass Media Services Fee Filing Guide." Column (B) lists the Fee Multiple applicable for this application. Enter fee amount due in Column (C).			
(A)	(B)	(C)	
FEE TYPE CODE	FEE MULTIPLE	FEE DUE FOR FEE TYPE CODE IN COLUMN (A)	FOR FCC USE ONLY
M M R	0 0 0 1	\$ 645.00	
To be used only when you are requesting concurrent actions which result in a requirement to list more than one Fee Type Code.			
(A)	(B)	(C)	
	0 0 0 1	\$	FOR FCC USE ONLY
ADD ALL AMOUNTS SHOWN IN COLUMN C, AND ENTER THE TOTAL HERE. THIS AMOUNT SHOULD EQUAL YOUR ENCLOSED REMITTANCE.		TOTAL AMOUNT REMITTED WITH THIS APPLICATION	FOR FCC USE ONLY
		\$ 645.00	

SECTION II - APPLICANT INFORMATION		
1. NAME OF APPLICANT Santa Barbara Broadcasting, Inc.		
MAILING ADDRESS 1317 Santa Barbara Street		
CITY Santa Barbara	STATE CA	ZIP CODE 93101

2. This application is for:

- Commercial Noncommercial
 AM Directional AM Non-Directional

Call letters KZSB	Community of License Santa Barbara, CA	Construction Permit File No. BP-202003223AAA	Modification of Construction Permit File No(s).	Expiration Date of Last Construction Permit June 19, 2023
----------------------	---	---	---	--

3. Is the station now operating pursuant to automatic program test authority in accordance with 47 C.F.R. Section 73.1620?

Yes No

If No, explain in an Exhibit.

Exhibit No.

4. Have all the terms, conditions, and obligations set forth in the above described construction permit been fully met?

Yes No

If No, state exceptions in an Exhibit.

Exhibit No.

5. Apart from the changes already reported, has any cause or circumstance arisen since the grant of the underlying construction permit which would result in any statement or representation contained in the construction permit application to be now incorrect?

Yes No

If Yes, explain in an Exhibit.

Exhibit No.

6. Has the permittee filed its Ownership Report (FCC Form 323) or ownership certification in accordance with 47 C.F.R. Section 73.3615(b)?

Yes No

If No, explain in an Exhibit.

Does not apply

Exhibit No.

7. Has an adverse finding been made or an adverse final action been taken by any court or administrative body with respect to the applicant or parties to the application in a civil or criminal proceeding, brought under the provisions of any law relating to the following: any felony; mass media related antitrust or unfair competition; fraudulent statements to another governmental unit; or discrimination?

Yes No

If the answer is Yes, attach as an Exhibit a full disclosure of the persons and matters involved, including an identification of the court or administrative body and the proceeding (by dates and file numbers), and the disposition of the litigation. Where the requisite information has been earlier disclosed in connection with another application or as required by 47 U.S.C. Section 1.65(c), the applicant need only provide: (i) an identification of that previous submission by reference to the file number in the case of an application, the call letters of the station regarding which the application or Section 1.65 information was filed, and the date of filing; and (ii) the disposition of the previously reported matter.

Exhibit No.

8. Does the applicant, or any party to the application, have a petition on file to migrate to the expanded band (1605-1705 kHz) or a permit or license either in the existing band or expanded band that is held in combination (pursuant to the 5 year holding period allowed) with the AM facility proposed to be modified herein?

Yes No

If Yes, provide particulars as an Exhibit.

Exhibit No.

The APPLICANT hereby waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because use of the same, whether by license or otherwise, and requests and authorization in accordance with this application. (See Section 304 of the Communications Act of 1934, as amended).

The APPLICANT acknowledges that all the statements made in this application and attached exhibits are considered material representations and that all the exhibits are a material part hereof and are incorporated herein as set out in full in

CERTIFICATION

1. By checking Yes, the applicant certifies, that, in the case of an individual applicant, he or she is not subject to a denial of federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. Section 862, or, in the case of a non-individual applicant (e.g., corporation, partnership or other unincorporated association), no party to the application is subject to a denial of federal benefits that includes FCC benefits pursuant to that section. For the definition of a "party" for these purposes, see 47 C.F.R. Section 1.2002(b).

Yes No

2. I certify that the statements in this application are true, complete, and correct to the best of my knowledge and belief, and are made in good faith.

Name Leslie R. Carroll	Signature <i>L.R. Carroll</i>	
Title General Manager	Date 10/27/22	Telephone Number 805.568.1444

WILLFUL FALSE STATEMENTS ON THIS FORM ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. CODE, TITLE 18, SECTION 1001), AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION

FCC NOTICE TO INDIVIDUALS REQUIRED BY THE PRIVACY ACT AND THE PAPERWORK REDUCTION ACT

The solicitation of personal information requested in this application is authorized by the Communications Act of 1934, as amended. The Commission will use the information provided in this form to determine whether grant of the application is in the public interest. In reaching that determination, or for law enforcement purposes, it may become necessary to refer personal information contained in this form to another government agency. In addition, all information provided in this form will be available for public inspection. If information requested on the form is not provided, the application may be returned without action having been taken upon it or its processing may be delayed while a request is made to provide the missing information. Your response is required to obtain the requested authorization.

Public reporting burden for this collection of information is estimated to average 639 hours and 53 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, can be sent to the Federal Communications Commission, Records Management Branch, Paperwork Reduction Project (3060-0627), Washington, D. C. 20554. Do NOT send completed forms to this address.

THE FOREGOING NOTICE IS REQUIRED BY THE PRIVACY ACT OF 1974, P.L. 93-579, DECEMBER 31, 1974, 5 U.S.C. 552a(e)(3), AND THE PAPERWORK REDUCTION ACT OF 1980, P.L. 96-511, DECEMBER 11, 1980, 44 U.S.C. 3507.

SECTION III - LICENSE APPLICATION ENGINEERING DATA

Name of Applicant
 SANTA BARBARA BROADCASTING INC

PURPOSE OF AUTHORIZATION APPLIED FOR: (check one)

- Station License Direct Measurement of Power

1. Facilities authorized in construction permit					
Call Sign KZSB	File No. of Construction Permit (if applicable) BP-20200323AAA	Frequency (kHz) 1290 KHZ	Hours of Operation UNLIMITED	Power in kilowatts	
				Night 0.114	Day 0.50
2. Station location					
State CALIFORNIA			City or Town SANTA BARBARA		
3. Transmitter location					
State CALIF.	County SANTA BARBARA		City or Town SANTA BARBARA	Street address (or other identification) 402 E. Yanonali St.	
4. Main studio location					
State NO	County LONGER		City or Town REQUIRED	Street address (or other identification)	
5. Remote control point location (specify only if authorized directional antenna)					
State NO	County LONGER		City or Town REQUIRED	Street address (or other identification)	

6. Has type-approved stereo generating equipment been installed? Yes No

7. Does the sampling system meet the requirements of 47 C.F.R. Section 73.68? Yes No

Not Applicable

Attach as an Exhibit a detailed description of the sampling system as installed.

Exhibit No. DNA

8. Operating constants:						
RF common point or antenna current (in amperes) without modulation for night system 1.047			RF common point or antenna current (in amperes) without modulation for day system 2.19			
Measured antenna or common point resistance (in ohms) at operating frequency Night 104 Day 104			Measured antenna or common point reactance (in ohms) at operating frequency Night -j 164 Day -j 164			
Antenna indications for directional operation						
Towers	Antenna monitor Phase reading(s) in degrees		Antenna monitor sample current ratio(s)		Antenna base currents	
	Night	Day	Night	Day	Night	Day
Manufacturer and type of antenna monitor:						

SECTION III - Page 2

9. Description of antenna system ((f directional antenna is used, the information requested below should be given for each element of the array. Use separate sheets if necessary.)

Type Radiator TAPERED STEEL MONOPOLE	Overall height in meters of radiator above base insulator, or above base, if grounded. 39	Overall height in meters above ground (without obstruction lighting) 39	Overall height in meters above ground (include obstruction lighting) NO LIGHTING	If antenna is either top loaded or sectionalized, describe fully in an Exhibit. Exhibit No. ENG STMT
--	--	--	---	--

Excitation Series Shunt

Geographic coordinates to nearest second. For directional antenna give coordinates of center of array. For single vertical radiator give tower location.

North Latitude	34 ⁰	25'	08"	West Longitude	119 ⁰	41'	10"
----------------	-----------------	-----	-----	----------------	------------------	-----	-----

If not fully described above, attach as an Exhibit further details and dimensions including any other antenna mounted on tower and associated isolation circuits.

Exhibit No.
DNA

Also, if necessary for a complete description, attach as an Exhibit a sketch of the details and dimensions of ground system.

Exhibit No.
NO CHANGE


10. In what respect, if any, does the apparatus constructed differ from that described in the application for construction permit or in the permit?

NONE

11. Give reasons for the change in antenna or common point resistance.

REDUCTION IN HEIGHT OF ANTENNA MAST

I certify that I represent the applicant in the capacity indicated below and that I have examined the foregoing statement of technical information and that it is true to the best of my knowledge and belief.

Name (Please Print or Type) Benj. F. Dawson III, P.E.	Signature (check appropriate box below) 
Address (include ZIP Code) Hatfield & Dawson Consulting Engineers 9500 Greenwood Ave. N. Seattle, WA 98103	Date 10/16/2022
	Telephone No. (Include Area Code) 206 783 9151 ext 108

Technical Director

Registered Professional Engineer

Chief Operator

Technical Consultant

Consulting Engineer

STEPHEN S. LOCKWOOD, PE, PMP

THOMAS M. ECKELS, PE
THOMAS S. GORTON, PE

JAMES B. HATFIELD, PE
BENJAMIN F. DAWSON III, PE
ERIK C. SWANSON, PE, PMP
DAVID J. PINION, PE
STEPHEN PUMPLE, M.Eng, MBA, PMP
CONSULTANTS

HATFIELD & DAWSON
CONSULTING ELECTRICAL ENGINEERS
9500 GREENWOOD AVE. N.
SEATTLE, WASHINGTON 98103

TELEPHONE (206) 783-9151
FACSIMILE (206) 789-9834
E-MAIL hatdaw@hatdaw.com

MAURY L. HATFIELD, PE
(1942-2009)
PAUL W. LEONARD, PE
(1925-2011)

ENGINEERING STATEMENT

Radio Station KZSB, 1290 kHz, Santa Barbara, CA
Re: Construction Permit BP-20200323AAA

The Construction Permits BP-202003223AAA, BP-20190815AAW, and BP-20190906AAM, for stations KZSB, KOSJ, and KCLU respectively, authorize changes in the antenna system employed in common by these three stations, the community of license for all of which is Santa Barbara, CA.

The construction permit applications are essentially technically consistent specifying reduction in the electrical height and addition of a small amount of top-loading to the existing monopole antenna, which is slant wire fed. # Each of the application engineering reports clearly describes the slant wire feed system which has been in operation at this site for decades. However the KZSB construction permit contains two conditions which are inconsistent with the others. Condition 6 prohibit a slant wire feed, and condition 7 requires current distribution measurements, which are both unnecessary and inconclusive for such a small amount (5.6 degrees) of toploading, whose actual purpose is drive impedance improvement. Neither of the other two construction permits for use of this antenna facility have such conditions, and it is respectfully requested that they be removed from consideration in the KZSB license application. The construction is entirely consistent with the construction permit specifications and conditions 1 -5.

October 16, 2022



Benj. F. Dawson III, P.E.

* The applications for KOSJ and KZSB were prepared by the late Jeremy Ruck, P.E., and that for KCLU by L. Robert duTreil, Jr.

EQUIPMENT PROOF OF PERFORMANCE
Occupied Bandwidth, Harmonic and Spurious Signals

For

Radio Station KZSB 1290 kHz
Santa Barbara, California

Conducted on September 26, 2022

Measurements performed by Burt I. Weiner

Burt I. Weiner Associates
210 Allen Avenue
Glendale, California 91201
818-409-0185

www.biwa.cc

FOREWORD

This report contains the results of measurements as required under §73.1590, of the Rules and Regulations of the Federal Communications Commission. These requirements for these measurements are also shown in the AM Self-Inspection Checklist on page 18 under: Emissions, Section E. These measurements were conducted on September 26, 2022 on behalf of Radio Station KZSB Santa Barbara, California. KZSB operates on 1290 kHz with a day power of 500 Watts non-directional and a night power of 122 watts non-directional. KZSB is diplexed into a single monopole antenna along with radio stations KCLU on 1340 kHz and KOSJ on 1490 kHz. For these measurements the three stations involved in triplexed operation were each operating in the same mode at the same time in order to represent actual operating conditions.

The KZSB transmitter is a Harris model Gates-One preceded by an Orban model 9200 Digital audio processor that contains the necessary audio pre-emphasis and low pass filter circuitry to conform to NRSC-1 and NRSC-2.

These measurements show the extent to which KZSB complies with the occupied bandwidth and spurious and harmonic emission requirements of the Commission's rules, specifically, Section 73.44 regarding: AM Transmission Emission Limitations.

METHODS AND EQUIPMENT USED

The occupied bandwidth portions of the measurements were conducted using an Anritsu swept frequency Spectrum Analyzer model MS2721B. The antenna used is a DX-Engineering model PRO-1B Broadband Faraday Shielded Mobius Loop Antenna that was connected to the input of the Spectrum Analyzer with 10 feet of RG-223U coaxial cable.

For each of the attached spectrographs the analyzer was operated in the peak hold mode for numerous sweeps totaling a minimum of 10 minutes. These measurements conform to Section 73.44 (a) and (d) of the Commission's rules.

For the identification and measurements of harmonic and spurious signals in the 530 kHz to 5000 kHz range, a Potomac Instruments model FIM-41-1 Field Intensity Meter was used. A separate receiver tuned to 1290 kHz was used to aid in the identification of harmonics and the discovery of any spurious signals as noted in Tables A and B.

Measurements were made during daytime hours that occurred more than two hours after sunrise and concluded prior to two hours before sunset in order to minimize skywave interference.

LOCATION OF MEASUREMENTS

The measurements were made at a location .7 Kilometer from the KZSB transmitter on a bearing of 94.1°T as shown on the map marked as Exhibit A. This location is at 125 Quarantina Street in the parking lot opposite of the entrance to the building and immediately south of the planter.

RESULTS

The results of the occupied bandwidth portion of the measurements are the spectrographs shown in Figures 1 and 2 for Day Mode and Figure 3 and 4 for Night Mode. All spectrographs were made with the station operating under normal conditions and with program containing both speech and music.

Tables A and B show the results of measurements of both harmonic and any spurious emissions which were detected and determined to be associated with, but not necessarily attributable to the KZSB facilities at the time of measurement.

All emissions attributable to the KZSB broadcast facilities at the time of measurement were found to meet the requirements of Section 73.44(b) of the Commission's Rules and Regulations.

Qualifications of Engineer

Burt I. Weiner, whose office is located at 210 Allen Avenue, Glendale California, hereby states that he has been actively involved in broadcast engineering since 1957; that his qualifications as a technical consultant are a matter of record with the Federal Communications Commissions; that he has prepared this report for Radio Station KZSB, Santa Barbara, California; that he made the equipment performance measurements of Radio Station KZSB shown in this report; and that all of the data contained in this report is accurate and correct to the best of his knowledge and ability.

Burt I. Weiner

A handwritten signature in black ink, appearing to read "Burt I. Weiner". The signature is written in a cursive style with a large initial "B".

September 26, 2022



Exhibit A
 Test Site Relative to The KZSB Antenna

Data use subject to license

© 2006 DeLorme, Topo USA® 6.0.

www.delorme.com




TABLE A DAY MODE 500 Watts

Spurious and harmonic emissions observed between
530 kHz and 5000 kHz for operation of KZSB
September 26, 2022

Frequency	relationship	Attenuation relative to Carrier	Minimum attenuation required by 73.44
1290 kHz	carrier (192 MV/m)	0.0 dBc	-----
2580 kHz	2 nd Harmonic	>-85.7 dBc	70 dBc
3870 kHz	3 rd Harmonic	>-85.7 dBc	70 dBc
3920 kHz	mix w/KCLU 1340	-78.4 dBc	70 dBc
4070 kHz	mix w/KCLU 1340	-78.4 dBc	70 dBc
4110 kHz	Spurious Signal	-77.4 dBc	70 dBc

Note: No other signals related to KZSB were detected.

TABLE B NIGHT MODE 122 Watts

Spurious and harmonic emissions observed between
530 kHz and 5000 kHz for operation of KZSB
September 26, 2022


Frequency	relationship	Attenuation relative to Carrier	Minimum attenuation required by 73.44
1290 kHz	carrier (56 mV/m)	0.0 dBc	-----
2580 kHz	2 nd Harmonic	>-74.9 dBc	64 dBc
3870 kHz	3 rd Harmonic	>-74.9 dBc	64 dBc
3920 kHz	mix w/ KCLU 1340	-78.4 dBc	64 dBc
3970 kHz	mix in KCLU 1340	-69.4 dBc	64 dBc
4070 kHz	mix w/ 1490 KOSJ	-74.9 dBc	64 dBc
4110 kHz_ <u>/1</u>	Spurious Signal	-74.9 dBc	64 dBc

/1 This signal is erratic and coming from a direction other than the KZSB transmitter site.

Note: No other signals related to KZSB were detected.

Spectrum Analyzer Data
 KZSB 1290 kHz Day Mode 500 watts 5 kHz/Division September 26, 2022

Spectrum Analyzer



Mkr	Ref	Delta	Ref Freq	Ref Amp	Delta Freq	Delta Amp
1	█	█	1.290 000 MHz	-29.57 dBm	10.200 kHz	-43.32 dB
2	█	█			10.200 kHz	-42.54 dB
3	█	█			20.000 kHz	-48.60 dB
4	█	█			20.000 kHz	-52.32 dB
5						
6						


Measurement Parameters

Trace Mode	Max Hold	Stop Frequency	1.315 000 MHz
Preamp	OFF	Frequency Span	50.000 000 kHz
Min Sweep Time	0.001 S	Reference Level	-19.900 dBm
Reference Level Offset	0 dB	Scale	10.0 dB/div
Input Attenuation	5.0 dB	Serial Number	1117008
RBW	300.0 Hz	Base Ver.	V5.71
VBW	30.0 kHz	App Ver.	V5.73
Detection	Peak	Model	MS2721B
Center Frequency	1.290 000 MHz	Options	20
Start Frequency	1.265 000 MHz	Date	9/26/2022 12:09:36 PM
		Device Name	Seymour

Figure 1 - Radio Station KZSB Day Mode September 26, 2022
 Center Frequency = 1290 kHz; Span = 5 kHz / Div; RBW = 300 Hz

Spectrum Analyzer Data
 KZSB 1290 kHz 500 watts Day Mode 20 kHz/Division September 26, 2022

Spectrum Analyzer



Mkr	Ref	Delta	Ref Freq	Ref Amp	Delta Freq	Delta Amp
1	█	█	1.290 000 MHz	-29.54 dBm	10.200 kHz	-42.92 dB
2	█	█			10.200 kHz	-44.00 dB
3	█	█			25.000 kHz	-69.96 dB
4	█	█			25.000 kHz	-73.81 dB
5	█	█			75.000 kHz	-78.52 dB
6	█	█			75.000 kHz	-72.55 dB


Measurement Parameters

		Stop Frequency	1.390 000 MHz
Trace Mode	Max Hold	Frequency Span	200.000 000 kHz
Preamp	OFF	Reference Level	-20.000 dBm
Min Sweep Time	0.001 S	Scale	10.0 dB/div
Reference Level Offset	0 dB	Serial Number	1117008
Input Attenuation	0.0 dB	Base Ver.	V5.71
RBW	300.0 Hz	App Ver.	V5.73
VBW	30.0 kHz	Model	MS2721B
Detection	Peak	Options	20
Center Frequency	1.290 000 MHz	Date	9/26/2022 11:50:59 AM
Start Frequency	1.190 000 MHz	Device Name	Seymour

Figure 2 - Radio Station KZSB Day Mode September 26, 2022
 Center Frequency = 1290 kHz; Span = 20 kHz / Div; RBW = 300 Hz

Spectrum Analyzer Data
 KZSB 1290 kHz Night Mode 110 watts 5 kHz/Division September 26, 2022

Spectrum Analyzer




Mkr	Ref	Delta	Ref Freq	Ref Amp	Delta Freq	Delta Amp
1	█	█	1.290 000 MHz	-39.66 dBm	10.200 kHz	-45.87 dB
2	█	█			10.200 kHz	-44.29 dB
3	█	█			20.000 kHz	-45.64 dB
4	█	█			20.000 kHz	-49.42 dB
5						
6						

Measurement Parameters			
		Stop Frequency	1.315 000 MHz
Trace Mode	Max Hold	Frequency Span	50.000 000 kHz
Preamp	OFF	Reference Level	-19.100 dBm
Min Sweep Time	0.001 S	Scale	10.0 dB/div
Reference Level Offset	0 dB	Serial Number	1117008
Input Attenuation	0.0 dB	Base Ver.	V5.71
RBW	300.0 Hz	App Ver.	V5.73
VBW	30.0 kHz	Model	MS2721B
Detection	Peak	Options	20
Center Frequency	1.290 000 MHz	Date	9/26/2022 12:52:45 PM
Start Frequency	1.265 000 MHz	Device Name	Seymour

Figure 3 - Radio Station KZSB Night Mode September 26, 2022
 Center Frequency = 1290 kHz; Span = 5 kHz / Div; RBW = 300 Hz

Spectrum Analyzer Data
 KZSB 1290 kHz Night Mode 110 watts 20 kHz/Division September 26, 2022

Spectrum Analyzer



Mkr	Ref	Delta	Ref Freq	Ref Amp	Delta Freq	Delta Amp
1	█	█	1.290 000 MHz	-39.91 dBm	10.200 kHz	-40.53 dB
2	█	█			10.200 kHz	-40.16 dB
3	█	█			25.000 kHz	-64.79 dB
4	█	█			25.000 kHz	-62.90 dB
5	█	█			75.000 kHz	-68.42 dB
6	█	█			75.000 kHz	-60.40 dB

Measurement Parameters

Trace Mode	Max Hold	Stop Frequency	1.390 000 MHz
Preamp	OFF	Frequency Span	200.000 000 kHz
Min Sweep Time	0.001 S	Reference Level	-19.100 dBm
Reference Level Offset	0 dB	Scale	10.0 dB/div
Input Attenuation	0.0 dB	Serial Number	1117008
RBW	300.0 Hz	Base Ver.	V5.71
VBW	30.0 kHz	App Ver.	V5.73
Detection	Peak	Model	MS2721B
Center Frequency	1.290 000 MHz	Options	20
Start Frequency	1.190 000 MHz	Date	9/26/2022 12:36:20 PM
		Device Name	Seymour

Figure 4 - Radio Station KZSB Night Mode September 26, 2022
 Center Frequency = 1290 kHz; Span = 20 kHz / Div; RBW = 300 Hz

(1) LOCK BOX # 979089	SPECIAL USE ONLY
	FCC USE ONLY

SECTION A - PAYER INFORMATION

(2) PAYER NAME (if paying by credit card enter name exactly as it appears on the card) Santa Barbara Broadcasting, Inc.	(3) TOTAL AMOUNT PAID (U.S. Dollars and cents) 645.00
(4) STREET ADDRESS LINE NO. 1 1317 Santa Barbara Street	
(5) STREET ADDRESS LINE NO. 2	
(6) CITY Santa Barbara	(7) STATE CA
	(8) ZIP CODE 93101
(9) DAYTIME TELEPHONE NUMBER (include area code) 8045681444	(10) COUNTRY CODE (if not in U.S.A.) US
FCC REGISTRATION NUMBER (FRN) REQUIRED	
(11) PAYER (FRN) 0011695657	(12) FCC USE ONLY

IF MORE THAN ONE APPLICANT, USE CONTINUATION SHEETS (FORM 159-C)
COMPLETE SECTION BELOW FOR EACH SERVICE, IF MORE BOXES ARE NEEDED, USE CONTINUATION SHEET

(13) APPLICANT NAME Santa Barbara Broadcasting, Inc.		
(14) STREET ADDRESS LINE NO. 1 1317 Santa Barbara Street		
(15) STREET ADDRESS LINE NO. 2		
(16) CITY Santa Barbara	(17) STATE CA	(18) ZIP CODE 93101
(19) DAYTIME TELEPHONE NUMBER (include area code) 8045681444	(20) COUNTRY CODE (if not in U.S.A.) US	
FCC REGISTRATION NUMBER (FRN) REQUIRED		
(21) APPLICANT (FRN) 0011695657	(22) FCC USE ONLY	

COMPLETE SECTION C FOR EACH SERVICE, IF MORE BOXES ARE NEEDED, USE CONTINUATION SHEET

(23A) CALL SIGN/OTHER ID KZSB	(24A) PAYMENT TYPE CODE MMR	(25A) QUANTITY 1
(26A) FEE DUE FOR (PTC) 645.00	(27A) TOTAL FEE 645.00	FCC USE ONLY
(28A) FCC CODE 1 MMR	(29A) FCC CODE 2 MMR	
(23B) CALL SIGN/OTHER ID	(24B) PAYMENT TYPE CODE	(25B) QUANTITY
(26B) FEE DUE FOR (PTC)	(27B) TOTAL FEE	FCC USE ONLY
(28B) FCC CODE 1	(29B) FCC CODE 2	

SECTION D - CERTIFICATION

CERTIFICATION STATEMENT
I, Josmar Cruz, certify under penalty of perjury that the foregoing and supporting information is true and correct to the best of my knowledge, information and belief.

SIGNATURE Josmar Cruz DATE 11/27/20

SECTION E - CREDIT CARD PAYMENT INFORMATION

MASTERCARD _____ VISA _____ AMEX _____ DISCOVER _____

ACCOUNT NUMBER _____ EXPIRATION DATE _____

I hereby authorize the FCC to charge my credit card for the service(s)/authorization herein described.

SIGNATURE _____ DATE _____

Online Payment Information

Total Amount	\$645.00
Payer FRN	0011695657
Payer Name	0011695657
Remittance ID	3969215
Treasury Tracking ID	272AULLF

Thank you for your payment!