

### EXHIBIT 19A

MV/M AT ONE KILOMETER

CALL KYCY  
 FREQUENCY 1550 KHz  
 POWER 16,000 Kw  
 TYPE OF OPER. DA-N  
 HOURS OF OPER. UNLIMITED  
 N. LAT 37:18:41  
 W. LON 121:48:58  
 K FACTOR 888.2532  
 PWR RAD. 15.824 Kw  
 E(std) 1375.461 mV/m  
 E(th) 1309.352 mV/m  
 E(rss) 1241.208 mV/m  
 E(rss)/E(th) 0.94796  
 DATE 01/30/04  
 SUPERSEDES  
 PATTERN NO. 040130N

### STANDARD HORIZONTAL PLANE PATTERN

### INFINITY BROADCASTING CORP. CAMPBELL, CALIFORNIA

TOWER	ELECTRICAL HEIGHT	FIELD RATIO	ELECTRICAL PHASE	TRUE ORIENTATION	SPACING
1	124.5	1.000	0.0	0.0	0.0
2	124.5	0.569	108.3	70.0	145.7
3	124.5	0.761	-112.9	250.0	145.7
4	124.5	0.223	-35.3	207.9	144.2



**LAWRENCE L. MORTON ASSOCIATES**  
 Telecommunications Engineers  
 Hollywood Hills, California







	EXHIBIT 19B		PLAT OF PROPERTY BOUNDARIES					
			INFINITY BROADCASTING CORP. CAMPBELL, CALIFORNIA					
	CALL	KYCY	TOWER	ELECTRICAL HEIGHT	FIELD RATIO	ELECTRICAL PHASE	TRUE ORIENTATION	SPACING
	FREQUENCY	1550 KHz						
	POWER	16.000 Kw	1	124.5	1.000	0.0	0.0	0.0
	TYPE OF OPER.	DA-N	2	124.5	0.569	108.3	70.0	145.7
	HOURS OF OPER.	UNLIMITED	3	124.5	0.761	-112.9	250.0	145.7
	N. LAT	37:18:41	4	124.5	0.223	-35.3	207.9	144.2
	W. LON	121:48:58						
	K FACTOR	888.2532						
	PWR RAD.	15.824 Kw						
	E(std)	1375.461 mV/m						
	E(th)	1309.352 mV/m						
	E(rss)	1241.208 mV/m						
	E(rss)/E(th)	0.94796						
	DATE	01/30/04	 <b>LAWRENCE L. MORTON ASSOCIATES</b> Telecommunications Engineers Hollywood Hills, California					
	SUPERSEDES							
	PATTERN NO.	040130N						


# STANDARD RADIATION CONICAL PATTERNS




**EXHIBIT 19C**  
**STANDARD RADIATION PATTERN**  
 5 Degrees Above Horizontal



**EXHIBIT 19D**  
**STANDARD RADIATION PATTERN**  
 10 Degrees Above Horizontal



**EXHIBIT 19E**  
**STANDARD RADIATION PATTERN**  
 15 Degrees Above Horizontal




**EXHIBIT 19F**  
**STANDARD RADIATION PATTERN**  
 20 Degrees Above Horizontal




**LAWRENCE L. MORTON ASSOCIATES**  
 Telecommunications Engineers  
 Hollywood Hills, California


# STANDARD RADIATION CONICAL PATTERNS




**EXHIBIT 19G**  
**STANDARD RADIATION PATTERN**  
 25 Degrees Above Horizontal



**EXHIBIT 19H**  
**STANDARD RADIATION PATTERN**  
 30 Degrees Above Horizontal



**EXHIBIT 19I**  
**STANDARD RADIATION PATTERN**  
 35 Degrees Above Horizontal




**EXHIBIT 19J**  
**STANDARD RADIATION PATTERN**  
 40 Degrees Above Horizontal




**LAWRENCE L. MORTON ASSOCIATES**  
 Telecommunications Engineers  
 Hollywood Hills, California




# STANDARD RADIATION CONICAL PATTERNS




**EXHIBIT 19K**  
**STANDARD RADIATION PATTERN**  
 45 Degrees Above Horizontal



**EXHIBIT 19L**  
**STANDARD RADIATION PATTERN**  
 50 Degrees Above Horizontal



**EXHIBIT 19M**  
**STANDARD RADIATION PATTERN**  
 55 Degrees Above Horizontal



**EXHIBIT 19N**  
**STANDARD RADIATION PATTERN**  
 60 Degrees Above Horizontal



**LAWRENCE L. MORTON ASSOCIATES**  
 Telecommunications Engineers  
 Hollywood Hills, California

## STANDARD RADIATION

Page 1

01/29/04

STATION: INFINITY BROADCASTING CORP.  
 LOCATION: CAMPBELL, CALIFORNIA  
 FREQUENCY: 1550 Khz

SITE COORDINATES: 37:18:41 N. Latitude  
 121:48:58 W. Longitude

BEARING		RADIATION IN MV/M AT ONE KM FOR EACH VERTICAL ANGLE												
IN	DEG	0.0	5.0	10.0	15.0	20.0	25.0	30.0	35.0	40.0	45.0	50.0	55.0	60.0
0.0	TN	444.6	439.7	425.4	402.4	371.8	335.3	294.7	252.4	210.9	172.7	140.3	115.7	99.2
5.0		501.8	497.1	482.9	459.7	428.4	390.1	346.3	299.0	250.4	203.1	159.8	123.6	96.9
10.0		513.1	509.2	497.3	477.6	450.2	415.7	374.9	329.0	279.8	229.6	181.1	137.4	101.9
15.0		482.8	480.2	472.2	458.6	438.7	412.3	379.2	339.8	295.2	247.0	197.9	151.0	110.0
20.0		419.7	418.7	415.5	409.4	399.2	383.8	361.9	332.7	296.6	254.4	208.5	161.7	118.1
25.0		335.9	336.5	337.8	339.1	339.2	335.9	327.1	310.7	285.8	252.5	212.4	168.5	124.8
30.0		247.6	248.7	252.4	258.8	267.2	275.4	280.0	277.4	265.3	242.7	210.4	171.3	129.3
35.0		181.4	180.6	180.0	183.4	193.6	209.3	225.7	236.8	238.0	226.9	203.7	170.6	131.7
40.0		176.7	170.8	155.6	139.3	133.7	145.8	169.3	192.4	206.6	207.3	193.6	167.1	132.1
45.0		230.2	220.4	192.7	153.3	114.3	97.9	116.0	147.8	173.8	185.7	181.2	161.6	130.8
50.0		301.3	289.4	255.3	203.6	142.5	87.2	73.0	105.7	141.8	163.8	167.9	154.7	128.3
55.0		368.4	355.2	317.4	259.2	187.5	112.2	54.6	68.9	112.5	143.2	154.6	147.3	124.8
60.0		423.3	409.4	369.3	307.3	229.9	145.8	66.9	41.1	87.5	125.0	142.4	139.8	120.8
65.0		463.1	448.9	407.5	343.4	262.9	174.6	88.2	29.5	68.4	110.2	131.7	132.6	116.4
70.0		486.9	472.5	430.7	365.8	284.3	194.4	105.6	34.9	56.1	99.2	123.0	126.1	111.9
75.0		494.4	480.1	438.7	374.2	293.2	203.9	115.6	43.4	50.8	92.2	116.4	120.4	107.3
80.0		485.8	471.8	431.4	368.5	289.6	202.7	117.3	48.6	51.0	88.9	111.6	115.3	102.6
85.0		461.4	448.0	409.2	349.1	273.7	191.1	110.9	49.7	54.6	88.4	108.5	110.7	97.7
90.0		421.8	409.2	372.8	316.4	246.2	169.9	97.3	48.3	60.2	89.9	106.3	106.3	92.5
95.0		367.8	356.3	323.0	271.7	208.3	140.3	78.5	47.6	67.3	92.4	104.4	101.6	86.8
100.0		301.3	291.1	261.8	216.9	162.0	104.8	58.6	51.5	75.3	95.1	102.1	96.1	80.3
105.0		225.4	216.8	192.3	155.0	110.6	68.0	46.5	61.0	83.2	96.7	98.5	89.4	72.9
110.0		145.3	138.6	119.7	91.8	61.5	43.1	52.7	73.4	89.4	96.1	92.7	81.0	64.7
115.0		71.4	67.2	56.0	43.1	39.9	52.1	69.7	84.3	92.0	91.7	83.8	70.7	56.1
120.0		46.8	47.2	49.6	55.5	65.0	75.7	84.6	89.3	88.5	82.1	71.3	58.8	48.8
125.0		86.0	86.4	87.5	89.1	90.7	91.1	89.4	84.6	76.7	66.5	55.8	48.1	46.2
130.0		113.7	112.7	109.8	105.0	98.1	89.4	78.8	67.2	55.5	46.4	42.8	45.9	52.6
135.0		111.4	109.3	103.3	93.7	81.0	66.3	51.1	38.3	33.0	38.2	49.1	60.3	69.0
140.0		80.1	77.8	71.1	61.0	49.2	39.1	36.4	43.5	56.0	69.3	80.8	89.0	92.9
145.0		86.7	86.6	86.6	87.6	90.5	95.9	103.1	111.2	118.8	124.6	127.6	127.0	122.4
150.0		204.1	204.3	204.9	205.8	206.6	207.0	206.5	204.5	200.4	193.8	184.3	171.8	156.2
155.0		379.7	378.5	374.8	368.6	359.7	348.0	333.6	316.2	296.2	273.5	248.7	221.8	193.4
160.0		591.9	588.5	578.4	561.8	539.3	511.3	478.7	442.3	402.8	361.4	318.8	275.8	233.1
165.0		826.6	820.6	802.9	774.2	735.7	689.0	635.7	577.7	516.8	454.6	392.7	332.4	274.5
170.0		1069.6	1060.9	1035.2	993.8	938.7	872.3	797.5	717.1	633.8	550.3	468.5	390.3	316.8
175.0		1306.6	1295.4	1262.1	1208.6	1137.6	1052.5	956.9	854.9	749.9	645.4	544.1	448.1	359.1
180.0		1524.7	1511.3	1471.6	1407.7	1323.0	1221.3	1107.4	985.8	861.1	737.2	617.4	504.6	400.6
185.0		1713.7	1698.6	1654.0	1582.2	1486.8	1372.2	1243.4	1105.6	964.0	823.1	686.9	558.6	440.6
190.0		1866.6	1850.5	1802.9	1726.2	1623.8	1500.3	1360.9	1211.0	1056.1	901.4	751.2	609.3	478.6
195.0		1980.6	1964.1	1915.5	1836.8	1731.3	1603.2	1457.7	1300.0	1135.9	970.6	809.1	655.7	513.9
200.0		2056.3	2040.2	1992.3	1914.4	1809.3	1680.8	1533.3	1372.1	1202.5	1030.2	860.2	697.6	546.3
205.0		2097.7	2082.3	2036.6	1961.9	1860.2	1734.7	1589.1	1428.0	1256.5	1080.1	904.4	734.6	575.4
210.0		2110.8	2096.5	2054.1	1984.2	1888.2	1768.3	1627.4	1469.3	1298.8	1121.0	941.8	766.8	601.3

## STANDARD RADIATION

Page 2

01/29/04

STATION: INFINITY BROADCASTING CORP.  
LOCATION: CAMPBELL, CALIFORNIA  
FREQUENCY: 1550 Khz

SITE COORDINATES: 37:18:41 N. Latitude  
121:48:58 W. Longitude

BEARING		RADIATION IN MV/M AT ONE KM FOR EACH VERTICAL ANGLE												
IN	DEG	0.0	5.0	10.0	15.0	20.0	25.0	30.0	35.0	40.0	45.0	50.0	55.0	60.0
215.0		2103.0	2090.1	2051.5	1987.4	1898.5	1785.8	1651.5	1498.5	1331.0	1153.9	973.0	794.3	623.9
220.0		2082.3	2070.8	2036.2	1978.2	1896.8	1792.1	1665.2	1518.4	1355.0	1179.8	998.6	817.6	643.3
225.0		2056.3	2046.1	2015.2	1963.1	1888.8	1791.8	1672.3	1531.7	1372.9	1200.2	1019.4	836.8	659.6
230.0		2031.6	2022.5	1994.9	1947.7	1879.6	1789.3	1676.3	1541.3	1386.7	1216.4	1036.2	852.6	673.1
235.0		2013.6	2005.4	1980.3	1936.9	1873.5	1788.3	1680.2	1549.5	1398.0	1229.6	1049.7	865.2	683.8
240.0		2006.6	1998.9	1975.2	1934.1	1873.6	1791.4	1686.3	1558.0	1408.2	1240.6	1060.5	875.0	691.9
245.0		2012.8	2005.2	1982.0	1941.7	1881.9	1800.5	1696.0	1568.1	1418.2	1250.0	1068.9	882.1	697.5
250.0		2033.3	2025.5	2001.7	1960.4	1899.3	1816.3	1710.0	1580.1	1428.2	1258.0	1075.1	886.6	700.6
255.0		2067.6	2059.3	2033.8	1989.8	1925.4	1838.5	1728.0	1593.9	1438.2	1264.6	1078.9	888.4	701.1
260.0		2113.9	2104.6	2076.6	2028.4	1958.6	1865.6	1748.8	1608.5	1447.2	1269.1	1080.0	887.3	698.8
265.0		2168.9	2158.5	2126.9	2073.3	1996.4	1895.5	1770.4	1622.4	1454.3	1270.7	1077.7	882.8	693.6
270.0		2228.1	2216.2	2180.5	2120.3	2035.1	1924.9	1790.3	1633.3	1457.6	1268.1	1071.4	874.6	685.2
275.0		2285.6	2272.1	2231.8	2164.4	2070.1	1949.7	1804.9	1638.6	1455.1	1260.0	1059.9	862.0	673.3
280.0		2334.5	2319.4	2274.2	2199.4	2095.9	1965.4	1810.5	1635.3	1444.6	1244.7	1042.4	844.5	657.7
285.0		2367.1	2350.4	2300.6	2218.7	2106.5	1966.7	1802.9	1620.0	1423.8	1220.7	1017.7	821.5	638.2
290.0		2375.1	2357.0	2303.2	2215.4	2095.9	1948.5	1777.9	1589.7	1390.3	1186.5	985.2	792.6	614.4
295.0		2350.6	2331.5	2274.8	2182.7	2058.3	1906.1	1731.7	1541.5	1342.2	1140.8	944.0	757.5	586.4
300.0		2286.7	2267.0	2209.0	2115.0	1988.8	1835.5	1661.5	1473.3	1278.1	1082.8	893.7	716.1	554.3
305.0		2178.3	2158.8	2101.3	2008.3	1884.1	1734.2	1565.2	1384.0	1197.5	1012.3	834.4	668.5	518.1
310.0		2023.4	2004.7	1949.7	1861.0	1743.1	1601.6	1442.8	1273.5	1100.5	929.8	766.7	615.2	478.3
315.0		1822.9	1805.9	1755.5	1674.7	1567.4	1439.1	1295.7	1143.5	988.6	836.4	691.4	556.9	435.5
320.0		1582.3	1567.5	1524.0	1454.0	1361.4	1250.9	1127.6	997.1	864.5	734.2	610.1	494.9	390.4
325.0		1310.8	1298.9	1263.8	1207.4	1132.7	1043.6	944.3	838.9	731.7	626.1	525.0	430.4	343.9
330.0		1021.8	1013.1	987.5	946.3	891.7	826.4	753.2	675.2	595.2	515.6	438.5	365.3	297.1
335.0		732.4	727.1	711.3	685.9	651.9	610.8	564.2	513.7	461.0	407.3	353.9	301.7	251.4
340.0		466.4	464.2	457.5	446.5	431.4	412.6	390.2	364.9	336.9	306.7	274.9	241.9	208.1
345.0		270.4	270.0	268.9	267.0	263.9	259.4	253.3	245.1	234.8	222.0	206.8	189.1	169.0
350.0		244.7	242.8	237.5	229.2	218.8	207.4	195.9	185.1	175.2	166.1	157.2	147.5	136.2
355.0		346.5	342.5	330.9	312.5	288.6	260.8	231.2	201.9	175.1	152.5	135.0	122.1	112.2