


## Environmental Protection Statement

An analysis of the proposed WYMM AM translator site was performed using the Commission's FM Model program and OET Bulletin 65 parameters for FM protection. The proposed antenna for the KNLV AM translator is a two bay Shively 6813B. This ½ wave length spaced antenna has a maximum ERP of 70 watts horizontally polarized and 70 watts vertically polarized. The antenna will be mounted at 112 meters above ground level on an existing tower Registration Number 1060084. The proposed two bay half-waved spaced antenna was analyzed using the following parameters.

Horizontally Polarized Radiation	70.0 W
Vertically Polarized Radiation	70.0 W
Distance from Center of Radiation	110 meters
Downward to 2 meters above ground,	110 meters
Type of Antenna	Shively 6013B
Number of Antenna Elements	2
Antenna Element Spacing	1/2 λ

The following Figure 1 was produced using the FCC FM Model:

**Figure 1**  
**FM Model**  
**Maximum Value: 0.034  $\mu\text{W}/\text{cm}^2$**



This system configuration on the tower produces a maximum of 0.034 microwatts per square centimeter at 2 meters above ground at a distance of 200 meters from the AM antenna. This is 0.017% of the 200 microwatts per square centimeter allowed for uncontrolled exposure. There are no buildings within the major lobe of any antenna. The general public is not allowed near this antenna structure nor the antenna farm. The general public will not be exposed to power density levels exceeding the allowed exposure value from this installation. Maintenance personnel will be fully informed of the antenna and safety precautions will be taken when working near the structure. Danger signs will be posted at the tower site.

The proposed site is a properly fenced AM facility. The  $0.034 \mu\text{W}/\text{cm}^2$  power density radiation is 0.017% of the  $200 \mu\text{W}/\text{cm}^2$  maximum required for protection to the general public. Therefore, the Commission rule 1.1307(b)(3)(i)<sup>1</sup> applies. The addition of this translator to the environment at this tower farm is excluded from Environmental Assessment.

The applicant certifies that it, in coordination with any other users of the site, will reduce power or cease operation as necessary to protect persons having access to the tower site from radio frequency electromagnetic exposure in excess of FCC guidelines.

No construction, other than the mounting of a light two bay FM translator antenna at the 112 meter level on the tower is required. There is no change to the ground or tower structure.

This proposal has no significant environmental impact and complies with 1.1307(b)(3)(i) of the Commission's Rules. Therefore, this proposal is excluded from environmental processing.



---

Charles F. Ellis PE  
Ellis Engineering  
January 27, 2016

---

<sup>1</sup> 1.1307(b)(3)(i)

Applicants for proposed (not otherwise excluded) transmitters, facilities or modifications that would cause non-compliance with the limits specified in §1.1310 at an accessible area previously in compliance must submit an EA if emissions from the applicant's transmitter or facility would result, at the area in question, in a power density that exceeds 5% of the power density exposure limit applicable to that transmitter or facility or in a field strength that, when squared, exceeds 5% of the square of the electric or magnetic field strength limit applicable to that transmitter or facility.