

Educational Media Foundation

KVLR, Sunset Valley, TX Facility ID 19223
Amendment to BPH-20130911AAE

EXHIBIT 30

February 2014

Proposed Amendment to Minor Change Application

This amendment proposes a move to a new site. KVLR's pending minor change application was filed concurrently and contingent with a minor change application for KLLR, Dripping Springs, TX (BPED-20130911AAF), which specified a move to a new site in order to maintain the minimum separation distance requirement of Section 73.207 of 42 km between KLLR, CH 220 A, and KVLR's proposal as a Class C3. KVLR's new site will be located 36.28 km from the pending application site of KLLR, thus this application proposes contour protection to KLLR pursuant to Section 73.215. In addition, KVLR's new site will be located 35.6 km (rounded to 36 km) from KYLR LIC (CH 221 A), thus this application also proposes contour protection to KYLR pursuant to Section 73.215 (see Exhibit 34).

Below are the changes included in this amendment to the pending minor change application.

	Minor Change	Amendment
Channel	223	223
Class	C3	C3
ERP	23.0 kW (H&V, non-da)	4.7 kW (H&V, non-da)
HAAT	104 m	162 m
Geographical Coordinates	30 08 20 / 97 37 05	30 17 53 / 97 49 54
ASRN	1223054	1001786
Site AMSL	183 m	305 m
Tower AGL	81 m	115 m
COR AGL	79 m	86 m
COR AMSL	262 m	391 m

The below listed pages of this exhibit contains information as indicated.

Page 2	Tabulation of HAAT / distance to 60 dBu contour
Page 3	Existing and proposed 60 & 70 dBu contour coverage map
Page 4	Allocation study

Tabulation of HAAT / distance to 60 dBu contour

CH 223 30 17 53 / 97 49 54 4.7 kW ERP (H&V, non-da) 391 m COR AMSL 162 m HAAT

Azi.	AV EL	HAAT	ERP kW	dBk	Field	60-F5
000	256.9	134.1	4.7000	6.72	1.000	30.43
010	234.6	156.4	4.7000	6.72	1.000	32.81
020	222.4	168.6	4.7000	6.72	1.000	34.10
030	204.9	186.1	4.7000	6.72	1.000	35.71
040	228.9	162.1	4.7000	6.72	1.000	33.43
045	227.2	163.8	4.7000	6.72	1.000	33.60
050	216.7	174.3	4.7000	6.72	1.000	34.66
060	207.4	183.6	4.7000	6.72	1.000	35.50
070	200.0	191.0	4.7000	6.72	1.000	36.11
080	189.1	201.9	4.7000	6.72	1.000	36.99
090	176.9	214.1	4.7000	6.72	1.000	37.93
100	167.5	223.5	4.7000	6.72	1.000	38.62
110	151.7	239.3	4.7000	6.72	1.000	39.68
120	151.6	239.4	4.7000	6.72	1.000	39.69
130	176.9	214.1	4.7000	6.72	1.000	37.94
135	182.5	208.5	4.7000	6.72	1.000	37.51
140	186.4	204.6	4.7000	6.72	1.000	37.20
150	189.8	201.2	4.7000	6.72	1.000	36.94
160	197.1	193.9	4.7000	6.72	1.000	36.35
170	206.3	184.7	4.7000	6.72	1.000	35.59
180	222.4	168.6	4.7000	6.72	1.000	34.10
190	233.1	157.9	4.7000	6.72	1.000	32.98
200	252.3	138.7	4.7000	6.72	1.000	30.90
210	270.9	120.1	4.7000	6.72	1.000	29.06
220	285.0	106.0	4.7000	6.72	1.000	27.52
225	289.9	101.1	4.7000	6.72	1.000	26.93
230	293.3	97.7	4.7000	6.72	1.000	26.50
240	299.1	91.9	4.7000	6.72	1.000	25.75
250	281.0	110.0	4.7000	6.72	1.000	27.98
260	262.5	128.5	4.7000	6.72	1.000	29.88
270	270.6	120.4	4.7000	6.72	1.000	29.09
280	277.5	113.5	4.7000	6.72	1.000	28.38
290	225.2	165.8	4.7000	6.72	1.000	33.82
300	218.9	172.1	4.7000	6.72	1.000	34.45
310	213.9	177.1	4.7000	6.72	1.000	34.93
315	207.4	183.6	4.7000	6.72	1.000	35.50
320	214.1	176.9	4.7000	6.72	1.000	34.91
330	209.4	181.6	4.7000	6.72	1.000	35.33
340	220.3	170.7	4.7000	6.72	1.000	34.31
350	253.3	137.7	4.7000	6.72	1.000	30.80

(yellow highlighted values establish average HAAT)


Educational Media Foundation

KVLR, Sunset Valley, TX Facility ID 19223
Amendment to BPH-20130911AAE

EXHIBIT 30

February 2014

KVLR Pending Minor change Application (APP) & Amendment (Proposed) 60 & 70 dBu Contour Coverage Map



Allocation Study

CH 223 C3 30 17 53 / 97 49 54 4.7 kW ERP (H&V, non-da) 391 m COR AMSL 162 m HAAT

Call Channel Location Azi Dist FCC Margin

Reference station:

KVLr	LIC-N	223A	Sunset Valley	TX	48.0	4.15		
KVLr	APP	223C3	Sunset Valley	TX	130.7	27.09		

Relationship to 1st, 2nd, & 3rd adjacent channels:

KLLR	LIC-Z	220A	Dripping Springs	TX	237.4	20.63	41.5	-20.9
KLLR	APP-N	220A	Dripping Springs	TX	252.5	36.28	41.5	-5.2
(proposed contour protection to KLLR pursuant to 73.215, see Exhibit 34)								
KALD	LIC-N	220C2	Caldwell	TX	73.3	119.02	55.5	63.5
VA8855	VAC	220A	Gonzales	TX	157.5	95.35	41.5	53.9
KYLR	LIC-N	221A	Hutto	TX	42.4	35.58	41.5	-5.9
(proposed contour protection to KYLR pursuant to 73.215, see Exhibit 34)								
KNBT	LIC-Z	221A	New Braunfels	TX	203.8	68.78	41.5	27.3
KIIZ-FM	LIC	222A	Killeen	TX	10.1	91.22	88.5	2.7
KRNH	LIC-N	222C2	Kerrville	TX	257.8	121.35	116.5	4.9
KNRG	LIC	222A	New Ulm	TX	111.2	123.43	88.5	34.9
NEW	CP	223L1	Llano	TX	299.9	97.84	77.5	20.3
KZOS-LP	LIC	223L1	San Marcos	TX	189.1	44.07	77.5	-33.4
KRPT	LIC	223C2	Devine	TX	217.9	192.42	176.5	15.9
KWUP	LIC-N	223A	Navasota	TX	83.3	172.33	141.5	30.8
KZPS	LIC	223C	Dallas	TX	17.6	266.90	236.5	30.4
AU9358046	VAC	224C3	Mullin	TX	330.6	160.68	98.5	62.2
1496436	APP	224C3	Mullin	TX	330.6	160.68	98.5	62.2
1549770	APP	224C3	Mullin	TX	331.5	146.85	98.5	48.4
KROM	LIC-N	225C1	San Antonio	TX	200.3	120.90	75.5	45.4
NEW	CP	225L1	Granite Shoals	TX	304.0	59.76	39.5	20.3

I.F. relationships:

KDRP-LP	LIC	276L1	Dripping Springs	TX	242.7	25.96	8.5	17.5
NEW	CP	276L1	San Marcos	TX	193.9	46.54	8.5	38.0
KSSM	LIC-N	276C3	Copperas Cove	TX	352.5	87.96	13.5	74.5