

Exhibit 31

Environmental Compliance
KHNA, Warren Air Force Base, WY
FCC Form 301
July 7, 2008

This proposal has been evaluated with respect to RF radiation exposure guidelines contained in ANSI Standard OET Bulletin 65, edition 97-01, along with Supplement A (Edition 97-01) regarding additional information for Radio and Television Broadcast Stations.

For the FM band, the MPE limit for general population/uncontrolled exposure is 0.2 mW/cm^2 and the limit for occupational exposure is 1 mW/cm^2 .

Worst case estimates were used for figures 6 thru 15, supplement A, Section 2. In each case, with a proposed Effective Radiated Power of 50 kW horizontal and vertical (total of 100 kW) at the Center of Radiation of 39 meters above ground (this is minus 2 Meters from the proposed Center of Radiation to allow for the average height of a human on the ground) using a Shively 5 bay, full wave spaced antenna, it was found that the proposed facility was within ANSI limits.

Exhibit 31 figure 1 of this study shows the results from the FM Model program used by the Commission. It shows the highest power density would be 145.9 uW/cm^2 at a distance of 15 Meters from the antenna at the ground.

Where accessible areas of the support structure are within the hazard zone, they will be posted with signs and protected from unauthorized access.

The proposed operation is on an existing tower, ASR# 1008318.


Note 1 of Section 1.1306 of the Commission's rules provides as follows:

The provisions of Sec. 1.1307(a) of this part requiring the preparation of EAs do not encompass the mounting of antenna(s) on an existing building or antenna tower unless Sec. 1.1307(a)(4) of this part is applicable. Such antennas are subject to Sec. 1.1307(b) of this part and require EAs if their construction would result in human exposure to radiofrequency radiation in excess of the applicable health and safety guidelines cited in Sec. 1.1307(b) of this part.

Compliance with 1.1307(b) is shown previously in this document. As represented by the tower owners, the tower location is located on private property and is neither listed nor eligible for listing in the National Register of Historic Places, thus 1.1307(a)(4) does not apply.

White Park Broadcasting certifies that it, in coordination with other users of the site, will reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic exposure in excess of FCC guidelines.

The applicant assumes full responsibility for remedying the complaints of blanketing interference for a period of one year. Following the one year period of full financial obligation to satisfy blanketing complaints, the licensee shall provide technical assistance to affected persons on remedies for blanketing interference. Since the area inside the blanketing contour is sparsely populated, no serious blanketing interference problems are anticipated.



Jon Hosford
Dir of Engineering
White Park Broadcasting

Exhibit 31 figure 1

