

EXHIBIT 13

Waiver Request of Section 74.1204

Filing Window Long Form FM to AM Translators

Seebree, Idaho

Calvary Chapel of Twin Falls, Inc.

December 2017

The proposed site is contained entirely inside the service contour of second-adjacent full power station KXML Fairfield, ID.

KXML

The proposed site is contained entirely inside the service of second-adjacent station KXML, 260C, 40kW, Fairfield, ID. The level of least arriving protected F(50,50) signal at the proposed transmitter site is 90.3-dBu. Using the U/D method for calculating proposed interference, the interfering signal would, in the worst case at the maximum radial, extend 33.8 meters or 111 feet from the center of radiation. The antenna is proposed at 40 meters AGL. This interference contour will touch the ground in the field where the AM station KMHI is located. There are homes that are located near the tower. However, due to the nature of the AM, those homes are far enough from the interference contour and are not affected. Attached is a Google Earth aerial view of the tower location, and the distances the homes are to in relationship to the interference contour. The larger building designated in the attached exhibit is where all the KMHI equipment is located. There are no businesses or broadcast studios that are located in this building.

Because there are no residences, businesses or major roads that are located within this interference contour, Calvary Chapel of Twin Falls, Inc. respectfully requests a waiver of the FM translator contour overlap regulations with respect to second-adjacent KXML Fairfield, ID.

REFERENCE

43 09 03.0 N.

115 42 26.0 W.

CH# 258D - 99.5 MHz, Pwr= 0.25 kw, HAAT= 0.0 M, COR= 1008 M

Average Protected F(50-50)= 7.09 km

Omni-directional

Seebree, ID FM to AM Filing window

Calvary Chapel of Twin Falls, Inc.

DISPLAY DATES

DATA 12-05-17

SEARCH 12-06-17

CH CITY	CALL	TYPE ANT STATE	AZI <--	DIST FILE #	LAT LNG	PWR(kw) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*
258C0 Fruitland	KLXI	LIC _CX ID	330.0 149.5	111.37 BMLED20160725ABV	44 00 58.0 116 24 15.0	22.000 803	184.3 1835	87.2 Educational Media Foundati	-79.8*	0.3
258C1 Fruitland	KLXI	APP _CN ID	316.6 136.0	99.42 BPED20170616AAI	43 47 50.0 116 33 32.0	100.000 221	163.7 1008	64.9 Educational Media Foundati	-71.8*	9.5
260C Fairfield	KXML	CP _CX ID	63.6 243.8	24.79 BMPH20090121ACC	43 14 59.0 115 25 59.0	40.000 708	11.5 2268	93.1 Cochise Media Licenses Llc	6.2	-69.4*
258D Seebree	1762418	APP _C_ ID	0.0 0.0	0.00 BNPFT20170726ADT	43 09 03.0 115 42 26.0	0.250	23.8 1008	7.1 Calvary Chapel of Twin Fal	-30.8*	-30.8*
256D Boise	K256CZ	LIC _C_ ID	335.0 154.7	74.18 BLFT20170117AAR	43 45 17.8 116 05 51.2	0.250	1.1 2182	37.4 Fm Idaho Co., Llc	66.0	34.3

Terrain database is USGS 03 SEC , R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM
 In & Out distances between contours are shown at closest points. Reference zone= West Zone, Co to 3rd adjacent.
 All separation margins (if shown) include rounding.
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, _= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)
 "*"affixed to 'IN' or 'OUT' values = site inside restricted contour.
 Reference station has protected zone issue: AM tower



Google Earth

© 2017 Google