

**MINOR CHANGE APPLICATION/
CHANGE COMMUNITY OF LICENSE
BILINGUAL BROADCASTING FOUNDATION, INC.
KBBF RADIO STATION
CH 206B - 89.1 MHZ - 0.42 KW
CALISTOGA, CALIFORNIA
September 2008**

EXHIBIT A

Non-Commercial Allocation Analysis & §73.509 Study

Due to its operating channel, KBBF could potentially impact other authorized or proposed non-commercial stations operating on co- or adjacent FM channels. The detailed list of stations reviewed as potentially impacted by Channel 206B at Calistoga, California is shown attached as Exhibit A1. Station KHAP, Channel 206B1, Chico, California; KXPR, Channel 205B, Sacramento, California; and the construction permit for a new FM on Channel 207A at Pierce, California ("Pierce") were reviewed. The provisions of §73.509 of the rules will be met by utilizing a directional FM antenna system for KBBF.

Exhibit A2 specifically demonstrates that there will be no prohibited overlap between the proposed/existing KBBF and KXPR or Pierce; however, the licensed KBBF receives interference from and delivers interference to KHAP, Channel 206B1, Chico, California. This interference was caused by the application to relocate KHAP (BMPED-19860807MD) with a license to cover the permit (BLED-19880915KB). Since KBBF was in existence years prior to the KHAP relocation application and is not proposing any technical changes in this instant application, the

interference between the stations is considered grandfathered. Attached as Exhibits A3 through A6 are the tabulated distances to the protected and interfering contours, along pertinent arcs, of the proposed KBBF and KXPR and Pierce. Further, attached as Exhibit A7 are the tabulated and protected contours of the proposed KBBF, in ten degree increments. Again, there is no prohibited overlap between the facilities.

Commercial §73.207 review and I.F. Issues

The nearest station operating on a frequency either 53 or 54 channels removed from this instant proposal is KRCX-FM, Channel 260B, Marysville, California. The Channel 260B site is located on a bearing of 48.2° at a distance of 92.06 kilometers from the existing KBBF site. Pursuant to §73.207 of the rules, KBBF must be a minimum of 20.0 kilometers from KRCX-FM. KBBF is located more than 70.0 kilometers farther than the required distance. Therefore, this proposal does not impact any intermediate frequency stations.

**MINOR CHANGE APPLICATION/
CHANGE COMMUNITY OF LICENSE
BILINGUAL BROADCASTING FOUNDATION, INC.
KBBF RADIO STATION
CH 206B - 89.1 MHZ - 0.42 KW
CALISTOGA, CALIFORNIA
September 2008**

EXHIBIT A1

**Interference Review for KBBF, Santa Rosa, California
Using Proposed/Licensed Site as Reference**

REFERENCE CH# 206B - 89.1 MHz, Pwr= 0.42 kW, HAAT= 843.6 M, COR= 1241 M DISPLAY DATES
38 39 23.0 N. Average Protected F(50-50)= 44.0 km DATA 09-09-08
122 36 54.0 W. Omni-directional SEARCH 09-09-08

CH CITY	CALL	TYPE ANT STATE	AZI. <--	DIST FILE #	LAT. LNG.	Pwr (kW) HAAT (M)	INT (km) COR (M)	PRO (km) LICENSEE	*IN* (Overlap in km)	*OUT*
206B	KBBF	LIC CN	0.0	0.00	38 39 23.0	0.420	111.7	44.1	-155.79*	-155.79*
	Santa Rosa	CA	0.0	BLED1118	122 36 54.0	844	1241	Bilingual Broadcasting Fou		
**	206B1 KHAP	LIC CN	33.8	143.74	39 43 37.0	12.000	124.6	51.9	-24.00<	-18.49<
	Chico	CA	214.4	BLED19880915KB	121 40 45.0	87	386	Family Stations, Inc.		
	207A NEW	CP DCX	143.8	76.15	38 06 10.0	0.200	6.3	4.4	21.68	0.31
	Pierce	CA	324.1	BNPED20071022AIO	122 06 01.0	-31	22	Centro De Intercesion Y Ad		
	205B KXPR	APP DCX	101.2	112.67	38 27 12.0	50.000	70.0	46.9	1.37	3.85
	Sacramento	CA	282.0	BPED20070518AAY	121 20 55.0	138	155	California State Universit		
	206A KCEA	LIC C	166.9	132.63	37 29 32.0	0.100	41.9	12.5	44.96	5.79
	Atherton	CA	347.1	BLED20010417AAI	122 16 28.0	39	155	Sequoia Union High School		
	208A 1206621	APP DVX	141.3	55.81	38 15 51.0	0.009	0.2	11.7	7.47	42.66
	Napa	CA	321.5	BNPED20071012ACG	122 12 54.0	410	537	Calvary Chapel Of Twin Fal		
	208A 1214745	APP DEX	141.3	55.81	38 15 51.0	0.008	0.2	10.8	7.49	43.56
	Napa	CA	321.5	BNPED20071019AVJ	122 12 54.0	400	537	One Ministries, Inc.		
	205B KXPR	LIC DCN	113.4	105.94	38 16 25.0	50.000	62.5	42.0	7.70	8.52
	Sacramento	CA	294.1	BLED19950926KB	121 30 11.0	150	152	California State Universit		
	205B KXPR	APP CX	96.9	126.88	38 30 42.1	50.000	74.4	48.9	10.81	15.56
	Sacramento	CA	277.8	BPED20070518AAY	121 10 13.8	101	161	California State Universit		
	207A KQEI-FM	CP DCX	86.1	98.80	38 42 38.0	3.100	34.5	23.0	22.04	12.53
	North Highlands	CA	266.9	BPED20070906AER	121 28 54.0	108	122	Northern California Public		
	207A KQEI-FM	LIC DVN	86.1	98.80	38 42 38.0	3.100	34.5	23.0	22.04	12.53
	North Highlands	CA	266.9	BLED19911223KA	121 28 54.0	108	122	Northern California Public		
	208A 1210715	APP CX	149.3	62.90	38 10 09.0	0.200	1.0	7.2	13.54	54.23
	Collins	CA	329.5	BNPED20071018AWG	122 14 50.0	14	58	Centro Cristiano Sion		
	06Z2E KVIE	LI HN	113.6	105.78	38 16 18.0	100.000	31.2	124.7	211.0R	-50.1M
	Sacramento	CA	294.2	BLET20030328ANE	121 30 22.0	550	553	Kvie, Inc.		

Terrain database is NGDC 30 SEC Distance + R = 73.215 or FCC spacings in KM, Distance + M = Margin in KM
Contour distances are on direct line to and from reference station. Reference Zone = 1A. With 3rd Adj Channels.
Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, _= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)
"*"affixed to 'IN' or 'OUT' values = site inside protected contour.
"<" = Contour Overlap

** Grandfathered interference. See Exhibit A for details.

Graham Brock, Inc. - Broadcast Technical Consultants

KBBF - Proposed
 Latitude: 38-39-23 N
 Longitude: 122-36-54 W
 ERP: 0.42 kW
 Channel: 206B
 Frequency: 89.1 MHz
 AMSL Height: 1241.2 m

KHAP
 BLED-19880915KB
 Latitude: 39-43-37 N
 Longitude: 121-40-45 W
 ERP: 12.00 kW
 Channel: 206B1
 Frequency: 89.1 MHz
 AMSL Height: 386.0 m

KXPR
 BLED-19950926KB
 Latitude: 38-16-25 N
 Longitude: 121-30-11 W
 ERP: 50.00 kW
 Channel: 205B
 Frequency: 88.9 MHz
 AMSL Height: 152.0 m

New FM - Pierce CP
 BNPED-20071022AIO
 Latitude: 38-06-10 N
 Longitude: 122-06-01 W
 ERP: 0.20 kW
 Channel: 207A
 Frequency: 89.3 MHz
 AMSL Height: 22.0 m

KHAP 60 dBu (50/50)

KHAP 40 dBu (50/10)

KBBF 40 dBu (50/10)

KBBF 54 dBu (50/10)

KBBF 60 dBu (50/50)

Pierce 60 dBu (50/50)



Pierce 54 dBu (50/10)

KXPR 54 dBu (50/10)

KXPR 60 dBu (50/50)

EXHIBIT A2
**MINOR CHANGE APPLICATION/
 CHANGE COMMUNITY OF LICENSE**
BILINGUAL BROADCASTING FOUNDATION, INC.
KBBF RADIO STATION
CH 206B - 89.1 MHZ - 0.42 KW
CALISTOGA, CALIFORNIA
September 2008

**NOTE: Overlap between KBBF and KHAP is
 pre-existing. See Exhibit A for details.**



**MINOR CHANGE APPLICATION/
CHANGE COMMUNITY OF LICENSE
BILINGUAL BROADCASTING FOUNDATION, INC.
KBBF RADIO STATION
CH 206B - 89.1 MHZ - 0.42 KW
CALISTOGA, CALIFORNIA
September 2008**

EXHIBIT A3

KBBF - Proposed
Channel = 206B
Max ERP = 0.42 kW
RCAMSL = 1241.2 M
N. Lat = 38 39 23
W. Lng = 122 36 54

Pierce CP - BNPED-20071022AIO
Channel = 207A
Max ERP = 0.2 kW
RCAMSL = 22 M
N. Lat = 38 06 10
W. Lng = 122 06 01

Protected
60 dBu

Interfering
54 dBu

NED 30 meter terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
127.0	000.4200	0775.0	042.2	342.6	000.0392	0003.1	037.8	25.2
128.0	000.4200	0802.7	042.9	342.4	000.0387	-0000.5	036.8	25.5
129.0	000.4200	0817.2	043.3	341.7	000.0380	-0000.5	036.0	25.7
130.0	000.4200	0839.3	043.9	341.2	000.0380	-0005.3	035.1	26.0
131.0	000.4200	0862.2	044.5	340.5	000.0380	-0005.3	034.2	26.3
132.0	000.4200	0887.6	045.1	339.9	000.0380	-0010.9	033.3	26.7
133.0	000.4200	0912.6	045.7	339.1	000.0380	-0020.0	032.5	27.0
134.0	000.4200	0918.4	045.8	337.9	000.0380	-0027.1	032.0	27.2
135.0	000.4200	0938.3	046.2	336.8	000.0380	-0038.5	031.3	27.4
136.0	000.4200	0959.7	046.6	335.7	000.0380	-0051.9	030.6	27.7
137.0	000.4200	0979.1	047.0	334.5	000.0380	-0081.0	030.0	28.0
138.0	000.4200	1001.2	047.5	333.2	000.0380	-0092.3	029.4	28.4
139.0	000.4200	1018.6	047.8	331.8	000.0380	-0094.8	028.9	28.6
140.0	000.4200	1030.3	048.0	330.2	000.0380	-0105.3	028.5	28.8
141.0	000.4200	1037.3	048.1	328.6	000.0380	-0115.6	028.2	29.0
142.0	000.4200	1039.6	048.2	326.9	000.0380	-0131.6	028.1	29.1
143.0	000.4200	1045.3	048.3	325.2	000.0380	-0144.8	027.9	29.1
144.0	000.4200	1040.4	048.2	323.4	000.0380	-0151.9	028.0	29.1
145.0	000.4200	1039.7	048.2	321.7	000.0380	-0151.9	028.1	29.1
146.0	000.4200	1042.6	048.2	320.0	000.0380	-0181.1	028.1	29.1
147.0	000.4200	1048.2	048.3	318.3	000.0380	-0195.6	028.1	29.1
148.0	000.4200	1049.1	048.4	316.6	000.0380	-0194.3	028.2	29.0
149.0	000.4200	1051.0	048.4	314.9	000.0380	-0181.8	028.4	28.9
150.0	000.4200	1048.2	048.3	313.3	000.0380	-0173.0	028.7	28.7
151.0	000.4200	1047.0	048.3	311.7	000.0380	-0171.0	028.9	28.6
152.0	000.4200	1037.2	048.1	310.3	000.0380	-0171.5	029.4	28.3
153.0	000.4200	1029.4	048.0	308.9	000.0380	-0158.6	029.9	28.1
154.0	000.4200	1020.4	047.8	307.6	000.0380	-0151.6	030.4	27.9
155.0	000.4200	1009.7	047.6	306.4	000.0380	-0147.7	031.0	27.6
156.0	000.4200	1005.1	047.5	305.2	000.0380	-0136.4	031.4	27.4
157.0	000.4200	0995.4	047.3	304.1	000.0380	-0128.8	032.0	27.1
158.0	000.4200	0977.9	047.0	303.2	000.0380	-0125.6	032.8	26.9
159.0	000.4200	0961.1	046.7	302.4	000.0380	-0122.9	033.5	26.6
160.0	000.4200	0946.3	046.4	301.7	000.0380	-0122.9	034.3	26.3
161.0	000.4200	0933.4	046.1	300.9	000.0380	-0120.1	035.0	26.0

**MINOR CHANGE APPLICATION/
CHANGE COMMUNITY OF LICENSE
BILINGUAL BROADCASTING FOUNDATION, INC.
KBBF RADIO STATION
CH 206B - 89.1 MHZ - 0.42 KW
CALISTOGA, CALIFORNIA
September 2008**

EXHIBIT A4

Pierce CP - BNPED-20071022AIO
Channel = 207A
Max ERP = 0.2 kW
RCAMSL = 22 M
N. Lat = 38 06 10
W. Lng = 122 06 01

KBBF - Proposed
Channel = 206B
Max ERP = 0.42 kW
RCAMSL = 1241 M
N. Lat = 38 39 23
W. Lng = 122 36 54

Protected
60 dBu

Interfering
54 dBu

NED 30 meter terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
290.0	000.0380	-0064.6	004.4	145.7	000.4200	1042.6	072.5	53.7
291.0	000.0380	-0065.7	004.4	145.6	000.4200	1042.6	072.5	53.7
292.0	000.0380	-0068.4	004.4	145.6	000.4200	1042.6	072.5	53.7
293.0	000.0380	-0073.4	004.4	145.5	000.4200	1042.6	072.4	53.7
294.0	000.0380	-0081.0	004.4	145.5	000.4200	1039.7	072.4	53.7
295.0	000.0380	-0088.0	004.4	145.4	000.4200	1039.7	072.3	53.7
296.0	000.0380	-0094.2	004.4	145.4	000.4200	1039.7	072.3	53.7
297.0	000.0380	-0103.9	004.4	145.3	000.4200	1039.7	072.3	53.7
298.0	000.0380	-0115.4	004.4	145.3	000.4200	1039.7	072.2	53.7
299.0	000.0380	-0124.3	004.4	145.2	000.4200	1039.7	072.2	53.7
300.0	000.0380	-0119.4	004.4	145.2	000.4200	1039.7	072.2	53.8
301.0	000.0380	-0120.1	004.4	145.1	000.4200	1039.7	072.1	53.8
302.0	000.0380	-0122.9	004.4	145.1	000.4200	1039.7	072.1	53.8
303.0	000.0380	-0125.6	004.4	145.0	000.4200	1039.7	072.1	53.8
304.0	000.0380	-0128.8	004.4	145.0	000.4200	1039.7	072.0	53.8
305.0	000.0380	-0136.4	004.4	144.9	000.4200	1039.7	072.0	53.8
306.0	000.0380	-0147.7	004.4	144.8	000.4200	1039.7	072.0	53.8
307.0	000.0380	-0149.4	004.4	144.8	000.4200	1039.7	072.0	53.8
308.0	000.0380	-0151.6	004.4	144.7	000.4200	1039.7	071.9	53.8
309.0	000.0380	-0158.6	004.4	144.7	000.4200	1039.7	071.9	53.8
310.0	000.0380	-0171.5	004.4	144.6	000.4200	1039.7	071.9	53.8
311.0	000.0380	-0170.7	004.4	144.5	000.4200	1039.7	071.9	53.8
312.0	000.0380	-0171.0	004.4	144.5	000.4200	1040.4	071.9	53.9
313.0	000.0380	-0173.0	004.4	144.4	000.4200	1040.4	071.8	53.9
314.0	000.0380	-0176.7	004.4	144.4	000.4200	1040.4	071.8	53.9
315.0	000.0380	-0181.8	004.4	144.3	000.4200	1040.4	071.8	53.9
316.0	000.0380	-0187.0	004.4	144.2	000.4200	1040.4	071.8	53.9
317.0	000.0380	-0194.3	004.4	144.2	000.4200	1040.4	071.8	53.9
318.0	000.0380	-0195.6	004.4	144.1	000.4200	1040.4	071.8	53.9
319.0	000.0380	-0194.5	004.4	144.1	000.4200	1040.4	071.8	53.9
320.0	000.0380	-0181.1	004.4	144.0	000.4200	1040.4	071.8	53.9
321.0	000.0380	-0162.1	004.4	143.9	000.4200	1040.4	071.8	53.9
322.0	000.0380	-0151.9	004.4	143.9	000.4200	1040.4	071.8	53.9
323.0	000.0380	-0151.9	004.4	143.8	000.4200	1040.4	071.8	53.9
324.0	000.0380	-0150.0	004.4	143.8	000.4200	1040.4	071.8	53.9
325.0	000.0380	-0144.8	004.4	143.7	000.4200	1040.4	071.8	53.9

**MINOR CHANGE APPLICATION/
CHANGE COMMUNITY OF LICENSE
BILINGUAL BROADCASTING FOUNDATION, INC.
KBBF RADIO STATION
CH 206B - 89.1 MHZ - 0.42 KW
CALISTOGA, CALIFORNIA
September 2008**

EXHIBIT A4 (continued)

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
326.0	000.0380	-0141.9	004.4	143.6	000.4200	1040.4	071.8	53.9
327.0	000.0380	-0131.6	004.4	143.6	000.4200	1040.4	071.8	53.9
328.0	000.0380	-0123.8	004.4	143.5	000.4200	1040.4	071.8	53.9
329.0	000.0380	-0115.6	004.4	143.5	000.4200	1045.3	071.8	53.9
330.0	000.0380	-0105.3	004.4	143.4	000.4200	1045.3	071.8	53.9
331.0	000.0380	-0101.6	004.4	143.3	000.4200	1045.3	071.8	53.9
332.0	000.0380	-0094.8	004.4	143.3	000.4200	1045.3	071.8	53.9
333.0	000.0380	-0092.3	004.4	143.2	000.4200	1045.3	071.8	53.9
334.0	000.0380	-0081.0	004.4	143.1	000.4200	1045.3	071.8	53.9
335.0	000.0380	-0067.8	004.4	143.1	000.4200	1045.3	071.8	53.9
336.0	000.0380	-0051.9	004.4	143.0	000.4200	1045.3	071.9	53.9
337.0	000.0380	-0038.5	004.4	143.0	000.4200	1045.3	071.9	53.9
338.0	000.0380	-0027.1	004.4	142.9	000.4200	1045.3	071.9	53.9
339.0	000.0380	-0020.0	004.4	142.9	000.4200	1045.3	071.9	53.9
340.0	000.0380	-0010.9	004.4	142.8	000.4200	1045.3	071.9	53.9
341.0	000.0380	-0005.3	004.4	142.7	000.4200	1045.3	072.0	53.9
342.0	000.0380	-0000.5	004.4	142.7	000.4200	1045.3	072.0	53.9
343.0	000.0399	0003.1	004.4	142.6	000.4200	1045.3	072.0	53.9
344.0	000.0418	0003.9	004.5	142.5	000.4200	1045.3	072.0	53.9
345.0	000.0438	0003.6	004.5	142.5	000.4200	1039.6	071.9	53.8
346.0	000.0458	0002.5	004.6	142.4	000.4200	1039.6	071.9	53.8
347.0	000.0479	0004.7	004.7	142.3	000.4200	1039.6	071.9	53.8
348.0	000.0500	0007.6	004.7	142.2	000.4200	1039.6	071.9	53.8
349.0	000.0522	0011.2	004.8	142.1	000.4200	1039.6	071.9	53.9
350.0	000.0544	0011.9	004.8	142.1	000.4200	1039.6	071.9	53.9
351.0	000.0567	0016.5	004.9	142.0	000.4200	1039.6	071.8	53.9
352.0	000.0590	0016.0	004.9	141.9	000.4200	1039.6	071.8	53.9
353.0	000.0619	0011.4	005.0	141.8	000.4200	1039.6	071.8	53.9
354.0	000.0649	0011.0	005.0	141.7	000.4200	1039.6	071.8	53.9
355.0	000.0680	0015.2	005.1	141.7	000.4200	1039.6	071.8	53.9
356.0	000.0711	0017.6	005.2	141.6	000.4200	1039.6	071.8	53.9
357.0	000.0743	0017.8	005.2	141.5	000.4200	1037.3	071.8	53.8
358.0	000.0776	0018.0	005.3	141.4	000.4200	1037.3	071.8	53.8
359.0	000.0809	0018.1	005.3	141.3	000.4200	1037.3	071.8	53.8
000.0	000.0843	0018.2	005.4	141.2	000.4200	1037.3	071.9	53.8
001.0	000.0878	0018.1	005.5	141.1	000.4200	1037.3	071.9	53.8
002.0	000.0914	0018.1	005.5	141.1	000.4200	1037.3	071.9	53.8
003.0	000.0959	0018.2	005.6	141.0	000.4200	1037.3	071.9	53.8
004.0	000.1005	0018.2	005.6	140.9	000.4200	1037.3	071.9	53.8
005.0	000.1053	0018.3	005.7	140.8	000.4200	1037.3	071.9	53.8
006.0	000.1101	0018.4	005.8	140.7	000.4200	1037.3	072.0	53.8
007.0	000.1151	0018.6	005.8	140.6	000.4200	1037.3	072.0	53.8
008.0	000.1201	0018.8	005.9	140.5	000.4200	1030.3	072.0	53.7
009.0	000.1253	0019.0	006.0	140.4	000.4200	1030.3	072.1	53.7
010.0	000.1306	0019.1	006.0	140.3	000.4200	1030.3	072.1	53.7
011.0	000.1360	0019.3	006.1	140.2	000.4200	1030.3	072.1	53.7
012.0	000.1415	0019.5	006.1	140.1	000.4200	1030.3	072.2	53.7
013.0	000.1469	0019.8	006.2	140.0	000.4200	1030.3	072.2	53.7

**MINOR CHANGE APPLICATION/
CHANGE COMMUNITY OF LICENSE
BILINGUAL BROADCASTING FOUNDATION, INC.
KBBF RADIO STATION
CH 206B - 89.1 MHZ - 0.42 KW
CALISTOGA, CALIFORNIA
September 2008**

EXHIBIT A5

KBBF - Proposed
Channel = 206B
Max ERP = 0.42 kW
RCAMSL = 1241.2 M
N. Lat = 38 39 23
W. Lng = 122 36 54

KXPR - BLED-19950926KB
Channel = 205B
Max ERP = 50 kW
RCAMSL = 152 M
N. Lat = 38 16 25
W. Lng = 121 30 11

Protected
60 dBu

Interfering
54 dBu

NED 30 meter terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
092.0	000.4200	0779.8	042.3	307.1	019.6608	0150.8	068.4	53.1
093.0	000.4200	0778.1	042.3	306.6	019.3912	0150.8	068.1	53.1
094.0	000.4200	0777.1	042.2	306.1	019.1227	0150.8	067.7	53.2
095.0	000.4200	0773.3	042.1	305.5	018.8345	0150.7	067.4	53.2
096.0	000.4200	0765.1	041.9	304.8	018.5188	0150.7	067.3	53.2
097.0	000.4200	0756.0	041.6	304.2	018.2001	0150.6	067.2	53.1
098.0	000.4200	0752.2	041.5	303.6	017.9112	0150.6	066.9	53.1
099.0	000.4200	0753.4	041.5	303.0	017.6456	0150.5	066.6	53.2
100.0	000.4200	0752.0	041.5	302.4	017.3660	0150.6	066.4	53.2
101.0	000.4200	0746.6	041.3	301.8	017.0682	0150.6	066.3	53.1
102.0	000.4200	0738.9	041.1	301.1	016.7637	0150.5	066.2	53.1
103.0	000.4200	0731.1	040.9	300.5	016.4623	0150.5	066.3	53.0
104.0	000.4200	0727.0	040.7	299.9	016.2281	0150.5	066.2	52.9
105.0	000.4200	0719.6	040.5	299.2	016.1546	0150.5	066.2	52.9
106.0	000.4200	0710.7	040.2	298.6	016.0810	0150.5	066.3	52.9
107.0	000.4200	0700.1	039.9	297.9	016.0076	0150.5	066.5	52.8
108.0	000.4200	0688.4	039.5	297.3	015.9350	0150.6	066.8	52.7
109.0	000.4200	0672.6	039.1	296.6	015.8627	0150.6	067.2	52.5
110.0	000.4200	0653.3	038.4	296.0	015.7919	0150.5	067.7	52.3
111.0	000.4200	0628.6	037.7	295.4	015.7231	0150.5	068.4	52.1
112.0	000.4200	0604.6	036.9	294.8	015.6586	0150.5	069.1	51.8
113.0	000.4200	0578.4	036.0	294.3	015.5977	0150.5	070.0	51.5
114.0	000.4200	0558.5	035.4	293.8	015.5410	0150.5	070.7	51.3
115.0	000.4200	0540.9	034.7	293.3	015.4875	0150.4	071.3	51.1
116.0	000.4200	0534.4	034.4	292.8	015.4350	0150.4	071.6	50.9
117.0	000.4200	0547.8	035.0	292.3	015.3773	0150.5	071.2	51.1
118.0	000.4200	0567.9	035.7	291.7	015.3151	0150.5	070.5	51.3
119.0	000.4200	0578.1	036.0	291.2	015.2549	0150.6	070.2	51.4
120.0	000.4200	0588.7	036.4	290.6	015.1933	0150.6	070.0	51.4
121.0	000.4200	0600.8	036.8	290.0	015.1299	0150.7	069.7	51.5
122.0	000.4200	0625.9	037.6	289.4	015.1592	0150.7	069.1	51.7
123.0	000.4200	0652.3	038.4	288.7	015.1982	0150.7	068.4	51.9
124.0	000.4200	0679.0	039.3	287.9	015.2392	0150.9	067.8	52.2
125.0	000.4200	0711.4	040.3	287.1	015.2848	0151.0	067.1	52.4
126.0	000.4200	0736.3	041.0	286.3	015.3286	0151.0	066.6	52.6

**MINOR CHANGE APPLICATION/
CHANGE COMMUNITY OF LICENSE
BILINGUAL BROADCASTING FOUNDATION, INC.
KBBF RADIO STATION
CH 206B - 89.1 MHZ - 0.42 KW
CALISTOGA, CALIFORNIA
September 2008**

EXHIBIT A6

KXPR - BLED-19950926KB
Channel = 205B
Max ERP = 50 kW
RCAMSL = 152 M
N. Lat = 38 16 25
W. Lng = 121 30 11

KBBF - Proposed
Channel = 206B
Max ERP = 0.42 kW
RCAMSL = 1241 M
N. Lat = 38 39 23
W. Lng = 122 36 54

Protected
60 dBu

Interfering
54 dBu

NED 30 meter terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
285.0	015.4013	0151.0	042.0	119.2	000.4200	0578.1	064.7	50.9
286.0	015.3458	0151.0	041.9	118.5	000.4200	0578.1	064.6	51.0
287.0	015.2905	0151.0	041.9	117.9	000.4200	0567.9	064.4	50.9
288.0	015.2352	0150.9	041.9	117.2	000.4200	0547.8	064.4	50.6
289.0	015.1800	0150.7	041.8	116.6	000.4200	0547.8	064.3	50.6
290.0	015.1250	0150.7	041.8	115.9	000.4200	0534.4	064.2	50.3
291.0	015.2352	0150.6	041.8	115.3	000.4200	0540.9	064.1	50.5
292.0	015.3458	0150.5	041.9	114.6	000.4200	0540.9	064.0	50.5
293.0	015.4568	0150.4	041.9	114.0	000.4200	0558.5	063.9	50.9
294.0	015.5682	0150.5	042.0	113.3	000.4200	0578.4	063.9	51.2
295.0	015.6800	0150.5	042.1	112.7	000.4200	0578.4	063.8	51.2
296.0	015.7922	0150.5	042.1	112.0	000.4200	0604.6	063.8	51.6
297.0	015.9048	0150.6	042.2	111.3	000.4200	0628.6	063.8	51.9
298.0	016.0178	0150.5	042.2	110.7	000.4200	0628.6	063.8	51.9
299.0	016.1312	0150.5	042.3	110.0	000.4200	0653.3	063.8	52.2
300.0	016.2450	0150.5	042.4	109.3	000.4200	0672.6	063.9	52.4
301.0	016.7042	0150.5	042.6	108.6	000.4200	0672.6	063.8	52.4
302.0	017.1698	0150.6	042.8	107.9	000.4200	0688.4	063.7	52.7
303.0	017.6418	0150.5	043.1	107.2	000.4200	0700.1	063.7	52.8
304.0	018.1202	0150.6	043.3	106.5	000.4200	0700.1	063.7	52.8
305.0	018.6050	0150.7	043.5	105.8	000.4200	0710.7	063.7	53.0
306.0	019.0962	0150.8	043.8	105.1	000.4200	0719.6	063.7	53.1
307.0	019.5938	0150.8	044.0	104.4	000.4200	0727.0	063.8	53.2
308.0	020.0978	0150.8	044.2	103.7	000.4200	0727.0	063.9	53.1
309.0	020.6082	0150.8	044.4	102.9	000.4200	0731.1	064.0	53.1
310.0	021.1250	0150.8	044.6	102.2	000.4200	0738.9	064.2	53.2
311.0	022.0448	0150.8	045.0	101.5	000.4200	0746.6	064.2	53.3
312.0	022.9842	0150.8	045.4	100.7	000.4200	0746.6	064.3	53.2
313.0	023.9432	0151.0	045.7	099.9	000.4200	0752.0	064.4	53.3
314.0	024.9218	0150.9	046.1	099.1	000.4200	0753.4	064.6	53.3
315.0	025.9200	0150.9	046.4	098.4	000.4200	0752.2	064.7	53.2
316.0	026.9378	0150.9	046.8	097.6	000.4200	0752.2	065.0	53.1
317.0	027.9752	0151.0	047.1	096.9	000.4200	0756.0	065.2	53.1
318.0	029.0322	0150.9	047.4	096.1	000.4200	0765.1	065.5	53.1
319.0	030.1088	0150.8	047.8	095.4	000.4200	0773.3	065.8	53.1

**MINOR CHANGE APPLICATION/
CHANGE COMMUNITY OF LICENSE
BILINGUAL BROADCASTING FOUNDATION, INC.
KBBF RADIO STATION
CH 206B - 89.1 MHZ - 0.42 KW
CALISTOGA, CALIFORNIA
September 2008**

EXHIBIT A7

N. Lat. = 38 39 23 - Tabulated Protected and Interfering Contours Data
W. Lng. = 122 36 54 - KBBF Radio Station, Calistoga, California

HAAT and Distance to Contour - FCC Method - NED 30 Meter								
Azi.	HAAT	ERP kW	dBk	Field	60-F5	40-F1	54-F1	100-F1
000	845.2	0.4200	-3.77	1.000	44.08	111.72	65.68	1.44
010	825.6	0.4200	-3.77	1.000	43.57	110.98	64.97	1.44
020	837.3	0.4200	-3.77	1.000	43.88	111.43	65.40	1.44
030	786.9	0.4200	-3.77	1.000	42.51	109.47	63.52	1.44
040	817.6	0.4200	-3.77	1.000	43.35	110.67	64.67	1.44
050	781.5	0.4200	-3.77	1.000	42.35	109.26	63.31	1.44
060	723.5	0.4200	-3.77	1.000	40.63	106.82	61.14	1.44
070	701.2	0.4200	-3.77	1.000	39.95	105.81	60.31	1.44
080	770.6	0.4200	-3.77	1.000	42.04	108.82	62.91	1.44
090	789.8	0.4200	-3.77	1.000	42.59	109.59	63.63	1.44
100	752.0	0.4200	-3.77	1.000	41.49	108.05	62.21	1.44
110	653.3	0.4200	-3.77	1.000	38.44	103.44	58.55	1.44
120	588.7	0.4200	-3.77	1.000	36.39	99.71	56.18	1.44
130	839.3	0.4200	-3.77	1.000	43.93	111.50	65.47	1.44
140	1030.3	0.4200	-3.77	1.000	48.01	117.96	71.17	1.44
150	1048.2	0.4200	-3.77	1.000	48.34	118.48	71.62	1.44
160	946.3	0.4200	-3.77	1.000	46.37	115.31	68.92	1.44
170	927.1	0.4200	-3.77	1.000	45.97	114.67	68.37	1.44
180	946.3	0.4200	-3.77	1.000	46.36	115.31	68.92	1.44
190	948.3	0.4200	-3.77	1.000	46.41	115.38	68.98	1.44
200	950.1	0.4200	-3.77	1.000	46.44	115.44	69.03	1.44
210	966.7	0.4200	-3.77	1.000	46.78	115.98	69.50	1.44
220	979.6	0.4200	-3.77	1.000	47.04	116.40	69.85	1.44
230	1021.3	0.4200	-3.77	1.000	47.84	117.69	70.94	1.44
240	1073.3	0.4200	-3.77	1.000	48.78	119.19	72.24	1.44
250	1082.4	0.4200	-3.77	1.000	48.93	119.44	72.46	1.44
260	1077.9	0.4200	-3.77	1.000	48.86	119.32	72.35	1.44
270	1009.3	0.4200	-3.77	1.000	47.61	117.32	70.63	1.44
280	894.5	0.4200	-3.77	1.000	45.26	113.54	67.37	1.44
290	923.2	0.4200	-3.77	1.000	45.88	114.54	68.25	1.44
300	775.2	0.4200	-3.77	1.000	42.17	109.00	63.08	1.44
310	494.1	0.4200	-3.77	1.000	32.77	92.65	50.98	1.44
320	410.1	0.4200	-3.77	1.000	29.64	85.08	45.69	1.44
330	567.2	0.4200	-3.77	1.000	35.67	98.21	55.33	1.44
340	657.1	0.4200	-3.77	1.000	38.56	103.64	58.69	1.44
350	749.8	0.4200	-3.77	1.000	41.43	107.96	62.12	1.44

AMSL= 1241.2 M