

Exhibit 30.1
Sect. 73.215 Protection
Toward Contingently Filed
WJZK(FM) - CH282A App.

WPAY-FM.A CH 281 C
100.0 kW 676 M COR DA
Prot. = 60 dBu
Intef. = 54 dBu

WJZK-A CH 282 A
6.0 kW, 356 M COR
Prot. = 60 dBu
Intef. = 54 dBu

CONTINGENT APPLICATION

Scale = 1:2,000,000




Exhibit 30.1

Section 73.215 Contour Protection Toward

Contingently Filed WJZK(FM).A – CH282A

02-12-2007

USGS 03 Sec. Terrain Data

FMOVer Analysis

WPAY-FM.A
 Channel = 281C
 Max ERP = 100 kW
 RCAMSL = 676 M
 N. Lat. 38 41 00.0
 W. Lng. 83 00 46.0
 Protected
 60 dBu

WJZK-A CONTINGENT APPLICATION
 Channel = 282A
 Max ERP = 6 kW
 RCAMSL = 356 M
 N. Lat. 39 54 52.0
 W. Lng. 83 08 34.0
 Interfering
 54 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
311.0	047.0596	0406.2	072.3	206.0	006.0000	0090.2	099.2	36.38
312.0	047.0596	0409.0	072.5	205.9	006.0000	0090.2	098.0	36.67
313.0	047.0596	0414.8	072.9	205.9	006.0000	0090.2	096.6	36.98
314.0	047.0596	0423.6	073.6	206.1	006.0000	0090.2	095.2	37.32
315.0	047.0596	0431.6	074.1	206.1	006.0000	0090.2	093.8	37.67
316.0	047.0596	0433.3	074.3	205.9	006.0000	0090.2	092.5	37.99
317.0	047.0596	0428.9	073.9	205.5	006.0000	0090.9	091.5	38.30
318.0	047.0596	0426.2	073.8	205.0	006.0000	0090.9	090.3	38.59
319.0	047.0596	0431.9	074.2	205.0	006.0000	0090.9	089.0	38.95
320.0	047.0596	0440.2	074.8	205.0	006.0000	0090.9	087.5	39.33
321.0	048.0804	0438.2	074.9	204.6	006.0000	0090.9	086.3	39.66
322.0	049.1121	0437.8	075.1	204.4	006.0000	0091.6	085.1	40.04
323.0	050.1547	0444.7	075.8	204.4	006.0000	0091.6	083.6	40.45
324.0	051.2083	0438.8	075.6	203.8	006.0000	0091.6	082.5	40.74
325.0	052.2729	0440.8	076.0	203.6	006.0000	0091.6	081.2	41.10
326.0	053.3484	0441.9	076.3	203.2	006.0000	0092.3	079.9	41.49
327.0	054.4349	0431.7	075.7	202.4	006.0000	0093.0	079.1	41.75
328.0	055.5323	0423.8	075.4	201.6	006.0000	0093.0	078.3	41.99
329.0	056.6407	0423.1	075.5	201.1	006.0000	0093.6	077.1	42.33
330.0	057.7600	0428.4	076.1	200.8	006.0000	0093.6	075.7	42.73
331.0	057.7600	0429.6	076.2	200.2	006.0000	0094.1	074.6	43.06
332.0	057.7600	0430.4	076.3	199.6	006.0000	0094.1	073.6	43.35
333.0	057.7600	0434.9	076.6	199.1	006.0000	0094.8	072.4	43.74
334.0	057.7600	0434.1	076.5	198.3	006.0000	0095.8	071.5	44.05
335.0	057.7600	0438.3	076.9	197.7	006.0000	0095.8	070.3	44.39
336.0	057.7600	0443.8	077.3	197.1	006.0000	0097.0	069.1	44.81
337.0	057.7600	0447.8	077.6	196.4	006.0000	0098.2	068.0	45.21
338.0	057.7600	0450.1	077.8	195.6	006.0000	0098.2	067.0	45.50
339.0	057.7600	0452.3	077.9	194.7	006.0000	0099.2	066.1	45.84
340.0	057.7600	0454.5	078.1	193.8	006.0000	0100.5	065.2	46.20
341.0	055.4131	0456.2	077.8	192.6	006.0000	0102.0	064.7	46.43
342.0	053.1149	0460.7	077.7	191.6	006.0000	0103.3	064.1	46.70
343.0	050.8654	0458.9	077.1	190.2	006.0000	0105.2	064.0	46.84
344.0	048.6646	0465.3	077.1	189.1	006.0000	0105.9	063.4	47.08
345.0	046.5124	0468.7	076.8	187.9	006.0000	0106.4	063.1	47.21
346.0	044.4089	0470.0	076.4	186.7	006.0000	0106.5	063.0	47.25
347.0	042.3541	0470.3	075.9	185.4	006.0000	0106.2	063.0	47.23
348.0	040.3479	0473.7	075.6	184.2	006.0000	0106.1	062.9	47.26
349.0	038.3904	0469.4	074.7	182.8	006.0000	0105.9	063.4	47.08

Exhibit 30.1
Section 73.215 Contour Protection Toward
Contingently Filed WJZK(FM).A – CH282A

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
350.0	036.4816	0469.4	074.2	181.5	006.0000	0105.7	063.7	46.98
351.0	034.9991	0468.9	073.7	180.3	006.0000	0105.2	063.9	46.87
352.0	033.5473	0471.1	073.3	179.1	006.0000	0105.0	064.1	46.81
353.0	032.1262	0472.3	072.9	178.0	006.0000	0104.8	064.3	46.72
354.0	030.7359	0474.1	072.6	176.8	006.0000	0104.8	064.6	46.63
355.0	029.3764	0476.4	072.2	175.7	006.0000	0104.9	064.9	46.55
356.0	028.0476	0482.6	072.2	174.6	006.0000	0105.1	065.0	46.53
357.0	026.7496	0490.9	072.2	173.5	006.0000	0105.4	065.0	46.55
358.0	025.4823	0497.1	072.1	172.4	006.0000	0105.7	065.2	46.50
359.0	024.2458	0500.1	071.7	171.3	006.0000	0106.1	065.7	46.37
000.0	023.0400	0502.5	071.3	170.3	006.0000	0106.5	066.3	46.22
001.0	023.0400	0504.7	071.5	169.2	006.0000	0106.8	066.4	46.21
002.0	023.0400	0506.6	071.6	168.1	006.0000	0107.2	066.5	46.18
003.0	023.0400	0507.8	071.7	167.1	006.0000	0107.4	066.8	46.12
004.0	023.0400	0507.8	071.7	166.1	006.0000	0107.7	067.1	46.02
005.0	023.0400	0507.4	071.7	165.1	006.0000	0107.9	067.6	45.91
006.0	023.0400	0506.3	071.6	164.1	006.0000	0108.2	068.1	45.76
007.0	023.0400	0505.2	071.5	163.2	006.0000	0108.4	068.6	45.60
008.0	023.0400	0503.9	071.4	162.2	006.0000	0108.6	069.2	45.43
009.0	023.0400	0502.2	071.3	161.4	006.0000	0108.7	069.9	45.24
010.0	023.0400	0497.9	071.0	160.6	006.0000	0108.7	070.8	44.98
011.0	023.0400	0487.7	070.3	160.0	006.0000	0108.9	072.0	44.62
012.0	023.0400	0483.6	070.0	159.3	006.0000	0109.1	072.9	44.36
013.0	023.0400	0472.2	069.2	158.9	006.0000	0109.1	074.2	43.96
014.0	023.0400	0461.0	068.4	158.5	006.0000	0109.2	075.6	43.58
015.0	023.0400	0449.0	067.6	158.1	006.0000	0109.2	077.0	43.18
016.0	023.0400	0442.6	067.1	157.6	006.0000	0109.2	078.0	42.88
017.0	023.0400	0434.9	066.6	157.2	006.0000	0109.3	079.1	42.56
018.0	023.0400	0432.3	066.5	156.6	006.0000	0109.3	080.0	42.31
019.0	023.0400	0435.7	066.7	155.9	006.0000	0109.3	080.6	42.13
020.0	023.0400	0436.3	066.7	155.3	006.0000	0109.2	081.4	41.91
021.0	024.2458	0437.2	067.3	154.4	006.0000	0109.4	081.8	41.80
022.0	025.4823	0439.5	068.0	153.5	006.0000	0109.5	082.2	41.69
023.0	026.7496	0443.3	068.8	152.5	006.0000	0109.5	082.6	41.57
024.0	028.0476	0439.7	069.1	151.9	006.0000	0109.9	083.4	41.38
025.0	029.3764	0436.3	069.3	151.2	006.0000	0110.5	084.2	41.17
026.0	030.7359	0437.1	069.9	150.4	006.0000	0111.0	084.9	41.01
027.0	032.1262	0441.1	070.7	149.5	006.0000	0111.0	085.5	40.84
028.0	033.5473	0446.6	071.5	148.6	006.0000	0111.5	086.1	40.69
029.0	034.9991	0448.8	072.2	147.8	006.0000	0112.2	086.9	40.51
030.0	036.4816	0449.5	072.7	147.1	006.0000	0112.9	087.7	40.29
031.0	038.3904	0453.5	073.5	146.3	006.0000	0113.7	088.5	40.12
032.0	040.3479	0453.9	074.1	145.6	006.0000	0113.7	089.4	39.86
033.0	042.3541	0449.3	074.3	145.1	006.0000	0114.5	090.5	39.59
034.0	044.4089	0450.1	074.9	144.5	006.0000	0115.6	091.5	39.36
035.0	046.5124	0453.9	075.7	143.7	006.0000	0115.6	092.5	39.10

Exhibit 30.1

Section 73.215 Contour Protection Toward

Contingently Filed WJZK(FM).A – CH282A

02-12-2007 USGS03 Sec. Sec. Terrain Data

WJZK-A CONTINGENT APPLICATION

Channel = 282A
 Max ERP = 6 kW
 RCAMSL = 356 M
 N. Lat. 39 54 52.0
 W. Lng. 83 08 34.0
 Protected
 60 dBu

WPAY-FM.A

Channel = 281C
 Max ERP = 100 kW
 RCAMSL = 676 M
 N. Lat. 38 41 00.0
 W. Lng. 83 00 46.0
 Interfering
 54 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
135.0	006.0000	0124.1	031.2	005.3	023.0400	0507.4	115.1	51.48
136.0	006.0000	0123.3	031.1	005.1	023.0400	0507.4	114.8	51.57
137.0	006.0000	0122.6	031.0	004.9	023.0400	0507.4	114.4	51.66
138.0	006.0000	0121.7	030.9	004.7	023.0400	0507.4	114.1	51.75
139.0	006.0000	0120.9	030.8	004.5	023.0400	0507.8	113.8	51.85
140.0	006.0000	0120.1	030.7	004.3	023.0400	0507.8	113.4	51.93
141.0	006.0000	0119.2	030.6	004.0	023.0400	0507.8	113.2	52.01
142.0	006.0000	0118.0	030.5	003.8	023.0400	0507.8	112.9	52.08
143.0	006.0000	0116.8	030.4	003.5	023.0400	0507.8	112.6	52.14
144.0	006.0000	0115.6	030.2	003.3	023.0400	0507.8	112.4	52.20
145.0	006.0000	0114.5	030.1	003.1	023.0400	0507.8	112.2	52.26
146.0	006.0000	0113.7	030.0	002.8	023.0400	0507.8	111.9	52.32
147.0	006.0000	0112.9	029.9	002.6	023.0400	0507.8	111.7	52.38
148.0	006.0000	0112.2	029.8	002.3	023.0400	0506.6	111.5	52.42
149.0	006.0000	0111.5	029.8	002.1	023.0400	0506.6	111.2	52.47
150.0	006.0000	0111.0	029.7	001.8	023.0400	0506.6	111.0	52.53
151.0	006.0000	0110.5	029.6	001.6	023.0400	0506.6	110.8	52.59
152.0	006.0000	0109.9	029.6	001.4	023.0400	0504.7	110.6	52.59
153.0	006.0000	0109.5	029.5	001.1	023.0400	0504.7	110.4	52.64
154.0	006.0000	0109.4	029.5	000.9	023.0400	0504.7	110.2	52.70
155.0	006.0000	0109.2	029.5	000.6	023.0400	0504.7	110.0	52.76
156.0	006.0000	0109.3	029.5	000.4	023.0400	0502.5	109.7	52.76
157.0	006.0000	0109.3	029.5	000.1	023.0400	0502.5	109.5	52.81
158.0	006.0000	0109.2	029.5	359.9	023.1585	0502.5	109.3	52.89
159.0	006.0000	0109.1	029.5	359.6	023.4598	0502.5	109.2	52.99
160.0	006.0000	0108.9	029.4	359.4	023.7661	0500.1	109.0	53.02
161.0	006.0000	0108.7	029.4	359.1	024.0776	0500.1	108.9	53.12
162.0	006.0000	0108.6	029.4	358.9	024.3927	0500.1	108.7	53.21
163.0	006.0000	0108.4	029.4	358.6	024.7131	0500.1	108.6	53.30
164.0	006.0000	0108.2	029.3	358.4	025.0368	0497.1	108.5	53.30
165.0	006.0000	0107.9	029.3	358.1	025.3649	0497.1	108.4	53.38
166.0	006.0000	0107.7	029.3	357.8	025.6966	0497.1	108.3	53.46
167.0	006.0000	0107.4	029.3	357.6	026.0312	0497.1	108.3	53.54
168.0	006.0000	0107.2	029.2	357.3	026.3694	0490.9	108.2	53.44
169.0	006.0000	0106.8	029.2	357.0	026.7107	0490.9	108.2	53.50
170.0	006.0000	0106.5	029.1	356.8	027.0545	0490.9	108.2	53.56
171.0	006.0000	0106.1	029.1	356.5	027.4009	0482.6	108.2	53.39
172.0	006.0000	0105.7	029.0	356.2	027.7482	0482.6	108.2	53.44

Exhibit 30.1
Section 73.215 Contour Protection Toward
Contingently Filed WJZK(FM).A – CH282A

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
173.0	006.0000	0105.4	029.0	356.0	028.0970	0482.6	108.2	53.49
174.0	006.0000	0105.2	029.0	355.7	028.4473	0482.6	108.2	53.55
175.0	006.0000	0105.1	029.0	355.4	028.7989	0476.4	108.2	53.42
176.0	006.0000	0104.9	028.9	355.2	029.1522	0476.4	108.2	53.47
177.0	006.0000	0104.8	028.9	354.9	029.5065	0476.4	108.2	53.51
178.0	006.0000	0104.8	028.9	354.6	029.8633	0476.4	108.3	53.56
179.0	006.0000	0105.0	028.9	354.4	030.2232	0474.1	108.3	53.54
180.0	006.0000	0105.2	029.0	354.1	030.5855	0474.1	108.3	53.59
181.0	006.0000	0105.5	029.0	353.8	030.9503	0474.1	108.3	53.64
182.0	006.0000	0105.7	029.0	353.6	031.3156	0474.1	108.4	53.67
183.0	006.0000	0105.9	029.1	353.3	031.6835	0472.3	108.4	53.66
184.0	006.0000	0106.1	029.1	353.1	032.0516	0472.3	108.5	53.69
185.0	006.0000	0106.2	029.1	352.8	032.4200	0472.3	108.6	53.72
186.0	006.0000	0106.4	029.1	352.5	032.7890	0472.3	108.7	53.74
187.0	006.0000	0106.5	029.1	352.3	033.1568	0471.1	108.8	53.72
188.0	006.0000	0106.4	029.1	352.0	033.5197	0471.1	108.9	53.73
189.0	006.0000	0105.9	029.1	351.8	033.8702	0471.1	109.1	53.72
190.0	006.0000	0105.2	029.0	351.5	034.2102	0471.1	109.4	53.70
191.0	006.0000	0104.3	028.9	351.3	034.5418	0468.9	109.6	53.61
192.0	006.0000	0103.3	028.7	351.1	034.8637	0468.9	109.9	53.57
193.0	006.0000	0102.0	028.6	350.9	035.1657	0468.9	110.3	53.51
194.0	006.0000	0100.5	028.4	350.7	035.4527	0468.9	110.6	53.45
195.0	006.0000	0099.2	028.2	350.5	035.7394	0469.4	111.0	53.40
196.0	006.0000	0098.2	028.0	350.3	036.0317	0469.4	111.3	53.35
197.0	006.0000	0097.0	027.9	350.1	036.3085	0469.4	111.7	53.29
198.0	006.0000	0095.8	027.7	349.9	036.5998	0469.4	112.1	53.23
199.0	006.0000	0094.8	027.6	349.8	036.9415	0469.4	112.4	53.18
200.0	006.0000	0094.1	027.5	349.6	037.2955	0469.4	112.7	53.14
201.0	006.0000	0093.6	027.4	349.4	037.6510	0469.4	113.1	53.10
202.0	006.0000	0093.0	027.3	349.2	037.9987	0469.4	113.4	53.05
203.0	006.0000	0092.3	027.2	349.0	038.3306	0469.4	113.7	53.00
204.0	006.0000	0091.6	027.1	348.9	038.6485	0469.4	114.1	52.95
205.0	006.0000	0090.9	027.0	348.7	038.9580	0469.4	114.4	52.89
206.0	006.0000	0090.2	026.9	348.5	039.2665	0469.4	114.8	52.83
207.0	006.0000	0089.8	026.9	348.4	039.5924	0473.7	115.1	52.91
208.0	006.0000	0089.7	026.9	348.2	039.9266	0473.7	115.4	52.86
209.0	006.0000	0089.5	026.9	348.0	040.2586	0473.7	115.8	52.81
210.0	006.0000	0089.6	026.9	347.9	040.6034	0473.7	116.1	52.77
211.0	006.0000	0089.2	026.8	347.7	040.9038	0473.7	116.4	52.71
212.0	006.0000	0088.6	026.7	347.6	041.1651	0473.7	116.8	52.64
213.0	006.0000	0087.3	026.5	347.5	041.3590	0470.3	117.3	52.45
214.0	006.0000	0085.9	026.3	347.4	041.5275	0470.3	117.7	52.35
215.0	006.0000	0084.4	026.1	347.3	041.6688	0470.3	118.2	52.24
216.0	006.0000	0082.7	025.9	347.3	041.7842	0470.3	118.7	52.12
217.0	006.0000	0081.5	025.7	347.2	041.9365	0470.3	119.2	52.02
218.0	006.0000	0081.1	025.6	347.1	042.1654	0470.3	119.6	51.95
219.0	006.0000	0081.2	025.6	347.0	042.4410	0470.3	119.9	51.89
220.0	006.0000	0081.2	025.7	346.8	042.7046	0470.3	120.3	51.83
221.0	006.0000	0081.4	025.7	346.7	042.9776	0470.3	120.6	51.76