

MINOR CHANGE APPLICATION
TAMA RADIO LICENSES
OF SAVANNAH, GA, INC.
WSSJ (FM) RADIO STATION
CH 261C1 - 100.1 MHZ - 100.0 KW
RINCON, GEORGIA
March 2006

EXHIBIT A

The proposed WSSJ antenna location is shortspaced to the licensed site for station WORG, Channel 262C3, Elloree, South Carolina. The relevant distance between the stations is shown on Exhibit A1. Tama proposes to use the provisions of §73.215 of the Commission's rules to address this shortspaced situation. The shortage to WORG complies with §73.215(e) of the Commission's rules.

Exhibit A2 specifically demonstrates that there will be no prohibited overlap between the proposed WSSJ and the authorized WORG. The contours of WORG are based its licensed values of 25.0 kilowatts at 100.0 meters height above average terrain. Attached as Exhibits A3 and A4 are the tabulated distances to the protected and interfering contours, along the pertinent arcs, of the proposed WSSJ and authorized WORG. Further, attached as Exhibit A5 are the tabulated and protected contours of the proposed facility, in ten degree increments. Again, there is no prohibited overlap between the facilities.

MINOR CHANGE APPLICATION
TAMA RADIO LICENSES
OF SAVANNAH, GA, INC.
WSSJ (FM) RADIO STATION
CH 261C1 - 100.1 MHZ - 100.0 KW
RINCON, GEORGIA
March 2006

EXHIBIT A1

Clearance Study for WSSJ Rincon, Georgia
Using Proposed Site as Reference

REFERENCE	CLASS = C1	DISPLAY DATES
32 09 28 N.	Current	DATA 03-24-06
80 59 31 W.	Spacings	SEARCH 03-25-06
----- Channel 261 - 100.1 MHz -----		

Call	Channel	Location	Azt	Power	Azi	Dist	FCC	Margin
	Lat.	Lng.				HAAT		
WSSJ.C	CP 261C2	Rincon		GA	305.6	23.42	224.0	-200.58
	32 16 49	81 11 40	CX	50.000 kW		150 M		
	Tama Radio Licenses Of Sav.			BMPH-20051223ABI				
AL261	RSV 261C1	Rincon		GA	268.8	67.18	245.0	-177.82
	32 08 35	81 42 14		100.000 kW		299 M		
	> Reserved for WSSJ MM Docket #01-77							
WSSJ	LIC 261C2	Statesboro		GA	294.4	80.74	224.0	-143.26
	32 27 19	81 46 28	CN	50.000 kW		90 M		
	Tama Radio Licenses Of Sav.			BLH-19910516KF				
* WORG	LIC 262C3	Elloree		SC	12.0	136.57	144.0	-7.43
	33 21 42	80 41 05	CN	25.000 kW		100 M		
	Garris Communications, Inc.			BLH-19921214KB				
WYFS	LIC-D 208C1	Savannah		GA	253.8	35.66	34.0	1.66
	32 04 04	81 21 17	DEN	100.000 kW		183 M		
	Bible Broadcasting Network			BLED-19890727KA				
WXBT	LIC 261A	West Columbia		SC	358.0	212.04	200.0	12.04
	34 04 07	81 04 17	CX	5.900 kW		100 M		
	Capstar TX Limited Partnership			BMLH-20030619AAA				
WWFNF	LIC 261A	Lake City		SC	28.3	229.98	200.0	29.98
	33 58 35	79 48 30	CN	3.300 kW		132 M		
	Cumulus Licensing LLC			BLH-19940909KC				
WGNEFM	LIC-N 260C1	Middleburg		FL	197.0	212.68	177.0	35.68
	30 19 22	81 38 34	NCX	48.000 kW		300 M		
	Renda Broadcasting Corp.			BLH-20050516ACS				
WXKT.A	APP 261A	Washington		GA	317.8	237.73	200.0	37.73
	33 43 50	82 43 10	C	5.000 kW		98 M		
	Southern Broadcasting Company			BMLH-20020501AAJ				
WXKT	LIC 261A	Washington		GA	317.8	237.73	200.0	37.73
	33 43 50	82 43 10	CN	2.400 kW		98 M		
	Southern Broadcasting Company			BLH-7093				
WALC	LIC-Z 263C3	Charleston		SC	51.9	120.37	76.0	44.37
	32 49 20	79 58 45	ZCN	17.500 kW		120 M		
	Citicasters Licenses, L.P.			BLH-19930218KD				

* Note: This shortage is addressed under §73.215 of the rules, see Exhibit A.

Graham Brock, Inc. - Broadcast Technical Consultants

WSSJ Proposed

Latitude: 32-09-28 N
Longitude: 080-59-31 W
ERP: 100.00 kW
Channel: 261C1
Frequency: 100.1 MHz
AMSL Height: 143.3 m

WORG

BLH-19921214KB
Latitude: 33-21-42 N
Longitude: 080-41-05 W
ERP: 25.00 kW
Channel: 262C3
Frequency: 100.3 MHz
AMSL Height: 140.0 m


**EXHIBIT A2
MINOR CHANGE APPLICATION
TAMA RADIO LICENSES OF
SAVANNAH, GA, INC.
WSSJ RADIO STATION
CH 261C1 - 100.1 MHZ - 100.0 KW
RINCON, GEORGIA
March 2006**

WORG 54 dBu (50/10)

WORG 60 dBu (50/50)

WSSJ 54 dBu (50/10)

WSSJ 60 dBu (50/50)



MINOR CHANGE APPLICATION
TAMA RADIO LICENSES
OF SAVANNAH, GA, INC.
WSSJ (FM) RADIO STATION
CH 261C1 - 100.1 MHZ - 100.0 KW
RINCON, GEORGIA
March 2006

EXHIBIT A3

WSSJ - Proposed
Channel = 261C1
Max ERP = 100 kW
RCAMSL = 143.3 M
N. Lat = 32 09 28
W. Lng = 80 59 31

WORG - BLH-19921214KB
Channel = 262C3
Max ERP = 25 kW
RCAMSL = 140 M
N. Lat = 33 21 42
W. Lng = 80 41 05

Protected
60 dBu

Interfering
54 dBu

30 Second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
350.0	100.0000	0143.3	057.6	206.7	025.0000	0098.1	086.0	46.3
351.0	100.0000	0143.3	057.6	206.2	025.0000	0098.3	085.4	46.5
352.0	100.0000	0143.3	057.6	205.6	025.0000	0098.3	084.9	46.6
353.0	100.0000	0143.3	057.6	205.1	025.0000	0098.7	084.3	46.8
354.0	100.0000	0143.3	057.6	204.5	025.0000	0099.2	083.8	47.0
355.0	100.0000	0143.3	057.6	203.9	025.0000	0099.2	083.3	47.1
356.0	100.0000	0143.1	057.5	203.3	025.0000	0099.7	082.8	47.2
357.0	100.0000	0142.9	057.5	202.6	025.0000	0099.7	082.4	47.4
358.0	100.0000	0142.6	057.5	202.0	025.0000	0100.0	082.0	47.5
359.0	100.0000	0142.3	057.4	201.3	025.0000	0100.1	081.7	47.6
000.0	100.0000	0142.1	057.4	200.7	025.0000	0100.1	081.3	47.7
001.0	100.0000	0141.9	057.4	200.0	025.0000	0100.0	081.0	47.8
002.0	100.0000	0141.7	057.3	199.3	025.0000	0100.0	080.7	47.8
003.0	100.0000	0141.5	057.3	198.6	025.0000	0100.0	080.5	47.9
004.0	100.0000	0141.3	057.3	197.9	025.0000	0100.0	080.3	48.0
005.0	100.0000	0141.0	057.2	197.2	025.0000	0100.2	080.1	48.0
006.0	100.0000	0140.6	057.2	196.5	025.0000	0100.2	079.9	48.1
007.0	100.0000	0140.3	057.1	195.8	025.0000	0100.4	079.8	48.1
008.0	100.0000	0140.1	057.1	195.1	025.0000	0100.7	079.7	48.2
009.0	100.0000	0140.0	057.1	194.4	025.0000	0100.9	079.6	48.2
010.0	100.0000	0139.9	057.1	193.7	025.0000	0100.9	079.5	48.2
011.0	100.0000	0139.9	057.1	192.9	025.0000	0100.9	079.5	48.2
012.0	100.0000	0140.0	057.1	192.2	025.0000	0100.9	079.5	48.2
013.0	100.0000	0140.1	057.1	191.5	025.0000	0100.9	079.5	48.3
014.0	100.0000	0140.2	057.1	190.8	025.0000	0101.1	079.5	48.3
015.0	100.0000	0140.4	057.2	190.1	025.0000	0101.4	079.5	48.3
016.0	100.0000	0140.5	057.2	189.4	025.0000	0101.7	079.6	48.2
017.0	100.0000	0140.6	057.2	188.6	025.0000	0101.7	079.7	48.2
018.0	100.0000	0140.6	057.2	187.9	025.0000	0101.8	079.9	48.2
019.0	100.0000	0140.5	057.2	187.2	025.0000	0102.0	080.1	48.1
020.0	100.0000	0140.4	057.2	186.5	025.0000	0102.0	080.3	48.1
021.0	100.0000	0140.3	057.2	185.9	025.0000	0102.3	080.6	48.0
022.0	100.0000	0140.3	057.1	185.2	025.0000	0102.5	080.9	47.9
023.0	100.0000	0140.1	057.1	184.5	025.0000	0102.5	081.2	47.8
024.0	100.0000	0140.0	057.1	183.9	025.0000	0102.2	081.5	47.7
025.0	100.0000	0140.1	057.1	183.2	025.0000	0102.0	081.9	47.6
026.0	100.0000	0140.3	057.1	182.6	025.0000	0102.0	082.2	47.5
027.0	100.0000	0140.4	057.2	181.9	025.0000	0101.9	082.6	47.4
028.0	100.0000	0140.4	057.2	181.3	025.0000	0102.0	083.1	47.3
029.0	100.0000	0140.3	057.2	180.7	025.0000	0102.0	083.5	47.2
030.0	100.0000	0140.3	057.1	180.1	025.0000	0102.0	084.0	47.0

MINOR CHANGE APPLICATION
TAMA RADIO LICENSES
OF SAVANNAH, GA, INC.
WSSJ (FM) RADIO STATION
CH 261C1 - 100.1 MHZ - 100.0 KW
RINCON, GEORGIA
March 2006

EXHIBIT A4

WORG - BLH-19921214KB
Channel = 262C3
Max ERP = 25 kW
RCAMSL = 140 M
N. Lat = 33 21 42
W. Lng = 80 41 05

WSSJ - Proposed
Channel = 261C1
Max ERP = 100 kW
RCAMSL = 143.3 M
N. Lat = 32 09 28
W. Lng = 80 59 31

Protected
60 dBu

Interfering
54 dBu

30 Second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
170.0	025.0000	0103.8	039.7	020.5	100.0000	0140.3	101.0	50.1
171.0	025.0000	0103.4	039.6	020.2	100.0000	0140.4	100.7	50.2
172.0	025.0000	0102.9	039.5	019.8	100.0000	0140.4	100.4	50.2
173.0	025.0000	0102.3	039.5	019.4	100.0000	0140.5	100.2	50.3
174.0	025.0000	0102.1	039.4	019.1	100.0000	0140.5	099.9	50.4
175.0	025.0000	0102.1	039.4	018.7	100.0000	0140.5	099.6	50.4
176.0	025.0000	0102.1	039.4	018.4	100.0000	0140.6	099.3	50.5
177.0	025.0000	0102.1	039.4	018.0	100.0000	0140.6	099.1	50.6
178.0	025.0000	0102.1	039.4	017.6	100.0000	0140.6	098.8	50.6
179.0	025.0000	0102.1	039.4	017.3	100.0000	0140.6	098.6	50.7
180.0	025.0000	0102.0	039.4	016.9	100.0000	0140.6	098.4	50.7
181.0	025.0000	0102.0	039.4	016.5	100.0000	0140.6	098.2	50.8
182.0	025.0000	0101.9	039.4	016.1	100.0000	0140.5	098.1	50.8
183.0	025.0000	0102.0	039.4	015.7	100.0000	0140.5	097.9	50.9
184.0	025.0000	0102.2	039.4	015.3	100.0000	0140.4	097.7	50.9
185.0	025.0000	0102.5	039.5	015.0	100.0000	0140.4	097.5	51.0
186.0	025.0000	0102.3	039.5	014.6	100.0000	0140.4	097.4	51.0
187.0	025.0000	0102.0	039.4	014.2	100.0000	0140.2	097.4	51.0
188.0	025.0000	0101.8	039.4	013.8	100.0000	0140.2	097.4	51.0
189.0	025.0000	0101.7	039.4	013.4	100.0000	0140.1	097.3	51.0
190.0	025.0000	0101.4	039.3	013.0	100.0000	0140.1	097.3	51.0
191.0	025.0000	0101.1	039.3	012.6	100.0000	0140.1	097.3	51.0
192.0	025.0000	0100.9	039.2	012.2	100.0000	0140.0	097.4	51.0
193.0	025.0000	0100.9	039.2	011.8	100.0000	0140.0	097.4	51.0
194.0	025.0000	0100.9	039.2	011.4	100.0000	0139.9	097.4	51.0
195.0	025.0000	0100.7	039.2	011.0	100.0000	0139.9	097.5	51.0
196.0	025.0000	0100.4	039.1	010.6	100.0000	0139.9	097.6	50.9
197.0	025.0000	0100.2	039.1	010.2	100.0000	0139.9	097.7	50.9
198.0	025.0000	0100.0	039.1	009.8	100.0000	0139.9	097.8	50.9
199.0	025.0000	0100.0	039.1	009.4	100.0000	0140.0	097.9	50.9
200.0	025.0000	0100.0	039.1	009.0	100.0000	0140.0	098.0	50.8
201.0	025.0000	0100.1	039.1	008.6	100.0000	0140.0	098.1	50.8
202.0	025.0000	0100.0	039.1	008.2	100.0000	0140.1	098.3	50.8
203.0	025.0000	0099.7	039.0	007.9	100.0000	0140.1	098.5	50.7
204.0	025.0000	0099.2	038.9	007.5	100.0000	0140.3	098.8	50.6
205.0	025.0000	0098.7	038.9	007.1	100.0000	0140.3	099.1	50.6
206.0	025.0000	0098.3	038.8	006.8	100.0000	0140.3	099.3	50.5
207.0	025.0000	0098.1	038.8	006.4	100.0000	0140.6	099.6	50.4
208.0	025.0000	0097.9	038.7	006.1	100.0000	0140.6	099.9	50.4
209.0	025.0000	0098.0	038.7	005.7	100.0000	0140.6	100.1	50.3
210.0	025.0000	0098.3	038.8	005.3	100.0000	0141.0	100.4	50.3

MINOR CHANGE APPLICATION
TAMA RADIO LICENSES
OF SAVANNAH, GA, INC.
WSSJ (FM) RADIO STATION
CH 261C1 - 100.1 MHZ - 100.0 KW
RINCON, GEORGIA
March 2006

EXHIBIT A5

Predicted contour :

N. Lat. = 32 09 28 - Tabulated Service Contour Data
W. Lng. = 80 59 31 - WSSJ Radio Station - Rincon, Georgia

HAAT and Distance to Contour - FCC Method - 30 Arc Second terrain database

Azi.	HAAT	ERP kW	dBk	Field	60-F5	40-F1	54-F1	100-F1
000	142.1	100.0000	20.00	1.000	57.40	153.53	86.95	6.91
010	139.9	100.0000	20.00	1.000	57.10	153.17	86.64	6.86
020	140.4	100.0000	20.00	1.000	57.17	153.25	86.71	6.87
030	140.3	100.0000	20.00	1.000	57.15	153.23	86.69	6.86
040	140.8	100.0000	20.00	1.000	57.22	153.32	86.76	6.88
050	141.5	100.0000	20.00	1.000	57.32	153.44	86.87	6.89
060	141.3	100.0000	20.00	1.000	57.29	153.40	86.84	6.89
070	142.8	100.0000	20.00	1.000	57.50	153.66	87.06	6.92
080	143.3	100.0000	20.00	1.000	57.57	153.74	87.13	6.93
090	143.3	100.0000	20.00	1.000	57.57	153.74	87.13	6.93
100	143.3	100.0000	20.00	1.000	57.57	153.74	87.13	6.93
110	143.3	100.0000	20.00	1.000	57.57	153.74	87.13	6.93
120	143.3	100.0000	20.00	1.000	57.57	153.74	87.13	6.93
130	143.3	100.0000	20.00	1.000	57.57	153.74	87.13	6.93
140	143.3	100.0000	20.00	1.000	57.57	153.74	87.13	6.93
150	143.3	100.0000	20.00	1.000	57.57	153.74	87.13	6.93
160	143.3	100.0000	20.00	1.000	57.57	153.74	87.13	6.93
170	143.3	100.0000	20.00	1.000	57.57	153.74	87.13	6.93
180	143.3	100.0000	20.00	1.000	57.57	153.74	87.13	6.93
190	143.3	100.0000	20.00	1.000	57.57	153.74	87.13	6.93
200	143.3	100.0000	20.00	1.000	57.56	153.74	87.12	6.93
210	140.8	100.0000	20.00	1.000	57.23	153.32	86.77	6.88
220	141.3	100.0000	20.00	1.000	57.28	153.40	86.83	6.89
230	142.9	100.0000	20.00	1.000	57.51	153.67	87.07	6.92
240	143.3	100.0000	20.00	1.000	57.57	153.74	87.13	6.93
250	143.3	100.0000	20.00	1.000	57.56	153.74	87.12	6.93
260	143.3	100.0000	20.00	1.000	57.57	153.74	87.13	6.93
270	143.3	100.0000	20.00	1.000	57.57	153.74	87.13	6.93
280	143.3	100.0000	20.00	1.000	57.57	153.74	87.13	6.93
290	143.0	100.0000	20.00	1.000	57.52	153.69	87.08	6.93
300	143.2	100.0000	20.00	1.000	57.56	153.73	87.12	6.93
310	142.9	100.0000	20.00	1.000	57.51	153.67	87.07	6.93
320	142.9	100.0000	20.00	1.000	57.51	153.68	87.07	6.93
330	142.4	100.0000	20.00	1.000	57.44	153.59	86.99	6.91
340	142.9	100.0000	20.00	1.000	57.51	153.67	87.06	6.92
350	143.3	100.0000	20.00	1.000	57.57	153.74	87.13	6.93

AMSL= 143.3 M