

Minor Change CP FCC Form 349 - Exhibit 13A

KILGORE BROADCAST MAINTENANCE

Page No 1

408mRCAMSL

FILE: Wau267D.D61 Sherman Street Tower 0.120kW 47mEAH
FCC DATABASE: 20110112 Wausau, WI LATITUDE: 44-57-12
DATE: 02-14-2011 CH 267D Cleared by 60 km LONGITUDE: 89-39-37

Call	City of License	ST hERPkW hAMSL hEAH	Latitude	AzTo	Dist-km
Auth	Channel Freq Svc	CY vERPkW vAMSL vEAH	Longitude	AzFr	Req-km
File#	Owner		AppID	FacID	Clrd-km

NEW	STEVENS POINT	WI	0.013	446	0	44-32-17N	173.6	46.4
APP	264D 100.7 FX	US	0.013	446	0	89-35-42W	353.6	7.0
BNPFT-030317MHD EDGEWATER BROADCASTING, INC.						648402	155178	39.4 CLEAR
Prop	0.120kW	31mEAH	60.0dBuF(50,50)			5.95km +		
NEW	0.013kW	99mEAH	100.0dBuF(50,10)			0.25km =	6.20km	
NEW	0.013kW	99mEAH	60.0dBuF(50,50)			6.21km +		
Prop	0.120kW	31mEAH	100.0dBuF(50,10)			0.77km =	6.98km	

TOMAHAWK		WI	0.000	0	0	45-30-01N	347.6	62.2
VAC	265C3 100.9 FA	US	0.000	0	0	89-49-50W	167.6	40.8
RM-	10985C3					982633	0	21.4 CLOSE
Docket# 04-202		Intl Status = ADD		Border= C		Dist=276		Intl Class= B1
NOTE: 25.000 kW,		100 m EAH @ 554 m RCAMSL		used in calc.				
	25.000kW	106mEAH	60.0dBuF(50,50)			40.06km +		
Prop	0.120kW	-5mEAH	100.0dBuF(50,10)			0.77km =	40.83km	

WIXX	GREEN BAY	WI	100.000	557	329	44-24-35N	114.7	144.7
LIC	266C 101.1 FM	US	100.000	557	329	88-00-05W	294.7	87.2
BMLH-811005AEC MIDWEST COMMUNICATIONS, INC.						34863	42087	57.5 CLOSE
WIXX	96.000kW	365mEAH	60.0dBuF(50,50)			76.71km +		
Prop	0.120kW	40mEAH	54.0dBuF(50,10)			10.52km =	87.22km	

WIXX	GREEN BAY	WI	0.000	0	0	44-24-35N	114.7	144.7
USE	266C 101.1 FA	US	0.000	0	0	88-00-05W	294.7	103.6
- C MIDWEST COMMUNICATIONS, INC.						294216	42087	41.1 CLOSE
NOTE: 100.000 kW,		600 m EAH @ 825 m RCAMSL		used in calc.				
WIXX	100.000kW	632mEAH	60.0dBuF(50,50)			93.07km +		
Prop	0.120kW	40mEAH	54.0dBuF(50,10)			10.52km =	103.58km	

NEW	ABBOTSFORD	WI	0.080	460	0	44-56-25N	268.4	51.1
APP	266D 101.1 FX	US	0.080	460	0	90-18-25W	88.4	16.7
BNPFT-030313AUD WRVM, INC.						635569	143372	34.4 CLEAR
Prop	0.120kW	29mEAH	60.0dBuF(50,50)			5.88km +		
NEW	0.080kW	41mEAH	54.0dBuF(50,10)			8.84km =	14.72km	
NEW	0.080kW	41mEAH	60.0dBuF(50,50)			6.19km +		
Prop	0.120kW	29mEAH	54.0dBuF(50,10)			10.52km =	16.71km	

Minor Change CP FCC Form 349 - Exhibit 13A

KILGORE BROADCAST MAINTENANCE

Page No 2

408mRCAMSL

FILE: Wau267D.D61 Sherman Street Tower 0.120kW 47mEAH
FCC DATABASE: 20110112 Wausau, WI LATITUDE: 44-57-12
DATE: 02-14-2011 CH 267D Cleared by 60 km LONGITUDE: 89-39-37

Call	City of License	ST	hERP	hP	hMSL	hEAH	Latitude	AzTo	Dist-km
Auth	Channel	Freq	Svc	CY	vERP	vP	vMSL	vEAH	Longitude
File#	Owner						AppID	FacID	Clrd-km

W266BA	NEKOOSA	WI	0.170	332	0	44-22-33N	186.9	64.6	
LIC	266D	101.1	FX	US	0.170	332	0	89-45-27W	6.9
BLFT-070907AGD HORIZON CHRISTIAN FELLOWSHIP 1204016 150229 47.7 CLEAR									
Prop	0.120kW	39mEAH	60.0dBuF(50,50)		6.64km +				
W266BA	0.170kW	30mEAH	54.0dBuF(50,10)		9.18km =		15.82km		
W266BA	0.170kW	30mEAH	60.0dBuF(50,50)		6.42km +				
Prop	0.120kW	39mEAH	54.0dBuF(50,10)		10.52km =		16.94km		
W267AF	RHINELANDER	WI	0.015	595	110	45-37-12N	14.5	76.5	
LIC	267D	101.3	FX	US	0.000	0	0	89-25-00W	194.5
BLFT-950519TAD WRVM, INC. 209198 14546 45.3 CLOSE									
Intl Status = SOPER Border= C Dist=262 Intl Class= D									
Dir Ant = @ 3.0 Deg									
Prop	0.120kW	12mEAH	60.0dBuF(50,50)		5.88km +				
W267AF	0.015kW	103mEAH	40.0dBuF(50,10)		21.78km =		27.66km		
W267AF	0.015kW	103mEAH	60.0dBuF(50,50)		6.55km +				
Prop	0.120kW	12mEAH	40.0dBuF(50,10)		24.61km =		31.16km		
Station DAAzim RotateANT Azim BEARFM PwrRatio RadialERP									
NEW	MEDFORD	WI	0.013	547	0	45-09-51N	293.6	58.5	
APP	267D	101.3	FX	US	0.013	547	0	90-20-28W	113.6
BNPFT-030317MKD EDGEWATER BROADCASTING, INC. 648378 155154 27.9 CLOSE									
Border= C Dist=316									
Prop	0.120kW	5mEAH	60.0dBuF(50,50)		5.88km +				
NEW	0.013kW	94mEAH	40.0dBuF(50,10)		19.85km =		25.72km		
NEW	0.013kW	94mEAH	60.0dBuF(50,50)		6.02km +				
Prop	0.120kW	5mEAH	40.0dBuF(50,10)		24.61km =		30.63km		
NEW	NEILLSVILLE	WI	0.010	512	0	44-35-30N	242.1	85.9	
APP	267D	101.3	FX	US	0.010	512	0	90-37-09W	62.1
BNPFT-030317MJD EDGEWATER BROADCASTING, INC. 648388 155164 54.0 CLEAR									
Prop	0.120kW	21mEAH	60.0dBuF(50,50)		5.88km +				
NEW	0.010kW	161mEAH	40.0dBuF(50,10)		24.78km =		30.66km		
NEW	0.010kW	161mEAH	60.0dBuF(50,50)		7.33km +				
Prop	0.120kW	21mEAH	40.0dBuF(50,10)		24.61km =		31.94km		
W267BB	WAUSAU	WI	0.010	550	0	44-55-11N	201.8	4.0	
LIC	267D	101.3	FX	US	0.010	550	0	89-40-45W	21.8
BLFT-100125AAD WRVM, INC. 1354462 73058 -27.9 SHORT /1									
Prop	0.120kW	25mEAH	60.0dBuF(50,50)		5.88km +				
W267BB	0.010kW	159mEAH	40.0dBuF(50,10)		24.65km =		30.53km		
W267BB	0.010kW	159mEAH	60.0dBuF(50,50)		7.29km +				
Prop	0.120kW	25mEAH	40.0dBuF(50,10)		24.61km =		31.90km		

Minor Change CP FCC Form 349 - Exhibit 13A

KILGORE BROADCAST MAINTENANCE

Page No 3

408mRCAMSL

FILE: Wau267D.D61 Sherman Street Tower 0.120kW 47mEAH
FCC DATABASE: 20110112 Wausau, WI LATITUDE: 44-57-12
DATE: 02-14-2011 CH 267D Cleared by 60 km LONGITUDE: 89-39-37

Call	City of License	ST	hERP	hP	hW	hA	hM	hS	hL	hE	hA	hH	Latitude	AzTo	Dist-km
Auth	Channel	Freq	Svc	CY	vERP	hP	vA	M	S	L	E	A	Longitude	AzFr	Req-km
File#	Owner												AppID	FacID	Clrd-km

W267AF	RHINELANDER	WI	0.250	512	0	45-37-35N	17.1	78.3
APP	267D 101.3 FX	US	0.250	512	0	89-22-00W	197.1	31.7
BPFT-101108ABD WRVM, INC.						1406091	14546	46.6 CLOSE

Border= C Dist=262

Prop	0.120kW	13mEAH	60.0dBuF(50,50)	5.88km +
W267AF	0.250kW	30mEAH	40.0dBuF(50,10)	23.77km = 29.65km
W267AF	0.250kW	30mEAH	60.0dBuF(50,50)	7.09km +
Prop	0.120kW	13mEAH	40.0dBuF(50,10)	24.61km = 31.71km

AUGUSTA	WI	0.000	0	0	44-40-11N	253.0	107.9
VAC	268C3 101.5 FA	US	0.000	0	0	90-57-55W	73.0 48.8
-	C3				288955	94401	59.1 CLEAR

Docket# 98-234

NOTE: 25.000 kW, 100 m EAH @ 412 m RCAMSL used in calc.

	25.000kW	96mEAH	60.0dBuF(50,50)	38.33km +
Prop	0.120kW	27mEAH	54.0dBuF(50,10)	10.52km = 48.85km

NEW	STEVENS POINT	WI	0.013	446	0	44-32-17N	173.6	46.4
APP	268D 101.5 FX	US	0.013	446	0	89-35-42W	353.6	16.7
BNPFT-030317KOD RADIO ASSIST MINISTRY, INC.						643232	150278	29.7 CLOSE

Prop	0.120kW	31mEAH	60.0dBuF(50,50)	5.95km +
NEW	0.013kW	99mEAH	54.0dBuF(50,10)	8.72km = 14.67km
NEW	0.013kW	99mEAH	60.0dBuF(50,50)	6.21km +
Prop	0.120kW	31mEAH	54.0dBuF(50,10)	10.52km = 16.72km

NEW	AUGUSTA	WI	12.500	461	143	44-39-50N	252.6	107.8
APP	268C3 101.5 FM	US	12.500	461	143	90-57-40W	72.6	49.9
BNPED-100226AFC3 TRUE NORTH COMMUNITY OUTREACH						1357583	184820	57.9 CLEAR

NEW	12.500kW	144mEAH	60.0dBuF(50,50)	39.39km +
Prop	0.120kW	27mEAH	54.0dBuF(50,10)	10.52km = 49.91km

NEW	AUGUSTA	WI	21.500	425	106	44-39-50N	252.6	107.8
APP	268C3 101.5 FM	US	21.500	425	106	90-57-40W	72.6	49.7
BNPED-100223ADC3 CROSSFIRE INCORPORATED						1357588	184824	58.1 CLEAR

NEW	21.500kW	108mEAH	60.0dBuF(50,50)	39.14km +
Prop	0.120kW	27mEAH	54.0dBuF(50,10)	10.52km = 49.65km

NEW	AUGUSTA	WI	25.000	419	100	44-39-50N	252.6	107.8
APP	268C3 101.5 FM	US	25.000	419	100	90-57-40W	72.6	49.9
BNPED-100226AJC3 EVANGELICAL BROADCASTING GROUP						1358475	185159	57.9 CLEAR

NEW	25.000kW	102mEAH	60.0dBuF(50,50)	39.38km +
Prop	0.120kW	27mEAH	54.0dBuF(50,10)	10.52km = 49.90km

Minor Change CP FCC Form 349 - Exhibit 13A

KILGORE BROADCAST MAINTENANCE

Page No 4

408mRCAMSL

FILE: Wau267D.D61 Sherman Street Tower 0.120kW 47mEAH
FCC DATABASE: 20110112 Wausau, WI LATITUDE: 44-57-12
DATE: 02-14-2011 CH 267D Cleared by 60 km LONGITUDE: 89-39-37

Call	City of License	ST hERPkW hAMSL hEAH	Latitude	AzTo	Dist-km
Auth	Channel Freq Svc	CY vERPkW vAMSL vEAH	Longitude	AzFr	Req-km
File#	Owner		AppID	FacID	Clrd-km

WDEZ	WAUSAU	WI	0.000	0	0	44-58-58N	54.7	5.7
USE	270C 101.9 FA	US	0.000	0	0	89-36-06W	234.7	93.3
-	C WRIG, INC.					294532	70522	-87.6 SHORT /2
NOTE:	100.000 kW,	600 m EAH @ 1000 m RCAMSL	used in calc.					
WDEZ	100.000kW	619mEAH	60.0dBuF(50,50)	92.55km +				
Prop	0.120kW	-3mEAH	100.0dBuF(50,10)	0.77km = 93.32km				
WDEZ	WAUSAU	WI	100.000	715	329	44-55-14N	213.7	4.4
LIC	270C 101.9 FM	US	100.000	715	329	89-41-28W	33.7	75.1
	BLH-031021AFC	WRIG, INC.				694815	70522	-70.7 SHORT /3
WDEZ	98.500kW	329mEAH	60.0dBuF(50,50)	74.38km +				
Prop	0.120kW	10mEAH	100.0dBuF(50,10)	0.77km = 75.15km				

/1 This is the subject facility of this application.

/2 USED, VAC and RSV Allocations not required to be protected - protection is required to Licensed facilities.

/3 Waiver requested herein due to interfering contour not reaching populated area or any public areas. See Exhibit 12B for Waiver Request of 47CFR74.1204.

**** END OF STUDY ****