

MODIFY BPH-20020314AAM
STYLES MEDIA GROUP, INC.
WVVE (FM) RADIO STATION
CH 261C3 - 100.1 MHZ - 12.0 KW (DA)
PANAMA CITY BEACH, FLORIDA
May 2003

EXHIBIT A

Shortspaced Facilities Utilizing Section 73.215

The WVVE proposed antenna location will be shortspaced to one other FM broadcast facility, WNCV, Niceville, Florida. The detailed spacing information with regard to this station is shown on Exhibit A1. Styles Media Group, Inc., proposes to use the provisions of §73.215 of the Commission's rules to address this shortspaced situation. The shortage to this facility complies with §73.215(e) of the Commission's rules. The provisions of §73.215 will be met by specifying less than maximum Class C3 facilities.

Exhibit A2 specifically demonstrates that there will be no prohibited overlap between the proposed WVVE and the authorized WNCV. The contours of WNCV are based on its licensed values since it is also authorized pursuant to §73.215. Attached as Exhibits A3 and A4 are the tabulated distances to the protected and interfering contours, along pertinent arcs, of the proposed WVVE and WNCV. Further, attached as Exhibit A5 are the tabulated and protected contours of the proposed facility, in ten degree increments. Again, there is no prohibited overlap between the facilities.

MODIFY BPH-20020314AAM
STYLES MEDIA GROUP, INC.
WVVE (FM) RADIO STATION
CH 261C3 - 100.1 MHZ - 12.0 KW (DA)
PANAMA CITY BEACH, FLORIDA
May 2003

EXHIBIT A1

Clearance study for WVVE Panama City Beach, Florida
Using proposed site as reference

| | | |
|-------------------------------------|------------------|-----------------|
| REFERENCE | | DISPLAY DATES |
| 30 10 44 N | CLASS = C3 | DATA 05-09-03 |
| 85 46 55 W | Current Spacings | SEARCH 05-09-03 |
| ----- Channel 261 - 100.1 MHz ----- | | |

| Call | Channel | Location | Dist | Azi | FCC | Margin |
|---------------|--------------------|--------------------------------|------------------------|--------------|--------------|----------------|
| | N. Lat. | W. Lng. | Ant | Power | HAAT | |
| WVVE.C | CP -N 261C3 | Panama City Beach FL | 0.00 | 0.0 | 153.0 | -153.00 |
| | 30 10 44 | 85 46 55 NCX | 12.000 kW | 123 M | | |
| | | Styles Media Group, Llc | BPH-20020314AAM | | | |
| * WNCV | LIC-N 262A | Niceville FL | 85.44 | 288.1 | 89.0 | -3.56 |
| | 30 24 50 | 86 37 40 NCN | 3.500 kW | 134 M | | |
| | | Cumulus Licensing Corp. | BLH-19981117KB | | | |
| WMXC | LIC 260C | Mobile AL | 204.74 | 286.6 | 176.0 | 28.74 |
| | 30 41 20 | 87 49 49 CY | 100.000 kW | 535 M | | |
| | | Clear Channel Broadcasting | BLH-19880509KE | | | |
| WKSM.C | CP 258C2 | Fort Walton Beach FL | 85.44 | 288.1 | 56.0 | 29.44 |
| | 30 24 50 | 86 37 40 CX | 50.000 kW | 134 M | | |
| | | Cumulus Licensing Corp. | BPH-20020815AAC | | | |
| WKSM | LIC 258C2 | Fort Walton Beach FL | 85.44 | 288.1 | 56.0 | 29.44 |
| | 30 24 50 | 86 37 40 CN | 50.000 kW | 134 M | | |
| | | Cumulus Licensing Corp. | BLH-19970724KD | | | |
| WOOFFM | LIC 259C1 | Dothan AL | 128.07 | 21.5 | 76.0 | 52.07 |
| | 31 15 07 | 85 17 12 CN | 100.000 kW | 299 M | | |
| | | Woof, Inc. | BLH-19850506KS | | | |
| WEGT | LIC 260C2 | Lafayette FL | 172.71 | 83.2 | 117.0 | 55.71 |
| | 30 20 59 | 83 59 53 CN | 50.000 kW | 150 M | | |
| | | Monterey Licenses, Llc | BLH-19920817KB | | | |
| WOYS | LIC 263C3 | Apalachicola FL | 99.31 | 119.8 | 43.0 | 56.31 |
| | 29 43 57 | 84 53 24 CX | 11.500 kW | 145 M | | |
| | | Richard L. Plessinger, Sr. | BLH-20030218AAG | | | |
| RDEL | DEL 262C | Tifton GA | 238.40 | 53.8 | 176.0 | 62.40 |
| | 31 25 49 | 83 45 22 | 100.000 kW | 600 M | | |
| WOBB | LIC 262C | Tifton GA | 238.69 | 53.8 | 176.0 | 62.69 |
| | 31 25 51 | 83 45 10 C | 100.000 kW | 304 M | | |
| | | Clear Channel Broadcasting | BLH-20000907AAS | | | |
| WEGT.A | APP-N 260A | Lafayette FL | 153.22 | 76.3 | 89.0 | 64.22 |
| | 30 29 42 | 84 13 51 NCX | 5.500 kW | 90 M | | |
| | | Monterey Licenses, Llc | BPH-20030312AOY | | | |

* Note : This shortage is addressed under §73.215 of the rules.


Graham Brock, Inc. - Broadcast Technical Consultants

WVVE Proposed

Latitude: 30-10-44 N
Longitude: 085-46-55 W
ERP: 12.00 kW
Channel: 261C3
AMSL Height: 123.7 m

WNCV

BLH-19981117KB
Latitude: 30-24-50 N
Longitude: 086-37-40 W
ERP: 3.50 kW
Channel: 262A
AMSL Height: 140.0 m



MODIFY BPH-20020314AAM
STYLES MEDIA GROUP, INC.
WVVE (FM) RADIO STATION
CH 261C3 - 100.1 MHZ - 12.0 KW (DA)
PANAMA CITY BEACH, FLORIDA
May 2003

EXHIBIT A3

WVVE - Proposed
Channel = 261C3
Max ERP = 12 kW
RCAMSL = 123.7 M
N. Lat = 301044
W. Lng = 854655

WNCV - BLH-19981117KB
Channel = 262A
Max ERP = 3.5 kW
RCAMSL = 140 M
N. Lat = 30 24 50
W. Lng = 86 37 40

Protected
60 dBu

Interfering
54 dBu

30 Second terrain database

| Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Actual (dBu) |
|----------------------|-------------|-------------|--------------|----------------------|-------------|-------------|--------------|-----------------|
| 270.0 | 007.8732 | 0123.6 | 033.2 | 118.4 | 003.5000 | 0140.0 | 054.7 | 49.8 |
| 271.0 | 008.0099 | 0123.5 | 033.3 | 117.9 | 003.5000 | 0140.0 | 054.4 | 49.9 |
| 272.0 | 008.1477 | 0123.5 | 033.5 | 117.4 | 003.5000 | 0140.0 | 054.0 | 50.1 |
| 273.0 | 008.2867 | 0123.5 | 033.6 | 116.9 | 003.5000 | 0140.0 | 053.6 | 50.2 |
| 274.0 | 008.4269 | 0123.5 | 033.7 | 116.4 | 003.5000 | 0140.0 | 053.3 | 50.4 |
| 275.0 | 008.5683 | 0123.4 | 033.9 | 115.9 | 003.5000 | 0140.0 | 052.9 | 50.5 |
| 276.0 | 008.7108 | 0123.4 | 034.0 | 115.3 | 003.5000 | 0140.0 | 052.6 | 50.6 |
| 277.0 | 008.8546 | 0123.4 | 034.1 | 114.7 | 003.5000 | 0140.0 | 052.3 | 50.7 |
| 278.0 | 008.9995 | 0123.4 | 034.3 | 114.2 | 003.5000 | 0140.0 | 052.0 | 50.9 |
| 279.0 | 009.1455 | 0123.4 | 034.4 | 113.5 | 003.5000 | 0140.0 | 051.7 | 51.0 |
| 280.0 | 009.2928 | 0123.4 | 034.5 | 112.9 | 003.5000 | 0140.0 | 051.4 | 51.1 |
| 281.0 | 009.3987 | 0123.4 | 034.6 | 112.3 | 003.5000 | 0140.0 | 051.2 | 51.2 |
| 282.0 | 009.5052 | 0123.4 | 034.7 | 111.6 | 003.5000 | 0140.0 | 051.0 | 51.2 |
| 283.0 | 009.6123 | 0123.5 | 034.8 | 111.0 | 003.5000 | 0140.0 | 050.8 | 51.3 |
| 284.0 | 009.7200 | 0123.5 | 034.9 | 110.3 | 003.5000 | 0140.0 | 050.7 | 51.4 |
| 285.0 | 009.8283 | 0123.5 | 035.0 | 109.6 | 003.5000 | 0140.0 | 050.5 | 51.4 |
| 286.0 | 009.9372 | 0123.4 | 035.0 | 108.9 | 003.5000 | 0140.0 | 050.4 | 51.5 |
| 287.0 | 010.0467 | 0123.4 | 035.1 | 108.3 | 003.5000 | 0140.0 | 050.3 | 51.5 |
| 288.0 | 010.1568 | 0123.4 | 035.2 | 107.6 | 003.5000 | 0140.0 | 050.2 | 51.6 |
| 289.0 | 010.2675 | 0123.3 | 035.3 | 106.8 | 003.5000 | 0140.0 | 050.1 | 51.6 |
| 290.0 | 010.3788 | 0123.2 | 035.4 | 106.1 | 003.5000 | 0140.0 | 050.1 | 51.6 |
| 291.0 | 010.4683 | 0123.0 | 035.4 | 105.4 | 003.5000 | 0140.0 | 050.1 | 51.6 |
| 292.0 | 010.5581 | 0122.8 | 035.5 | 104.7 | 003.5000 | 0140.0 | 050.1 | 51.6 |
| 293.0 | 010.6484 | 0122.5 | 035.5 | 104.0 | 003.5000 | 0139.9 | 050.2 | 51.6 |
| 294.0 | 010.7390 | 0122.1 | 035.5 | 103.3 | 003.5000 | 0139.8 | 050.2 | 51.5 |
| 295.0 | 010.8300 | 0121.6 | 035.5 | 102.6 | 003.5000 | 0139.8 | 050.4 | 51.5 |
| 296.0 | 010.9214 | 0120.9 | 035.5 | 101.9 | 003.5000 | 0139.5 | 050.5 | 51.4 |
| 297.0 | 011.0132 | 0120.2 | 035.5 | 101.2 | 003.5000 | 0139.2 | 050.7 | 51.3 |
| 298.0 | 011.1053 | 0119.6 | 035.5 | 100.6 | 003.5000 | 0139.2 | 050.9 | 51.3 |
| 299.0 | 011.1979 | 0119.4 | 035.5 | 099.9 | 003.5000 | 0139.0 | 051.0 | 51.2 |
| 300.0 | 011.2908 | 0119.3 | 035.6 | 099.2 | 003.5000 | 0139.2 | 051.2 | 51.1 |
| 301.0 | 011.3607 | 0119.4 | 035.6 | 098.5 | 003.5000 | 0139.2 | 051.3 | 51.1 |
| 302.0 | 011.4309 | 0119.6 | 035.7 | 097.9 | 003.5000 | 0139.5 | 051.5 | 51.0 |
| 303.0 | 011.5013 | 0119.9 | 035.8 | 097.2 | 003.5000 | 0139.8 | 051.7 | 51.0 |
| 304.0 | 011.5719 | 0120.3 | 035.9 | 096.5 | 003.5000 | 0139.8 | 051.9 | 50.9 |
| 305.0 | 011.6427 | 0120.7 | 036.0 | 095.9 | 003.5000 | 0140.0 | 052.1 | 50.8 |
| 306.0 | 011.7137 | 0121.1 | 036.1 | 095.2 | 003.5000 | 0140.0 | 052.3 | 50.7 |
| 307.0 | 011.7850 | 0121.4 | 036.2 | 094.6 | 003.5000 | 0140.0 | 052.6 | 50.6 |
| 308.0 | 011.8564 | 0121.7 | 036.2 | 093.9 | 003.5000 | 0140.0 | 052.9 | 50.5 |
| 309.0 | 011.9281 | 0121.8 | 036.3 | 093.3 | 003.5000 | 0140.0 | 053.2 | 50.4 |
| 310.0 | 012.0000 | 0121.9 | 036.4 | 092.7 | 003.5000 | 0140.0 | 053.5 | 50.3 |

MODIFY BPH-20020314AAM
STYLES MEDIA GROUP, INC.
WVVE (FM) RADIO STATION
CH 261C3 - 100.1 MHZ - 12.0 KW (DA)
PANAMA CITY BEACH, FLORIDA
May 2003

EXHIBIT A4

WNCV - BLH-19981117KB
Channel = 262A
Max ERP = 3.5 kW
RCAMSL = 140 M
N. Lat = 30 24 50
W. Lng = 86 37 40

WVVE - Proposed
Channel = 261C3
Max ERP = 12 kW
RCAMSL = 123.7 M
N. Lat = 301044
W. Lng = 854655

Protected
60 dBu

Interfering
54 dBu

30 Second terrain database

| Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Actual (dBu) |
|----------------------|-------------|-------------|--------------|----------------------|-------------|-------------|--------------|-----------------|
| 090.0 | 003.5000 | 0140.0 | 029.0 | 296.7 | 010.9853 | 0120.2 | 058.5 | 52.3 |
| 091.0 | 003.5000 | 0140.0 | 029.0 | 296.2 | 010.9441 | 0120.9 | 058.3 | 52.4 |
| 092.0 | 003.5000 | 0140.0 | 029.0 | 295.8 | 010.9022 | 0120.9 | 058.1 | 52.4 |
| 093.0 | 003.5000 | 0140.0 | 029.0 | 295.3 | 010.8599 | 0121.6 | 057.9 | 52.5 |
| 094.0 | 003.5000 | 0140.0 | 029.0 | 294.9 | 010.8171 | 0121.6 | 057.7 | 52.6 |
| 095.0 | 003.5000 | 0140.0 | 029.0 | 294.4 | 010.7738 | 0122.1 | 057.5 | 52.7 |
| 096.0 | 003.5000 | 0140.0 | 029.0 | 293.9 | 010.7300 | 0122.1 | 057.4 | 52.7 |
| 097.0 | 003.5000 | 0139.8 | 029.0 | 293.4 | 010.6855 | 0122.5 | 057.2 | 52.7 |
| 098.0 | 003.5000 | 0139.5 | 028.9 | 292.9 | 010.6405 | 0122.5 | 057.1 | 52.8 |
| 099.0 | 003.5000 | 0139.2 | 028.9 | 292.4 | 010.5953 | 0122.8 | 057.0 | 52.8 |
| 100.0 | 003.5000 | 0139.0 | 028.9 | 291.9 | 010.5501 | 0122.8 | 057.0 | 52.8 |
| 101.0 | 003.5000 | 0139.2 | 028.9 | 291.4 | 010.5053 | 0123.0 | 056.8 | 52.8 |
| 102.0 | 003.5000 | 0139.5 | 028.9 | 290.9 | 010.4604 | 0123.0 | 056.7 | 52.9 |
| 103.0 | 003.5000 | 0139.8 | 029.0 | 290.4 | 010.4152 | 0123.2 | 056.6 | 52.9 |
| 104.0 | 003.5000 | 0139.9 | 029.0 | 289.9 | 010.3674 | 0123.2 | 056.6 | 52.9 |
| 105.0 | 003.5000 | 0140.0 | 029.0 | 289.4 | 010.3103 | 0123.3 | 056.5 | 52.9 |
| 106.0 | 003.5000 | 0140.0 | 029.0 | 288.9 | 010.2532 | 0123.3 | 056.5 | 52.9 |
| 107.0 | 003.5000 | 0140.0 | 029.0 | 288.4 | 010.1961 | 0123.4 | 056.5 | 52.9 |
| 108.0 | 003.5000 | 0140.0 | 029.0 | 287.8 | 010.1392 | 0123.4 | 056.5 | 52.9 |
| 109.0 | 003.5000 | 0140.0 | 029.0 | 287.3 | 010.0824 | 0123.4 | 056.5 | 52.8 |
| 110.0 | 003.5000 | 0140.0 | 029.0 | 286.8 | 010.0259 | 0123.4 | 056.5 | 52.8 |
| 111.0 | 003.5000 | 0140.0 | 029.0 | 286.3 | 009.9696 | 0123.4 | 056.6 | 52.8 |
| 112.0 | 003.5000 | 0140.0 | 029.0 | 285.8 | 009.9137 | 0123.4 | 056.6 | 52.7 |
| 113.0 | 003.5000 | 0140.0 | 029.0 | 285.3 | 009.8581 | 0123.5 | 056.7 | 52.7 |
| 114.0 | 003.5000 | 0140.0 | 029.0 | 284.8 | 009.8030 | 0123.5 | 056.7 | 52.6 |
| 115.0 | 003.5000 | 0140.0 | 029.0 | 284.3 | 009.7484 | 0123.5 | 056.8 | 52.5 |
| 116.0 | 003.5000 | 0140.0 | 029.0 | 283.8 | 009.6943 | 0123.5 | 056.9 | 52.5 |
| 117.0 | 003.5000 | 0140.0 | 029.0 | 283.3 | 009.6407 | 0123.5 | 057.1 | 52.4 |
| 118.0 | 003.5000 | 0140.0 | 029.0 | 282.8 | 009.5878 | 0123.5 | 057.2 | 52.3 |
| 119.0 | 003.5000 | 0140.0 | 029.0 | 282.3 | 009.5355 | 0123.4 | 057.3 | 52.3 |
| 120.0 | 003.5000 | 0140.0 | 029.0 | 281.8 | 009.4839 | 0123.4 | 057.5 | 52.2 |
| 121.0 | 003.5000 | 0140.0 | 029.0 | 281.3 | 009.4330 | 0123.4 | 057.7 | 52.1 |
| 122.0 | 003.5000 | 0140.0 | 029.0 | 280.9 | 009.3829 | 0123.4 | 057.8 | 52.0 |
| 123.0 | 003.5000 | 0140.0 | 029.0 | 280.4 | 009.3335 | 0123.4 | 058.0 | 51.9 |
| 124.0 | 003.5000 | 0140.0 | 029.0 | 279.9 | 009.2819 | 0123.4 | 058.2 | 51.8 |
| 125.0 | 003.5000 | 0140.0 | 029.0 | 279.5 | 009.2153 | 0123.4 | 058.4 | 51.7 |
| 126.0 | 003.5000 | 0140.0 | 029.0 | 279.0 | 009.1499 | 0123.4 | 058.7 | 51.6 |
| 127.0 | 003.5000 | 0140.0 | 029.0 | 278.6 | 009.0858 | 0123.4 | 058.9 | 51.5 |
| 128.0 | 003.5000 | 0140.0 | 029.0 | 278.2 | 009.0231 | 0123.4 | 059.2 | 51.3 |
| 129.0 | 003.5000 | 0140.0 | 029.0 | 277.7 | 008.9618 | 0123.4 | 059.4 | 51.2 |
| 130.0 | 003.5000 | 0140.0 | 029.0 | 277.3 | 008.9018 | 0123.4 | 059.7 | 51.1 |

MODIFY BPH-20020314AAM
STYLES MEDIA GROUP, INC.
WVVE (FM) RADIO STATION
CH 261C3 - 100.1 MHZ - 12.0 KW (DA)
PANAMA CITY BEACH, FLORIDA
May 2003

EXHIBIT A5

Predicted contours:

N. Lat. = 30 10 44 - Tabulated Protected and Interfering Contour Data
W. Lng. = 85 46 55 - WVVE FM Radio Station - Panama City Beach, Florida

| HAAT and Distance to Contour - FCC Method - 30 Arc Second terrain database | | | | | | | | | |
|--|-------|-------|---------|-------|-------|-------|--------|-------|--------|
| Azi. | AV EL | HAAT | ERP kW | dBk | Field | 60-F5 | 40-F1 | 54-F1 | 100-F1 |
| 000 | 0.1 | 123.6 | 12.0000 | 10.79 | 1.000 | 36.56 | 102.03 | 55.42 | 3.66 |
| 010 | 0.0 | 123.7 | 12.0000 | 10.79 | 1.000 | 36.56 | 102.05 | 55.43 | 3.66 |
| 020 | 0.4 | 123.3 | 12.0000 | 10.79 | 1.000 | 36.52 | 101.98 | 55.38 | 3.65 |
| 030 | 0.6 | 123.1 | 12.0000 | 10.79 | 1.000 | 36.50 | 101.96 | 55.35 | 3.65 |
| 040 | 0.0 | 123.7 | 12.0000 | 10.79 | 1.000 | 36.57 | 102.05 | 55.43 | 3.66 |
| 050 | 0.0 | 123.7 | 12.0000 | 10.79 | 1.000 | 36.57 | 102.05 | 55.44 | 3.66 |
| 060 | 0.0 | 123.7 | 12.0000 | 10.79 | 1.000 | 36.57 | 102.05 | 55.44 | 3.66 |
| 070 | 1.5 | 122.2 | 12.0000 | 10.79 | 1.000 | 36.40 | 101.82 | 55.23 | 3.64 |
| 080 | 3.0 | 120.7 | 12.0000 | 10.79 | 1.000 | 36.22 | 101.58 | 55.01 | 3.62 |
| 090 | 3.4 | 120.3 | 12.0000 | 10.79 | 1.000 | 36.17 | 101.53 | 54.96 | 3.62 |
| 100 | 1.3 | 122.4 | 12.0000 | 10.79 | 1.000 | 36.42 | 101.85 | 55.26 | 3.64 |
| 110 | 0.0 | 123.7 | 11.2908 | 10.53 | 0.970 | 36.09 | 100.94 | 54.75 | 3.59 |
| 120 | 0.0 | 123.7 | 10.3788 | 10.16 | 0.930 | 35.42 | 99.45 | 53.81 | 3.50 |
| 130 | 0.0 | 123.7 | 9.2928 | 9.68 | 0.880 | 34.54 | 97.54 | 52.58 | 3.40 |
| 140 | 0.0 | 123.7 | 7.8732 | 8.96 | 0.810 | 33.23 | 94.79 | 50.74 | 3.24 |
| 150 | 0.0 | 123.7 | 6.3948 | 8.06 | 0.730 | 31.60 | 91.46 | 48.42 | 3.04 |
| 160 | 0.0 | 123.7 | 4.9152 | 6.92 | 0.640 | 29.71 | 87.38 | 45.54 | 2.82 |
| 170 | 0.0 | 123.7 | 4.4652 | 6.50 | 0.610 | 29.07 | 85.92 | 44.52 | 2.74 |
| 180 | 0.0 | 123.7 | 4.0368 | 6.06 | 0.580 | 28.41 | 84.40 | 43.47 | 2.66 |
| 190 | 0.0 | 123.7 | 3.4992 | 5.44 | 0.540 | 27.52 | 82.26 | 42.01 | 2.55 |
| 200 | 0.0 | 123.7 | 3.2448 | 5.11 | 0.520 | 27.06 | 81.14 | 41.25 | 2.49 |
| 210 | 0.0 | 123.7 | 3.2448 | 5.11 | 0.520 | 27.06 | 81.14 | 41.25 | 2.49 |
| 220 | 0.0 | 123.7 | 3.4992 | 5.44 | 0.540 | 27.52 | 82.26 | 42.01 | 2.55 |
| 230 | 0.0 | 123.7 | 4.0368 | 6.06 | 0.580 | 28.41 | 84.40 | 43.47 | 2.66 |
| 240 | 0.0 | 123.7 | 4.4652 | 6.50 | 0.610 | 29.07 | 85.92 | 44.52 | 2.74 |
| 250 | 0.0 | 123.7 | 4.9152 | 6.92 | 0.640 | 29.71 | 87.38 | 45.54 | 2.82 |
| 260 | 0.0 | 123.7 | 6.3948 | 8.06 | 0.730 | 31.60 | 91.46 | 48.42 | 3.04 |
| 270 | 0.1 | 123.6 | 7.8732 | 8.96 | 0.810 | 33.21 | 94.76 | 50.72 | 3.24 |
| 280 | 0.3 | 123.4 | 9.2928 | 9.68 | 0.880 | 34.51 | 97.49 | 52.54 | 3.39 |
| 290 | 0.5 | 123.2 | 10.3788 | 10.16 | 0.930 | 35.36 | 99.36 | 53.73 | 3.50 |
| 300 | 4.4 | 119.3 | 11.2908 | 10.53 | 0.970 | 35.57 | 100.26 | 54.14 | 3.54 |
| 310 | 1.8 | 121.9 | 12.0000 | 10.79 | 1.000 | 36.36 | 101.78 | 55.19 | 3.64 |
| 320 | 0.2 | 123.5 | 12.0000 | 10.79 | 1.000 | 36.54 | 102.02 | 55.41 | 3.66 |
| 330 | 0.0 | 123.7 | 12.0000 | 10.79 | 1.000 | 36.57 | 102.05 | 55.44 | 3.66 |
| 340 | 0.6 | 123.1 | 12.0000 | 10.79 | 1.000 | 36.50 | 101.96 | 55.36 | 3.65 |
| 350 | 0.1 | 123.6 | 12.0000 | 10.79 | 1.000 | 36.56 | 102.03 | 55.42 | 3.66 |

AMSL= 123.7 M