

Exhibit 9.1

Summary Study

1990 Census data selected
TV INTERFERENCE and SPACING ANALYSIS PROGRAM

Date: 08-04-2008 Time: 14:59:12

Record Selected for Analysis

```

WIWU-CA  USERRECORD-01                MARION                IN US
Channel 51 ERP 1.45 kW HAAT 144. m RCAMSL 00397 m STRINGENT MASK
Latitude 040-36-56 Longitude 0085-38-47
Status APP Zone 1 Border
Dir Antenna Make usr Model USRPAT01      Beam tilt N Ref Azimuth 0.
Last update          Cutoff date          Docket
Comments
Applicant
    
```

Cell Size for Service Analysis 1.0 km/side

Distance Increments for Longley-Rice Analysis 1.00 km

Not full service station

Facility meets maximum power limit

Azimuth (Deg)	ERP (kW)	HAAT (m)	51.0 dBu F(50,90) (km)
0.0	1.450	140.1	34.1
45.0	1.450	140.5	34.1
90.0	1.450	139.5	34.1
135.0	1.450	132.8	33.6
180.0	1.450	146.8	34.5
225.0	1.450	142.0	34.2
270.0	1.450	154.7	35.0
315.0	1.450	153.7	35.0

Contour Overlap to Proposed Station

```

Station
WPWR-TV 51 GARY                IN BLCDT20050425ACE      causes
    
```

Contour overlap to Digital LPTV station

```

WIWU-CA 51 MARION                IN USERRECORD01
Required D/U ratio: 15.0
    
```

Exhibit 9.1

Station
 WMYO 51 SALEM IN BMPCDT20080620AJK causes

Contour overlap to Digital LPTV station
 WIWU-CA 51 MARION IN USERRECORD01
 Required D/U ratio: 15.0

Station
 WMYO 51 SALEM IN BMPCDT20080320AAR causes

Contour overlap to Digital LPTV station
 WIWU-CA 51 MARION IN USERRECORD01
 Required D/U ratio: 15.0

Station
 WLAJ 51 LANSING MI BLCDT20040422ABI causes

Contour overlap to Digital LPTV station
 WIWU-CA 51 MARION IN USERRECORD01
 Required D/U ratio: 15.0

Station
 WKEF 51 DAYTON OH BLCDT20050620AAP causes

Contour overlap to Digital LPTV station
 WIWU-CA 51 MARION IN USERRECORD01
 Required D/U ratio: 15.0

Contour Overlap Evaluation to Proposed Station Complete

LANDMOBILE SPACING VIOLATIONS FOUND

NONE

Proposed facility OK to FCC Monitoring Stations

Proposed facility OK toward West Virginia quite zone

Proposed facility OK toward Table Mountian

Proposed facility is within the Canadian coordination distance
 Distance to border = 255.8km

Proposed facility is beyond the Mexican coordination distance

Proposed station is OK toward AM broadcast stations

Exhibit 9.1

Start of Interference Analysis

	Proposed Station		
Channel	Call	City/State	ARN
51	WIWU-CA	MARION IN	USERRECORD01

Stations Potentially Affected by Proposed Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
43	WAJN-LP	BROOKSTON IN	118.9	LIC	BLTTL	-20050422AEH
43	W43CF	FORT WAYNE IN	66.4	LIC	BLTT	-20040217ABQ
43	WAJN-LP	LAFAYETTE IN	101.9	CP MOD	BMP TTL	-20070314ABO
44	WTLW	LIMA OH	124.4	LIC	BMLCT	-20010123ABE
47	WBXI-CA	INDIANAPOLIS IN	103.5	LIC	BLTTL	-20000211AAQ
49	WIPB	MUNCIE IN	55.4	LIC	BLET	-19810717KI
50	WALV-CA	INDIANAPOLIS IN	88.8	LIC	BLTTA	-20020621AAJ
50	WKGK-LP	KOKOMO IN	44.2	LIC	BLTTA	-20041122AIH
50	WOKZ-CA	KALAMAZOO MI	186.9	LIC	BLTTA	-20021213ABP
50	WDTN-DT	DAYTON OH	154.5	PLN	DTVPLN	-DTVP1456
50	WDTN	DAYTON OH	154.5	LIC	BLC DT	-20050629AAL
51	W51CT	BLOOMINGTON IL	283.2	LIC	BLTT	-20021121AAK
51	W51CT	BLOOMINGTON IL	283.2	CP	BDFCDTT	-20060313AAN
51	WEIU-TV	CHARLESTON IL	249.3	LIC	BLET	-19860702KE
51	WEIU-TV	CHARLESTON IL	254.3	APP	BMPET	-20041101AHI
51	WEIU-TV	CHARLESTON IL	247.1	CP	BPET	-20030212ABF
51	W51DT	GALESBURG IL	397.0	LIC	BLTT	-20060601BIX
51	W51DT	GALESBURG IL	397.0	CP	BDFCDTT	-20060331AEM
51	WCFC-CA	ROCKFORD IL	338.4	LIC	BLTTA	-20020620AAI
51	WPWR-TV	GARY IN	217.6	LIC	BLC DT	-20050425ACE
51	WPWR-DT	GARY IN	217.6	PLN	DTVPLN	-DTVP1478
51	WIPX-LP	INDIANAPOLIS IN	103.5	LIC	BLTTL	-19970918JR
51	W51DU	LAFAYETTE IN	106.0	APP	BDFCDTT	-20060331AKP
51	W51DU	LAFAYETTE IN	106.0	LIC	BLTT	-20061005ADX
51	WMYO	SALEM IN	252.4	APP	BMPCDT	-20080620AJK
51	WFTE-DT	SALEM IN	252.4	PLN	DTVPLN	-DTVP1479
51	WMYO	SALEM IN	252.4	CP MOD	BMPCDT	-20080320AAR
51	NEW	ASHLAND KY	376.4	ADD	BPRM	-20000717ADI
51	WLAJ	LANSING MI	221.3	LIC	BLC DT	-20040422ABI
51	WLAJ-DT	LANSING MI	221.2	PLN	DTVPLN	-DTVP1481
51	WKEF	DAYTON OH	154.2	LIC	BLC DT	-20050620AAP
51	WKEF-DT	DAYTON OH	154.1	PLN	DTVPLN	-DTVP1488
51	W09CG	FINDLAY OH	176.8	APP	BDISDTT	-20060329ACC
51	W51BI	KIRTLAND OH	376.8	APP	BDFCDTT	-20060223ABH
51	W51BI	KIRTLAND OH	376.8	LIC	BLTT	-19941013JD
51	WSFJ-TV	NEWARK OH	257.0	LIC	BLCT	-20050623ABJ
51	W51EG-D	PARKERSBURG WV	379.2	CP	BDCD TT	-20061025AEC
52	WIPB-DT	MUNCIE IN	55.4	PLN	DTVPLN	-DTVP1508
52	WGVK	KALAMAZOO MI	188.0	LIC	BMLET	-20040304AFC
55	WFFT-TV	FORT WAYNE IN	66.7	LIC	BLCT	-20001002APS
59	WXIN	INDIANAPOLIS IN	93.5	LIC	BLCT	-19960206KE
59	WXIN	INDIANAPOLIS IN	93.5	APP	BSTA	-20080128AFH

Exhibit 9.1

Study of this proposal found the following interference problem(s):

The following station failed the de minimis interference criteria.

51D IN MARION USERRECORD01
ERP 1.45 kW HAAT 144.0 m RCAMSL 397.0 m
Antenna usr USRPAT01

Due to interference to the following station and scenario: 1

52D IN MUNCIE DTVPLN DTVP1508
ERP 50.00 kW HAAT 155.0 m RCAMSL 454.0 m
Antenna rep INMUNCIE____52

Percent Service lost without proposal: 0.0 to DTVPLN DTVP1508
Percent Service lost with proposal: 0.7 to DTVPLN DTVP1508

The following station failed the de minimis interference criteria.

51D IN MARION USERRECORD01
ERP 1.45 kW HAAT 144.0 m RCAMSL 397.0 m
Antenna usr USRPAT01

Due to interference to the following station and scenario: 2

52D IN MUNCIE DTVPLN DTVP1508
ERP 50.00 kW HAAT 155.0 m RCAMSL 454.0 m
Antenna rep INMUNCIE____52

Percent Service lost without proposal: 0.0 to DTVPLN DTVP1508
Percent Service lost with proposal: 0.7 to DTVPLN DTVP1508