

Exhibit 17c

Genesee Media Corporation								
Station: WAUB 1590 kHz 42-54-34 076-36-09								
Distances are from Site to Conductivity Breaks								
AZIMUTH	mS/m	KM	mS/m	KM	mS/m	KM	mS/m	KM
0	4	58.2	8	105.7	15	145.1	10	169.5
	4	340.8	2	450.0				
5	4	62.2	8	125.1	15	147.8	10	179.9
	4	327.3	2	450.0				
10	4	66.9	8	129.8	4	144.2	15	157.1
	10	194.0	4	321.3	2	450.0		
15	4	69.7	8	104.9	4	110.8	8	121.7
	4	123.7	8	134.1	4	161.9	15	164.3
	10	293.6	4	330.1	2	450.0		
20	4	72.2	8	90.4	4	181.5	10	317.1
	4	450.0						
25	4	231.5	10	334.7	4	353.8	2	450.0
30	4	269.4	10	343.3	4	363.3	2	450.0
35	4	285.8	10	352.0	4	450.0		
40	4	306.9	10	450.0				
45	4	334.1	10	383.7	4	422.1	6	450.0
50	4	351.1	2	370.6	4	450.0		
55	4	298.9	2	413.2	0.5	422.3	4	450.0
60	4	267.1	2	378.8	0.5	450.0		
65	4	242.6	2	353.3	0.5	450.0		
70	4	219.7	2	349.6	1.0	353.9	0.5	383.0
	1.0	450.0						
75	4	198.6	2	330.7	1.0	444.3	2	450.0
80	4	177.7	2	315.5	1.0	444.7	2	450.0
85	4	174.1	2	304.6	1.0	450.0		
90	4	297.0	1.0	449.4	2	450.0		
95	4	292.8	1.0	415.6	2	450.0		
100	4	290.9	1.0	359.1	2	450.0		
105	4	291.2	1.0	339.9	2	449.2	50	450.0
110	4	289.5	1.0	321.0	2	450.0		
115	4	289.7	1.0	328.5	2	389.0	50	391.3
	2	401.3	50	450.0				
120	4	286.5	1.0	348.2	2	352.7	50	396.5
	0.5	402.0	50	409.2	0.5	422.4	50	450.0
125	4	288.8	1.0	336.4	50	365.1	0.5	397.4
	50	450.0						
130	4	317.8	1.0	325.4	50	336.9	4	341.9
	0.5	370.9	50	450.0				
135	4	229.8	2	278.1	4	322.5	50	328.0
	4	334.8	0.5	357.0	50	450.0		
140	4	224.5	2	297.4	4	332.3	50	450.0
145	4	221.2	2	287.1	4	380.3	50	450.0
150	4	219.0	2	244.8	4	412.4	50	450.0
155	4	217.0	2	247.9	4	431.9	50	450.0
160	4	216.7	2	253.7	4	356.0	50	356.8
	4	450.0						

Genesee Media Corporation								
Station: WAUB			1590 kHz		42-54-34		076-36-09	
AZIMUTH	mS/m	KM	mS/m	KM	mS/m	KM	mS/m	KM
<hr/>								
165	4	216.5	2	259.3	4	363.6	50	368.1
	4	406.1	50	450.0				
170	4	207.3	2	264.3	4	374.0	40	374.5
	4	450.0						
175	4	191.1	2	267.4	4	392.1	40	402.2
	4	419.6	40	431.3	4	432.1	40	435.4
	4	439.4	40	450.4				
180	4	181.0	2	274.7	4	370.1	2	388.1
	4	403.9	40	413.8	4	425.1	40	426.2
	4	450.0						
185	4	178.2	2	306.8	4	364.6	2	447.7
	4	450.0						
190	4	180.0	2	450.0				
195	4	181.8	2	450.0				
200	4	183.6	2	268.6	4	373.1	2	450.0
205	4	186.6	2	256.1	4	453.8		
210	4	190.0	2	337.2	4	450.0		
215	4	194.6	2	346.4	4	450.0		
220	4	201.8	2	340.7	4	450.0		
225	4	210.8	2	336.4	4	450.0		
230	4	221.9	2	336.6	4	450.0		
235	4	234.0	2	339.8	4	372.9	8	450.0
240	4	248.3	2	313.8	8	450.0		
245	4	292.3	8	450.0				
250	4	331.7	8	450.0				
255	4	95.5	8	102.4	4	218.9	8	259.1
	4	288.1	8	297.4	4	301.0	8	450.0
260	4	86.7	8	117.5	4	186.4	8	284.1
	10	450.0						
265	4	82.9	8	132.9	4	165.2	8	219.8
	10	315.6	4	330.3	10	417.6	20	450.0
270	4	81.0	8	188.4	10	189.8	20	216.3
	10	216.9	20	221.3	10	222.7	20	229.5
	10	231.9	20	296.6	4	354.2	20	450.0
275	4	80.4	8	197.4	20	298.9	4	365.2
	6	370.3	20	446.3	10	450.0		
280	#3	31.9	4	80.5	8	201.6	20	217.0
	15	260.0	20	291.4	4	340.7	6	419.6
	10	450.0						
285	#3	31.9	4	81.2	8	213.3	15	254.5
	10	279.9	4	329.7	6	425.4	10	450.0
290	#3	31.9	4	82.4	8	202.5	15	245.1
	6	266.6	10	283.8	4	333.5	6	432.1
	10	450.0						
295	#3	31.9	4	83.7	8	179.3	15	228.0
	6	273.8	4	402.2	6	424.1	10	450.0

Genesee Media Corporation								
Station: WAUB 1590 kHz 42-54-34 076-36-09								
AZIMUTH	mS/m KM		mS/m KM		mS/m KM		mS/m KM	
300	#3	31.9	4	80.6	8	155.5	15	213.7
	6	269.1	4	394.0	10	396.5	4	426.6
	10	450.0						
305	#3	31.9	4	74.1	8	134.4	15	194.8
	#6	284.3	4	328.3	10	450.0		
310	4	31.9	4	66.6	8	118.7	15	179.6
	6	290.6	4	323.5	10	324.7	4	326.1
	10	340.3	4	344.5	10	450.0		
315	4	61.3	8	107.7	15	166.2	6	290.6
	1.0	386.3	10	395.8	1.0	403.4	2	416.8
	10	426.6	2	431.2	10	450.0		
320	4	54.5	8	99.6	15	157.3	6	264.2
	1.0	391.4	2	450.0				
325	4	50.4	8	93.2	15	150.5	4	188.0
	6	241.7	1.0	385.6	2	450.0		
330	4	49.9	8	88.3	15	131.2	4	228.1
	1.0	384.8	2	450.0				
335	4	49.1	8	84.4	15	117.0	4	118.4
	15	122.8	4	125.5	15	128.4	4	222.5
	1.0	388.6	2	450.0				
340	4	47.3	8	81.5	15	113.5	4	218.9
	1.0	396.3	2	450.0				
345	4	48.3	8	79.4	15	115.2	4	118.5
	15	125.3	4	129.3	15	131.6	10	133.2
	15	133.5	10	136.1	15	138.1	10	140.0
	15	142.6	4	217.7	1.0	380.0	2	450.0
350	4	49.7	8	82.2	15	130.2	4	133.1
	15	135.9	10	151.4	4	218.8	1.0	297.9
	4	338.2	1.0	357.4	2	450.0		
355	4	53.5	8	92.2	15	142.4	10	160.1
	4	228.1	1.0	272.5	4	347.0	2	450.0

Tabulated 50 mS/m represents 5000 mS/m

Conductivities from the December 1987 WAUB AM Directional Proof of Performance.

Genesee Media Corporation								
Station: WGGO 1590 kHz 42-10-24 078-41-07								
Distances are from Site to Conductivity Breaks								
AZIMUTH	mS/m	KM	mS/m	KM	mS/m	KM	mS/m	KM
0	4	59.0	8	154.3	15	188.7	6	281.6
	1.0	434.2	2	450.0				
5	4	65.7	8	157.1	15	192.3	6	279.5
	1.0	450.0						
10	4	71.9	8	160.0	15	200.1	6	265.4
	4	282.5	1.0	450.0				
15	4	75.5	8	163.8	15	205.3	6	236.4
	4	294.3	1.0	398.9	4	440.6	2	450.0
20	4	77.6	8	168.1	15	216.7	4	310.7
	1.0	384.0	4	450.0				
25	4	78.6	8	174.0	15	219.2	4	344.0
	1.0	356.9	4	450.0				
30	4	78.8	8	182.3	15	228.8	4	450.0
35	4	79.5	8	193.5	15	235.9	4	240.9
	15	278.3	10	326.0	4	391.0	10	450.0
40	4	80.9	8	142.8	4	162.4	8	207.9
	15	291.6	4	294.4	15	316.0	10	450.0
45	4	83.0	8	126.9	4	178.2	8	284.7
	4	454.7						
50	4	87.5	8	113.6	4	198.7	8	216.3
	4	226.3	8	259.7	4	505.7		
55	4	450.0						
60	4	462.2						
65	4	419.9	2	450.0				
70	4	374.8	2	450.0				
75	4	370.1	2	450.0				
80	4	450.0						
85	4	450.0						
90	4	447.3	1.0	450.0				
95	4	433.4	1.0	450.0				
100	4	418.0	1.0	450.0				
105	4	328.8	2	385.8	4	431.5	1.0	444.0
	50	450.0						
110	4	302.0	2	391.3	4	423.9	50	426.0
	4	434.9	0.5	450.0				
115	4	277.1	2	315.6	4	412.4	50	427.8
	4	439.2	50	450.0				
120	4	190.0	2	303.9	4	453.4		
125	4	163.8	2	291.5	4	450.0		
130	4	139.3	2	278.2	4	386.8	50	388.4
	4	450.0						
135	4	120.2	2	261.9	4	381.2	50	384.8
	4	461.3						
140	4	104.3	2	260.0	4	374.5	40	376.7
	4	440.2	50	441.8	4	450.0		

Genesee Media Corporation								
Station: WGGO			1590 kHz		42-10-24		078-41-07	
AZIMUTH	mS/m	KM	mS/m	KM	mS/m	KM	mS/m	KM
<hr/>								
145	4	93.2	2	266.6	4	362.9	40	364.9
	4	372.9	40	380.0	4	450.0		
150	4	85.2	2	278.0	4	324.4	2	355.3
	4	371.2	40	427.5	4	436.5	40	441.7
	4	450.4	40	454.0				
155	4	78.8	2	169.8	4	199.2	2	292.7
	4	305.3	2	373.7	4	450.0		
160	4	73.7	2	160.6	4	227.8	2	396.1
	4	408.3	50	409.9	4	455.2		
165	4	69.8	2	164.1	4	252.3	2	450.0
170	4	66.7	2	178.9	4	277.4	2	450.0
175	4	64.1	2	200.3	4	302.7	2	450.0
180	4	61.9	2	219.9	4	325.3	2	450.0
185	4	60.3	2	209.2	4	341.9	2	450.0
190	4	59.2	2	195.8	4	353.5	2	450.0
195	4	58.5	2	183.4	4	362.4	2	450.0
200	4	58.2	2	173.7	4	371.0	2	450.0
205	4	58.3	2	167.0	4	293.6	2	347.3
	4	370.8	2	450.0				
210	4	58.8	2	162.5	4	302.8	2	450.0
215	4	59.7	2	159.3	4	335.2	2	450.0
220	4	61.2	2	157.5	4	371.2	2	450.0
225	4	63.2	2	154.2	8	238.3	4	400.9
	2	450.0						
230	4	66.0	2	129.6	8	465.0		
235	4	69.6	2	115.2	8	450.0		
240	4	76.3	2	102.9	8	450.0		
245	4	106.9	8	392.5	15	450.0		
250	4	122.4	8	374.7	15	450.0		
255	4	144.4	8	356.2	15	431.7	8	450.0
260	4	174.5	8	350.5	15	352.0	8	361.8
	15	418.2	8	450.0				
265	4	133.4	8	261.4	10	354.5	8	450.0
270	4	109.7	8	116.3	4	118.1	8	213.7
	10	306.6	20	365.4	8	461.6		
275	4	98.5	8	154.7	10	259.5	20	350.3
	8	450.0						
280	4	55.9	8	125.2	10	242.7	20	342.8
	15	362.6	8	450.0				
285	4	51.3	8	110.2	10	219.9	20	320.4
	15	380.6	8	450.0				
290	4	48.6	8	99.4	10	123.5	4	130.4
	10	153.5	4	196.1	20	303.0	10	318.8
	8	327.8	15	399.2	8	450.0		
295	4	46.8	8	92.1	10	145.7	4	207.2
	20	289.8	10	317.9	8	344.2	15	421.2
	8	450.0						

Genesee Media Corporation								
Station: WGGO 1590 kHz 42-10-24 078-41-07								
AZIMUTH	mS/m	KM	mS/m	KM	mS/m	KM	mS/m	KM
<hr/>								
300	4	45.5	8	86.3	10	137.6	20	146.3
	4	220.2	6	282.7	10	321.1	8	364.5
	15	419.8	8	450.0				
305	4	44.5	8	81.8	10	125.0	20	155.7
	4	215.3	6	297.9	10	342.4	8	450.0
310	4	44.0	8	78.6	10	116.7	20	167.6
	4	214.7	6	318.3	10	369.7	8	450.0
315	4	43.7	8	77.4	10	106.8	20	173.6
	4	217.8	6	329.4	10	405.1	8	450.0
320	4	43.8	8	76.7	10	99.1	20	172.4
	4	228.3	6	329.5	4	334.8	10	450.0
325	4	44.3	8	76.7	10	94.0	20	145.2
	15	156.1	20	164.1	10	178.1	4	358.1
	10	450.0						
330	4	44.9	8	76.1	10	90.0	20	132.0
	15	161.2	10	199.7	4	327.6	10	450.0
335	4	45.8	8	76.0	10	83.8	20	124.9
	15	168.9	6	208.1	4	286.3	10	450.0
340	4	47.1	8	76.4	10	83.3	20	124.8
	15	172.2	6	213.5	4	313.5	10	386.9
	2	387.2	10	402.4	2	450.0		
345	4	48.8	8	78.8	10	81.6	20	91.3
	8	112.6	20	126.5	15	133.0	8	146.0
	15	174.9	6	256.3	4	299.0	1.0	385.0
	2	450.0						
350	4	51.1	8	148.9	15	184.4	6	289.0
	1.0	394.6	2	450.0				
355	4	54.0	8	151.7	15	186.7	6	284.1
	1.0	410.6	2	450.0				

Tabulated 50 mS/m represents 5000 mS/m

Ground conductivity values taken from Granted Application BP-20150123AHG for WAUB to modify operating parameters.

Genesee Media Corporation									
Station: WRSB			1600 kHz		43-11-44		077-57-05		
Distances are from Site to Conductivity Breaks									
AZIMUTH		mS/m	KM	mS/m	KM	mS/m	KM	mS/m	KM
0	# 7	18.6	8	44.4	15	86.0	6	120.6	
	4	166.3	1.0	336.4	2	450.0			
5	7	18.6	8	44.5	15	88.8	6	100.3	
	4	170.4	1.0	330.4	2	450.0			
10	7	18.6	8	44.9	15	91.5	4	176.1	
	1.0	273.4	4	314.7	2	450.0			
15	8	45.7	15	94.6	4	184.0	1.0	259.5	
	4	325.8	2	450.0					
20	6	18.8	8	46.8	15	92.1	4	94.8	
	15	95.7	4	195.2	1.0	250.8	4	326.9	
	2	450.0							
25	6	18.8	8	48.4	15	90.1	4	324.0	
	2	450.0							
30	# 6	18.8	8	50.7	15	96.4	4	330.9	
	2	450.0							
35	6	18.8	8	53.7	15	97.1	4	117.4	
	15	124.4	10	147.1	4	307.7	10	308.3	
	4	358.6	2	450.0					
40	6	18.8	8	57.7	15	97.8	4	115.5	
	15	116.3	4	127.7	15	139.7	10	197.3	
	4	253.6	10	357.9	4	382.8	2	450.0	
45	8	62.7	15	113.6	4	117.6	15	162.0	
	10	383.2	4	405.4	2	450.0			
50	8	69.3	15	167.8	4	173.4	15	185.0	
	4	200.1	15	201.7	10	222.6	4	318.5	
	10	408.2	4	453.7					
55	8	78.2	15	133.4	8	161.3	4	164.3	
	8	171.4	4	361.1	10	450.0			
60	5	25.7	8	90.4	15	113.6	8	165.8	
	4	450.0							
65	5	25.7	8	152.5	4	401.8	2	450.0	
70	# 5	25.7	8	149.1	4	367.6	2	461.3	
75	5	25.7	8	117.5	4	345.3	2	442.6	
	0.5	450.0							
80	5	25.7	8	34.7	4	68.6	8	101.8	
	4	324.1	2	439.6	1.0	450.0			
85	6	19.0	5	33.7	4	79.9	8	81.3	
	4	304.0	2	423.3	1.0	450.0			
90	4	4.0	6	32.2	8	33.0	4	282.3	
	2	412.8	1.0	450.0					
95	4	4.0	6	32.2	8	32.6	4	406.6	
	1.0	450.0							
100	# 4	4.0	6	32.2	8	32.4	4	404.6	
	1.0	450.0							
105	4	4.0	6	32.2	4	405.1	1.0	450.3	

Genesee Media Corporation								
Station: WRSB 1600 kHz 43-11-44 077-57-05								
AZIMUTH	mS/m KM		mS/m KM		mS/m KM		mS/m KM	
110	5	4.0	6	32.2	4	403.2	1.0	435.4
	2	450.0						
112	# 5	5.0	6	32.2	4	398.8	1.0	456.0
120.5	# 3	4.0	5	32.0	8	35.3	4	402.6
	1.0	442.7	50	450.0				
125	3	4.0	5	32.0	8	36.9	4	333.9
	2	379.6	4	429.4	50	435.4	4	439.4
	50	442.4	4	445.3	0.5	450.0		
130	# 4	5.0	5	32.2	8	39.0	4	321.2
	2	397.7	4	428.0	50	434.8	0.5	438.6
	50	450.0						
135	4	5.0	5	32.2	8	41.6	4	310.9
	2	343.3	4	450.0				
140	5	32.2	8	44.9	4	301.1	2	334.7
	4	450.0						
145	3	2.0	4	32.0	8	48.1	4	291.6
	2	334.0	4	450.0				
150	3	2.0	4	32.2	8	51.6	4	252.1
	2	331.9	4	429.7	50	432.8	4	450.0
155	3	2.0	4	32.2	8	56.0	4	230.1
	2	327.4	4	450.0				
159	# 3	2.0	4	32.2	8	58.5	4	221.9
	2	327.3	4	445.5	40	450.0		
165	3	2.0	4	32.2	8	60.4	4	212.6
	2	346.1	4	410.7	2	439.3	4	450.2
170	3	12.0	4	32.2	8	59.5	4	204.6
	2	376.7	4	398.7	2	450.0		
175	3	12.0	4	32.2	8	57.2	4	197.6
	2	450.0						
180	# 3	12.0	4	32.2	8	55.5	4	191.8
	2	263.9	4	362.3	2	450.0		
185	3	12.0	4	32.2	8	53.6	4	188.4
	2	279.4	4	415.9	2	450.0		
190	# 3	16.0	4	32.2	8	52.0	4	186.3
	2	335.6	4	453.9				
195	3	16.0	4	32.2	8	50.8	4	185.5
	2	328.2	4	450.0				
200	3	16.0	4	32.2	8	50.1	4	185.3
	2	312.0	4	450.0				
205	8	49.8	4	185.9	2	298.2	4	422.6
	2	447.9	4	450.0				
210	8	49.8	4	187.4	2	289.7	4	432.5
	2	450.0						
215	8	50.3	4	190.3	2	283.9	4	450.0
220	2	8.0	8	52.9	4	196.7	2	246.0
	8	379.6	4	450.0				

Genesee Media Corporation								
Station: WRSB 1600 kHz 43-11-44 077-57-05								
AZIMUTH	mS/m	KM	mS/m	KM	mS/m	KM	mS/m	KM
225	2	8.0	4	32.2	8	57.2	4	222.7
	8	450.0						
232	# 2	8.0	4	32.2	8	162.5	4	237.5
	8	450.0						
235	2	8.0	4	32.2	8	174.6	4	256.4
	8	450.0						
239.5	# 3	14.0	5	32.2	8	450.0		
245	3	14.0	5	32.2	8	89.1	10	227.5
	8	437.7	15	450.0				
250	3	14.0	5	32.2	8	83.7	##	103.6
	10	198.2	4	200.4	10	430.8	8	450.0
255	3	14.0	5	32.0	8	89.0	## 8	144.4
	10	200.1	4	233.9	10	329.0	20	440.7
	10	441.1	8	450.0				
260	3	14.0	5	32.2	8	88.3	## 8	163.5
	5	189.6	8	247.9	20	410.1	15	415.6
	8	450.0						
265	5	32.2	8	90.5	## 8	155.9	## 5	188.3
	8	249.3	20	371.0	15	421.8	8	450.0
270	# 5	32.2	8	89.0	8	147.6	5	198.0
	10	264.4	20	336.0	10	358.5	8	367.2
	15	429.5	8	450.0				
275	5	32.2	8	90.7	20	94.6	15	148.6
	20	178.0	4	229.7	6	305.8	10	345.9
	8	372.4	15	437.8	8	450.0		
280	5	32.2	8	96.0	15	143.9	10	163.3
	4	218.8	6	307.3	10	342.9	8	379.7
	15	447.4	8	450.0				
285	5	32.0	8	103.6	15	138.3	10	167.5
	4	214.6	6	313.0	10	351.5	8	406.3
	15	415.8	8	450.0				
290	5	32.0	8	94.1	15	133.4	6	148.5
	10	170.0	4	217.7	6	318.9	10	363.3
	8	450.0						
295	8	86.6	15	122.0	6	162.8	10	168.6
	4	234.5	6	317.4	10	379.0	8	450.0
300	6	32.2	8	78.2	15	117.7	6	161.7
	4	309.0	10	399.2	8	450.0		
305	6	32.2	8	71.8	15	115.0	6	158.4
	4	283.4	10	287.4	4	321.7	10	450.0
310	# 6	32.2	8	66.8	15	109.4	6	162.6
	4	223.8	10	309.4	4	312.6	10	345.7
	4	362.2	10	437.0	4	450.0		
315	6	32.2	8	61.5	15	103.3	6	177.2
	4	228.4	10	404.4	4	418.8	10	424.2
	4	432.8	10	433.5	4	445.6	10	450.0

Genesee Media Corporation								
Station: WRSB 1600 kHz 43-11-44 077-57-05								
AZIMUTH	mS/m	KM	mS/m	KM	mS/m	KM	mS/m	KM

320	6	32.2	8	57.3	15	98.1	6	188.0
	4	229.9	10	240.7	4	243.4	10	408.8
	2	450.0						
325	6	32.0	8	54.1	15	94.9	6	198.5
	4	211.8	1.0	291.5	10	301.2	1.0	306.6
	2	450.0						
330	8	51.6	15	90.5	6	197.8	1.0	302.9
	2	450.0						
335	8	49.5	15	88.4	6	187.4	1.0	303.2
	2	450.0						
340	8	47.7	15	87.6	6	179.5	1.0	306.9
	2	450.0						
345	8	46.3	15	86.9	6	172.5	1.0	314.2
	2	450.0						
350	8	45.3	15	86.0	6	167.2	1.0	326.1
	2	450.0						
355	8	44.7	15	85.2	6	150.6	4	165.3
	1.0	342.1	2	450.0				

Tabulated 50 mS/m represents 5000 mS/m

Conductivities from the November 1980 WOKR (WJBT) AM Directional Proof of Performance. (Exhibit 17d)

Conductivities obtained from maps in page 133 of the "AGREEMENT BETWEEN THE GOVERNMENT OF THE UNITED STATES OF AMERICA AND THE GOVERNMENT OF CANADA RELATING TO THE AM BROADCASTING SERVICE IN THE MEDIUM FREQUENCY BAND, OTTAWA 1984".

Genesee Media Corporation								
Station: WMCR 1600 kHz 43-05-04 075-41-35								
Distances are from Site to Conductivity Breaks								
AZIMUTH	mS/m	KM	mS/m	KM	mS/m	KM	mS/m	KM
0	8	56.3	15	103.7	4	184.3	1.0	344.2
	2	450.0						
5	8	56.6	15	98.4	4	102.1	15	102.5
	4	188.8	1.0	281.7	4	321.2	2	325.9
	1.0	326.2	2	450.0				
10	8	57.4	15	95.5	4	196.2	1.0	265.4
	4	332.1	2	450.0				
15	8	58.6	15	100.1	4	207.4	1.0	251.4
	4	331.5	2	450.0				
20	8	60.4	15	97.8	4	326.4	2	450.0
25	8	62.7	15	93.7	4	116.3	15	119.2
	10	149.3	4	329.3	2	450.0		
30	8	17.9	4	22.1	8	65.8	15	105.9
	4	110.1	15	141.8	10	178.7	4	350.3
	2	450.0						
35	8	14.3	4	24.9	8	69.8	15	153.8
	10	341.8	4	373.3	2	450.0		
40	8	12.0	4	28.8	8	74.8	15	178.7
	10	372.0	4	392.2	2	450.0		
45	8	10.4	4	32.5	8	81.3	15	113.4
	8	152.0	4	305.8	10	388.2	4	450.0
50	8	9.3	4	35.8	8	153.6	4	339.2
	10	450.0						
55	8	8.5	4	40.7	8	138.4	4	384.2
	10	422.9	4	450.0				
60	8	7.9	4	48.3	8	133.0	4	401.8
	2	449.7	4	450.0				
65	8	7.5	4	53.9	8	93.2	4	115.0
	8	125.0	4	360.4	2	458.1		
70	8	7.1	4	57.8	8	59.7	4	333.7
	2	430.4	0.5	450.0				
75	8	6.9	4	311.6	2	423.4	0.5	462.9
80	8	6.7	4	291.1	2	409.9	1.0	450.0
85	8	6.5	4	269.1	2	395.4	1.0	450.0
90	8	6.5	4	256.9	2	319.0	4	364.0
	2	385.4	1.0	450.0				
95	8	6.4	4	380.1	1.0	450.0		
100	8	6.4	4	378.0	1.0	445.8	2	450.0
105	8	6.5	4	377.6	1.0	419.5	2	450.0
110	8	6.6	4	375.8	1.0	408.3	2	450.0
115	8	6.8	4	371.2	1.0	427.9	2	450.8
120	8	7.0	4	373.1	1.0	417.6	50	449.0
	0.5	450.0						
125	8	7.3	4	309.5	2	347.9	4	403.2
	50	411.5	4	419.4	0.5	446.7	50	450.0

Genesee Media Corporation								
Station: WMCN 1600 kHz 43-05-04 075-41-35								
AZIMUTH	mS/m	KM	mS/m	KM	mS/m	KM	mS/m	KM
130	8	7.7	4	297.2	2	366.6	4	397.7
	50	402.8	0.5	415.1	50	450.0		
135	8	8.2	4	288.4	2	355.7	4	438.1
	50	450.0						
140	8	8.9	4	279.5	2	309.5	4	450.0
145	8	9.8	4	273.0	2	310.2	4	450.0
150	8	10.9	4	259.5	2	310.1	4	408.0
	50	410.2	4	450.0				
155	8	12.4	4	224.0	2	309.1	4	418.6
	50	431.1	4	444.2	50	450.0		
160	8	14.6	4	208.9	2	304.4	4	413.2
	40	418.2	4	422.1	40	425.9	4	450.0
165	8	17.8	4	203.3	2	311.0	4	427.9
	40	450.0						
170	8	23.1	4	197.0	2	336.2	4	388.8
	2	437.5	4	450.0				
175	8	28.0	4	191.2	2	450.0		
180	#3	11.0	#3	20.0	#1.0	40.0	#0.1	85.0
	#1.0	111.0	4	186.8	2	450.0		
185	3	11.0	3	20.0	1.0	40.0	0.0	85.0
	#1.0	111.0	4	182.8	2	252.7	4	361.6
	2	450.0						
190	#2	0.5	#3	3.1	#4	7.0	#3	26.0
	#1.0	115.4	4	180.4	2	264.2	4	421.5
	2	450.0						
195	2	0.5	3	3.1	4	7.0	3	26.0
	#1.0	115.4	4	180.0	2	330.5	4	450.0
200	2	0.5	3	3.1	4	7.0	3	26.0
	#1.0	115.4	4	180.6	2	323.7	4	450.0
205	2	0.5	3	3.1	4	7.0	3	26.0
	#1.0	115.4	4	182.6	2	310.6	4	450.0
210	3	17.0	1.0	50.0	1.0	121.2	4	184.7
	2	299.6	4	422.1	2	450.0		
215	#3	17.0	#1.5	50.0	#1.0	121.0	4	188.0
	2	293.2	4	445.5	2	450.0		
220	#3	17.0	#1.5	50.0	#1.0	121.2	4	192.4
	2	289.5	4	450.0				
225	#3	17.0	#1.5	50.0	#1.0	121.2	4	198.7
	2	265.0	8	438.7	4	450.0		
230	#3	17.0	#1.5	50.0	#1.0	121.2	4	227.8
	8	450.0						
235	#3	17.0	#1.5	50.0	#1.0	121.2	4	245.4
	8	450.0						
240	#2	1.3	#3	2.0	#4	22.0	#2	78.2
	4	127.7	8	181.6	4	268.7	8	450.0
245	#2	1.4	#3	2.0	#4	22.0	#2	78.2
	4	90.5	8	450.0				

Genesee Media Corporation								
Station: WMCN			1600 kHz		43-05-04		075-41-35	
AZIMUTH	mS/m KM		mS/m KM		mS/m KM		mS/m KM	
<hr/>								
250	#2	1.4	#4	2.0	#3	22.0	#2	78.0
	8	187.6	10	233.9	8	409.1	10	424.6
	8	450.0						
255	#2	1.4	#4	2.0	#3	22.0	#2	78.0
	8	121.5	10	210.4	4	216.8	10	415.1
	20	420.4	10	450.0				
260	#4	16.0	#4	24.0	#3	35.0	#2	43.2
	8	104.6	20	125.0	10	221.3	4	258.8
	10	332.1	20	450.0				
265	#4	16.0	#4	24.0	#3	35.0	#2	43.2
	8	111.8	20	212.3	4	270.0	20	398.7
	15	408.9	20	424.0	15	441.8	8	450.0
270	#4	16.0	#4	24.0	#3	35.0	#2	43.2
	4	113.7	20	212.6	4	276.9	20	389.2
	15	450.0						
275	#4	16.0	#4	24.0	#3	35.0	#2	43.2
	4	147.7	20	211.3	4	263.8	6	340.5
	10	375.7	8	396.8	15	450.0		
280	#4	101.2	#8	106.2	#4	122.5	15	174.7
	20	195.2	4	249.3	6	332.2	10	367.2
	8	403.6	15	450.0				
285	#4	101.2	#8	106.2	#4	122.5	15	167.7
	4	242.5	6	338.5	10	376.3	8	419.9
	15	451.4						
290	#4	85.3	8	167.1	6	172.2	10	197.2
	4	243.8	6	348.4	10	388.8	8	450.0
295	8	115.5	15	150.6	6	188.7	10	196.8
	4	259.8	6	346.2	10	405.3	8	450.0
300	8	104.6	15	145.1	6	188.8	4	336.5
	10	426.8	8	450.0				
305	8	95.9	15	141.9	6	185.4	4	310.2
	10	315.5	4	333.5	10	335.9	4	354.9
	10	450.0						
310	8	87.4	15	133.7	6	194.0	4	248.9
	10	374.4	4	382.2	10	437.7	4	450.0
315	8	80.5	15	124.4	6	210.3	4	275.2
	10	433.4	4	435.4	10	440.9	4	447.1
	10	450.0						
320	8	75.0	15	119.0	6	217.1	4	247.2
	1.0	267.3	10	273.1	1.0	280.3	10	282.7
	1.0	287.8	10	288.3	1.0	295.9	10	420.0
	2	424.1	10	426.1	2	450.0		
325	8	70.0	15	112.2	6	225.4	1.0	328.3
	2	450.0						
330	8	66.0	15	109.5	6	211.1	1.0	325.4
	2	450.0						

Genesee Media Corporation								
Station: WMCR 1600 kHz 43-05-04 075-41-35								
AZIMUTH	mS/m	KM	mS/m	KM	mS/m	KM	mS/m	KM

335	8	62.9	15	106.7	6	200.1	1.0	326.2
	2	450.0						
340	8	60.5	15	103.7	6	190.3	1.0	330.9
	2	450.0						
345	8	58.7	15	101.8	6	183.5	1.0	339.7
	2	450.0						
350	8	57.4	15	101.8	6	132.4	4	180.2
	1.0	352.8	2	450.0				
355	8	56.6	15	102.9	4	181.4	1.0	353.4
	2	450.0						

Tabulated 50 mS/m represents 5000 mS/m

Values taken from measurements contained in granted application BMP-20030711ABB.

Genesee Media Corporation								
Station: WEHH 1600 kHz 42-07-11 076-48-37								
Distances are from Site to Conductivity Breaks								
AZIMUTH		mS/m KM		mS/m KM		mS/m KM		mS/m KM
0	##0.5	41.0	4	132.1	8	164.1	15	226.7
	10	244.8	4	319.4	1.0	348.3	4	433.0
	2	450.0						
5	##0.5	41.0	4	141.8	8	194.4	15	232.8
	10	262.0	4	419.9	2	450.0		
10	##0.5	41.0	4	155.0	8	218.6	4	232.7
	15	245.7	10	282.2	4	410.4	2	450.0
15	##0.5	41.0	4	161.0	8	182.2	4	209.6
	8	214.3	4	256.9	10	387.9	4	423.0
	2	450.0						
20	4	306.6	10	416.0	4	437.1	2	450.0
25	4	354.3	10	427.6	4	446.5	2	450.0
30	4	372.2	10	434.7	4	450.0		
35	4	395.0	10	450.0				
40	4	450.0						
45	4	372.0	2	464.3				
50	4	315.2	2	454.4				
55	4	265.5	2	411.1	0.5	450.0		
60	4	217.2	2	397.0	1.0	450.0		
65	4	226.1	2	364.6	1.0	450.0		
70	4	306.0	2	341.4	1.0	450.0		
75	4	324.1	1.0	450.0				
80	4	311.6	1.0	450.0				
85	4	302.4	1.0	382.6	2	450.0		
90	4	293.4	1.0	345.0	2	450.0		
95	4	284.9	1.0	317.3	2	449.7	50	450.0
100	4	274.7	1.0	320.2	2	428.4	50	450.0
105	4	266.7	1.0	330.1	2	335.4	50	338.1
	2	343.8	50	385.4	0.5	389.6	50	417.2
	0.5	421.7	50	450.0				
110	4	270.4	1.0	308.8	50	352.0	0.5	385.5
	50	450.0						
115	4	188.0	2	238.0	4	290.7	1.0	291.7
	50	303.9	4	309.6	0.5	349.5	50	450.0
120	4	177.0	2	244.2	4	281.5	50	288.0
	4	295.8	0.5	318.5	50	450.0		
125	4	168.4	2	252.0	4	283.9	50	289.7
	0.5	290.7	50	450.0				
130	4	160.7	2	214.7	4	312.4	50	450.0
135	4	154.1	2	184.4	4	328.8	50	450.0
140	4	149.0	2	183.2	4	350.0	50	450.0
145	4	145.4	2	183.2	4	357.1	50	450.0
150	4	139.9	2	183.1	4	284.2	50	284.4
	4	372.5	50	450.0				
155	4	129.6	2	183.2	4	280.5	50	283.0
	4	354.8	50	382.2	4	387.6	50	450.0

Genesee Media Corporation								
Station: WEHH			1600 kHz		42-07-11		076-48-37	
AZIMUTH	mS/m	KM	mS/m	KM	mS/m	KM	mS/m	KM
<hr/>								
160	4	113.1	2	183.9	4	308.3	50	320.9
	4	353.6	50	359.3	4	408.0	2	431.4
	50	432.7	2	437.0	50	450.0		
165	4	101.0	2	183.7	4	297.3	40	300.7
	4	402.5	2	450.0				
170	4	94.5	2	182.8	4	306.4	40	315.4
	4	337.6	40	341.5	4	364.4	40	364.5
	4	396.8	2	433.9	50	442.3	2	447.3
	50	450.0						
175	4	91.4	2	188.8	4	311.9	40	312.2
	4	321.2	40	332.3	4	338.5	40	342.3
	4	345.8	40	396.0	50	414.3	4	417.8
	50	424.8	4	425.9	50	434.6	4	450.5
180	4	89.9	2	203.4	4	276.7	2	329.2
	4	428.8	50	438.6	4	450.0		
185	4	90.2	2	236.7	4	276.1	2	376.9
	4	387.5	50	395.2	4	415.7	50	421.2
	4	430.3	2	450.0				
190	4	91.2	2	450.0				
195	4	92.2	2	450.0				
200	4	93.5	2	450.0				
205	4	95.2	2	178.9	4	333.3	2	450.0
210	4	97.6	2	171.2	4	383.7	2	450.0
215	4	100.8	2	175.1	4	414.7	2	450.0
220	4	105.1	2	268.1	4	442.4	2	450.0
225	4	109.5	2	267.1	4	448.8	2	450.0
230	4	115.3	2	266.1	4	391.6	2	450.0
235	4	122.9	2	266.9	4	450.0		
240	4	133.3	2	271.0	4	450.0		
245	4	146.2	2	277.9	4	343.0	8	450.0
250	4	162.3	2	281.6	8	450.0		
255	4	181.1	2	262.7	8	450.0		
260	4	204.6	2	249.4	8	450.0		
265	4	298.7	8	450.0				
270	4	285.3	8	397.0	10	450.0		
275	4	210.5	8	235.4	4	244.9	8	301.9
	10	414.1	20	450.0				
280	4	193.8	8	251.1	10	379.5	20	450.0
285	4	182.2	8	223.9	10	291.6	4	349.8
	20	450.0						
290	4	171.9	8	209.4	10	245.2	20	248.5
	10	251.3	20	298.2	4	362.3	6	425.6
	10	450.0						
295	4	165.7	8	193.4	10	202.3	20	306.2
	4	350.0	6	435.6	10	450.0		
300	#2	3.0	#1.5	15.0	#0.1	113.0	8	207.6
	20	246.2	15	277.3	20	288.6	10	291.5
	4	347.4	6	455.8				

Genesee Media Corporation								
Station: WEHH			1600 kHz		42-07-11		076-48-37	
AZIMUTH	mS/m KM		mS/m KM		mS/m KM		mS/m KM	
<hr/>								
305	#2	3.0	#1.5	15.0	#0.1	113.0	8	222.9
	20	226.5	15	275.0	10	308.4	4	364.1
	6	450.0						
310	#2	3.0	#1.5	15.0	#0.1	113.0	8	237.4
	15	267.0	6	267.2	15	268.5	6	309.6
	4	450.0						
315	#2	3.0	#1.5	15.0	#0.1	120.0	8	226.1
	15	263.7	6	307.9	4	381.4	10	450.0
320	#2	3.0	#1.5	15.0	#0.1	113.0	8	213.8
	15	253.6	6	335.2	4	397.3	10	450.0
325	#0.1	4.0	#1.5	13.0	#0.5	30.0	#0.1	120.0
	4	123.0	8	201.5	15	242.7	6	354.1
	4	359.1	1.0	439.9	10	450.3		
330	#0.1	4.0	#1.5	13.0	#0.5	30.0	#0.1	120.0
	4	123.5	8	189.8	15	234.9	6	335.6
	1.0	450.0						
335	#0.1	4.0	#1.5	13.0	#0.5	30.0	#0.1	120.0
	4	138.4	8	180.6	15	225.9	6	316.6
	1.0	450.0						
340	#0.1	4.0	#1.5	13.0	#0.5	30.0	#0.1	120.0
	4	138.3	8	174.0	15	223.0	4	303.0
	1.0	450.0						
345	#0.1	4.0	#1.5	13.0	#0.5	30.0	#0.1	120.0
	4	134.9	8	169.4	15	208.0	4	299.2
	1.0	450.0						
350	##2	30.0	4	132.6	8	166.4	15	196.1
	4	196.5	15	201.7	4	205.4	15	206.4
	4	299.1	1.0	450.0				
355	##2	30.0	4	129.7	8	164.6	15	197.6
	4	200.6	15	204.4	4	212.9	15	215.1
	10	216.0	15	217.1	10	219.4	15	221.6
	10	223.8	15	227.9	4	302.7	1.0	379.4
	4	428.1	2	430.7	1.0	434.6	2	450.0

Tabulated 50 mS/m represents 5000 mS/m

Measurements taken July 2002 WEHH AM Directional Proof of Performance

Measured Radials included in this application

The licensed WEHH daytime groundwave contours were calculated every five degrees from 0° to 355° True using the calculated standard pattern inverse distance field for each azimuth. Ground conductivity values for all azimuths were obtained from §73.190, Figure M3 of the FCC rules. Calculations were made at 7°, 310°, and 335° True using conductivities from the July 2002 WEHH AM Directional Proof of Performance.

Genesee Media Corporation								
Station: CHNR 1600 kHz 42-45-06 080-16-03								
Distances are from Site to Conductivity Breaks								
AZIMUTH	mS/m	KM	mS/m	KM	mS/m	KM	mS/m	KM
0	8	37.8	5	41.7	8	196.7	10	289.3
	1.0	296.1	2	450.0				
5	8	20.0	5	57.1	8	194.4	10	218.1
	4	233.8	10	252.4	1.0	309.9	2	450.0
10	8	13.1	5	64.2	8	224.7	10	230.7
	1.0	331.0	2	450.0				
15	# 8	23.6	5	91.7	10	121.8	8	170.0
	4	230.1	1.0	362.3	2	450.0		
20	# 8	22.1	5	100.1	10	144.7	4	175.6
	6	234.6	1.0	409.8	2	450.0		
25	# 8	21.0	5	108.0	10	154.0	6	242.2
	1.0	427.2	2	450.0				
30	# 8	20.5	5	120.5	10	148.0	6	252.4
	1.0	433.7	2	450.0				
35	# 8	20.3	5	68.8	15	119.5	6	263.4
	1.0	395.3	4	450.0				
40	# 8	20.1	5	61.5	8	70.9	15	155.2
	6	264.5	4	284.5	1.0	393.6	4	450.0
45	# 8	18.5	5	48.7	8	73.6	15	177.0
	6	255.4	4	326.7	1.0	388.8	4	450.0
50	# 8	18.3	5	41.6	8	77.0	15	115.2
	8	124.0	15	209.1	6	248.6	4	450.0
55	# 8	18.1	5	35.6	8	84.7	15	114.1
	8	160.9	15	249.9	4	416.0	10	450.0
60	# 8	16.5	5	33.4	8	112.8	8	192.1
	15	275.8	4	294.7	15	298.5	10	307.0
	15	337.6	10	415.3	4	450.0		
65	# 8	17.0	5	32.0	8	110.0	8	227.6
	15	330.2	8	350.2	4	352.9	8	363.5
	4	450.0						
70	# 8	16.0	5	29.3	8	108.0	8	291.0
	15	297.6	8	345.3	4	450.0		
75	# 8	17.0	5	30.0	8	105.3	8	233.5
	4	246.7	8	303.3	4	450.0		
80	4	1.4	5	59.8	8	61.2	10	62.8
	20	66.4	10	74.4	20	76.7	10	80.5
	20	83.1	10	84.0	20	112.5	8	222.6
	4	450.0						
85	4	1.2	10	105.2	8	218.6	4	450.0
90	4	1.1	10	87.2	8	132.9	4	181.4
	8	211.5	4	450.0				
95	4	1.1	10	78.4	8	123.6	4	450.0
100	4	1.0	10	72.0	8	114.5	4	450.0
105	4	0.9	10	65.6	8	107.6	4	450.0
110	4	0.9	10	60.1	8	102.8	4	450.0

Genesee Media Corporation								
Station: CHNR 1600 kHz 42-45-06 080-16-03								
AZIMUTH	mS/m	KM	mS/m	KM	mS/m	KM	mS/m	KM
<hr/>								
115	4	0.9	10	55.8	8	99.2	4	419.1
	2	458.6						
120	4	0.8	10	52.4	8	96.5	4	308.8
	2	440.4	4	450.0				
125	4	0.8	10	49.8	8	93.4	4	248.9
	2	417.1	4	450.0				
130	4	0.8	10	47.8	8	87.3	4	204.7
	2	397.9	4	450.0				
135	4	0.8	10	46.2	8	78.5	4	171.5
	2	401.9	4	450.0				
140	4	0.8	10	44.8	8	67.6	4	144.8
	2	280.8	4	337.2	2	411.6	4	444.5
	2	450.0						
145	4	0.8	10	26.7	4	27.6	10	43.8
	8	66.0	4	125.9	2	289.0	4	358.3
	2	450.0						
150	4	0.9	10	24.1	4	26.6	10	43.1
	8	64.9	4	118.9	2	303.0	4	378.2
	2	450.0						
155	4	0.9	10	22.3	4	25.8	10	42.9
	8	65.6	4	118.4	2	313.0	4	394.9
	2	450.0						
160	4	0.9	10	22.0	4	24.6	10	42.9
	8	67.4	4	118.4	8	123.8	2	259.2
	4	410.5	2	450.0				
165	4	1.0	10	21.8	4	23.5	10	43.3
	8	69.6	4	112.9	8	140.6	2	216.1
	4	417.8	2	450.0				
170	4	1.0	10	21.4	4	22.7	10	44.0
	8	67.3	4	70.4	8	71.3	4	109.0
	8	164.0	2	189.4	4	418.7	2	450.0
175	4	1.1	10	20.9	4	22.0	10	44.6
	8	73.1	4	106.2	8	188.1	4	416.8
	2	450.0						
180	4	1.2	10	20.5	4	21.6	10	45.5
	8	76.0	4	104.3	8	205.4	4	328.2
	2	369.2	4	412.8	2	450.0		
185	4	1.3	10	20.3	4	21.4	10	46.9
	8	79.9	4	103.2	8	222.4	4	333.0
	2	450.0						
190	4	1.5	10	20.2	4	21.1	10	48.7
	8	84.9	4	102.7	8	244.5	4	347.4
	2	450.0						
195	4	1.7	10	20.3	4	21.1	10	51.1
	8	90.7	4	102.8	8	274.3	4	363.2
	2	450.0						

Genesee Media Corporation								
Station: CHNR 1600 kHz 42-45-06 080-16-03								
AZIMUTH	mS/m	KM	mS/m	KM	mS/m	KM	mS/m	KM
<hr/>								
200	4	2.1	10	20.5	4	21.2	10	54.1
	8	96.9	4	103.8	8	316.2	4	375.3
	2	450.0						
205	4	2.6	10	20.9	4	21.5	10	58.0
	8	104.8	4	105.6	8	368.8	4	384.2
	2	450.0						
210	4	3.5	10	10.7	4	12.9	10	21.5
	4	22.0	10	62.4	8	420.9	2	450.0
215	4	5.6	10	7.9	4	13.2	10	22.2
	4	24.1	10	67.4	8	450.0		
220	4	13.7	10	22.3	4	26.2	10	74.0
	8	450.0						
225	4	14.8	10	20.8	4	28.0	10	82.6
	8	313.1	15	397.0	8	450.0		
230	4	30.4	10	100.4	8	283.9	15	438.1
	8	450.0						
235	4	33.5	10	156.9	8	246.7	15	353.3
	8	391.4	15	450.0				
240	4	36.1	10	230.7	8	262.4	15	327.0
	8	420.3	15	450.0				
245	4	38.0	10	203.8	20	205.5	10	241.9
	8	275.4	15	300.4	8	444.2	15	450.0
250	4	40.5	10	137.1	20	152.6	10	165.7
	20	235.6	10	250.3	8	450.0		
255	4	45.2	10	120.5	20	243.2	8	378.0
	4	381.5	8	450.0				
260	4	55.9	20	57.3	10	99.8	20	221.8
	8	326.8	4	420.5	2	450.0		
265	4	55.3	20	209.9	15	224.2	8	332.9
	4	372.7	2	450.0				
270	4	55.0	20	181.5	15	230.0	8	428.5
	2	450.0						
275	4	55.2	20	180.7	15	238.0	8	450.0
280	4	56.4	20	177.8	10	178.0	8	178.0
	15	245.7	8	450.0				
285	4	58.4	20	156.6	10	175.0	8	187.1
	15	255.8	8	450.0				
290	4	62.9	20	152.5	10	173.4	8	194.9
	15	267.7	8	441.0	2	450.0		
295	4	68.6	20	119.8	6	140.3	10	173.3
	8	204.3	15	280.2	8	435.1	2	450.0
300	4	77.9	6	86.6	20	92.9	6	99.1
	20	100.7	6	136.5	10	174.4	8	216.9
	15	277.3	8	450.0				
305	4	76.1	6	142.8	10	185.2	8	239.9
	15	258.4	8	450.0				

Genesee Media Corporation								
Station: CHNR 1600 kHz 42-45-06 080-16-03								
AZIMUTH	mS/m KM		mS/m KM		mS/m KM		mS/m KM	
310	4	74.9	6	151.9	10	200.6	8	450.0
315	4	74.6	6	165.0	10	220.5	8	450.0
320	4	74.9	6	182.8	10	247.0	8	450.0
325	4	76.3	6	192.2	10	283.2	8	396.7
	10	435.6	8	450.0				
330	4	78.9	6	205.9	10	392.9	4	413.8
	10	443.7	2	450.0				
335	4	82.3	6	205.1	4	210.7	10	352.7
	4	394.4	10	420.7	2	450.0		
340	4	87.3	6	183.3	4	232.6	10	263.2
	4	295.4	10	336.5	4	371.7	10	372.0
	4	383.5	10	396.6	2	450.0		
345	4	95.6	6	165.5	4	234.6	10	237.8
	4	245.8	10	369.2	2	372.7	10	373.9
	2	450.0						
350	8	111.6	10	142.9	4	221.2	10	359.9
	2	450.0						
355	8	204.3	5	331.6	2	331.9	10	337.3
	2	450.0						

Values for radials 75T - 15T were deemed critical for this study and were taken from maps contained in "AGREEMENT BETWEEN THE GOVERNMENT OF THE UNITED STATES OF AMERICA AND THE GOVERNMENT OF CANADA RELATING TO THE AM BROADCASTING SERVICE IN THE MEDIUM FREQUENCY BAND, OTTAWA 1984" page 133. Clarification on values not easily visible were obtained from Canada and provided earlier in this study.