

Exhibit 31.1

§73.215 Short-Spaced Contour Protection Studies Toward WSNX-FM - Muskegon, MI (max facilities)

FMCommander Single Allocation Study - 08-25-2010 - USGS 03 SEC
NEW.P's Overlaps (In= 15.37 km, Out= 17.9 km)

NEW.P CH 283 A

Lat= 44 46 36.0, Lng= 85 41 02.0

1.75 kW 186.5 M HAAT, 419 M COR


Prot.= 60 dBu, Intef.= 34 dBu

WSNX-FM^ CH 283 B BLH19880930KC

Lat= 43 12 16.0, Lng= 86 01 45.0

Max Cls: 50.0 kW 150 M HAAT, 353 M COR

Prot.= 54 dBu, Intef.= 40 dBu



Munn-Reese, Inc.

Broadcast Engineering Consultants
Coldwater, MI 49036

Exhibit 31.1

§73.215 Short-Spaced Contour Protection Studies Toward WSNX-FM - Muskegon, MI (max facilities)

08-25-2010

USGS 03 SEC Terrain Data

FMOver Analysis

NEW.P

Channel = 283A

Max ERP = 1.75 kW

RCAMSL = 419 M

N. Lat. 44 46 36.0

W. Lng. 85 41 02.0

Protected

60 dBu

WSNX-FM BLH19880930KC

(^ Max Class Parameters)

Channel = 283B

Max ERP = 50 kW

RCAMSL = 353 M

N. Lat. 43 12 16.0

W. Lng. 86 01 45.0

Interfering

40 dBu

| Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Actual (dBu) | IX (km) |
|----------------------|-------------|-------------|--------------|----------------------|-------------|-------------|--------------|-----------------|------------|
| 150.0 | 001.7500 | 0174.0 | 027.4 | 015.1 | 050.0000 | 0140.4 | 156.6 | 36.46 | |
| 151.0 | 001.7500 | 0176.1 | 027.5 | 015.0 | 050.0000 | 0140.5 | 156.1 | 36.53 | |
| 152.0 | 001.7500 | 0177.9 | 027.6 | 014.9 | 050.0000 | 0140.6 | 155.7 | 36.60 | |
| 153.0 | 001.7500 | 0178.6 | 027.7 | 014.8 | 050.0000 | 0140.6 | 155.3 | 36.66 | |
| 154.0 | 001.7500 | 0176.5 | 027.5 | 014.7 | 050.0000 | 0140.7 | 155.1 | 36.70 | |
| 155.0 | 001.7500 | 0175.4 | 027.5 | 014.5 | 050.0000 | 0140.8 | 154.9 | 36.74 | |
| 156.0 | 001.7500 | 0174.9 | 027.4 | 014.4 | 050.0000 | 0141.0 | 154.6 | 36.79 | |
| 157.0 | 001.7500 | 0172.4 | 027.3 | 014.2 | 050.0000 | 0141.1 | 154.4 | 36.82 | |
| 158.0 | 001.7500 | 0169.2 | 027.0 | 014.0 | 050.0000 | 0141.3 | 154.3 | 36.84 | |
| 159.0 | 001.7500 | 0165.6 | 026.8 | 013.8 | 050.0000 | 0141.4 | 154.3 | 36.85 | |
| 160.0 | 001.7500 | 0162.5 | 026.5 | 013.6 | 050.0000 | 0141.5 | 154.2 | 36.87 | |
| 161.0 | 001.7500 | 0159.4 | 026.3 | 013.4 | 050.0000 | 0141.6 | 154.1 | 36.88 | |
| 162.0 | 001.7500 | 0156.1 | 026.1 | 013.2 | 050.0000 | 0141.8 | 154.1 | 36.89 | |
| 163.0 | 001.7500 | 0153.8 | 025.9 | 013.1 | 050.0000 | 0141.9 | 154.0 | 36.91 | |
| 164.0 | 001.7500 | 0149.5 | 025.6 | 012.9 | 050.0000 | 0142.0 | 154.1 | 36.90 | |
| 165.0 | 001.7500 | 0145.7 | 025.3 | 012.7 | 050.0000 | 0142.0 | 154.1 | 36.89 | |
| 166.0 | 001.7500 | 0142.4 | 025.0 | 012.5 | 050.0000 | 0142.1 | 154.2 | 36.89 | |
| 167.0 | 001.7500 | 0139.0 | 024.8 | 012.3 | 050.0000 | 0142.1 | 154.2 | 36.88 | |
| 168.0 | 001.7500 | 0136.1 | 024.5 | 012.1 | 050.0000 | 0142.1 | 154.2 | 36.88 | |
| 169.0 | 001.7500 | 0134.2 | 024.4 | 012.0 | 050.0000 | 0142.1 | 154.2 | 36.89 | |
| 170.0 | 001.7500 | 0133.3 | 024.3 | 011.8 | 050.0000 | 0142.0 | 154.1 | 36.90 | |
| 171.0 | 001.7500 | 0132.9 | 024.3 | 011.6 | 050.0000 | 0142.0 | 154.0 | 36.92 | |
| 172.0 | 001.7500 | 0132.7 | 024.3 | 011.5 | 050.0000 | 0142.1 | 153.8 | 36.94 | |
| 173.0 | 001.7500 | 0133.1 | 024.3 | 011.4 | 050.0000 | 0142.2 | 153.7 | 36.97 | |
| 174.0 | 001.7500 | 0133.3 | 024.3 | 011.2 | 050.0000 | 0142.3 | 153.5 | 37.00 | |
| 175.0 | 001.7500 | 0134.4 | 024.4 | 011.1 | 050.0000 | 0142.4 | 153.3 | 37.03 | |
| 176.0 | 001.7500 | 0135.9 | 024.5 | 010.9 | 050.0000 | 0142.5 | 153.1 | 37.07 | |
| 177.0 | 001.7500 | 0138.1 | 024.7 | 010.8 | 050.0000 | 0142.6 | 152.8 | 37.12 | |
| 178.0 | 001.7500 | 0139.7 | 024.8 | 010.6 | 050.0000 | 0142.7 | 152.6 | 37.16 | |
| 179.0 | 001.7500 | 0141.0 | 024.9 | 010.5 | 050.0000 | 0142.8 | 152.4 | 37.19 | |

Munn-Reese, Inc.

Broadcast Engineering Consultants

Coldwater, MI 49036

Exhibit 31.1

§73.215 Short-Spaced Contour Protection Studies Toward WSNX-FM - Muskegon, MI (max facilities)

| Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Actual (dBu) |
|----------------------|-------------|-------------|--------------|----------------------|-------------|-------------|--------------|-----------------|
| 180.0 | 001.7500 | 0142.1 | 025.0 | 010.3 | 050.0000 | 0142.9 | 152.2 | 37.22 |
| 181.0 | 001.7500 | 0142.2 | 025.0 | 010.2 | 050.0000 | 0143.0 | 152.1 | 37.24 |
| 182.0 | 001.7500 | 0141.7 | 025.0 | 010.0 | 050.0000 | 0143.1 | 152.1 | 37.24 |
| 183.0 | 001.7500 | 0140.6 | 024.9 | 009.9 | 050.0000 | 0143.3 | 152.1 | 37.24 |
| 184.0 | 001.7500 | 0139.6 | 024.8 | 009.7 | 050.0000 | 0143.4 | 152.2 | 37.24 |
| 185.0 | 001.7500 | 0138.8 | 024.8 | 009.5 | 050.0000 | 0143.6 | 152.2 | 37.24 |
| 186.0 | 001.7500 | 0137.5 | 024.7 | 009.4 | 050.0000 | 0143.8 | 152.3 | 37.24 |
| 187.0 | 001.7500 | 0136.4 | 024.6 | 009.2 | 050.0000 | 0144.0 | 152.3 | 37.23 |
| 188.0 | 001.7500 | 0135.9 | 024.5 | 009.1 | 050.0000 | 0144.1 | 152.4 | 37.23 |
| 189.0 | 001.7500 | 0136.3 | 024.6 | 008.9 | 050.0000 | 0144.3 | 152.3 | 37.24 |
| 190.0 | 001.7500 | 0137.0 | 024.6 | 008.7 | 050.0000 | 0144.4 | 152.3 | 37.25 |
| 191.0 | 001.7500 | 0138.1 | 024.7 | 008.6 | 050.0000 | 0144.5 | 152.2 | 37.27 |
| 192.0 | 001.7500 | 0138.8 | 024.8 | 008.4 | 050.0000 | 0144.6 | 152.2 | 37.28 |
| 193.0 | 001.7500 | 0139.4 | 024.8 | 008.3 | 050.0000 | 0144.6 | 152.1 | 37.28 |
| 194.0 | 001.7500 | 0140.1 | 024.9 | 008.1 | 050.0000 | 0144.6 | 152.1 | 37.28 |
| 195.0 | 001.7500 | 0140.2 | 024.9 | 007.9 | 050.0000 | 0144.6 | 152.2 | 37.27 |
| 196.0 | 001.7500 | 0140.4 | 024.9 | 007.8 | 050.0000 | 0144.6 | 152.2 | 37.27 |
| 197.0 | 001.7500 | 0140.9 | 024.9 | 007.6 | 050.0000 | 0144.6 | 152.2 | 37.26 |
| 198.0 | 001.7500 | 0141.5 | 025.0 | 007.4 | 050.0000 | 0144.6 | 152.3 | 37.26 |
| 199.0 | 001.7500 | 0141.8 | 025.0 | 007.3 | 050.0000 | 0144.7 | 152.3 | 37.25 |
| 200.0 | 001.7500 | 0142.4 | 025.0 | 007.1 | 050.0000 | 0144.7 | 152.4 | 37.24 |
| 201.0 | 001.7500 | 0143.5 | 025.1 | 007.0 | 050.0000 | 0144.7 | 152.4 | 37.24 |
| 202.0 | 001.7500 | 0144.1 | 025.2 | 006.8 | 050.0000 | 0144.7 | 152.5 | 37.23 |
| 203.0 | 001.7500 | 0144.6 | 025.2 | 006.6 | 050.0000 | 0144.7 | 152.5 | 37.22 |
| 204.0 | 001.7500 | 0145.6 | 025.3 | 006.5 | 050.0000 | 0144.8 | 152.6 | 37.21 |
| 205.0 | 001.7500 | 0147.8 | 025.4 | 006.3 | 050.0000 | 0144.9 | 152.6 | 37.22 |
| 206.0 | 001.7500 | 0149.6 | 025.6 | 006.1 | 050.0000 | 0144.9 | 152.6 | 37.22 |
| 207.0 | 001.7500 | 0150.5 | 025.7 | 006.0 | 050.0000 | 0145.0 | 152.7 | 37.20 |
| 208.0 | 001.7500 | 0151.2 | 025.7 | 005.8 | 050.0000 | 0145.1 | 152.8 | 37.19 |
| 209.0 | 001.7500 | 0151.7 | 025.7 | 005.6 | 050.0000 | 0145.1 | 152.9 | 37.17 |
| 210.0 | 001.7500 | 0152.0 | 025.8 | 005.5 | 050.0000 | 0145.1 | 153.1 | 37.14 |
| 211.0 | 001.7500 | 0152.4 | 025.8 | 005.3 | 050.0000 | 0145.1 | 153.3 | 37.12 |
| 212.0 | 001.7500 | 0152.5 | 025.8 | 005.2 | 050.0000 | 0145.1 | 153.5 | 37.09 |
| 213.0 | 001.7500 | 0152.5 | 025.8 | 005.0 | 050.0000 | 0145.1 | 153.7 | 37.05 |
| 214.0 | 001.7500 | 0152.7 | 025.8 | 004.9 | 050.0000 | 0145.1 | 153.9 | 37.02 |
| 215.0 | 001.7500 | 0152.8 | 025.8 | 004.7 | 050.0000 | 0145.1 | 154.1 | 36.99 |
| 216.0 | 001.7500 | 0152.6 | 025.8 | 004.6 | 050.0000 | 0145.1 | 154.3 | 36.95 |
| 217.0 | 001.7500 | 0152.4 | 025.8 | 004.5 | 050.0000 | 0145.2 | 154.6 | 36.91 |
| 218.0 | 001.7500 | 0152.2 | 025.8 | 004.3 | 050.0000 | 0145.2 | 154.8 | 36.87 |
| 219.0 | 001.7500 | 0151.9 | 025.8 | 004.2 | 050.0000 | 0145.2 | 155.1 | 36.83 |
| 220.0 | 001.7500 | 0151.4 | 025.7 | 004.1 | 050.0000 | 0145.3 | 155.4 | 36.78 |
| 221.0 | 001.7500 | 0150.6 | 025.7 | 004.0 | 050.0000 | 0145.3 | 155.7 | 36.73 |
| 222.0 | 001.7500 | 0150.0 | 025.6 | 003.8 | 050.0000 | 0145.3 | 156.0 | 36.68 |
| 223.0 | 001.7500 | 0149.7 | 025.6 | 003.7 | 050.0000 | 0145.3 | 156.3 | 36.63 |
| 224.0 | 001.7500 | 0149.2 | 025.5 | 003.6 | 050.0000 | 0145.3 | 156.6 | 36.58 |
| 225.0 | 001.7500 | 0148.9 | 025.5 | 003.5 | 050.0000 | 0145.4 | 156.9 | 36.53 |

Munn-Reese, Inc.

Broadcast Engineering Consultants
Coldwater, MI 49036

Exhibit 31.1

§73.215 Short-Spaced Contour Protection Studies Toward WSNX-FM - Muskegon, MI (max facilities)

08-25-2010 USGS 03 SEC Terrain Data

WSNX-FM BLH19880930KC
(^ Max Class Parameters)
Channel = 283B
Max ERP = 50 kW
RCAMSL = 353 M
N. Lat. 43 12 16.0
W. Lng. 86 01 45.0
Protected
54 dBu

NEW.P

Channel = 283A
Max ERP = 1.75 kW
RCAMSL = 419 M
N. Lat. 44 46 36.0
W. Lng. 85 41 02.0
Interfering
34 dBu

| Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Actual (dBu) | IX (km) |
|----------------------|-------------|-------------|--------------|----------------------|-------------|-------------|--------------|-----------------|------------|
| 324.0 | 050.0000 | 0156.8 | 066.0 | 208.8 | 001.7500 | 0151.6 | 138.2 | 25.38 | |
| 325.0 | 050.0000 | 0156.9 | 066.0 | 208.7 | 001.7500 | 0151.5 | 137.3 | 25.57 | |
| 326.0 | 050.0000 | 0156.9 | 066.0 | 208.4 | 001.7500 | 0151.4 | 136.2 | 25.77 | |
| 327.0 | 050.0000 | 0156.9 | 066.0 | 208.2 | 001.7500 | 0151.3 | 135.2 | 25.97 | |
| 328.0 | 050.0000 | 0157.7 | 066.1 | 208.0 | 001.7500 | 0151.2 | 134.2 | 26.17 | |
| 329.0 | 050.0000 | 0158.4 | 066.1 | 207.8 | 001.7500 | 0151.1 | 133.1 | 26.37 | |
| 330.0 | 050.0000 | 0158.1 | 066.1 | 207.5 | 001.7500 | 0150.9 | 132.2 | 26.56 | |
| 331.0 | 050.0000 | 0157.4 | 066.0 | 207.2 | 001.7500 | 0150.6 | 131.3 | 26.73 | |
| 332.0 | 050.0000 | 0157.6 | 066.0 | 206.9 | 001.7500 | 0150.4 | 130.3 | 26.91 | |
| 333.0 | 050.0000 | 0156.8 | 065.9 | 206.6 | 001.7500 | 0150.2 | 129.4 | 27.07 | |
| 334.0 | 050.0000 | 0156.4 | 065.9 | 206.2 | 001.7500 | 0149.9 | 128.5 | 27.24 | |
| 335.0 | 050.0000 | 0156.6 | 065.9 | 205.9 | 001.7500 | 0149.5 | 127.6 | 27.40 | |
| 336.0 | 050.0000 | 0156.0 | 065.8 | 205.5 | 001.7500 | 0148.9 | 126.8 | 27.54 | |
| 337.0 | 050.0000 | 0156.1 | 065.9 | 205.2 | 001.7500 | 0148.3 | 125.9 | 27.69 | |
| 338.0 | 050.0000 | 0155.9 | 065.8 | 204.8 | 001.7500 | 0147.4 | 125.1 | 27.82 | |
| 339.0 | 050.0000 | 0155.4 | 065.8 | 204.4 | 001.7500 | 0146.4 | 124.3 | 27.94 | |
| 340.0 | 050.0000 | 0153.9 | 065.6 | 204.0 | 001.7500 | 0145.6 | 123.6 | 28.04 | |
| 341.0 | 050.0000 | 0152.7 | 065.4 | 203.6 | 001.7500 | 0145.0 | 123.0 | 28.14 | |
| 342.0 | 050.0000 | 0152.0 | 065.3 | 203.1 | 001.7500 | 0144.7 | 122.3 | 28.26 | |
| 343.0 | 050.0000 | 0151.9 | 065.3 | 202.7 | 001.7500 | 0144.4 | 121.6 | 28.39 | |
| 344.0 | 050.0000 | 0151.8 | 065.3 | 202.3 | 001.7500 | 0144.2 | 120.9 | 28.51 | |
| 345.0 | 050.0000 | 0151.8 | 065.3 | 201.8 | 001.7500 | 0144.0 | 120.2 | 28.64 | |
| 346.0 | 050.0000 | 0152.4 | 065.4 | 201.4 | 001.7500 | 0143.8 | 119.4 | 28.77 | |
| 347.0 | 050.0000 | 0151.7 | 065.3 | 200.9 | 001.7500 | 0143.5 | 118.8 | 28.86 | |
| 348.0 | 050.0000 | 0151.0 | 065.2 | 200.5 | 001.7500 | 0143.0 | 118.3 | 28.95 | |
| 349.0 | 050.0000 | 0151.0 | 065.2 | 200.0 | 001.7500 | 0142.4 | 117.7 | 29.04 | |
| 350.0 | 050.0000 | 0150.5 | 065.1 | 199.5 | 001.7500 | 0142.0 | 117.2 | 29.12 | |
| 351.0 | 050.0000 | 0149.5 | 065.0 | 199.0 | 001.7500 | 0141.8 | 116.8 | 29.19 | |
| 352.0 | 050.0000 | 0149.0 | 064.9 | 198.4 | 001.7500 | 0141.7 | 116.3 | 29.28 | |
| 353.0 | 050.0000 | 0148.7 | 064.9 | 197.9 | 001.7500 | 0141.4 | 115.9 | 29.35 | |
| 354.0 | 050.0000 | 0148.5 | 064.9 | 197.4 | 001.7500 | 0141.2 | 115.4 | 29.43 | |
| 355.0 | 050.0000 | 0148.1 | 064.8 | 196.9 | 001.7500 | 0140.9 | 115.0 | 29.49 | |
| 356.0 | 050.0000 | 0148.3 | 064.8 | 196.3 | 001.7500 | 0140.7 | 114.6 | 29.56 | |

Munn-Reese, Inc.

Broadcast Engineering Consultants
Coldwater, MI 49036

Exhibit 31.1

§73.215 Short-Spaced Contour Protection Studies Toward WSNX-FM - Muskegon, MI (max facilities)

| Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Actual (dBu) |
|----------------------|-------------|-------------|--------------|----------------------|-------------|-------------|--------------|-----------------|
| 357.0 | 050.0000 | 0147.9 | 064.8 | 195.8 | 001.7500 | 0140.3 | 114.3 | 29.61 |
| 358.0 | 050.0000 | 0147.1 | 064.7 | 195.2 | 001.7500 | 0140.2 | 114.0 | 29.66 |
| 359.0 | 050.0000 | 0147.9 | 064.8 | 194.7 | 001.7500 | 0140.1 | 113.6 | 29.74 |
| 000.0 | 050.0000 | 0148.5 | 064.9 | 194.2 | 001.7500 | 0140.1 | 113.2 | 29.81 |
| 001.0 | 050.0000 | 0147.3 | 064.7 | 193.6 | 001.7500 | 0139.9 | 113.1 | 29.82 |
| 002.0 | 050.0000 | 0146.1 | 064.5 | 193.0 | 001.7500 | 0139.4 | 113.1 | 29.81 |
| 003.0 | 050.0000 | 0145.5 | 064.4 | 192.4 | 001.7500 | 0139.0 | 113.0 | 29.82 |
| 004.0 | 050.0000 | 0145.3 | 064.4 | 191.9 | 001.7500 | 0138.7 | 112.8 | 29.84 |
| 005.0 | 050.0000 | 0145.1 | 064.4 | 191.3 | 001.7500 | 0138.4 | 112.7 | 29.85 |
| 006.0 | 050.0000 | 0145.0 | 064.4 | 190.7 | 001.7500 | 0137.7 | 112.6 | 29.85 |
| 007.0 | 050.0000 | 0144.7 | 064.3 | 190.1 | 001.7500 | 0137.1 | 112.6 | 29.83 |
| 008.0 | 050.0000 | 0144.6 | 064.3 | 189.6 | 001.7500 | 0136.7 | 112.6 | 29.83 |
| 009.0 | 050.0000 | 0144.2 | 064.3 | 189.0 | 001.7500 | 0136.3 | 112.6 | 29.81 |
| 010.0 | 050.0000 | 0143.2 | 064.1 | 188.4 | 001.7500 | 0136.0 | 112.8 | 29.76 |
| 011.0 | 050.0000 | 0142.4 | 064.0 | 187.9 | 001.7500 | 0135.9 | 112.9 | 29.73 |
| 012.0 | 050.0000 | 0142.1 | 064.0 | 187.3 | 001.7500 | 0136.1 | 113.0 | 29.71 |
| 013.0 | 050.0000 | 0141.9 | 063.9 | 186.7 | 001.7500 | 0136.6 | 113.2 | 29.70 |
| 014.0 | 050.0000 | 0141.2 | 063.8 | 186.2 | 001.7500 | 0137.3 | 113.4 | 29.68 |
| 015.0 | 050.0000 | 0140.5 | 063.7 | 185.6 | 001.7500 | 0138.1 | 113.7 | 29.66 |
| 016.0 | 050.0000 | 0139.9 | 063.6 | 185.1 | 001.7500 | 0138.7 | 114.0 | 29.62 |
| 017.0 | 050.0000 | 0139.2 | 063.5 | 184.5 | 001.7500 | 0139.1 | 114.3 | 29.58 |
| 018.0 | 050.0000 | 0138.5 | 063.4 | 184.0 | 001.7500 | 0139.6 | 114.6 | 29.52 |
| 019.0 | 050.0000 | 0138.0 | 063.4 | 183.5 | 001.7500 | 0140.0 | 115.0 | 29.47 |
| 020.0 | 050.0000 | 0137.6 | 063.3 | 183.0 | 001.7500 | 0140.6 | 115.4 | 29.42 |
| 021.0 | 050.0000 | 0137.4 | 063.3 | 182.4 | 001.7500 | 0141.2 | 115.7 | 29.37 |
| 022.0 | 050.0000 | 0137.3 | 063.3 | 181.9 | 001.7500 | 0141.8 | 116.1 | 29.32 |
| 023.0 | 050.0000 | 0137.3 | 063.3 | 181.4 | 001.7500 | 0142.1 | 116.5 | 29.26 |
| 024.0 | 050.0000 | 0137.3 | 063.3 | 180.9 | 001.7500 | 0142.2 | 116.9 | 29.18 |
| 025.0 | 050.0000 | 0137.2 | 063.2 | 180.4 | 001.7500 | 0142.2 | 117.4 | 29.09 |
| 026.0 | 050.0000 | 0137.1 | 063.2 | 179.9 | 001.7500 | 0142.0 | 117.9 | 29.00 |
| 027.0 | 050.0000 | 0137.0 | 063.2 | 179.5 | 001.7500 | 0141.7 | 118.4 | 28.89 |
| 028.0 | 050.0000 | 0136.8 | 063.2 | 179.0 | 001.7500 | 0141.0 | 118.9 | 28.77 |
| 029.0 | 050.0000 | 0136.6 | 063.2 | 178.5 | 001.7500 | 0140.3 | 119.5 | 28.65 |
| 030.0 | 050.0000 | 0136.4 | 063.1 | 178.1 | 001.7500 | 0139.8 | 120.1 | 28.52 |
| 031.0 | 050.0000 | 0136.4 | 063.1 | 177.6 | 001.7500 | 0139.2 | 120.7 | 28.39 |
| 032.0 | 050.0000 | 0136.9 | 063.2 | 177.2 | 001.7500 | 0138.5 | 121.2 | 28.27 |
| 033.0 | 050.0000 | 0136.5 | 063.1 | 176.8 | 001.7500 | 0137.7 | 121.9 | 28.12 |
| 034.0 | 050.0000 | 0135.5 | 063.0 | 176.4 | 001.7500 | 0136.9 | 122.7 | 27.96 |
| 035.0 | 050.0000 | 0134.7 | 062.9 | 176.0 | 001.7500 | 0136.0 | 123.5 | 27.79 |
| 036.0 | 050.0000 | 0134.5 | 062.8 | 175.7 | 001.7500 | 0135.3 | 124.2 | 27.64 |
| 037.0 | 050.0000 | 0134.1 | 062.8 | 175.3 | 001.7500 | 0134.8 | 125.0 | 27.49 |
| 038.0 | 050.0000 | 0134.0 | 062.8 | 174.9 | 001.7500 | 0134.3 | 125.7 | 27.33 |
| 039.0 | 050.0000 | 0134.2 | 062.8 | 174.6 | 001.7500 | 0133.8 | 126.5 | 27.18 |
| 040.0 | 050.0000 | 0134.5 | 062.8 | 174.2 | 001.7500 | 0133.4 | 127.2 | 27.03 |

Munn-Reese, Inc.

Broadcast Engineering Consultants
Coldwater, MI 49036