

EXHIBIT 13

Waiver Request of Section 74.1204
K207CT Lakehead, CA 10 Watts ERP
Minor Tower Change
September 2010
Calvary Chapel of Twin Falls, Inc.

The proposed site is contained entirely inside the service contour of second-adjacent FM Stations KFPR Redding and KNCA.CP Burney

KFPR

The proposed site is contained entirely inside the service contour of second-adjacent FM Station KFPR, 205C1, .750kW, Redding, CA. The level of least arriving protected F(50,50) signal at the proposed transmitter site is 68.4-dBu and using the Undesired-to-Desired method for calculating proposed interference, the interfering contour is 108.4-dBu (free-space contour method employed). The interfering signal would, in the worst case at the maximum radial, extend 86 meters, or 282 feet, from the base of the tower. This is a communications tower on Sugarloaf Lookout Mountain and the population is sparse. Attached is portion of the USGS Lamoine (CA) Quadrangle map showing a 500 foot contour in yellow. Only equipment shelters are located within 282 feet of this tower and the other towers located at/near this site. Because there are no residences, businesses or major roadways, located within the interference contour, Calvary Chapel of Twin Falls, Inc. respectfully requests a waiver of the FM translator contour overlap regulations with respect to second-adjacent FM Station KFPR, Redding.

KNCA.CP

The proposed site is contained entirely inside the service contour of second-adjacent FM Station KNCA.CP, 209C0,30kW, Burney, CA. The level of least arriving protected F(50,50) signal at the proposed transmitter site is 75.7-dBu and using the Undesired-to-Desired method for calculating proposed interference, the interfering contour is 115.7-dBu (free-space contour method employed). The interfering signal would, in the worst case at the maximum radial, extend 37 meters, or 121 feet, from the base of the tower. This is a communications tower on Sugarloaf Lookout Mountain and the population is sparse. Attached is portion of the USGS Lamoine (CA) Quadrangle map showing a 500 foot contour in yellow. Only equipment shelters are located within 282 feet of this tower and the other towers located at/near this site. Because there are no residences, businesses or major roadways, located within the interference contour, Calvary Chapel of Twin Falls, Inc. respectfully requests a waiver of the FM translator contour overlap regulations with respect to second-adjacent FM Station KNCA.CP, Burney.

