

Exhibit 14 - Statement B - Amended  
**DAYTIME COVERAGE AND ALLOCATION CONSIDERATIONS**  
prepared for  
**Great Lakes Radio-Chicago, LLC**  
WBGX Harvey, Illinois  
Facility Id 40147  
1570 kHz 1.1 kW-D 0.5 kW-N DA-2 U

Great Lakes Radio-Chicago, LLC (“*Great Lakes*”) licensee of Standard Broadcast Radio Station WBGX, 1570 kHz, Harvey, Illinois proposes to modify its authorized directional antenna pattern and operate with 1.1 kW as described in **Exhibit 11-Figure 1** and **Table I**. The proposed coverage contours are shown in **Exhibit 14-Figures 3** and **3A**. These contours utilize ground conductivities obtained from the 1956 proof of performance. Where measured conductivities are not available, FCC Figure M3 ground conductivity was used. Distances to contours and associated ground conductivity data for the proposed WBGX facility are summarized in **Exhibit 14-Table II**.

The locations of the protected and interfering contours of pertinent nearby domestic stations operating on the same channel, and within three channels above and below the proposed frequency of use, were predicted using the same methodology and M-3 conductivity data and measured conductivity data where available. The locations of the contours for each of these stations are shown on **Exhibit 14-Figures 4, 5, 6, and 7**. The authorized WBGX contour is also shown as a dashed line. The radiation and conductivity assumptions, along with the resulting distances to the identified contours, are tabulated in **Exhibit 14-Table III, Sheets A-D** for stations which measured conductivities were used. The source for the measured conductivity data is stated in **Exhibit 14-Table III** and copies of the pertinent measurement graphs have been uploaded to the Commission’s electronic filing system as separate Attachments to **Exhibit 14**.

Tabulations of contour distances and conductivity assumptions for all other stations using only Figure M-3 conductivity data can be provided upon request of Commission Staff. Where appropriate, notations are included in the data tabulations as to facility status or operational considerations.

### **Existing Contour Overlap**

In this allocations study there are five facilities with which the licensed and the authorized facilities of WBGX have existing contour overlap. In accordance with Section 73.37 of the Rules,

Exhibit 14 - Statement B - Amended  
**DAYTIME COVERAGE AND ALLOCATION CONSIDERATIONS**  
(page 2 of 2)


the instant application proposes to *reduce* the predicted area of overlap to each of these stations from that of the WBGX authorized Construction Permit facility (see file number BP-20041013ABG). The table below summarizes the area of overlap for the authorized and proposed WBGX facilities and the resulting reduction in overall area of contour overlap in accordance with the Rules.

**Contour Overlap Summary**

<u>Station</u>	Authorized WBGX		Proposed WBGX		Change	
	<u>Caused</u> (sq. km.)	<u>Received</u> (sq. km.)	<u>Caused</u> (sq. km.)	<u>Received</u> (sq. km.)	<u>Caused</u> (sq. km.)	<u>Received</u> (sq. km.)
WFRL, 1570 kHz, Freeport, IL	740	2485	495	2478	-245	-7
WFUR, 1570 kHz, Grand Rapids, MI	39	--	0	--	-39	--
WKKD(Lic), 1580 kHz, Aurora, IL	581	339	509	303	-72	-36
WRIN, 1560 kHz, Rensselaer, IN	351	670	283	643	-68	-27
WONX(App), 1590 kHz, Evanston, IL	0.75		0.0		-0.75	

**Conclusion**

Based upon the preceding, it is believed that this proposal is compliant with the appropriate allocation requirements of the Commission's Rules and policies.



**EXHIBIT 14 - FIGURE 3A**  
**PROPOSED DAYTIME**  
**1000 mV/m COVERAGE**  
**CONTOUR (DETAIL) - AMENDED**

prepared April 2008 for  
**Great Lakes Radio-Chicago, LLC**  
WBGX(AM) Harvey, Illinois  
Facility ID 40147  
1570 kHz 1.1 kW-D 0.5 kW-N DA-2 U


Cavell, Mertz & Associates, Inc.  
Manassas, Virginia

1000 mV/m

+

Scale 1:25,000

0 0.33 0.67 1.0 km



**EXHIBIT 14 - FIGURE 5  
PROPOSED DAYTIME  
ALLOCATION STUDY  
1ST-ADJACENT - AMENDED**

prepared April 2008 for  
**Great Lakes Radio-Chicago, LLC**  
WBGX(AM) Harvey, Illinois  
Facility ID 40147  
1570 kHz 1.1 kW-D 0.5 kW-N DA-2 U

Cavell, Mertz & Associates, Inc.  
Manassas, Virginia


WBGX(AM) (CP)  
0.25 mV/m  
0.5 mV/m

Proposed WBGX(AM)  
0.25 mV/m  
0.5 mV/m

WKKD(AM) 1580 kHz  
As Licensed  
Measured Data  
Aurora, IL

WRIN(AM) 1560 kHz  
Rensselaer, IN

0.5 mV/m  
0.25 mV/m












Exhibit 14 - Table II - Amended  
**PROPOSED DAYTIME**  
**DISTANCE TO CONTOURS**  
prepared for  
**Great Lakes Radio-Chicago, LLC**  
**WBGX(AM) Harvey, Illinois**  
**Facility ID 40147**  
**1570 kHz 1.1 kW-D 0.5 kW-N DA2-U**

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contours						
			1000 mV/m (km)	25.0 mV/m (km)	5.0 mV/m (km)	2.0 mV/m (km)	0.5 mV/m (km)	0.25 mV/m (km)	0.025 mV/m (km)
0	493	15*-29, 8-265.9, 15-296.7, 8-459.8, 4-579.9 8-808.8, 2-932.2, 2-1173.2, 2-1300	0.48	11.57	29.3	39.8	64.8	84.1	193
5	512	15*-29, 8-536.3, 4-548.2, 8-800.8, 2-926 2-1065.2, 2-1300	0.49	11.87	29.7	40.3	65.7	85.3	195
10	528	15-13.8, 8-731.4, 2-929.9, 2-991.4, 2-1300	0.51	12.12	24.9	35.6	61.4	81.3	192
15	542	15-13.4, 8-731.9, 2-933.5, 6-976.9, 2-1300	0.52	12.34	25.0	35.9	62.0	82.0	193
20	554	15-13.1, 8-282, 2-321, 8-333.1, 2-376.5 8-640.7, 2-946.1, 6-1007.7, 2-1263, 5000-1300	0.53	12.52	25.2	36.1	62.4	82.6	195
25	563	15-13, 8-231.8, 2-384.2, 8-605.5, 2-951.3 6-1053.9, 2-1217.2, 5000-1300	0.54	12.65	25.3	36.3	62.8	83.1	196
30	569	15*-17.7, 8-214.6, 2-379.8, 8-578.5, 2-595 10-609.6, 2-924.7, 6-1054.7, 2-1296.8, 2-1300	0.55	12.74	26.9	38.0	64.6	85.0	198
35	572	15*-17.7, 8-201.5, 2-271.5, 8-573.4, 10-632.6 2-966.9, 6-1094.1, 2-1181.4, 2-1300	0.55	12.78	27.0	38.0	64.7	85.2	198
40	572	15*-17.7, 8-185.4, 2-239.5, 8-575, 10-617.4 4-648.3, 10-671.6, 2-1053.1, 6-1133.7, 2-1300	0.55	12.78	27.0	38.0	64.7	85.2	195
45	569	15*-17.7, 8-168.6, 2-218.1, 8-571.9, 10-638.2 4-656.6, 10-710.3, 2-1126.2, 2-1300	0.55	12.74	26.9	38.0	64.6	85.0	190
50	564	15*-17.7, 8-152.1, 2-203.5, 8-554.2, 10-630.7 4-652.5, 10-726.6, 2-1144.5, 2-1300	0.54	12.66	26.8	37.8	64.3	84.7	184
55	555	15-11.7, 8-134.3, 2-207.8, 8-416.9, 15-482.4 8-529.5, 10-618.4, 4-652.4, 10-733.6, 1-957.4 2-1303.8	0.53	12.28	24.7	35.7	62.0	82.2	177

\* Ground Conductivity taken from field strength measurements filed in the last full proof of performance in June 1956. The pertinent pages of these measurements are attached as Appendices to this Exhibit.

Exhibit 14 - Table II - Amended

(Page 2 of 6)

**PROPOSED DAYTIME  
DISTANCE TO CONTOURS**

prepared for

**Great Lakes Radio-Chicago, LLC**

WBGX(AM) Harvey, Illinois

Facility ID 40147

1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contours						
			1000 mV/m (km)	25.0 mV/m (km)	5.0 mV/m (km)	2.0 mV/m (km)	0.5 mV/m (km)	0.25 mV/m (km)	0.025 mV/m (km)
60	543	15-10.6, 8-115.6, 2-224.6, 8-405.6, 15-472.9 8-510.6, 10-550.3, 6-625.8, 4-690.8, 10-696.8	0.52	11.82	24.2	35.0	61.1	81.2	169
65	529	10*-20.9, 8-103.1, 2-244.4, 8-399, 15-460.5 8-483.8, 10-530.2, 6-634.6, 4-717, 6-842.9 4-1020.2, 10-1255.9, 6-1267.9, 4-1300	0.50	10.31	24.0	34.7	60.5	80.4	163
70	512	10*-20.9, 8-91.6, 2-248, 4-285.1, 8-398.2 15-450.8, 20-558.5, 6-578.6, 4-664.7, 10-687.1 15-889.1, 4-916.3, 15-948.7, 8-964.6, 4-967.2 8-977.4, 4-1190.6, 2-1275.6, 0.5-1300	0.48	10.10	23.7	34.3	59.7	79.3	157
75	492	10*-20.9, 8-76.9, 2-213.3, 4-303.1, 8-401.9 15-408, 20-568.8, 4-627.2, 20-729.1, 8-847.4 4-1126.6, 2-1244.9, 1-1300	0.46	9.85	23.3	33.8	58.8	77.6	150
80	470	10*-20.9, 8-80.8, 2-194.4, 4-281.9, 8-382 20-455.5, 10-612.4, 8-711, 4-1209, 1-1300	0.44	9.57	22.8	33.1	57.7	76.6	149
85	446	10*-20.9, 8-97.3, 2-181.5, 8-190.3, 4-238.6 8-393.3, 10-468.9, 8-593, 4-1172.7, 1-1215.7	0.42	9.25	22.3	32.5	56.5	75.0	153
90	420	15-5.2, 8-144.1, 2-173.2, 8-342.1, 15-406.9 8-647.7, 2-1038.8, 4-1067.5, 2-1117.5, 4-1150.6 5000-1152.8, 4-1168.4, 0.5-1207.7, 5000-1300	0.41	8.94	20.2	30.1	53.5	71.6	166
95	392	15-4.9, 8-337.8, 15-407.1, 8-621.6, 4-692.6 2-792.2, 4-845.3, 2-928.4, 4-1157.1, 5000-1300	0.38	8.53	19.5	29.2	52.0	69.5	171

\* Ground Conductivity taken from field strength measurements filed in the last full proof of performance in June 1956. The pertinent pages of these measurements are attached as Appendices to this Exhibit.

Exhibit 14 - Table II - Amended

(Page 3 of 6)

**PROPOSED DAYTIME  
DISTANCE TO CONTOURS**

prepared for

**Great Lakes Radio-Chicago, LLC**

WBGX(AM) Harvey, Illinois

Facility ID 40147

1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contours						
			1000 mV/m (km)	25.0 mV/m (km)	5.0 mV/m (km)	2.0 mV/m (km)	0.5 mV/m (km)	0.25 mV/m (km)	0.025 mV/m (km)
100	363	10*-25.8, 8-342.2, 15-408.9, 8-581.1, 4-837.8 2-903.4, 4-935.8, 2-962.5, 4-1003.7, 40-1014.2 4-1067.6, 5000-1091.4, 4-1095.8, 5000-1115.8, 4-1132.6	0.35	8.09	20.4	30.5	52.6	69.6	169
105	333	10*-25.8, 8-338, 15-417.8, 8-550.8, 4-815.3	0.32	7.63	19.6	29.5	50.8	67.2	164
110	302	10*-25.8, 8-208, 15-405.3, 8-525.2, 4-588.1 2-666, 4-744.4, 2-991.7, 4-998.9, 5000-1005.4 4-1061.7, 5000-1101.7, 2-1118, 5000-1122.2, 2-1125.1	0.29	7.14	18.6	28.4	48.9	64.6	158
115	271	10*-25.8, 8-199.1, 15-366, 8-501.4, 2-1080 4-1093.3, 5000-1096.7, 4-1105, 5000-1105.5, 4-1150	0.26	6.62	17.6	27.2	46.9	61.8	152
120	240	10*-25.8, 8-192.4, 15-308.7, 8-471.5, 2-1127.1 4-1137.8, 5000-1141.3, 4-1221.4, 5000-1300	0.23	6.07	16.5	25.9	44.7	58.9	146
125	210	15-4.2, 8-188.2, 15-272.9, 8-450.2, 2-864.5 4-980.6, 2-1122.2, 4-1217.8, 5000-1300	0.21	5.71	14.3	22.1	39.9	53.3	136
130	181	15-4.2, 8-185.8, 15-250.1, 8-463.7, 2-908.2 4-994, 2-1112.1, 4-1189.4, 5000-1300	0.18	5.19	13.3	20.7	37.5	50.1	129
135	155	15-4.2, 8-184.9, 15-233.9, 8-495.5, 2-694.4 4-754.5, 2-909.3, 4-981.1, 2-1082.9, 4-1169.9	0.15	4.70	12.2	19.3	35.2	47.0	121
140	133	10*-11.3, 15*-25.8, 8-185.5, 15-222.6, 8-540.7 2-672.3, 4-746.9, 2-926.5, 4-989.3, 2-1057.8 4-1201.3, 5000-1300	0.13	3.88	14.1	24.1	39.7	50.8	121
145	118	10*-11.3, 15*-25.8, 8-188, 15-211.8, 8-473.6 4-492.1, 8-565.2, 2-734.1, 4-746.2, 2-918.3 4-1001, 2-1048, 4-1204.6, 5000-1300	0.12	3.53	11.0	22.6	38.1	48.6	116

\* Ground Conductivity taken from field strength measurements filed in the last full proof of performance in June 1956. The pertinent pages of these measurements are attached as Appendices to this Exhibit.

Exhibit 14 - Table II - Amended

(Page 4 of 6)

**PROPOSED DAYTIME  
DISTANCE TO CONTOURS**

prepared for

**Great Lakes Radio-Chicago, LLC**

WBGX(AM) Harvey, Illinois

Facility ID 40147

1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contours						
			1000 mV/m (km)	25.0 mV/m (km)	5.0 mV/m (km)	2.0 mV/m (km)	0.5 mV/m (km)	0.25 mV/m (km)	0.025 mV/m (km)
150	112	10*-11.3, 15*-25.8, 8-445.3, 4-538.4, 8-551.7 2-894.4, 4-1025.9, 2-1094.7, 4-1216.4, 8-1235.4	0.11	3.38	10.7	21.9	37.4	47.7	114
155	116	10*-11.3, 15*-25.8, 8-403.8, 4-584.4, 2-904.3	0.11	3.48	10.9	22.4	37.9	48.4	115
160	129	10*-11.3, 15*-25.8, 8-377, 4-670.9, 2-745.5 4-823.9, 2-910.8, 1-979.4, 4-1190.3, 2-1300	0.13	3.78	13.8	23.7	39.3	50.2	120
165	146	15-5.3, 8-398, 4-695.2, 2-787.9, 4-851.4 2-1002, 4-1242.1, 2-1300	0.14	4.62	12.1	19.0	34.6	46.1	119
170	167	15-5.8, 8-454, 4-735.6, 2-848.1, 4-905.3 2-980.8, 4-1228.4, 1-1300	0.16	5.15	13.1	20.3	36.7	48.8	125
175	188	15*-24.1, 8-504.5, 4-794.2, 2-879.9, 4-1034.7 8-1164.1, 1-1244.8, 5000-1300	0.19	5.67	17.5	27.2	44.3	57.1	137
180	209	15*-24.1, 8-539.7, 4-857.2, 2-1125.9, 8-1145.9 1-1258.1, 2-1262.3, 5000-1300	0.20	6.16	18.6	28.2	46.0	59.4	142
185	228	15*-24.1, 8-549, 4-817.7, 2-1250.3, 5000-1300	0.22	6.61	19.6	29.1	47.5	61.4	147
190	246	15*-24.1, 8-510.6, 4-746.5, 8-901.6, 2-1027.3 4-1269.2, 15-1278.2, 5000-1300.6	0.24	6.99	20.4	29.9	48.8	63.2	151
195	261	15*-24.1, 8-1300	0.26	7.32	21.1	30.5	49.9	64.6	154
200	273	15-20.6, 8-221.4, 15-253.7, 8-1286.4, 15-1300	0.27	7.58	21.3	29.8	49.6	64.5	155
205	282	15-393.5, 8-846.7, 4-1159.3, 15-1256.7, 8-1300	0.28	7.77	22.0	35.0	63.5	83.8	196
210	288	20*-24.1, 15-454.7, 8-829.3, 4-1077.4, 15-1145.1 8-1246.2, 4-1281.2, 8-1300	0.28	8.52	25.3	38.3	67.0	87.4	201
215	291	20*-24.1, 15-448.5, 8-842.8, 4-1100.3, 8-1280.5	0.29	8.58	25.4	38.5	67.3	87.7	201
220	290	20*-24.1, 15-427, 8-865.3, 15-1047.4, 4-1074.7	0.29	8.56	25.3	38.4	67.2	87.6	201

\* Ground Conductivity taken from field strength measurements filed in the last full proof of performance in June 1956. The pertinent pages of these measurements are attached as Appendices to this Exhibit.

Exhibit 14 - Table II - Amended

(Page 5 of 6)

**PROPOSED DAYTIME  
DISTANCE TO CONTOURS**

prepared for

**Great Lakes Radio-Chicago, LLC**

WBGX(AM) Harvey, Illinois

Facility ID 40147

1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contours						
			1000 mV/m (km)	25.0 mV/m (km)	5.0 mV/m (km)	2.0 mV/m (km)	0.5 mV/m (km)	0.25 mV/m (km)	0.025 mV/m (km)
225	286	20*-24.1, 15-339.3, 8-932.9, 15-1183, 30-1228.5	0.28	8.46	25.1	38.2	66.8	87.1	200
230	278	20*-24.1, 15-260.6, 8-883.4, 15-1091.5, 30-1300	0.27	8.28	24.8	37.7	66.1	86.2	198
235	267	15-134.2, 8-469.1, 15-832.5, 30-936.8, 8-1034.4 30-1048.8, 15-1083.2, 30-1121.4, 15-1300	0.26	7.46	21.4	34.2	62.2	82.0	183
240	254	15-88.7, 8-307.3, 15-796.1, 30-1139.9, 15-1300	0.25	7.16	20.8	33.3	60.8	80.3	171
245	237	15-73.1, 8-295, 15-755.9, 30-1155.5, 15-1209	0.23	6.81	20.0	32.3	59.2	77.0	164
250	219	10*-11.3, 20*-24.1, 15-62.6, 8-297.3, 15-717.2	0.21	5.68	21.6	34.0	60.2	74.5	159
255	199	10*-11.3, 20*-24.1, 15-55.1, 8-310, 15-670.6 30-1150.8, 15-1300	0.19	5.29	20.4	32.6	57.2	70.3	152
260	178	10*-11.3, 20*-24.1, 15-49.5, 8-338.4, 15-628 30-698.9, 15-938.9, 30-1139.4, 15-1300	0.17	4.87	19.0	31.0	53.8	66.2	145
265	158	10*-11.3, 20*-24.1, 15-44, 8-358.9, 15-608.1 30-675.5, 15-743.3, 30-813.2, 15-913, 30-1115.7	0.15	4.44	17.6	29.3	50.2	62.1	137
270	139	10*-11.3, 20*-24.1, 15-39.8, 8-361.8, 15-747 30-837.3, 15-897, 30-1100.9, 15-1295.9, 8-1300	0.14	4.03	16.2	27.6	47.0	58.3	130
275	125	15-36.6, 8-357.9, 15-878, 4-951.9, 4-987.6 4-1258, 8-1300	0.12	4.05	13.5	23.3	42.5	53.3	122
280	117	15-34.1, 8-356.1, 15-874.1, 8-1009.7, 4-1229.3	0.12	3.84	13.0	22.5	40.8	51.4	118
285	119	15-32.1, 8-406.6, 15-740.4, 30-943.5, 15-1075.8 8-1263.1, 15-1299.1, 8-1300	0.12	3.88	13.1	22.7	40.4	50.9	118
290	129	15*-7.6, 10*-29, 15-29.6, 8-424.9, 15-550.4 30-696.7, 15-813.7, 30-985.7, 15-1300	0.13	4.17	11.7	19.3	35.7	46.7	116

\* Ground Conductivity taken from field strength measurements filed in the last full proof of performance in June 1956. The pertinent pages of these measurements are attached as Appendices to this Exhibit.

Exhibit 14 - Table II - Amended

(Page 6 of 6)

**PROPOSED DAYTIME  
DISTANCE TO CONTOURS**

prepared for

**Great Lakes Radio-Chicago, LLC**

WBGX(AM) Harvey, Illinois

Facility ID 40147

1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contours						
			1000 mV/m (km)	25.0 mV/m (km)	5.0 mV/m (km)	2.0 mV/m (km)	0.5 mV/m (km)	0.25 mV/m (km)	0.025 mV/m (km)
295	148	15*-7.6, 10*-29, 8-261.4, 4-344, 8-439.8 15-554.2, 30-701.8, 15-910.3, 30-1091.7, 15-1158.2	0.14	4.65	12.6	20.6	37.3	48.9	122
300	171	15*-7.6, 10*-29, 8-251.5, 4-370.5, 8-461 15-588, 8-699.7, 15-934.3, 30-1156.3, 8-1300	0.17	5.24	13.7	22.1	39.5	51.8	129
305	197	15*-7.6, 10*-29, 8-249.3, 4-391, 8-486.8 15-597, 4-750.7, 15-974.3, 30-1300	0.19	5.88	14.8	23.7	41.8	54.8	136
310	225	15-22.3, 8-251.4, 4-417.1, 8-518.6, 4-866.3	0.22	6.54	19.4	28.4	46.7	60.5	146
315	255	15-20.6, 8-257.9, 4-452.5, 8-487.8, 4-916.1 30-965.2, 15-1038.9, 30-1256.4, 40-1300	0.25	7.18	20.8	29.1	48.3	62.8	152
320	284	10*-25.8, 8-264.1, 4-925.3, 8-994.1, 30-1053.2	0.27	6.84	18.0	27.7	47.8	63.0	155
325	314	10*-25.8, 8-271.3, 4-617.6, 8-1039.4, 20-1050.9	0.30	7.33	19.0	28.8	49.7	65.6	161
330	343	10*-25.8, 8-281, 4-613.2, 8-920, 20-983.6 2-1080.7, 20-1189.2, 2-1220.6, 10-1270, 20-1279.8	0.33	7.79	19.9	29.9	51.4	68.0	166
335	371	10*-25.8, 8-296.1, 4-614.7, 8-825.7, 2-838.5 8-850.6, 2-858.6, 8-863.8, 2-1176.1, 2-1300	0.35	8.21	20.7	30.8	53.1	70.2	170
340	399	10*-25.8, 8-73.8, 15-110.8, 8-324.6, 4-592.9 8-774.1, 2-1077, 2-1300	0.38	8.61	21.4	31.7	54.6	72.3	182
345	425	15-15.1, 8-71.1, 15-137.5, 8-353, 4-603 8-750.9, 2-1017.6, 2-1300	0.41	10.44	23.3	33.2	56.7	75.9	192
350	449	15*-29, 8-71.8, 15-302.3, 8-380.5, 4-607.4	0.43	10.86	28.1	38.6	62.7	83.9	211
355	472	15*-29, 8-115.1, 15-135.2, 8-145.2, 15-148.4 8-191.5, 15-315.7, 8-413.2, 4-589, 8-604.9	0.46	11.23	28.9	39.2	63.8	82.7	194

\* Ground Conductivity taken from field strength measurements filed in the last full proof of performance in June 1956. The pertinent pages of these measurements are attached as Appendices to this Exhibit.

Exhibit 14 - Table III-A - Amended  
**DAYTIME ALLOCATION STUDY DATA**  
 WFRL(AM) Freeport, Illinois  
 Facility ID 63135  
 1570 kHz 5.0 kW-D 0.5 kW-N DA2-U

prepared for  
**Great Lakes Radio – Chicago, LLC**  
 WBGX(AM) Harvey, Illinois  
 Facility ID 40147  
 1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contours	
			0.5 mV/m (km)	0.025 mV/m (km)
0	685	8-143.9, 4-500.5, 8-633, 2-874.4, 2-1256.4 2-1300	97.4	261
5	548	8-165.8, 4-521.3, 8-674.4, 2-866.5, 2-1139.2 2-1300	93.9	254
10	410	8-221, 4-506.1, 8-532.4, 4-534.2, 8-539 4-577.6, 8-746.7, 2-866.8, 2-1050.2, 2-1300	88.6	239
15	280	10*-32.2, 8-296.1, 4-526.1, 8-747.2, 2-876.6 2-989.7, 2-1300	83.1	223
20	174	10*-32.2, 8-375.3, 4-499.7, 8-729.9, 2-896 2-945.2, 2-1300	81.1	216
25	139	10*-32.2, 8-211.1, 15-250.9, 8-695.7, 2-915 6-962.6, 2-1278.3, 5000-1300	82.4	221
30	193	10*-32.2, 8-190.1, 15-271.7, 8-686, 2-945.3 6-1018.8, 2-1245, 5000-1300	85.9	230
35	275	10*-32.2, 8-181.5, 15-267.1, 8-643.8, 2-957.4 6-1067.5, 2-1226.9, 5000-1227.5, 2-1287, 5000-1296.5 2-1342.1	90.9	243
40	353	8-173.8, 15-234.5, 8-624, 2-954.3, 6-1094.5 2-1250.7, 2-1300	99.9	255
45	420	8-165.5, 15-215.1, 8-374.2, 2-388.7, 8-392.6 2-395.6, 8-612.7, 2-628.9, 10-646.3, 2-1035.2 6-1165.3, 2-1165.5, 2-1300	109.0	266
50	474	8-157.9, 15-180.5, 8-335.7, 2-422.4, 8-622.8 10-644.5, 4-654.7, 10-658.5, 4-661.1, 10-700.9 2-1176, 6-1192.8, 2-1300	125.1	280
55	515	10*-31.4, 8-148.8, 15-169.1, 8-309.2, 2-423.4 8-639.4, 10-692.3, 4-734.4, 10-759.6, 2-1209.3 2-1300	132.4	289
60	542	10*-31.4, 8-140.2, 15-161.3, 8-287.4, 2-377.7 8-652.1, 10-812.8, 2-995.5, 1-1003.6, 2-1300	142.4	299
65	554	10*-31.4, 8-133, 15-157.8, 8-284.6, 2-340.2 8-639, 10-722.5, 4-743.4, 10-824, 1-1043.7 4-1130.6, 2-1300	151.1	309

\* Ground Conductivity taken from field strength measurements filed in the last full proof of performance in BL-19840130AG. The pertinent pages of these measurements are attached as Appendices to this Exhibit.



Exhibit 14 - Table III-A - Amended

(Page 2 of 5)

**DAYTIME ALLOCATION STUDY DATA**

WFRL(AM) Freeport, Illinois

Facility ID 63135

1570 kHz 5.0 kW-D 0.5 kW-N DA2-U

prepared for

**Great Lakes Radio – Chicago, LLC**

WBGX(AM) Harvey, Illinois

Facility ID 40147

1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contours	
			0.5 mV/m (km)	0.025 mV/m (km)
70	554	10*-31.4, 8-127.5, 15-157.4, 8-285.6, 2-328.4 8-525.5, 15-587.2, 8-628, 10-667.5, 6-733.5 4-852.8, 6-943.7, 1-1052.4, 4-1145, 10-1300	154.5	327
75	539	10*-31.4, 8-123.3, 15-152, 8-284.3, 2-320.8 8-523, 15-587, 8-620.9, 10-656.6, 6-753.3 4-804.1, 10-812.8, 6-931.8, 15-950.6, 6-959.2 15-959.6, 6-966.1, 15-993.4, 4-1027.8, 15-1040.2 4-1046.3, 15-1085.2, 8-1088.5, 4-1300	154.2	337
80	511	8-120.5, 15-148.7, 8-280.2, 2-318.1, 8-527.6 15-590.9, 8-591.3, 10-594.5, 20-697.5, 6-698.2 4-766.4, 20-865.4, 8-987.9, 4-1035, 8-1035.2 4-1247.7, 2-1300	151.7	339
85	469	8-119.2, 15-147.3, 8-274.5, 2-376.4, 8-541.7 15-555.6, 20-659.9, 10-812.4, 8-870, 4-1300	149.0	319
90	413	8-121.7, 15-144.3, 8-266.5, 2-377.3, 4-446.8 8-533.4, 20-590.1, 10-660.5, 8-744.4, 4-1224.3 2-1273.5, 4-1300	135.8	310
95	344	8-256.4, 2-355.5, 4-425.7, 8-807.6, 2-1149.2 4-1300	127.0	302
100	265	10*-15.3, 15*-30.6, 8-248.5, 2-343.4, 8-504.5 15-574.6, 8-774.4, 4-902.7, 2-947.9, 4-1011.8 2-1077.1, 4-1216.1, 5000-1219.3, 4-1300	118.4	278
105	184	10*-15.3, 15*-30.6, 8-514.3, 15-583.5, 8-734.9 4-992.9, 2-1125.6, 4-1169, 40-1186.2, 4-1188.4 40-1191.6, 4-1192.8, 40-1204, 4-1231.1, 2-1300	109.5	258
110	137	10*-15.3, 15*-30.6, 8-493.1, 15-587.5, 8-703.8 4-769.4, 2-842.5, 4-922, 2-1181.8, 4-1182.2 5000-1190.7, 4-1240.5, 5000-1278.3, 2-1291.6, 5000-1300	102.3	240
115	184	10*-15.3, 15*-30.6, 8-151.2, 15-181.4, 8-374.9 15-533.4, 8-672.9, 2-1260.6, 4-1300	94.5	231
120	294	8-144.4, 15-180, 8-363.8, 15-454.7, 8-629.2 2-1300	87.8	221
125	426	8-141.5, 15-181.7, 8-357.2, 15-412.3, 8-636.2 2-1062.4, 4-1300	88.9	225

\* Ground Conductivity taken from field strength measurements filed in the last full proof of performance in BL-19840130AG. The pertinent pages of these measurements are attached as Appendices to this Exhibit.

Exhibit 14 - Table III-A - Amended

(Page 3 of 5)

**DAYTIME ALLOCATION STUDY DATA**

WFRL(AM) Freeport, Illinois

Facility ID 63135

1570 kHz 5.0 kW-D 0.5 kW-N DA2-U

prepared for

**Great Lakes Radio – Chicago, LLC**

WBGX(AM) Harvey, Illinois

Facility ID 40147

1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contours	
			0.5 mV/m (km)	0.025 mV/m (km)
130	565	6*-10.1, 10*-31.4, 8-140.6, 15-187.3, 8-353.9 15-383.7, 8-674.6, 2-865.2, 4-925.6, 2-1073.1 4-1152.9, 2-1261.2, 4-1300	92.5	233
135	702	6*-10.1, 10*-31.4, 8-141.8, 15-194.8, 8-721.7 2-831.7, 4-910.9, 2-1091.4, 4-1153.6, 2-1226.3 4-1300	95.6	241
140	831	6*-10.1, 10*-31.4, 8-144.2, 15-203.3, 8-596.6 4-687.8, 8-714.3, 2-1071.4, 4-1161, 2-1207.2 4-1300	97.3	246
145	948	6*-10.1, 10*-31.4, 8-147.7, 15-214.2, 8-520.8 4-729.2, 2-1044.3, 4-1184.5, 2-1252, 4-1300	98.1	247
150	1046	6*-10.1, 10*-31.4, 8-152, 15-228.3, 8-536.8 4-808.7, 2-895, 4-936.4, 2-1017.1, 1-1060.5 2-1060.9, 4-1300	62.6	200
155	1122	8-156.6, 15-247.4, 8-580.9, 4-826.1, 2-909.5 4-973.2, 2-1113.1, 4-1300	59.4	192
160	1172	6*-11.7, 15*-32.2, 8-161.9, 15-279.4, 8-618.2 4-860, 2-962, 4-1011.5, 2-1115.4, 4-1300	55.3	180
165	1196	6*-11.7, 15*-32.2, 8-168.8, 15-316.1, 8-641 4-909.6, 2-985.8, 4-1140.2, 8-1247.1, 4-1297.8 1-1300	53.3	175
170	1193	6*-11.7, 15*-32.2, 8-177.9, 15-356.6, 8-629.2 4-934.8, 2-1171.7, 8-1244.7, 1-1300	62.7	176
175	1165	6*-11.7, 15*-32.2, 8-189.4, 15-396.7, 8-581.9 4-892.8, 2-1300	72.6	199
180	1113	6*-11.7, 15*-32.2, 8-203.9, 15-437.8, 8-1034.5 2-1092.4, 4-1302.9	83.1	207
185	1043	8-223.8, 15-479.3, 8-1267.5, 4-1300	92.8	268
190	957	8-272.1, 15-465.9, 8-1300	101.5	287
195	862	6*-6.4, 15*-30.6, 8-395.8, 15-417.9, 8-843.1 4-1190.2, 15-1312.1	109.1	304
200	761	6*-6.4, 15*-30.6, 8-836.9, 4-1092, 15-1149.3 8-1300	115.8	316

\* Ground Conductivity taken from field strength measurements filed in the last full proof of performance in BL-19840130AG. The pertinent pages of these measurements are attached as Appendices to this Exhibit.

Exhibit 14 - Table III-A - Amended

(Page 4 of 5)

**DAYTIME ALLOCATION STUDY DATA**

WFRL(AM) Freeport, Illinois

Facility ID 63135

1570 kHz 5.0 kW-D 0.5 kW-N DA2-U

prepared for

**Great Lakes Radio – Chicago, LLC**

WBGX(AM) Harvey, Illinois

Facility ID 40147

1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contours	
			0.5 mV/m (km)	0.025 mV/m (km)
205	660	6*-6.4, 15*-30.6, 8-242.3, 15-280.3, 8-837.5 15-933.4, 4-1092.9, 8-1263.4, 4-1300	123.2	339
210	562	6*-6.4, 15*-30.6, 8-224.2, 15-317.3, 8-876.6 15-1050.7, 30-1287.5, 15-1300	127.9	348
215	472	6*-6.4, 15*-30.6, 8-216.8, 15-518.5, 8-884.8 15-1139.9, 30-1201.6, 15-1300	131.9	357
220	392	8-214.6, 15-916, 8-962.1, 15-1032.1, 30-1230.8 15-1300	135.2	365
225	325	8-216.3, 15-736.4, 30-881.3, 8-937, 30-981.1 15-1011.4, 30-1047.6, 15-1217.5, 30-1300	107.9	324
230	272	8-223.9, 15-678.7, 30-1055.5, 15-1244.4, 30-1300	109.8	321
235	234	4*-6.4, 7*-32.2, 8-229.9, 15-628.5, 30-1053 15-1142.8, 30-1207.7, 15-1248.4, 30-1300	111.1	324
240	210	4*-6.4, 7*-32.2, 8-228.8, 15-568.6, 30-1313.6	112.1	325
245	199	4*-6.4, 7*-32.2, 8-222.9, 15-512.6, 30-618.9 15-664.5, 30-1040.7, 15-1300	101.2	278
250	200	4*-6.4, 7*-32.2, 8-214.7, 15-473.6, 30-554 15-808.9, 30-1019.4, 15-1300	101.3	270
255	212	4*-6.4, 7*-32.2, 8-205, 15-472.1, 30-524.3 15-582.1, 30-656, 15-779.8, 30-988.7, 15-1300	101.1	266
260	238	8-197.2, 15-586.1, 30-720.1, 15-753.6, 30-962 15-1300	100.5	261
265	277	8-194.3, 15-738.4, 30-941.1, 15-1133.2, 8-1300	110.9	292
270	332	8-206.4, 15-697.1, 4-1094.2, 8-1300	109.4	303
275	401	8-237.5, 15-708.5, 8-836.3, 4-1072, 8-1300	107.5	314
280	482	8-247.1, 15-390.7, 30-454.4, 15-568.8, 30-753.4 15-839.4, 8-1095.7, 15-1151.7, 8-1213.5, 15-1300	105.1	310
285	573	8-91.2, 4-144.1, 8-252, 15-376, 30-501.8 15-595.9, 30-811, 15-1019.4, 8-1025.8, 15-1134.1 8-1321.7	131.1	331
290	672	8-84.5, 4-162.8, 8-259.2, 15-376.4, 30-532.4 15-685.5, 30-914.3, 15-1010.1, 8-1135.2, 15-1277.1 8-1300	127.0	321

\* Ground Conductivity taken from field strength measurements filed in the last full proof of performance in BL-19840130AG. The pertinent pages of these measurements are attached as Appendices to this Exhibit.

Exhibit 14 - Table III-A - Amended

(Page 5 of 5)

**DAYTIME ALLOCATION STUDY DATA**

WFRL(AM) Freeport, Illinois

Facility ID 63135

1570 kHz 5.0 kW-D 0.5 kW-N DA2-U

prepared for

**Great Lakes Radio – Chicago, LLC**

WBGX(AM) Harvey, Illinois

Facility ID 40147

1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contours	
			0.5 mV/m (km)	0.025 mV/m (km)
295	773	8-80.8, 4-178.8, 8-268.8, 15-380.5, 30-521.7 15-742.7, 30-924.4, 15-967.2, 8-1300	122.2	312
300	873	8-77.9, 4-191.5, 8-283, 15-411.5, 8-523.8 15-762, 30-1000.9, 8-1300	116.6	304
305	968	8-75.8, 4-202.6, 8-299.1, 15-437.2, 4-442.8 8-530.1, 4-550.6, 15-799, 30-1300	110.1	294
310	1052	8-75.5, 4-216.9, 8-323.9, 15-410.4, 4-659.8 30-1283.4, 40-1300	102.9	282
315	1121	8-76.2, 4-235.2, 8-348.9, 4-733.2, 30-1126.7 40-1300	94.9	269
320	1169	8-77.5, 4-259, 8-340, 4-780.5, 15-914 30-1018.1, 40-1300	86.4	251
325	1195	8-79.4, 4-294.5, 8-307, 4-755.3, 8-859.3 30-936.7, 40-1184.9, 20-1300	78.5	228
330	1195	8-82.5, 4-471.9, 8-876.7, 20-928.7, 40-1029.4 20-1300	73.4	208
335	1168	8-88.2, 4-469, 8-784, 20-844, 2-1108.5 10-1300	76.9	205
340	1114	8-95.6, 4-474, 8-750.6, 2-767.3, 20-789.7 2-1035.1, 2-1300	85.5	228
345	1035	8-105.2, 4-484.3, 8-685.4, 2-695.5, 8-697.5 2-964.4, 2-1300	92.1	248
350	934	8-116, 4-492, 8-660.4, 2-921.3, 2-1300	96.6	258
355	816	8-128, 4-482.9, 8-646.4, 2-891.9, 2-1300	98.4	262

\* Ground Conductivity taken from field strength measurements filed in the last full proof of performance in BL-19840130AG. The pertinent pages of these measurements are attached as Appendices to this Exhibit.

**Cavell, Mertz & Associates, Inc.**

Exhibit 14 - Table III-B - Amended  
**DAYTIME ALLOCATION STUDY DATA**

Facility ID 72077  
1580 kHz 0.17 kW-D 0.2 kW-N DA2-U

prepared for  
**Great Lakes Radio – Chicago, LLC**  
WBGX(AM) Harvey, Illinois  
Facility ID 40147  
1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contours	
			0.5 mV/m (km)	0.25 mV/m (km)
0	685	8*-23.2, 5*-91.1, 8-202.7, 15-286.1, 8-380.6 4-563.4, 8-565, 4-572.9, 8-595.5, 4-627.9 8-762.2, 2-919.5, 2-1205.8, 2-1300	97.4	261
5	548	8*-23.2, 5*-91.1, 8-157.6, 15-297.8, 8-431.4 4-560.1, 8-784.1, 2-912.6, 2-1090.7, 2-1300	93.9	254
10	410	8*-23.2, 5*-91.1, 15-280.4, 8-522.5, 4-536.4 8-787, 2-915.9, 2-1014.3, 2-1300	88.6	239
15	280	8*-23.2, 5*-91.1, 15-134.4, 8-712.4, 2-923.7 6-956.2, 2-957.2, 2-1300	83.1	223
20	174	8*-23.2, 5*-91.1, 15-119, 8-735.9, 2-935.9 6-985.8, 2-1295.7, 5000-1300	81.1	216
25	139	8-56.1, 15-89.8, 8-641.3, 2-958.1, 6-1037.1 2-1251.6, 5000-1300	82.4	221
30	193	8-57.9, 15-70.9, 8-286.5, 2-385.3, 8-618 2-933.7, 6-1061, 2-1219.2, 5000-1220.8, 2-1284 5000-1348.2	85.9	230
35	275	8-246.9, 2-394, 8-601.2, 10-623, 2-957.1 6-1082.9, 2-1237.3, 2-1300	90.9	243
40	353	8-233.6, 2-376.9, 8-589.2, 10-610.2, 4-620 10-659.5, 2-1025.6, 6-1136.6, 2-1300	99.9	255
45	420	8-224.9, 2-286, 8-594, 10-639.8, 4-667.5 10-673.1, 4-688.8, 10-690.7, 2-700.8, 10-709.2 2-1133.4, 6-1154.4, 2-1300	109.0	266
50	474	8-216.9, 2-262.9, 8-595.6, 10-757.9, 2-1156.1 2-1300	125.1	280
55	515	8-204.4, 2-246.9, 8-577.1, 10-661.7, 4-670.6 10-756.7, 2-867.1, 1-953.2, 2-1241.9, 2-1300	132.4	289
60	542	8-192.4, 2-233.9, 8-448.5, 15-513.1, 8-556.9 10-612.7, 6-633.6, 4-697.2, 10-767.1, 1-974.2 4-1053.9, 2-1300	142.4	299
65	554	8-180.8, 2-241.2, 8-440.2, 15-505.8, 8-542.1 10-579, 6-671.6, 4-764.8, 6-876.2, 4-877.9	151.1	309

\* Ground Conductivity taken from field strength measurements filed in the WONX Application for Construction Permit, BMJP-20051031ACF (application to relocate WONX to the WKKD site.) The pertinent pages of these measurements are attached as Appendices to this Exhibit.

Exhibit 14 - Table III-B - Amended

(Page 2 of 5)

**DAYTIME ALLOCATION STUDY DATA**

WKKD(AM)(Lic) Aurora, Illinois

Facility ID 72077

1580 kHz 0.17 kW-D 0.2 kW-N DA2-U

prepared for

**Great Lakes Radio – Chicago, LLC**

WBGX(AM) Harvey, Illinois

Facility ID 40147

1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contours	
			0.5 mV/m (km)	0.25 mV/m (km)
70	554	8-167.8, 2-270.5, 8-436.8, 15-497.8, 8-512.4 10-558.3, 6-656.5, 4-710.3, 10-729.1, 6-793.8 15-796.7, 6-805, 15-806.1, 6-886.9, 4-948 15-949.3, 10-1003.8, 15-1024.4, 4-1250.6, 2-1300	154.5	327
75	539	8*-15.9, 4*-69.3, 8-153.6, 2-294.1, 8-440.1 15-488.4, 20-610.6, 4-671.8, 20-771.3, 8-974.6 4-1184.3, 2-1297.2, 1-1300	154.2	337
80	511	8*-15.9, 4*-69.3, 8-143.8, 2-263.9, 4-346.1 8-438, 20-544.4, 10-722.3, 8-782.8, 4-1258.3 1-1300	151.7	339
85	469	8*-15.9, 4*-69.3, 8-133.8, 2-243.6, 4-324.3 8-426.7, 10-441, 20-451.8, 10-472.3, 20-477.7 10-548.8, 8-650.4, 4-1228.3, 1-1262.1, 2-1300	149.0	319
90	413	8*-15.9, 4*-69.3, 8-120.6, 2-230.2, 8-236.8 4-272.5, 8-410.8, 15-414.7, 8-699.3, 2-995.9 4-1050.1, 2-1167.1, 4-1209.4, 5000-1215.2, 4-1220.9 5000-1223.4, 4-1228.4, 0.5-1281.9, 5000-1300	135.8	310
95	344	8*-15.9, 4*-69.3, 8-161.7, 2-221.9, 8-388 15-458.3, 8-678.8, 4-729.2, 2-845.4, 4-893.9 2-984.3, 4-1206.4, 5000-1300	127.0	302
100	265	5*-2.5, 10*-14.5, 6*-24.8, 3*-48.5, 4*-85.1 8-392, 15-459.2, 8-636.2, 4-889.9, 2-953.2 4-1055.1, 40-1066.9, 4-1117.3, 5000-1140.7, 4-1149.1 5000-1166.9, 4-1184.1, 5000-1300	118.4	278
105	184	5*-2.5, 10*-14.5, 6*-24.8, 3*-48.5, 4*-85.1 8-390.9, 15-469, 8-603.4, 4-866.9, 2-1001.5 4-1051.9, 40-1073.7, 4-1087.3, 2-1179.3, 5000-1179.9 2-1181.3, 5000-1300	109.5	258
110	137	5*-2.5, 10*-14.5, 6*-24.8, 3*-48.5, 4*-85.1 8-259.7, 15-455.7, 8-575.8, 4-635.9, 2-716.8 4-788.5, 2-1063.1, 5000-1070.6, 4-1116.2, 5000-1154.9 2-1168.1, 5000-1300	102.3	240

\* Ground Conductivity taken from field strength measurements filed in the WONX Application for Construction Permit, BMJP-20051031ACF (application to relocate WONX to the WKKD site.) The pertinent pages of these measurements are attached as Appendices to this Exhibit.

Exhibit 14 - Table III-B - Amended

(Page 3 of 5)

**DAYTIME ALLOCATION STUDY DATA**

WKKD(AM)(Lic) Aurora, Illinois

Facility ID 72077

1580 kHz 0.17 kW-D 0.2 kW-N DA2-U

prepared for

**Great Lakes Radio – Chicago, LLC**

WBGX(AM) Harvey, Illinois

Facility ID 40147

1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contours	
			0.5 mV/m (km)	0.25 mV/m (km)
115	184	5*-2.5, 10*-14.5, 6*-24.8, 3*-48.5, 4*-85.1 8-248.8, 15-406.7, 8-548.9, 2-1133.2, 4-1202.5	94.5	231
120	294	8*-22.2, 5*-44.3, 15-54.9, 8-240.8, 15-341.6 8-512.2, 2-1182.6, 4-1273.1, 5000-1300	87.8	221
125	426	8*-22.2, 5*-44.3, 15-55.2, 8-236.1, 15-307 8-503.4, 2-913.3, 4-1045.1, 2-1126.3, 4-1257	88.9	225
130	565	8*-22.2, 5*-44.3, 15-56, 8-233.3, 15-283.4 8-525.6, 2-761.4, 4-798.7, 2-952.5, 4-1035.7 2-1151.2, 4-1249.5, 5000-1300	92.5	233
135	702	8*-22.2, 5*-44.3, 15-57.2, 8-232.3, 15-267 8-566.1, 2-731.4, 4-797.8, 2-966.2, 4-1030 2-1122.9, 4-1220.6, 5000-1300	95.6	241
140	831	8-19.7, 15-59.4, 8-604.9, 2-707.2, 4-790.1 2-975.4, 4-1037.9, 2-1095.7, 4-1243.8, 5000-1300	97.3	246
145	948	8-19.9, 15-62.9, 8-491.5, 4-570.3, 8-601.5 2-946.4, 4-1051.9, 2-1104, 4-1223.9, 5000-1224.6 8-1247, 5000-1300	98.1	247
150	1046	8-20.3, 15-67.4, 8-441.6, 4-608.6, 2-934.9 4-1085.8, 2-1131.6, 4-1296.4, 8-1300	62.6	200
155	1122	8-20.8, 15-73.2, 8-414, 4-701, 2-809.1 4-816.8, 2-913, 1-971.3, 4-1300	59.4	192
160	1172	8-21.5, 15-80.8, 8-439.6, 4-719.6, 2-798.6 4-874.6, 2-1014.2, 4-1242.7, 2-1300	55.3	180
165	1196	8-22.5, 15-89.9, 8-489.3, 4-752.3, 2-859.7 4-909.6, 2-1028.5, 4-1272.2, 2-1300	53.3	175
170	1193	8-23.7, 15-101.9, 8-532.3, 4-802.1, 2-909.6 4-1057.9, 8-1156.3, 4-1217, 1-1299.8, 5000-1300	62.7	176
175	1165	8-25.3, 15-118.6, 8-561.9, 4-917.3, 2-1058.9 8-1172.9, 1-1248.8, 5000-1269.5, 1-1272.6, 5000-1300	72.6	199
180	1113	8-27.5, 15-143.9, 8-564, 4-839.5, 2-1265.8	83.1	207
185	1043	8-31.1, 15-205.5, 8-515.8, 4-788.1, 8-852 2-1036.1, 4-1186.3, 2-1291.1, 5000-1300	92.8	268

\* Ground Conductivity taken from field strength measurements filed in the WONX Application for Construction Permit, BMJP-20051031ACF (application to relocate WONX to the WKKD site.) The pertinent pages of these measurements are attached as Appendices to this Exhibit.



Exhibit 14 - Table III-B - Amended

(Page 4 of 5)

**DAYTIME ALLOCATION STUDY DATA**

WKKD(AM)(Lic) Aurora, Illinois

Facility ID 72077

1580 kHz 0.17 kW-D 0.2 kW-N DA2-U

prepared for

**Great Lakes Radio – Chicago, LLC**

WBGX(AM) Harvey, Illinois

Facility ID 40147

1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contours	
			0.5 mV/m (km)	0.25 mV/m (km)
190	957	8-36.1, 15-292.6, 8-1149.7, 4-1280.6, 15-1300	101.5	287
195	862	8-43.5, 15-365, 8-1300	109.1	304
200	761	8-55.1, 15-438.8, 8-866.5, 4-1216.1, 8-1232.8 15-1318.2	115.8	316
205	660	8-75.3, 15-446.1, 8-822.5, 4-1061.2, 15-1171.7 8-1300	123.2	339
210	562	8-99.5, 15-432.2, 8-829, 4-1077.4, 8-1249.4 4-1300	127.9	348
215	472	8-137.9, 15-359.4, 8-841.3, 15-1015.4, 4-1124.5 8-1288.7, 4-1300	131.9	357
220	392	8-905.4, 15-1132, 30-1260.4, 15-1300	135.2	365
225	325	8-891.5, 15-1112.1, 30-1238.7, 15-1300	107.9	324
230	272	8-413.1, 15-912.8, 8-1016.8, 15-1066.7, 30-1213.5 15-1235.3, 30-1300	109.8	321
235	234	8-263.3, 15-778.3, 30-1108, 15-1288.4, 30-1300	111.1	324
240	210	8-259.7, 15-733.6, 30-1110.3, 15-1300	112.1	325
245	199	8-263.5, 15-694.6, 30-1300	101.2	278
250	200	8-274.4, 15-646.6, 30-1213.2, 15-1300	101.3	270
255	212	8-297.4, 15-600.4, 30-674, 15-879.8, 30-1107.9	101.1	266
260	238	8-312.4, 15-565.2, 30-640.4, 15-883.2, 30-1084.9	100.5	261
265	277	8-313.7, 15-575.3, 30-605.4, 15-667.7, 30-824.2 15-858.6, 30-1062.9, 15-1300	110.9	292
270	332	8-310.3, 15-846, 30-1045.7, 4-1047.6, 15-1185.8	109.4	303
275	401	8-305.5, 15-809.2, 4-1208.4, 8-1300	107.5	314
280	482	8-310.1, 15-835.9, 8-989.3, 4-1176, 8-1224.3 15-1246.7, 8-1300	105.1	310
285	573	8-361.2, 15-516.6, 30-577, 15-686.7, 30-909.7 15-1049.5, 8-1209, 15-1245, 8-1300	131.1	331
290	672	8-373.9, 15-498.5, 30-656.4, 15-771.9, 30-975.8 15-1300	127.0	321
295	773	8-210.5, 4-289.8, 8-387.3, 15-502.1, 30-649.6 15-860, 30-1040.8, 15-1103.7, 8-1300	122.2	312

\* Ground Conductivity taken from field strength measurements filed in the WONX Application for Construction Permit, BMJP-20051031ACF (application to relocate WONX to the WKKD site.) The pertinent pages of these measurements are attached as Appendices to this Exhibit.

Exhibit 14 - Table III-B - Amended

(Page 5 of 5)

**DAYTIME ALLOCATION STUDY DATA**

WKKD(AM)(Lic) Aurora, Illinois

Facility ID 72077

1580 kHz 0.17 kW-D 0.2 kW-N DA2-U

prepared for

**Great Lakes Radio – Chicago, LLC**

WBGX(AM) Harvey, Illinois

Facility ID 40147

1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contours	
			0.5 mV/m (km)	0.25 mV/m (km)
300	873	8-202.7, 4-315.4, 8-406.1, 15-537.6, 8-647.6 15-881.7, 30-1103.8, 8-1300	116.6	304
305	968	8-199.2, 4-333.3, 8-428.2, 15-555.5, 4-604 8-637.3, 4-681.5, 15-923.3, 30-1300	110.1	294
310	1052	8-199.2, 4-356, 8-473.5, 4-482.1, 15-517.8 4-801, 30-1300	102.9	282
315	1121	8-203.5, 4-385, 8-458.9, 4-863.6, 30-936.4 15-976.7, 30-1225.6, 40-1300	94.9	269
320	1169	8-210.7, 4-895.4, 8-933.4, 30-984.3, 15-1060.3 30-1104.2, 40-1300	86.4	251
325	1195	8-218.2, 4-578.7, 8-774, 4-816.4, 8-1015.3 40-1238.2, 20-1300	78.5	228
330	1195	8-226.2, 4-572.9, 8-907, 20-941.6, 8-999.1 20-1172.1, 10-1214.9, 20-1300	73.4	208
335	1168	8-236.7, 4-575.5, 8-851.3, 20-896.3, 2-1176.9	76.9	205
340	1114	8-250.2, 4-575.5, 8-766.2, 2-1068.6, 2-1300	85.5	228
345	1035	8-276.2, 4-561.4, 8-746.6, 2-1006.8, 2-1300	92.1	248
350	934	8-311.4, 4-570.6, 8-704.6, 2-964.4, 2-1300	96.6	258
355	816	8-344.5, 4-587.8, 8-746.5, 2-937, 2-1300	98.4	262

\* Ground Conductivity taken from field strength measurements filed in the WONX Application for Construction Permit, BMJP-20051031ACF (application to relocate WONX to the WKKD site.) The pertinent pages of these measurements are attached as Appendices to this Exhibit.

Exhibit 14 - Table III-C - Amended  
**DAYTIME ALLOCATION STUDY DATA**  
WONX(AM)(Lic) Evanston, Illinois  
Facility ID 35447  
1590 kHz 3.5 kW-D 2.5 kW-N DA2-U

prepared for  
**Great Lakes Radio – Chicago, LLC**  
WBGX(AM) Harvey, Illinois  
Facility ID 40147  
1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contour
			5 mV/m (km)
0	864	8-181.4, 15-198.6, 8-209.9, 15-253.5, 8-409.6 4-534.2, 8-763.2, 2-886.1, 2-1129.6, 2-1300	26.9
5	855	8-478.5, 4-499.9, 8-754.1, 2-879.9, 2-1024.8	26.8
10	850	8-698.5, 2-883.6, 2-953.6, 2-1300	26.7
15	847	8-682.7, 2-887.9, 6-929.3, 2-1300	26.7
20	849	8-642.2, 2-899, 6-956.6, 2-1236.7, 5000-1300	26.7
25	854	8-237.1, 2-337.1, 8-563.1, 2-568.3, 8-581.4 2-594.8, 8-596.4, 2-914, 6-1008.6, 2-1143.7 5000-1150.3, 2-1189, 5000-1300	26.8
30	863	8-196.3, 2-345.3, 8-551.2, 2-883, 6-1014.7	26.9
35	874	8-183.4, 2-339.4, 8-559.7, 10-581.4, 2-917.1 6-1042.3, 2-1174.1, 2-1300	27.0
40	886	8-174.8, 2-257.6, 8-540.7, 10-566.6, 4-590 10-617.3, 2-987.4, 6-1089.4, 2-1300	27.2
45	897	8-167.3, 2-221.1, 8-541.6, 10-592.8, 4-636.9 10-646.4, 2-649.1, 10-658.3, 2-660.5, 10-664.5 2-1089, 6-1099.3, 2-1300	27.3
50	905	8-158.7, 2-204.8, 8-542.7, 10-704, 2-1103.1	27.4
55	908	8-149.3, 2-191.7, 8-523.5, 10-606.3, 4-617.5 10-702.2, 2-833, 1-896.5, 2-1181.4, 2-1300	27.5
60	904	8-140.4, 2-180.9, 8-395.7, 15-459.6, 8-504.8 10-578.2, 4-618, 10-624.6, 4-644.5, 10-706.5 1-920.9, 4-992.4, 2-1300	27.4
65	891	8-132.2, 2-182.7, 8-388.2, 15-454.4, 8-491.1 10-529.1, 6-613.4, 4-718.7, 6-797.2, 1-945.2 4-1030.3, 10-1130.5, 4-1216.6, 10-1266.8, 6-1300	27.3
70	867	8-124.1, 2-199.3, 8-384.6, 15-445.8, 8-470.3 10-514, 6-614.1, 4-669.1, 10-673.5, 6-831.7 4-923.2, 10-1003.7, 4-1209.6, 2-1282.1, 0.5-1300	26.9
75	833	8-116.5, 2-227.6, 8-385.6, 15-442.9, 20-549.8 6-558.9, 4-626.2, 20-663.3, 15-715.1, 8-884 15-907, 8-953.2, 4-1147, 2-1250.4, 0.5-1280	26.5
80	787	8-108.3, 2-243.4, 4-284.8, 8-392.4, 15-406.2 20-560.9, 4-616.6, 10-719.3, 8-834.1, 4-1095.2	25.8

\* Ground Conductivity taken from field strength measurements filed in the pending WONX Application for Construction Permit, BP-20070404ABB. The pertinent pages of these measurements are attached as Appendices to this Exhibit.

Exhibit 14 - Table III-C - Amended

(Page 2 of 4)

**DAYTIME ALLOCATION STUDY DATA**

WONX(AM)(Lic) Evanston, Illinois

Facility ID 35447

1590 kHz 3.5 kW-D 2.5 kW-N DA2-U

prepared for

**Great Lakes Radio – Chicago, LLC**

WBGX(AM) Harvey, Illinois

Facility ID 40147

1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contour
			5 mV/m (km)
85	731	8-102, 2-216.9, 4-294, 8-379.1, 20-463.2 10-481.9, 20-483.8, 10-581.6, 8-651.1, 4-665.6 8-689.1, 4-1190.7, 1-1237.1, 2-1300	25.0
90	667	8-97.5, 2-202.3, 4-278.4, 8-381, 10-477.4 8-656.5, 4-661.3, 2-725.7, 4-1060.1, 2-1121.1 4-1162.1, 1-1197.9, 5000-1263.7, 0.5-1271.1, 5000-1279.4	24.0
95	599	8-94.1, 2-192.4, 4-252.9, 8-363.2, 15-374.6 8-650, 2-998.7, 4-1162.9, 5000-1300	22.9
100	530	8-89.8, 2-185.5, 8-345.9, 15-416.3, 8-623.4 4-724.2, 2-793.8, 4-855, 2-924.2, 4-1054.8 5000-1058.2, 4-1151.4, 5000-1300	21.6
105	465	8-85.1, 2-181.8, 8-351.4, 15-420, 8-589.6 4-843.1, 2-975.2, 4-987.8, 40-988, 4-992.8 40-995.9, 4-1000.7, 40-1028.9, 4-1132.6, 2-1133.1	20.3
110	406	8-80.6, 2-127.3, 8-357.3, 15-432.2, 8-564.7 4-653.6, 2-698.7, 4-812.4, 2-960.5, 4-965.2 5000-968.6, 4-1051.1, 5000-1101.9, 2-1110.6, 5000-1119.8	19.1
115	357	8-341.3, 15-429.3, 8-543.1, 4-596.1, 2-685.1 4-723, 2-1068.8, 5000-1076.4, 2-1099.5, 5000-1300	17.9
120	320	8-232.5, 15-397.7, 8-522.5, 2-1129.5, 4-1174.5 5000-1207.3, 4-1212.8, 5000-1219, 4-1247.9, 5000-1300	17.0
125	294	8-225.4, 15-352.3, 8-494.9, 2-896.9, 4-962.3 2-1155.5, 4-1221.7, 5000-1223.7, 4-1234.1, 5000-1246.3 4-1252.4, 5000-1257.1, 4-1266, 5000-1300	16.3
130	278	8-221.5, 15-313.2, 8-480.9, 2-913.8, 4-1223.7	15.9
135	271	8-220.1, 15-290.5, 8-503, 2-741, 4-793.7 2-934.6, 4-1017.6, 2-1125.8, 4-1216.2, 5000-1300	15.6
140	269	8-220.7, 15-274.3, 8-548, 2-718.8, 4-786.2 2-960.5, 4-1022.8, 2-1102.7, 4-1234, 5000-1300	15.6
145	272	8-223, 15-263.4, 8-597.7, 2-700.3, 4-784.1 2-966.9, 4-1035.9, 2-1085.5, 4-1245.9, 5000-1300	15.7
150	277	4*-8.9, 2*-29.7, 8-227.4, 15-254.2, 8-498.5 4-561.7, 8-603, 2-938.4, 4-1059.7, 2-1123.1 4-1247.4, 8-1260, 5000-1300	8.9
155	284	4*-8.9, 2*-29.7, 8-468.3, 4-608, 2-943.3	8.9

\* Ground Conductivity taken from field strength measurements filed in the pending WONX Application for Construction Permit, BP-20070404ABB. The pertinent pages of these measurements are attached as Appendices to this Exhibit.

Exhibit 14 - Table III-C - Amended

(Page 3 of 4)

**DAYTIME ALLOCATION STUDY DATA**

WONX(AM)(Lic) Evanston, Illinois

Facility ID 35447

1590 kHz 3.5 kW-D 2.5 kW-N DA2-U

prepared for

**Great Lakes Radio – Chicago, LLC**

WBGX(AM) Harvey, Illinois

Facility ID 40147

1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contour
			5 mV/m (km)
160	292	4*-8.9, 2*-29.7, 8-425, 4-710.6, 2-796	8.9
		4-856.2, 2-938.2, 1-1009.5, 4-1238.7, 2-1300	
165	299	5*-2.7, 6*-8.2, 3*-25.1, 8-36.7, 15-43.5	9.6
		8-433.8, 4-735.8, 2-824.4, 4-891.7, 2-1048.3	
170	306	5*-2.7, 6*-8.2, 3*-25.1, 8-33.9, 15-46.9	9.7
		8-493.6, 4-777.8, 2-891, 4-947, 2-1031.1	
175	312	5*-2.7, 6*-8.2, 3*-25.1, 8-32.4, 15-51.3	9.8
		8-550.1, 4-839.7, 2-927.1, 4-1081.2, 8-1211	
180	316	5*-2.7, 6*-8.2, 3*-25.1, 8-32, 15-58	9.9
		8-587.6, 4-900.6, 2-1179.2, 8-1192, 1-1302.4	
185	320	6*-8.9, 4*-25.2, 8-31.8, 15-69.2, 8-593.4	11.6
		4-862.7, 2-1292, 5000-1294.2, 2-1296.6, 5000-1300	
190	322	6*-8.9, 4*-25.2, 8-31.9, 15-102.3, 8-549.3	11.6
		4-770.2, 8-1021, 2-1024.2, 8-1060.2, 2-1075.3	
195	324	6*-8.9, 4*-25.2, 8-32.7, 15-169.7, 8-1300	11.6
200	325	6*-8.9, 4*-25.2, 8-33.9, 15-394.4, 8-1224.7	11.7
205	325	8-35.5, 15-488.3, 8-873.8, 4-1160.5, 15-1261.7	17.1
210	324	8-38.1, 15-489.3, 8-871.8, 4-1123.1, 8-1285.5	17.1
215	323	8-44.7, 15-471.7, 8-885.9, 4-918.5, 15-928.4	17.1
220	321	8-144.1, 15-362.1, 8-931.5, 15-1147.1, 30-1300	17.0
225	318	8-958.6, 15-1225.1, 30-1274.9, 15-1300	16.9
230	314	8-529.4, 15-556.9, 8-691, 15-983.6, 8-1066.6	16.8
235	310	8-319.6, 15-837.7, 30-1162, 15-1300	16.7
240	307	8-313.5, 15-789.8, 30-1163.5, 15-1300	16.6
245	304	8-318.1, 15-747.2, 30-1300	16.6
250	304	8-334, 15-694.1, 30-1250, 15-1300	16.6
255	306	8-358.9, 15-642.7, 30-716.4, 15-939.1, 30-1158.6	16.6
260	312	8-363.8, 15-611.8, 30-684.9, 15-928, 30-1131.5	16.8
265	323	8-358.9, 15-727.8, 30-869.7, 15-902.5, 30-1107.9	17.1
270	341	8-350.3, 15-890.2, 30-1063.5, 4-1149.6, 15-1179.1	17.5
275	367	8-353.5, 15-871.4, 8-889.6, 4-1247.2, 8-1300	18.2
280	403	8-400.9, 15-734.6, 30-783.1, 15-791.9, 30-872.6	19.0
		15-963.6, 8-1074.9, 4-1204, 8-1235.2, 15-1300	
285	449	8-243.6, 4-307.4, 8-410.5, 15-534.2, 30-654.4	20.0
		15-749.9, 30-967.1, 15-1136.5, 8-1218.8, 15-1284.5	

\* Ground Conductivity taken from field strength measurements filed in the pending WONX Application for Construction Permit, BP-20070404ABB. The pertinent pages of these measurements are attached as Appendices to this Exhibit.

Exhibit 14 - Table III-C - Amended

(Page 4 of 4)

**DAYTIME ALLOCATION STUDY DATA**

WONX(AM)(Lic) Evanston, Illinois

Facility ID 35447

1590 kHz 3.5 kW-D 2.5 kW-N DA2-U

prepared for

**Great Lakes Radio – Chicago, LLC**

WBGX(AM) Harvey, Illinois

Facility ID 40147

1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contour
			5 mV/m (km)
290	504	8-229.8, 4-335.5, 8-421.3, 15-533.3, 30-686.1 15-849.1, 30-1071.2, 15-1177.3, 8-1270.9, 15-1300	21.1
295	565	8-223.9, 4-350.9, 8-437.6, 15-567.6, 8-659.9 30-673.7, 15-898.9, 30-1083.3, 15-1120.5, 8-1300	22.3
300	629	8-221.7, 4-366.6, 8-457, 15-585.3, 4-589.4 8-687.1, 15-937.6, 30-1201.1, 8-1300	23.4
305	691	8-223.9, 4-386.8, 8-491.3, 4-517.3, 15-535.5 4-790.6, 30-913.7, 15-915.3, 30-1300	24.4
310	749	8-227.2, 4-413.3, 8-466.8, 4-865.2, 30-1347.3	25.2
315	798	8-32.4, 15-48.9, 8-229.7, 4-908.7, 15-1029.8 30-1180.6, 40-1300	26.0
320	838	8-29.1, 15-55.8, 8-234, 4-585.2, 8-716.6 4-864.9, 8-981.8, 30-1049.8, 15-1063.3, 40-1300	26.5
325	867	8-27.1, 15-62, 8-240.3, 4-573.9, 8-978.8 20-1048.3, 40-1152.6, 20-1300	26.9
330	886	8-26.6, 15-70.1, 8-249.5, 4-571.8, 8-853 20-921.6, 2-1206.4, 10-1235.7, 20-1237.4, 10-1256.2 20-1278.6, 10-1300	27.5
335	895	8-26.2, 15-80.5, 8-269.5, 4-567.3, 8-786.5	27.8
340	897	8-29.5, 15-95.4, 8-293, 4-548.5, 8-732.9	27.3
345	892	8-37, 15-118.9, 8-192.2, 15-235.9, 8-315.5 4-553.2, 8-702.1, 2-966.5, 2-1300	27.3
350	884	8-44.2, 15-261, 8-339, 4-560.7, 8-694.6	27.2
355	874	8-72.8, 15-86.7, 8-150.1, 15-269.2, 8-368.2 4-543.4, 8-564.6, 4-596.9, 8-720.4, 2-721.3 8-735.9, 2-902.3, 2-1278.6, 2-1300	27.0

\* Ground Conductivity taken from field strength measurements filed in the pending WONX Application for Construction Permit, BP-20070404ABB. The pertinent pages of these measurements are attached as Appendices to this Exhibit.

Exhibit 14 - Table III-D - Amended  
**DAYTIME ALLOCATION STUDY DATA**  
WONX(AM)(App) Evanston, Illinois  
Facility ID 35447  
1590 kHz 7 kW-D 2.5 kW-N DAN-U

prepared for  
**Great Lakes Radio – Chicago, LLC**  
WBGX(AM) Harvey, Illinois  
Facility ID 40147  
1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contour
			5 mV/m (km)
0	815	8-181.4, 15-198.6, 8-209.9, 15-253.5, 8-409.6 4-534.2, 8-763.2, 2-886.1, 2-1129.6, 2-1300	26.2
5	815	8-478.5, 4-499.9, 8-754.1, 2-879.9, 2-1024.8 2-1300	26.2
10	815	8-698.5, 2-883.6, 2-953.6, 2-1300	26.2
15	815	8-682.7, 2-887.9, 6-929.3, 2-1300	26.2
20	815	8-642.2, 2-899, 6-956.6, 2-1236.7, 5000-1300	26.2
25	815	8-237.1, 2-337.1, 8-563.1, 2-568.3, 8-581.4 2-594.8, 8-596.4, 2-914, 6-1008.6, 2-1143.7 5000-1150.3, 2-1189, 5000-1300	26.2
30	815	8-196.3, 2-345.3, 8-551.2, 2-883, 6-1014.7 2-1283.6, 2-1300	26.2
35	815	8-183.4, 2-339.4, 8-559.7, 10-581.4, 2-917.1 6-1042.3, 2-1174.1, 2-1300	26.2
40	815	8-174.8, 2-257.6, 8-540.7, 10-566.6, 4-590 10-617.3, 2-987.4, 6-1089.4, 2-1300	26.2
45	815	8-167.3, 2-221.1, 8-541.6, 10-592.8, 4-636.9 10-646.4, 2-649.1, 10-658.3, 2-660.5, 10-664.5 2-1089, 6-1099.3, 2-1300	26.2
50	815	8-158.7, 2-204.8, 8-542.7, 10-704, 2-1103.1 2-1300	26.2
55	815	8-149.3, 2-191.7, 8-523.5, 10-606.3, 4-617.5 10-702.2, 2-833, 1-896.5, 2-1181.4, 2-1300	26.2
60	815	8-140.4, 2-180.9, 8-395.7, 15-459.6, 8-504.8 10-578.2, 4-618, 10-624.6, 4-644.5, 10-706.5 1-920.9, 4-992.4, 2-1300	26.2
65	815	8-132.2, 2-182.7, 8-388.2, 15-454.4, 8-491.1 10-529.1, 6-613.4, 4-718.7, 6-797.2, 1-945.2 4-1030.3, 10-1130.5, 4-1216.6, 10-1266.8, 6-1300	26.2
70	815	8-124.1, 2-199.3, 8-384.6, 15-445.8, 8-470.3 10-514, 6-614.1, 4-669.1, 10-673.5, 6-831.7 4-923.2, 10-1003.7, 4-1209.6, 2-1282.1, 0.5-1300	26.2
75	815	8-116.5, 2-227.6, 8-385.6, 15-442.9, 20-549.8 6-558.9, 4-626.2, 20-663.3, 15-715.1, 8-884	26.2

\* Ground Conductivity taken from field strength measurements filed in the pending WONX Application for Construction Permit, BP-20070404ABB. The pertinent pages of these measurements are attached as Appendices to this Exhibit.



Exhibit 14 - Table III-D - Amended

(Page 2 of 4)

**DAYTIME ALLOCATION STUDY DATA**

WONX(AM)(App) Evanston, Illinois

Facility ID 35447

1590 kHz 7 kW-D 2.5 kW-N DAN-U

prepared for

**Great Lakes Radio – Chicago, LLC**

WBGX(AM) Harvey, Illinois

Facility ID 40147

1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contour
			5 mV/m (km)
80	815	8-108.3, 2-243.4, 4-284.8, 8-392.4, 15-406.2 20-560.9, 4-616.6, 10-719.3, 8-834.1, 4-1095.2 2-1126.7, 4-1203.6, 2-1215.3, 1-1300	26.2
85	815	8-102, 2-216.9, 4-294, 8-379.1, 20-463.2 10-481.9, 20-483.8, 10-581.6, 8-651.1, 4-665.6 8-689.1, 4-1190.7, 1-1237.1, 2-1300	26.2
90	815	8-97.5, 2-202.3, 4-278.4, 8-381, 10-477.4 8-656.5, 4-661.3, 2-725.7, 4-1060.1, 2-1121.1 4-1162.1, 1-1197.9, 5000-1263.7, 0.5-1271.1, 5000-1279.4 0.5-1300.3	26.2
95	815	8-94.1, 2-192.4, 4-252.9, 8-363.2, 15-374.6 8-650, 2-998.7, 4-1162.9, 5000-1300	26.2
100	815	8-89.8, 2-185.5, 8-345.9, 15-416.3, 8-623.4 4-724.2, 2-793.8, 4-855, 2-924.2, 4-1054.8 5000-1058.2, 4-1151.4, 5000-1300	26.2
105	815	8-85.1, 2-181.8, 8-351.4, 15-420, 8-589.6 4-843.1, 2-975.2, 4-987.8, 40-988, 4-992.8 40-995.9, 4-1000.7, 40-1028.9, 4-1132.6, 2-1133.1 5000-1300	26.2
110	815	8-80.6, 2-127.3, 8-357.3, 15-432.2, 8-564.7 4-653.6, 2-698.7, 4-812.4, 2-960.5, 4-965.2 5000-968.6, 4-1051.1, 5000-1101.9, 2-1110.6, 5000-1119.8 2-1139.9, 5000-1300	26.2
115	815	8-341.3, 15-429.3, 8-543.1, 4-596.1, 2-685.1 4-723, 2-1068.8, 5000-1076.4, 2-1099.5, 5000-1300	26.2
120	815	8-232.5, 15-397.7, 8-522.5, 2-1129.5, 4-1174.5 5000-1207.3, 4-1212.8, 5000-1219, 4-1247.9, 5000-1300	26.2
125	815	8-225.4, 15-352.3, 8-494.9, 2-896.9, 4-962.3 2-1155.5, 4-1221.7, 5000-1223.7, 4-1234.1, 5000-1246.3 4-1252.4, 5000-1257.1, 4-1266, 5000-1300	26.2
130	815	8-221.5, 15-313.2, 8-480.9, 2-913.8, 4-1223.7 5000-1300	26.2
135	815	8-220.1, 15-290.5, 8-503, 2-741, 4-793.7 2-934.6, 4-1017.6, 2-1125.8, 4-1216.2, 5000-1300	26.2

\* Ground Conductivity taken from field strength measurements filed in the pending WONX Application for Construction Permit, BP-20070404ABB. The pertinent pages of these measurements are attached as Appendices to this Exhibit.

Exhibit 14 - Table III-D - Amended

(Page 3 of 4)

**DAYTIME ALLOCATION STUDY DATA**

WONX(AM)(App) Evanston, Illinois

Facility ID 35447

1590 kHz 7 kW-D 2.5 kW-N DAN-U

prepared for

**Great Lakes Radio – Chicago, LLC**

WBGX(AM) Harvey, Illinois

Facility ID 40147

1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contour
			5 mV/m (km)
140	815	8-220.7, 15-274.3, 8-548, 2-718.8, 4-786.2 2-960.5, 4-1022.8, 2-1102.7, 4-1234, 5000-1300	26.2
145	815	8-223, 15-263.4, 8-597.7, 2-700.3, 4-784.1 2-966.9, 4-1035.9, 2-1085.5, 4-1245.9, 5000-1300	26.2
150	815	4*-8.9, 2*-29.7, 8-227.4, 15-254.2, 8-498.5 4-561.7, 8-603, 2-938.4, 4-1059.7, 2-1123.1 4-1247.4, 8-1260, 5000-1300	12.8
155	815	4*-8.9, 2*-29.7, 8-468.3, 4-608, 2-943.3 4-1300	12.8
160	815	4*-8.9, 2*-29.7, 8-425, 4-710.6, 2-796 4-856.2, 2-938.2, 1-1009.5, 4-1238.7, 2-1300	12.8
165	815	5*-2.7, 6*-8.2, 3*-25.1, 8-36.7, 15-43.5 8-433.8, 4-735.8, 2-824.4, 4-891.7, 2-1048.3	15.3
170	815	5*-2.7, 6*-8.2, 3*-25.1, 8-33.9, 15-46.9 8-493.6, 4-777.8, 2-891, 4-947, 2-1031.1	15.3
175	815	5*-2.7, 6*-8.2, 3*-25.1, 8-32.4, 15-51.3 8-550.1, 4-839.7, 2-927.1, 4-1081.2, 8-1211	15.3
180	815	5*-2.7, 6*-8.2, 3*-25.1, 8-32, 15-58 8-587.6, 4-900.6, 2-1179.2, 8-1192, 1-1302.4	15.3
185	815	6*-8.9, 4*-25.2, 8-31.8, 15-69.2, 8-593.4 4-862.7, 2-1292, 5000-1294.2, 2-1296.6, 5000-1300	17.8
190	815	6*-8.9, 4*-25.2, 8-31.9, 15-102.3, 8-549.3 4-770.2, 8-1021, 2-1024.2, 8-1060.2, 2-1075.3	17.8
195	815	6*-8.9, 4*-25.2, 8-32.7, 15-169.7, 8-1300	17.8
200	815	6*-8.9, 4*-25.2, 8-33.9, 15-394.4, 8-1224.7	17.8
205	815	8-35.5, 15-488.3, 8-873.8, 4-1160.5, 15-1261.7	26.2
210	815	8-38.1, 15-489.3, 8-871.8, 4-1123.1, 8-1285.5	26.2
215	815	8-44.7, 15-471.7, 8-885.9, 4-918.5, 15-928.4	26.2
220	815	8-144.1, 15-362.1, 8-931.5, 15-1147.1, 30-1300	26.2
225	815	8-958.6, 15-1225.1, 30-1274.9, 15-1300	26.2
230	815	8-529.4, 15-556.9, 8-691, 15-983.6, 8-1066.6 15-1113.3, 30-1300	26.2
235	815	8-319.6, 15-837.7, 30-1162, 15-1300	26.2
240	815	8-313.5, 15-789.8, 30-1163.5, 15-1300	26.2
245	815	8-318.1, 15-747.2, 30-1300	26.2

\* Ground Conductivity taken from field strength measurements filed in the pending WONX Application for Construction Permit, BP-20070404ABB. The pertinent pages of these measurements are attached as Appendices to this Exhibit.

Exhibit 14 - Table III-D - Amended

(Page 4 of 4)

**DAYTIME ALLOCATION STUDY DATA**

WONX(AM)(App) Evanston, Illinois

Facility ID 35447

1590 kHz 7 kW-D 2.5 kW-N DAN-U

prepared for

**Great Lakes Radio – Chicago, LLC**

WBGX(AM) Harvey, Illinois

Facility ID 40147

1570 kHz 1.1 kW-D 0.5 kW-N DA2-U

Azimuth (deg)	Field at 1 km (mV/m)	Ground Conductivity Data Region Conductivity Data in mS/m followed by distance in km to end of region. * - Indicates Measurement Data	Distance To Contour
			5 mV/m (km)
250	815	8-334, 15-694.1, 30-1250, 15-1300	26.2
255	815	8-358.9, 15-642.7, 30-716.4, 15-939.1, 30-1158.6	26.2
260	815	8-363.8, 15-611.8, 30-684.9, 15-928, 30-1131.5	26.2
265	815	8-358.9, 15-727.8, 30-869.7, 15-902.5, 30-1107.9	26.2
270	815	8-350.3, 15-890.2, 30-1063.5, 4-1149.6, 15-1179.1	26.2
275	815	8-353.5, 15-871.4, 8-889.6, 4-1247.2, 8-1300	26.2
280	815	8-400.9, 15-734.6, 30-783.1, 15-791.9, 30-872.6	26.2
		15-963.6, 8-1074.9, 4-1204, 8-1235.2, 15-1300	
285	815	8-243.6, 4-307.4, 8-410.5, 15-534.2, 30-654.4	26.2
		15-749.9, 30-967.1, 15-1136.5, 8-1218.8, 15-1284.5	
290	815	8-229.8, 4-335.5, 8-421.3, 15-533.3, 30-686.1	26.2
		15-849.1, 30-1071.2, 15-1177.3, 8-1270.9, 15-1300	
295	815	8-223.9, 4-350.9, 8-437.6, 15-567.6, 8-659.9	26.2
		30-673.7, 15-898.9, 30-1083.3, 15-1120.5, 8-1300	
300	815	8-221.7, 4-366.6, 8-457, 15-585.3, 4-589.4	26.2
		8-687.1, 15-937.6, 30-1201.1, 8-1300	
305	815	8-223.9, 4-386.8, 8-491.3, 4-517.3, 15-535.5	26.2
		4-790.6, 30-913.7, 15-915.3, 30-1300	
310	815	8-227.2, 4-413.3, 8-466.8, 4-865.2, 30-1347.3	26.2
315	815	8-32.4, 15-48.9, 8-229.7, 4-908.7, 15-1029.8	26.2
320	815	8-29.1, 15-55.8, 8-234, 4-585.2, 8-716.6	26.2
		4-864.9, 8-981.8, 30-1049.8, 15-1063.3, 40-1300	
325	815	8-27.1, 15-62, 8-240.3, 4-573.9, 8-978.8	26.2
330	815	8-26.6, 15-70.1, 8-249.5, 4-571.8, 8-853	26.2
		20-921.6, 2-1206.4, 10-1235.7, 20-1237.4, 10-1256.2	
335	815	8-26.2, 15-80.5, 8-269.5, 4-567.3, 8-786.5	26.2
340	815	8-29.5, 15-95.4, 8-293, 4-548.5, 8-732.9	26.2
345	815	8-37, 15-118.9, 8-192.2, 15-235.9, 8-315.5	26.2
		4-553.2, 8-702.1, 2-966.5, 2-1300	
350	815	8-44.2, 15-261, 8-339, 4-560.7, 8-694.6	26.2
355	815	8-72.8, 15-86.7, 8-150.1, 15-269.2, 8-368.2	26.2
		4-543.4, 8-564.6, 4-596.9, 8-720.4, 2-721.3	
		8-735.9, 2-902.3, 2-1278.6, 2-1300	

\* Ground Conductivity taken from field strength measurements filed in the pending WONX Application for Construction Permit, BP-20070404ABB. The pertinent pages of these measurements are attached as Appendices to this Exhibit.