

***** 1270 KHZ *****											
KM	(MI)	DEGREES	LATITUDE/LONGITUDE	TY	SH	CL	KW	ANTENNA	CALL	CO	ST CITY
*** NO STATIONS FOUND WITHIN ***											
MAXIMUM SEARCH DISTANCE				141 KILOMETERS							
***** 1280 KHZ *****											
KM	(MI)	DEGREES	LATITUDE/LONGITUDE	TY	SH	CL	KW	ANTENNA	CALL	CO	ST CITY
133.54	( 82.98)	118.4	29:53:43/ 90: 0:16	LI	U	B	5.00	DA1-	701.7	W0DT	US LA NEW ORLEANS
MAXIMUM SEARCH DISTANCE				279 KILOMETERS							
***** 1290 KHZ *****											
KM	(MI)	DEGREES	LATITUDE/LONGITUDE	TY	SH	CL	KW	ANTENNA	CALL	CO	ST CITY
126.82	( 78.81)	54.6	31: 7:50/ 90: 8:13	LI	D	D	1.00	ND0-	305.8	WTYL	US MS TYLERTOWN
141.33	( 87.82)	258.4	30:12:38/ 92:39:55	LI	D	B	1.00	ND1-	315.4	KJEF	US LA JENNINGS
323.69	( 201.13)	48.9	32:21:42/ 88:37:26	LI	D		2.50	ND1-	482.2	WNBN	US MS MERIDIAN
333.86	( 207.45)	335.9	33:12:30/ 92:41:16	LI	D		2.50	ND2-	539.5	KDMS	US AR EL DORADO
413.64	( 257.03)	284.0	31:18:20/ 95:27: 6	LI	D	B	2.50	ND1-	538.9	KIVY	US TX CROCKETT
441.23	( 274.16)	15.0	34:18:13/ 89:58:59	LI	D	D	0.73	ND1-	308.9	WJBI	US MS BATESVILLE
484.65	( 301.15)	77.9	31:17:27/ 86:13:51	LI	D	B	2.50	DA2-	562.3	WOPP	US AL OPP
522.88	( 324.90)	92.2	30:10:44/ 85:46:55	LI	D	D	0.27	ND2-	204.7	WPCF	US FL PANAMA CITY BEACH
559.67	( 347.76)	56.0	33:11:44/ 86:14: 2	LI	D		1.00	ND2-	310.6	WYEA	US AL SYLACAUGA
MAXIMUM SEARCH DISTANCE				575 KILOMETERS							
***** 1300 KHZ *****											
KM	(MI)	DEGREES	LATITUDE/LONGITUDE	TY	SH	CL	KW	ANTENNA	CALL	CO	ST CITY
0.27	( 0.17)	276.6	30:28:25/ 91:13:34	LI	D	B	5.00	DA2-	724.2	WIBR	US LA BATON ROUGE
235.17	( 146.13)	25.0	32:23:12/ 90: 9:47	LI	D	B	5.00	ND1-	784.5	W0AD	US MS JACKSON
287.76	( 178.81)	265.4	30:13:56/ 94:12:41	LI	D		2.00	DA2-	454.4	KLLS	US TX LUMBERTON
334.68	( 207.96)	313.7	32:31:48/ 93:48:16	LI	D	D	5.00	ND1-	683.7	KSYB	US LA SHREVEPORT
533.71	( 331.63)	355.1	35:15:27/ 91:43:49	LI	D	D	5.00	ND0-	684.3	KSMO	US AR SEARCY
553.43	( 343.89)	64.5	32:30:39/ 85:53:33	LI	D		1.20	ND1-	337.7	WTLS	US AL TALLASSEE
622.13	( 386.58)	270.6	30:22:30/ 97:42:58	LI	D		5.00	DA2-	700.1	KVET	US TX AUSTIN
631.77	( 392.56)	47.5	34:12:50/ 86: 9:10	LI	D	D	1.00	ND1-	307.4	WBSA	US AL BOAZ
687.27	( 427.05)	60.4	33:22:31/ 84:47: 8	LI	D	D	1.00	ND1-	293.0	WNEA	US GA NEWNAN
717.45	( 445.81)	81.9	31:10:12/ 83:44:50	LI	D	D	5.00	ND2-	694.5	WMTM	US GA MOULTRIE
749.36	( 465.63)	326.2	35:59:40/ 95:51:27	LI	D		5.00	DA2-	733.1	KAKC	US OK TULSA
753.19	( 468.01)	31.1	36:12:30/ 86:53:38	LI	D		50.00	DAN-	2196.3	WNQM	US TN NASHVILLE
802.28	( 498.51)	59.5	33:55:40/ 83:43:37	LI	D		0.65	ND2-	236.4	WJBB	US GA WINDER
MAXIMUM SEARCH DISTANCE				838 KILOMETERS							
***** 1310 KHZ *****											
KM	(MI)	DEGREES	LATITUDE/LONGITUDE	TY	SH	CL	KW	ANTENNA	CALL	CO	ST CITY
208.54	( 129.58)	262.9	30:13:27/ 93:22:44	LI	D	D	0.50	DA2-	201.2	KEZM	US LA SULPHUR
240.14	( 149.22)	338.7	32:29: 2/ 92: 9:10								

			***** 1320 KHZ *****							
KM	(MI)	DEGREES	LATITUDE/LONGITUDE	TY SH CL	KW	ANTENNA	CALL	CO	ST CITY	
151.23	( 93.97)	87.7	30:31: 6/ 89:38:41	LI D D	5.00	ND1- 694.5	WRJW	US	MS PICAYUNE	
MAXIMUM SEARCH DISTANCE 266					KILOMETERS					
			***** 1330 KHZ *****							
KM	(MI)	DEGREES	LATITUDE/LONGITUDE	TY SH CL	KW	ANTENNA	CALL	CO	ST CITY	
84.13	( 52.28)	252.4	30:14:29/ 92: 3:31	LI D B	5.00	DAN- 719.7	KVOL	US	LA LAFAYETTE	
MAXIMUM SEARCH DISTANCE 131					KILOMETERS					
			***** 650 KHZ *****							
KM	(MI)	DEGREES	LATITUDE/LONGITUDE	TY SH CL	KW	ANTENNA	CALL	CO	ST CITY	
738.95	( 459.16)	32.7	35:59:50/ 86:47:32	LI U A	50.00	ND1-2799.4	WSM	US	TN NASHVILLE	
5404.70	(3358.33)	326.7	61: 9:58/149:49:34	LI U A	50.00	ND1-2179.2	KENI	US	AK ANCHORAGE	
MAXIMUM SEARCH DISTANCE 50					KILOMETERS					
									CLASS A	
									CLASS A	

**WIBR - BATON ROUGE, LA**

Freq: 1300 kHz - Class: B

Latitude: 30-28-24 N / Longitude: 091-13-34 W

Power: 2 kW - RMS: 455.488 mV/m @1km

# Towers: 2 - Proposed - Solid Lines

**WIBR - BATON ROUGE, LA**

Freq: 1300 kHz - Class: B

Latitude: 30-28-25 N / Longitude: 091-13-34 W

Power: 5 kW - RMS: 724.2 mV/m @1km

# Towers: 3 - # Augs: 1 - License - Dashed Lines

**KLLS - LUMBERTON, TX**

Freq: 1300 kHz - Class: B

Latitude: 30-13-56 N / Longitude: 094-12-41 W

Power: 2 kW - RMS: 454.39 mV/m @1km

# Towers: 3

**WOAD - JACKSON, MS**

Freq: 1300 kHz - Class: B

Latitude: 32-23-12 N / Longitude: 090-09-47 W

Power: 5 kW - RMS: 350.84 mV/m @1km

# Towers: 1

**DAYTIME CO-CHANNEL ALLOCATION CLEARANCE****GRAHAM BROCK, INC.**

BROADCAST TECHNICAL CONSULTANTS

**Interference FROM WOAD reduced**

Present : 4,344 sq. km.

Proposed : 4,230 sq. km.

Interference FROM KLLS eliminated  
Interference TO KLLS reduced

**EXHIBIT 2B**  
**MINOR CHANGE APPLICATION**  
**RADIO LICENSE HOLDING CBC, LLC**  
**WIBR AM RADIO STATION**  
has: 1300 kHz - 1.0/5.0 kW - DA2  
req: 1300 kHz - 0.5/2.0 kW - DA2  
**BATON ROUGE, LOUISIANA**  
**August 2016**

— 0.5 mV/m  
— 0.025 mV/m

Scale 1:5,000,000

0 70 140 210 km

MAP : FCC M-3

V-Soft Communications LLC ©



**WIBR - BATON ROUGE, LA**

Freq: 1300 kHz - Class: B  
Latitude: 30-28-24 N / Longitude: 091-13-34 W  
Power: 2 kW - RMS: 455.488 mV/m @1km  
# Towers: 2 - Proposed - Solid Lines

**WIBR - BATON ROUGE, LA**

Freq: 1300 kHz - Class: B  
Latitude: 30-28-25 N / Longitude: 091-13-34 W  
Power: 5 kW - RMS: 724.2 mV/m @1km  
# Towers: 3 - # Augs: 1 - License - Dashed Lines


**KJEF - JENNINGS, LA**

Freq: 1290 kHz - Class: B  
Latitude: 30-12-38 N / Longitude: 092-39-55 W  
Power: 1 kW - RMS: 315.43 mV/m @1km  
# Towers: 1

**DAYTIME 1st ADJACENT-CHANNEL  
ALLOCATION CLEARANCE**

**GRAHAM BROCK, INC.**

BROADCAST TECHNICAL CONSULTANTS



**MINOR CHANGE APPLICATION**  
**RADIO LICENSE HOLDING CBC, LLC**

**WIBR AM RADIO STATION**  
**has: 1300 kHz - 1.0/5.0 kW - DA2**

**req: 1300 kHz - 0.5/2.0 kW - DA2**

**BATON ROUGE, LOUISIANA**

**August 2016**

**EXHIBIT #2D**

**WIBR Proposed Allocation Contours**

North Latitude: 30° 28' 24"

West Longitude: 91° 13' 34"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :				
		Contour levels in mV/m.				
		25.000	5.000	.500	.250	.025
0.0	234.28	6.21	17.48	51.06	67.98	168.58
5.0	210.34	5.73	16.46	48.82	65.03	162.14
10.0	182.58	5.14	15.19	46.01	61.35	153.96
15.0	151.53	4.44	13.62	42.52	56.81	143.62
20.0	118.24	3.64	11.70	38.22	51.26	130.64
25.0	85.39	2.77	9.48	33.11	44.73	115.00
30.0	61.52	2.08	7.56	28.49	38.88	100.86
35.0	65.46	2.20	7.90	29.33	39.94	103.41
40.0	97.44	3.09	10.34	35.11	47.28	111.23
45.0	141.20	4.20	13.05	41.26	54.57	119.63
50.0	189.49	5.29	15.52	44.82	56.10	129.10
55.0	239.65	6.31	17.70	45.90	58.43	138.13
60.0	290.27	7.26	19.62	47.66	61.31	146.67
65.0	340.38	8.12	21.32	49.42	64.08	154.27
70.0	389.20	8.90	22.82	51.14	66.69	160.99
75.0	436.05	9.61	23.44	52.76	69.11	166.92
80.0	480.38	10.24	23.72	54.28	71.33	170.91
85.0	521.75	10.81	24.02	55.67	73.34	173.76
90.0	559.81	11.30	24.31	56.94	75.15	176.44
95.0	594.34	11.74	24.61	58.09	77.27	203.76
100.0	625.22	12.11	24.97	59.86	91.84	334.96
105.0	652.44	12.44	25.48	68.61	128.02	478.75
110.0	676.08	12.71	25.99	74.44	139.91	497.24
115.0	696.28	12.94	26.51	78.88	131.19	433.50
120.0	713.25	13.13	27.06	82.77	116.12	415.82
125.0	727.23	13.29	27.67	85.88	119.42	315.19
130.0	738.48	13.41	28.70	89.39	123.09	392.42
135.0	747.25	13.50	30.49	94.14	127.96	511.87
140.0	753.77	13.57	31.29	100.28	134.19	482.15
145.0	758.25	13.62	31.38	100.29	134.25	454.92
150.0	760.84	13.65	31.43	100.05	134.04	518.45
155.0	761.62	13.66	31.44	99.53	133.53	524.34
160.0	760.63	13.65	31.42	98.74	132.73	500.19
165.0	757.82	13.62	31.37	98.08	132.04	520.28
170.0	753.10	13.57	31.28	97.34	133.95	549.99
175.0	746.32	13.49	31.15	96.48	130.28	545.37

Ground Conductivity : FCC M-3

**MINOR CHANGE APPLICATION**  
**RADIO LICENSE HOLDING CBC, LLC**  
**WIBR AM RADIO STATION**  
**has: 1300 kHz - 1.0/5.0 kW - DA2**  
**req: 1300 kHz - 0.5/2.0 kW - DA2**  
**BATON ROUGE, LOUISIANA**  
**August 2016**

**EXHIBIT #2D (continued)**

**WIBR Proposed Allocation Contours**

North Latitude: 30° 28' 24"

West Longitude: 91° 13' 34"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :				
		Contour levels in mV/m.				
		25.000	5.000	.500	.250	.025
180.0	737.26	13.40	30.98	96.11	158.95	574.58
185.0	725.70	13.27	30.75	95.43	174.53	589.92
190.0	711.38	13.11	30.47	94.43	180.71	595.92
195.0	694.03	12.91	30.13	93.08	165.93	580.90
200.0	673.43	12.68	29.72	91.34	182.19	596.85
205.0	649.37	12.40	29.22	89.18	201.06	615.33
210.0	621.71	12.07	28.63	86.53	178.31	592.08
215.0	590.39	11.69	27.95	83.36	137.19	550.40
220.0	555.42	11.25	27.15	79.61	134.70	547.07
225.0	516.95	10.74	26.23	75.19	105.62	456.62
230.0	475.21	10.17	25.19	70.00	99.32	397.58
235.0	430.55	9.53	24.00	65.66	92.33	359.24
240.0	383.43	8.82	22.65	62.60	83.71	316.23
245.0	334.43	8.02	21.13	59.17	78.68	258.91
250.0	284.21	7.15	19.40	55.32	73.60	199.41
255.0	233.58	6.19	17.45	51.00	67.90	180.28
260.0	183.56	5.16	15.24	46.11	61.49	155.87
265.0	135.64	4.06	12.73	40.55	54.27	148.05
270.0	92.75	2.97	10.01	34.36	46.31	127.07
275.0	63.15	2.13	7.70	28.84	39.33	104.66
280.0	63.32	2.14	7.72	28.88	39.37	102.65
285.0	89.12	2.87	9.75	33.75	45.54	118.30
290.0	122.29	3.74	11.95	38.78	51.98	133.60
295.0	155.40	4.53	13.82	42.98	57.41	145.79
300.0	186.10	5.22	15.36	46.38	61.84	155.06
305.0	213.42	5.79	16.60	49.12	65.43	163.00
310.0	236.89	6.26	17.59	51.30	68.29	166.30
315.0	256.25	6.63	18.35	53.00	70.53	167.26
320.0	271.35	6.91	18.93	54.27	72.21	170.13
325.0	282.10	7.11	19.33	55.15	73.37	173.95
330.0	288.46	7.23	19.56	55.66	74.05	180.09
335.0	290.41	7.26	19.63	55.82	74.25	181.81
340.0	287.93	7.22	19.54	55.62	73.99	181.27
345.0	281.04	7.09	19.29	55.07	73.26	179.77
350.0	269.76	6.88	18.87	54.14	72.04	177.23
355.0	254.15	6.59	18.27	52.82	70.30	173.52

Ground Conductivity : FCC M-3

**MINOR CHANGE APPLICATION**  
**RADIO LICENSE HOLDING CBC, LLC**  
**WIBR AM RADIO STATION**  
**has: 1300 kHz - 1.0/5.0 kW - DA2**  
**req: 1300 kHz - 0.5/2.0 kW - DA2**  
**BATON ROUGE, LOUISIANA**  
**August 2016**

**EXHIBIT #2E**

**WIBR - Licensed Allocation Contours**

North Latitude: 30° 28' 25"  
West Longitude: 91° 13' 34"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :				
		Contour levels in mV/m.				
		25.000	5.000	.500	.250	.025
0.0	180.93	5.10	15.11	45.83	61.13	153.45
5.0	172.18	4.91	14.68	44.88	59.89	150.64
10.0	163.59	4.72	14.25	43.92	58.64	147.80
15.0	155.70	4.54	13.84	43.01	57.45	145.10
20.0	149.14	4.39	13.49	42.23	56.44	142.76
25.0	145.07	4.29	13.27	41.74	55.80	141.26
30.0	145.57	4.30	13.29	41.80	55.88	141.45
35.0	153.79	4.49	13.74	42.79	57.16	142.73
40.0	173.09	4.93	14.73	44.98	60.02	135.05
45.0	205.52	5.63	16.25	48.35	61.37	136.65
50.0	251.24	6.54	18.16	49.00	61.80	142.88
55.0	309.02	7.59	20.28	50.06	64.10	151.34
60.0	376.96	8.71	22.46	52.32	67.66	160.96
65.0	452.85	9.85	24.60	54.92	71.54	170.53
70.0	534.07	10.97	25.68	57.65	75.50	179.64
75.0	618.24	12.03	26.33	60.38	79.36	185.98
80.0	703.02	13.02	27.00	63.01	83.03	191.31
85.0	786.17	13.92	27.68	65.49	86.44	196.27
90.0	865.68	14.73	28.34	67.76	89.54	200.85
95.0	939.87	15.45	28.95	69.82	101.98	287.79
100.0	1007.45	16.07	29.60	81.06	137.81	422.96
105.0	1067.59	16.60	30.35	93.28	162.86	569.92
110.0	1119.86	17.05	31.07	130.24	185.81	590.75
115.0	1164.25	17.42	31.76	122.03	160.55	529.39
120.0	1201.05	17.72	32.44	107.13	146.00	513.05
125.0	1230.81	17.96	33.14	110.65	149.78	413.74
130.0	1254.21	18.14	34.24	114.44	153.76	490.84
135.0	1272.01	18.28	36.09	119.39	189.23	611.14
140.0	1284.92	18.38	41.01	125.71	165.27	582.00
145.0	1293.60	18.45	40.92	125.81	165.44	554.86
150.0	1298.52	18.49	40.62	125.61	196.26	618.44
155.0	1299.99	18.50	40.09	125.11	202.13	624.31
160.0	1298.11	18.48	39.80	124.30	177.98	600.15
165.0	1292.76	18.44	39.73	123.59	197.98	620.12
170.0	1283.61	18.37	39.60	122.76	227.68	649.77
175.0	1270.14	18.27	39.43	121.74	222.93	644.81

Ground Conductivity : FCC M-3

**MINOR CHANGE APPLICATION -**  
**RADIO LICENSE HOLDING CBC, LLC**

**WIBR AM RADIO STATION**

**has: 1300 kHz - 1.0/5.0 kW - DA2**

**req: 1300 kHz - 0.5/2.0 kW - DA2**

**BATON ROUGE, LOUISIANA**

**August 2016**

**EXHIBIT #2E (continued)**

**WIBR - Licensed Allocation Contours**

North Latitude: 30° 28' 25"

West Longitude: 91° 13' 34"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :				
		Contour levels in mV/m.				
		25.000	5.000	.500	.250	.025
180.0	1251.72	18.12	39.18	130.33	251.89	673.47
185.0	1227.59	17.93	38.85	145.34	266.70	688.01
190.0	1197.02	17.69	38.42	150.81	271.82	692.88
195.0	1159.33	17.38	37.89	134.78	255.62	676.32
200.0	1114.01	17.00	37.24	149.35	270.01	690.25
205.0	1060.78	16.54	36.45	166.10	286.53	706.17
210.0	999.72	16.00	35.51	140.79	260.90	679.77
215.0	931.30	15.37	34.42	103.23	216.15	634.32
220.0	856.40	14.64	33.15	107.29	209.42	627.27
225.0	776.35	13.81	31.72	92.02	136.23	531.77
230.0	692.89	12.90	30.11	85.11	118.17	467.20
235.0	608.06	11.91	28.33	77.27	108.97	422.81
240.0	524.12	10.84	26.41	71.19	98.15	373.57
245.0	443.41	9.72	24.35	66.46	88.31	310.69
250.0	368.35	8.58	22.20	61.57	81.86	223.69
255.0	301.51	7.46	20.02	56.69	75.41	201.79
260.0	245.09	6.42	17.92	52.03	69.26	172.92
265.0	200.92	5.53	16.04	47.89	63.82	170.89
270.0	170.10	4.86	14.58	44.65	59.59	164.16
275.0	152.28	4.46	13.66	42.61	56.93	155.91
280.0	145.17	4.29	13.27	41.75	55.81	150.67
285.0	145.37	4.30	13.28	41.77	55.85	147.89
290.0	149.83	4.40	13.52	42.32	56.55	146.39
295.0	156.59	4.56	13.88	43.11	57.59	146.28
300.0	164.60	4.74	14.30	44.03	58.79	148.13
305.0	173.23	4.93	14.73	45.00	60.04	150.98
310.0	181.97	5.13	15.16	45.94	61.27	153.59
315.0	190.24	5.31	15.56	46.81	62.40	152.67
320.0	197.45	5.46	15.89	47.54	63.36	154.32
325.0	203.03	5.58	16.14	48.10	64.09	157.46
330.0	206.51	5.65	16.29	48.44	64.55	161.06
335.0	207.61	5.67	16.34	48.55	64.69	161.37
340.0	206.22	5.64	16.28	48.42	64.51	160.97
345.0	202.46	5.56	16.11	48.04	64.02	159.90
350.0	196.66	5.44	15.85	47.46	63.26	158.22
355.0	189.29	5.29	15.51	46.71	62.27	156.04

Ground Conductivity : FCC M-3



**MINOR CHANGE APPLICATION**  
**RADIO LICENSE HOLDING CBC, LLC**  
**WIBR AM RADIO STATION**  
**has: 1300 kHz - 1.0/5.0 kW - DA2**  
**req: 1300 kHz - 0.5/2.0 kW - DA2**  
**BATON ROUGE, LOUISIANA**  
**August 2016**

**EXHIBIT #2F**

**KLLS - Lumberton, Texas - 1300 kHz - 2 kW - DA**

North Latitude: 30° 13' 56"  
West Longitude: 94° 12' 41"

Azimuth	Radiation (mV/m at one km)	Dist to Contours - km:	
		Contour levels in mV/m. .500	.025
60.0	188.66	46.64	162.55
65.0	191.67	46.95	163.71
70.0	194.01	47.19	164.29
75.0	194.50	47.24	164.04
80.0	193.92	47.18	163.07
85.0	195.25	47.32	162.42
90.0	203.25	48.12	160.34
95.0	222.66	49.99	182.69
100.0	255.67	52.95	212.22
105.0	301.22	56.67	273.53
110.0	356.24	60.73	332.82
115.0	417.19	78.23	467.29
120.0	480.84	137.04	662.13
125.0	544.42	211.27	739.16
130.0	605.73	263.36	793.80
135.0	663.06	298.70	830.71
140.0	715.12	324.47	858.03
145.0	761.06	344.90	879.62
150.0	800.33	353.08	888.82
155.0	832.63	366.93	903.54
160.0	857.86	377.24	914.26

-----  
Ground Conductivity : FCC M-3

**MINOR CHANGE APPLICATION**  
**RADIO LICENSE HOLDING CBC, LLC**  
**WIBR AM RADIO STATION**  
**has: 1300 kHz - 1.0/5.0 kW - DA2**  
**req: 1300 kHz - 0.5/2.0 kW - DA2**  
**BATON ROUGE, LOUISIANA**  
**August 2016**

**EXHIBIT #2G**

**WOAD - Jackson, Mississippi - 1300 kHz - 5 kW - ND**

North Latitude: 32° 23' 12"  
West Longitude: 90° 09' 47"

Azimuth	Radiation (mV/m at one km)	Dist to Contours - km:	
		Contour levels in mV/m. .500	.025
150.0	784.50	60.79	192.36
155.0	784.50	60.83	194.32
160.0	784.50	60.89	196.40
165.0	784.50	60.97	198.04
170.0	784.50	61.07	198.15
175.0	784.50	61.21	198.29
180.0	784.50	61.38	198.46
185.0	784.50	61.61	198.69
190.0	784.50	62.03	199.11
195.0	784.50	78.80	225.95
200.0	784.50	83.99	241.34
205.0	784.50	83.99	250.26
210.0	784.50	83.99	250.26
215.0	784.50	83.99	250.26
220.0	784.50	83.99	250.26
225.0	784.50	83.99	250.26
230.0	784.50	83.99	250.26
235.0	784.50	83.99	250.26
240.0	784.50	83.99	249.63
245.0	784.50	83.99	244.28
250.0	784.50	83.99	243.48
255.0	784.50	83.99	242.87
260.0	784.50	83.99	242.37

-----  
Ground Conductivity : FCC M-3

**MINOR CHANGE APPLICATION**  
**RADIO LICENSE HOLDING CBC, LLC**  
**WIBR AM RADIO STATION**  
**has: 1300 kHz - 1.0/5.0 kW - DA2**  
**req: 1300 kHz - 0.5/2.0 kW - DA2**  
**BATON ROUGE, LOUISIANA**  
**August 2016**

**EXHIBIT #2H**

**KJEF - Jennings, Louisiana - 1290 kHz - 1 kW - ND**

North Latitude: 30° 12' 38"

West Longitude: 92° 39' 55"

Azimuth	Radiation (mV/m at one km)	Dist to Contours - km:	
		Contour levels in mV/m. .500	.250
40.0	315.43	75.18	94.24
45.0	315.43	74.63	93.69
50.0	315.43	73.88	92.94
55.0	315.43	72.48	91.54
60.0	315.43	68.93	87.99
65.0	315.43	61.08	80.14
70.0	315.43	57.76	76.82
75.0	315.43	57.76	76.82
80.0	315.43	57.76	76.82
85.0	315.43	57.76	76.82
90.0	315.43	57.76	76.82
95.0	315.43	57.76	76.82
100.0	315.43	57.76	79.84
105.0	315.43	59.83	85.52
110.0	315.43	63.91	89.60
115.0	315.43	66.88	92.57
120.0	315.43	69.10	99.93
125.0	315.43	70.75	129.42
130.0	315.43	71.87	162.15
135.0	315.43	74.42	182.48
140.0	315.43	73.42	132.17
145.0	315.43	82.44	180.21
150.0	315.43	151.10	261.82
155.0	315.43	186.04	296.76
160.0	315.43	201.65	312.37
165.0	315.43	212.13	322.85
170.0	315.43	219.63	330.35

-----  
Ground Conductivity : FCC M-3