

**EXHIBIT 6 and 7**  
**APPLICATION FOR CONSTRUCTION PERMIT**

FCC File No. BNPTTL-20000807AGP  
Facility ID. No. 125461  
Ponce, PR  
Channel No. 36+

This Technical Exhibit is attached to FCC Form 346 in support of this application's request for a construction permit for the Low Power Television Station referenced above. Applicant has been notified by the Commission that the previously filed amendment to this application has removed this application from the mutually exclusive pool and a complete Form 346 should now be filed.

The proposed station is designed as follows:

Frequency Offset:	PLUS OFFSET
Antenna radiation center height above ground level:	50 meters
Maximum effective radiated power:	1.0 KW
Antenna type and model #:	Directional Scala 4DR-8-2HW
Orientation:	210 degrees

A study has been conducted using the provisions of sections 74.705, 74.706, and 74.707 which indicates that the proposal will not create prohibited interference with other existing NTSC full power, DTV, or LPTV facilities other than the application for the NTSC full power stations WVEO, Channel 44, Aguadilla, PR, WNJX, Channel 22, Mayaguez, PR, WRUA, Channel 34, Fajardo, PR, WELU, Channel 32, Aguadilla, PR, and WJWN, Channel 38, San Sebastian, PR as well as DTV Facility WPIM, Channel 35, Mayaguez, PR. However, based upon the provisions of OET 69, the proposed station's operation complies with the FCC's interference criteria towards the aforementioned stations. Attached hereto is a table showing all stations that were given detailed analysis. This table demonstrates that no problematic interference, including with regard to the stations discussed above, will be caused by the operation of the proposed facility.

Full Service NTSC Facilities

An interference analysis was conducted using 74.705 criteria and OET 69 Bulletin standards with regard to the effect of the proposed station on the below listed facilities. As indicated in the table below, the operations of the proposed station will result in interference to 0 persons in the protected contours of the facilities listed below:

<b>Protected NTSC Full-Power</b>	<b>Proposed Interference Population</b>
WVEO, CHANNEL 44Z AGUADILLA, PR LICENSE FILE NO. BLCT-19950606KE	0 (0.0%)
WNJX, CHANNEL 22Z MAYAGUEZ, PR LICENSE FILE NO. BLCT-19990720LI	0 (0.0)
WNJX, CHANNEL 22Z MAYAGUEZ, PR CONSTRUCTION PERMIT FILE NO. BPCT-19990908AAA	0 (0.0)
WRUA, CHANNEL 34Z FAJARDO, PR LICENSE FILE NO. BLCT-19970216KE	0 (0.0)
WELU, CHANNEL 32 AGUADILLA, PR LICENSE FILE NO. BLET-19870112KG	0 (0.0)
WELU, CHANNEL 32 AGUADILLA, PR APPLICATION FILE NO. BPET-19960628KR	0 (0.0)
WJWN, CHANNEL 38 SAN SEBASTIAN, PR LICENSE BLCT-19860612KF	0 (0.0)

### DTV Facilities

An interference analysis was conducted using OET 69 Bulletin standards, as permitted by 73.703, with regard to the effect of the proposed station on the DTV Allotment and pending application for WPIM-DT, Channel 35. As indicated in the table below, the operations of the proposed station will result in interference to 0 persons in the protected contours for WPIM's DTV Allotment and pending Application.

<b>Protected DTV Station</b>	<b>Proposed Interference Population</b>
WPIM-DT, CH 35 MAYAGUEZ, PR APPLICATION FILE NO. BPEDT-20000426ABD	0 (0.0%)
WPIM-DT, CH 35 MAYAGUEZ, PR DTV ALLOTMENT	0 (0.0%)

## Environmental Considerations

The proposed LPTV Ponce CH 36 facilities were evaluated in terms of potential radiofrequency radiation (RFR) exposure at ground level at the base of the tower in accordance with OET Bulletin No. 65, "Evaluating Compliance With FCC-Specified Guidelines for Human Exposure to Radiofrequency Radiation." The calculated power density at the base of the tower was calculated using the appropriate equation on Page 13 of the Bulletin. Using a greater than expected vertical relative field value of 1.0, a maximum visual effective radiated power of 1.0 kilowatts and 10 percent aural power, the calculated power density at 2 meters above ground level at the base of the tower is 0.009 milliwatt per square centimeter (MW/CM<sup>2</sup>) , or 2.2 percent of the Commission's recommended limit applicable to general population/uncontrolled exposure areas (0.402 MW/CM<sup>2</sup> for TV channel 36). However, as this is a multi-user site, measurements will be made to substantiate compliance with the RF emission rules.

Access to the transmitting site will be restricted and appropriately marked with warning signs. Furthermore, as this is a multi-user site, an agreement will be in effect in the event that workers or other authorized personnel enter the restricted area or climb the tower to ensure that appropriate measures will be taken to assure worker safety with respect to radio frequency radiation exposure. Such measures include reducing the average exposure by spreading out the work over a longer period of time, wearing "accepted" RFR protective clothing and/or RFR exposure monitors or scheduling work when the stations are at reduced power or shut down.

In addition, it appears that the existing tower is otherwise excluded from environmental processing as it complies with all the criteria for such an exclusion in Section 1.1306.