

ENGINEERING EXHIBIT

Application for Construction Permit

prepared for

Multimedia Holdings Corporation

K61FB Globe-Miami, Arizona

Facility ID 35487

Ch. 48 3 kW

Table of Contents

FCC Form 346, Section III – Engineering Data (Digital)

Exhibit 11

Statement A	Allocation Considerations - Interference Analysis
Figure 1	Coverage Contour Comparison
Figure 2	Antenna Horizontal Plane Radiation Pattern
Figure 3	Antenna Vertical Plane (Elevation) Radiation Pattern
Table I	Interference Analysis Results Summary
Figure 4	International Considerations

Exhibit 12

Statement B	Environmental Considerations
-------------	------------------------------

This material supplies a "hard copy" of the engineering portions of this application as entered October 21, 2009 for filing electronically. Since the FCC's electronic filing system may be accessed by anyone with the applicant's name and password, and electronic data may otherwise be altered in an unauthorized fashion, we cannot be responsible for changes made subsequent to our entry of this data and related attachments.

SECTION III - ENGINEERING DATA (Digital)**TECHNICAL SPECIFICATIONS**

Ensure that the specifications below are accurate. Contradicting data found elsewhere in this application will be disregarded. All items must be completed. The response "on file" is not acceptable.

TECH BOX

1.	Channel Number: 48																																																																																																
2.	Translator Input Channel No. : 12																																																																																																
3.	Primary station proposed to be rebroadcast: <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <tr> <td style="width: 20%;">Facility Identifier</td> <td style="width: 20%;">Call Sign</td> <td style="width: 20%;">City</td> <td style="width: 20%;">State</td> <td style="width: 20%;">Channel</td> </tr> <tr> <td>35486</td> <td>KPNX</td> <td>MESA</td> <td>AZ</td> <td>12</td> </tr> </table>	Facility Identifier	Call Sign	City	State	Channel	35486	KPNX	MESA	AZ	12																																																																																						
Facility Identifier	Call Sign	City	State	Channel																																																																																													
35486	KPNX	MESA	AZ	12																																																																																													
4.	Antenna Location Coordinates: (NAD 27) Latitude: Degrees 33 Minutes 20 Seconds 31 <input checked="" type="radio"/> North <input type="radio"/> South Longitude: Degrees 110 Minutes 52 Seconds 14 <input checked="" type="radio"/> West <input type="radio"/> East																																																																																																
5.	Antenna Structure Registration Number: <input checked="" type="checkbox"/> Not Applicable [Exhibit 10] <input type="checkbox"/> Notification filed with FAA																																																																																																
6.	Antenna Location Site Elevation Above Mean Sea Level: 2001 meters																																																																																																
7.	Overall Tower Height Above Ground Level: 45.7 meters																																																																																																
8.	Height of Radiation Center Above Ground Level: 17 meters																																																																																																
9.	Maximum Effective Radiated Power (ERP): 3 kW																																																																																																
10.	Transmitter Output Power: 0.247 kW																																																																																																
11.	a. Transmitting Antenna: Before selecting Directional "Off-the-Shelf", refer to "Search for Antenna Information" under CDBS Public Access (http://fjallfoss.fcc.gov/prod/cdbforms/pubacc/prod/cdb_pa.htm). Make sure that the Standard Pattern is marked Yes and that the relative field values shown match your values. Enter the Manufacturer (Make) and Model exactly as displayed in the Antenna Search. <input type="radio"/> Nondirectional <input type="radio"/> Directional "Off-the-shelf" <input checked="" type="radio"/> Directional composite Manufacturer SCA Model 2X2 K723147 b. Electrical Beam Tilt: 0 degrees <input type="checkbox"/> Not Applicable																																																																																																
	c. Directional Antenna Relative Field Values: <input type="checkbox"/> N/A (Nondirectional or Directional "Off-the-shelf") Rotation (Degrees): 37 <input type="checkbox"/> No Rotation																																																																																																
	<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <tr> <th>Degrees</th><th>Value</th><th>Degrees</th><th>Value</th><th>Degrees</th><th>Value</th><th>Degrees</th><th>Value</th><th>Degrees</th><th>Value</th><th>Degrees</th><th>Value</th></tr> <tr> <td>0</td><td>0.957</td><td>10</td><td>0.861</td><td>20</td><td>0.701</td><td>30</td><td>0.748</td><td>40</td><td>0.936</td><td>50</td><td>0.991</td></tr> <tr> <td>60</td><td>0.91</td><td>70</td><td>0.77</td><td>80</td><td>0.615</td><td>90</td><td>0.466</td><td>100</td><td>0.346</td><td>110</td><td>0.265</td></tr> <tr> <td>120</td><td>0.22</td><td>130</td><td>0.161</td><td>140</td><td>0.096</td><td>150</td><td>0.056</td><td>160</td><td>0.027</td><td>170</td><td>0.105</td></tr> <tr> <td>180</td><td>0.133</td><td>190</td><td>0.105</td><td>200</td><td>0.027</td><td>210</td><td>0.056</td><td>220</td><td>0.096</td><td>230</td><td>0.161</td></tr> <tr> <td>240</td><td>0.22</td><td>250</td><td>0.265</td><td>260</td><td>0.346</td><td>270</td><td>0.466</td><td>280</td><td>0.615</td><td>290</td><td>0.77</td></tr> <tr> <td>300</td><td>0.909</td><td>310</td><td>0.991</td><td>320</td><td>0.936</td><td>330</td><td>0.747</td><td>340</td><td>0.701</td><td>350</td><td>0.861</td></tr> <tr> <td>Additional Azimuths</td><td></td><td>23</td><td>0.694</td><td>47</td><td>1</td><td>314</td><td>1</td><td>338</td><td>0.697</td><td></td><td></td></tr> </table>	Degrees	Value	Degrees	Value	Degrees	Value	Degrees	Value	Degrees	Value	Degrees	Value	0	0.957	10	0.861	20	0.701	30	0.748	40	0.936	50	0.991	60	0.91	70	0.77	80	0.615	90	0.466	100	0.346	110	0.265	120	0.22	130	0.161	140	0.096	150	0.056	160	0.027	170	0.105	180	0.133	190	0.105	200	0.027	210	0.056	220	0.096	230	0.161	240	0.22	250	0.265	260	0.346	270	0.466	280	0.615	290	0.77	300	0.909	310	0.991	320	0.936	330	0.747	340	0.701	350	0.861	Additional Azimuths		23	0.694	47	1	314	1	338	0.697		
Degrees	Value	Degrees	Value	Degrees	Value	Degrees	Value	Degrees	Value	Degrees	Value																																																																																						
0	0.957	10	0.861	20	0.701	30	0.748	40	0.936	50	0.991																																																																																						
60	0.91	70	0.77	80	0.615	90	0.466	100	0.346	110	0.265																																																																																						
120	0.22	130	0.161	140	0.096	150	0.056	160	0.027	170	0.105																																																																																						
180	0.133	190	0.105	200	0.027	210	0.056	220	0.096	230	0.161																																																																																						
240	0.22	250	0.265	260	0.346	270	0.466	280	0.615	290	0.77																																																																																						
300	0.909	310	0.991	320	0.936	330	0.747	340	0.701	350	0.861																																																																																						
Additional Azimuths		23	0.694	47	1	314	1	338	0.697																																																																																								

[Relative Field Polar Plot](#)

	NOTE: In addition to the information called for in this section, an explanatory exhibit providing full particulars must be submitted for each question for which a "No" response is provided.
12.	Out-of-channel Emission Mask: <input checked="" type="radio"/> Simple <input type="radio"/> Stringent
CERTIFICATION	

13.	Interference : The proposed facility complies with all of the following applicable rule sections. 47.C.F.R Sections 74.709, 74.793(e), 74.793(f), 74.793(g), 74.793(h), 74.794(b) and 73.1030.	<input checked="" type="radio"/> Yes <input type="radio"/> No See Explanation in [Exhibit 11]
14.	Environmental Protection Act. The proposed facility is excluded from environmental processing under 47. C.F.R. Section 1.1306 (i.e., The facility will not have a significant environmental impact and complies with the maximum permissible radiofrequency electromagnetic exposure limits for controlled and uncontrolled environments). Unless the applicant can determine RF compliance, an Exhibit is required. By checking "Yes" above, the applicant also certifies that it, in coordination with other users of the site, will reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic exposure in excess of FCC guidelines.	<input checked="" type="radio"/> Yes <input type="radio"/> No See Explanation in [Exhibit 12]
15.	Channels 52-59. If the proposed channel is within channels 52-59, the applicant certifies compliance with the following requirements, as applicable: <input type="checkbox"/> The applicant is applying for a digital companion channel for which no suitable channel from channel 2-51 is available. <input type="checkbox"/> Pursuant to Section 74.786(d), the applicant has notified, within 30 days of filing this application, all commercial wireless licenses of the spectrum comprising the proposed TV channel and the first adjacent channels thereto, for which the proposed digital LPTV or TV translator antenna site lies inside the licensed geographic boundaries of the wireless licensees or within 75 miles and 50 miles, respectively, of the geographic boundaries of co-channel and adjacent-channel wireless licensees.	
16.	Channels 60-69. If the proposed channel is within channels 60-69, the applicant certifies compliance with the following requirements, as applicable: <input type="checkbox"/> Pursuant to Section 74.786(e), the applicant has notified, within 30 days of filing this application , all commercial wireless licenses of the spectrum comprising the proposed TV channel and the first adjacent channels thereto, for which the proposed digital LPTV or TV translator antenna site lies inside the licensed geographic boundaries of the wireless licensees or within 75 miles and 50 miles, respectively, of the geographic boundaries of co-channel and adjacent-channel wireless licensees. <input type="checkbox"/> Pursuant to Section 74.786(e), the applicant proposing operation on channel 63, 64, 68 and 69 ("public safety channels") has secured a coordinated spectrum use agreements(s) with 700 MHz public safety regional planning committee(s) and state administrator(s) of the region(s) and state(s) within which the antenna site of the digital LPTV or TV translator station is proposed to locate, and those adjoining regions and states with boundaries within 75 miles of the proposed station location. <input type="checkbox"/> Pursuant to Section 74.786(e), the applicant for a channel adjacent to channel 63, 64, 68 or 69 has notified, within 30 days of filing this application, the 700 MHz public safety regional planning committee(s) and state administrator(s) of the region and state containing the proposed digital LPTV or TV translator antenna site and regions and states whose geographic boundaries lie within 50 miles of the proposed LPTV or TV translator antenna site.	
PREPARERS CERTIFICATION ON PAGE 3 MUST BE COMPLETED AND SIGNED.		

SECTION III PREPARER'S CERTIFICATION

I certify that I have prepared Section III (Engineering Data) on behalf of the applicant, and that after such preparation, I have examined and found it to be accurate and true to the best of my knowledge and belief.

Name ROBERT J. CLINTON	Relationship to Applicant (e.g., Consulting Engineer) CONSULTANT	
Signature	Date 10/21/2009	
Mailing Address CAVELL, MERTZ & ASSOCIATES, INC. 7839 ASHTON AVENUE		
City MANASSAS	State or Country (if foreign address) VA	Zip Code 20109 - 2883
Telephone Number (include area code) 7033929090	E-Mail Address (if available) BCLINTON@CAVELLMERTZ.COM	

WILLFUL FALSE STATEMENTS ON THIS FORM ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. CODE, TITLE 18, SECTION 1001), AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION PERMIT (U.S. CODE, TITLE 47, SECTION 312(a)(1)), AND/OR FORFEITURE (U.S. CODE, TITLE 47, SECTION 503).

Exhibits

Exhibit 10

Description: EXHIBIT 10 - STRUCTURE REGISTRATION

PLEASE SEE EXHIBIT 11 - STATEMENT A FOR ANTENNA SUPPORT STRUCTURE DISCUSSION.

Attachment 10

Exhibit 11

Description: EXHIBIT 11 - STATEMENT A

EXHIBIT 11 - STATEMENT A - PROPOSED ANTENNA, ALLOCATION CONSIDERATIONS

Attachment 11

Description
EXHIBIT 11 - STATEMENT A

Exhibit 12

Description: EXHIBIT 12 - STATEMENT B

EXHIBIT 12 - STATEMENT B - ENVIRONMENTAL CONSIDERATIONS (WITH TABLE OF CONTENTS AND COPY OF FORM 346, SECTION III)

Attachment 12

Description
EXHIBIT 12 - STATEMENT B

Exhibit 12 - Statement B
ENVIRONMENTAL CONSIDERATIONS
prepared for
Multimedia Holdings Corporation
K61FB Globe-Miami, Arizona
Facility ID 35487
Ch. 48 (Digital) 3 kW

The instant proposal is not believed to have a significant environmental impact as defined under §1.1306 of the Commission's Rules. Consequently, preparation of an Environmental Assessment is not required.

Nature of The Proposal

Multimedia Holdings Corporation, (“*Multimedia*”) proposes herein a minor modification under the LPTV displacement Rules for K61FB, Channel 61, Globe-Miami, Arizona (file number BLTT-19891115JJ). The instant proposal herein seeks a minor modification to specify digital operation, a different operating frequency, a different antenna system and a higher effective radiated power (“ERP”) than that presently licensed.

The transmitting antenna will be an existing multi-user antenna, side-mounted on an existing antenna support structure. No change in structure overall height is necessary to carry out this proposal. The use of existing transmitting locations has been characterized as being environmentally preferable by the Commission, according to Note 1 of §1.1306 of the FCC Rules. Since no change in overall structure height is proposed, no change in current structure marking and lighting requirements is anticipated.

Human Exposure to Radiofrequency Radiation

The proposed operation was evaluated for human exposure to radiofrequency energy using the procedures outlined in the Commission's OET Bulletin No. 65 (“OET 65”). OET 65 describes a means of determining whether a proposed facility exceeds the radiofrequency exposure guidelines adopted in §1.1310. Under present Commission policy, a facility may be presumed to comply with the limits specified in §1.1310 if it satisfies the exposure criteria set forth in OET 65. Based upon

Exhibit 12 - Statement B
ENVIRONMENTAL CONSIDERATIONS
(page 2 of 3)

that methodology, and as demonstrated in the following, the proposed transmitting system will comply with the cited adopted guidelines.

The proposed K61FB antenna will have a center of radiation 17 meters above ground level. An ERP of 3 kilowatts, horizontally polarized, will be employed utilizing a Scala model 2X2 K723147 directional antenna. According to data provided by the antenna manufacturer, the maximum relative field value in downward directions (between 25 and 90 degrees below the horizontal) is less than 20 percent on Channel 48. Thus, a value of 20 percent relative field is used for this calculation. The “uncontrolled/general population” limit specified in §1.1310 for Channel 48 (center frequency 677 MHz) is 451.3 $\mu\text{W}/\text{cm}^2$.

OET 65’s formula for television transmitting antennas is based on the NTSC transmission standards, where the average power is normally much less than the peak power. For the DTV facility in the instant proposal, the peak-to-average ratio is different than the NTSC ratio. The DTV ERP figure herein refers to the *average* power level. The formula used for calculating DTV signal density in this analysis is essentially the same as equation (10) in OET 65.

$$S = (33.4098) (F^2) (ERP) / D^2$$

Where:

S	=	power density in microwatts/cm ²
ERP	=	total (average) ERP in Watts
F	=	relative field factor
D	=	distance in meters

Using this formula, the proposed facility would contribute a power density of 17.8 $\mu\text{W}/\text{cm}^2$ at two meters above ground level near antenna support structure, or 3.9 percent of the general population/uncontrolled limit. At ground level locations away from the base of the tower, the calculated RF power density is even lower, due to the increasing distance from the transmitting antenna.

§1.1307(b)(3) states that facilities at locations with multiple transmitters (such as the case at hand) are categorically excluded from responsibility for taking any corrective action in the areas

Exhibit 12 - Statement B
ENVIRONMENTAL CONSIDERATIONS
(page 3 of 3)

where their contribution is less than five percent. Since the instant situation meets the five percent exclusion test at all ground level areas, the impact of any other facilities using this site may be considered independently from this proposal. Accordingly, it is believed that the impact of the proposed operation should not be considered to be a factor at or near ground level as defined under §1.1307(b).

Safety of Tower Workers and the General Public

As demonstrated herein, excessive levels of RF energy attributable to the proposal will not be caused at publicly accessible areas at ground level near the antenna supporting structure. Consequently, members of the general public will not be exposed to RF levels in excess of the Commission's guidelines. Nevertheless, tower access will continue to be restricted and controlled through the use of a locked fence. Additionally, appropriate RF exposure warning signs will continue to be posted.

With respect to worker safety, it is believed that based on the preceding analysis, excessive exposure attributable to K61FB would not occur in areas at ground level. A site exposure policy will continue to be employed protecting maintenance workers from excessive exposure when work must be performed on the tower or in areas where high RF levels may be present. Such protective measures may include, but will not be limited to, restriction of access to areas where levels in excess of the guidelines may be expected, power reduction, or the complete shutdown of facilities when work or inspections must be performed in areas where the exposure guidelines would otherwise be exceeded. On-site RF exposure measurements may also be undertaken to establish the bounds of safe working areas. The applicant will coordinate exposure procedures with all pertinent stations.

Conclusion

Based on the preceding, it is believed that the instant proposal may be categorically excluded from environmental processing under §1.1306 of the Rules, hence preparation of an Environmental Assessment is not required.