

Exhibit 12: Fig 1 Channel Interference

W300CI Cincinnati, Ohio 300D

REFERENCE
39 01 28.0 N.
84 30 44.0 W.

CH# 300D - 107.9 MHz, Pwr= 0.25 kW DA, HAAT= 133.3 M, COR= 355 M
Average Protected F(50-50)= 14.84 km
Standard Directional

DISPLAY DATES
DATA 04-07-16
SEARCH 04-07-16

CH CITY	CALL	TYPE STATE	ANT STATE	AZI <--	DIST FILE #	LAT LNG	PWR(kW) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*
300D Cincinnati	W300CI	CP	_H_	352.4 172.4	8.68 BMPFT20160224ABG	39 06 07.0 84 31 32.0	0.001	5.6 179	1.8 Mary Medicus	-5.0	-22.3*
299B Dayton	WMMX	LIC	_CX	18.5 198.7	81.72 BMLH20120315ADI	39 43 19.0 84 12 33.0	28.000 200	78.9 467	65.4 Citicasters Licenses, Inc.	-4.4	0.1
300A Midway	WBTF	LIC	ZCX	186.7 6.6	109.40 BLH20150612ABK	38 02 44.0 84 39 29.0	6.000 86	86.7 359	28.8 L.m. Communications Of Ken	8.8	35.5
247A Fort Thomas	WYGY	LIC	_CX	357.3 177.3	19.54 BLH20051115ADD	39 12 01.0 84 31 22.0	2.550 155	135.6 373	50.0 Cincinnati FCC License Sub	9.5R	10.0M
298A Falmouth	WIOK	LIC	_CN	164.9 345.0	50.30 BMLH19920818KD	38 35 13.0 84 21 40.0	1.350 212	2.2 435	28.8 Hammond Broadcasting, Inc.	31.8	20.4
300D Hillsboro	W300CF	LIC	_C_	75.2 255.8	82.64 BLFT20130903AFC	39 12 38.0 83 35 13.0	0.055	15.5 349	4.8 James L. Orebaugh	51.1	26.7
300B Indianapolis	WNTR	LIC	_CN	304.3 123.2	174.57 BLH19841009CB	39 53 43.0 86 12 04.0	22.000 232	131.5 489	66.9 Entercom License, Llc	27.4	39.9
300B Huntington	WEMM-FM	LIC	_CN	106.6 288.0	205.37 BLH19980304KE	38 28 37.0 82 15 20.0	50.000 152	139.6 380	66.8 Mortenson Broadcasting Co.	49.9	70.2
299A Mount Sterling	WKYN	LIC	NCX	150.0 330.4	118.09 BLH20130226ADT	38 06 08.0 83 50 12.0	6.000 100	40.4 369	26.4 Gateway Radio Works, Inc.	61.2	67.8
297D Centerville	WCWT-FM	LIC	_CX	24.9 205.1	73.91 BLED20091023AAV	39 37 38.0 84 08 54.0	0.023 58	0.3 334	5.3 Centerville City Board Of	63.6	68.2
297B1 Greensburg	WRZQ-FM	LIC	NCN	282.3 101.5	109.05 BLH19971030KB	39 13 35.0 85 44 47.0	10.500 152	3.6 367	41.6 Reising Radio Partners Inc	90.8	65.8

Terrain database is NGDC 30 SEC , R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM
In & Out distances between contours are shown at closest points. Reference zone= East Zone, Co to 3rd adjacent.
All separation margins (if shown) include rounding. Call signs with strikeout need not be protected.
Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, _= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)
"*"affixed to 'IN' or 'OUT' values = site inside restricted contour.
Reference station has protected zone issue: AM tower