




Proposal Number	DCA-10883	
Date	10-Mar-05	
Call Letters	WGHP-DT	Channel 35
Location	High Point, NC	
Customer		
Antenna Type	TFU-2ST-R S190	

### ELEVATION PATTERN

RMS Gain at Main Lobe	2.10	( 3.22 dB )	Beam Tilt	0.00 deg
RMS Gain at Horizontal	2.10	( 3.22 dB )	Frequency	599.00 MHz
Calculated / Measured	Calculated		Drawing #	02Z021000-90




Degrees Below Horizontal



Proposal Number	DCA-10883	
Date	10-Mar-05	
Call Letters	WGHP-DT	Channel 35
Location	High Point, NC	
Customer		
Antenna Type	TFU-2ST-R S190	

**AZIMUTH PATTERN**

Gain	1.90	(2.79 dB)	Frequency	599.00 MHz
Calculated / Measured	Calculated		Drawing #	TFU-C190-35



**EXHIBIT B-2**

**ANTENNA AZMUTH PATTERN**

**PROPOSED WGHP-DT AUXILIARY**  
**CHANNEL 35 - HIGH POINT, NORTH CAROLINA**

SMITH AND FISHER

HORIZONTAL RELATIVE FIELD PATTERN  
PROPOSED WGHP-DT AUXILIARY  
CHANNEL 35 – HIGH POINT, NORTH CAROLINA

<u>Azimuth</u> <u>(° T)</u>	<u>Relative</u> <u>Field</u>	<u>ERP</u> <u>(dbk)</u>	<u>Azimuth</u> <u>(° T)</u>	<u>Relative</u> <u>Field</u>	<u>ERP</u> <u>(dbk)</u>
0	1.000	18.7	180	0.508	12.8
10	0.997	18.7	190	0.498	12.6
20	0.988	18.6	200	0.470	12.1
30	0.973	18.5	210	0.433	11.4
40	0.949	18.2	220	0.402	10.8
50	0.915	17.9	230	0.395	10.6
60	0.870	17.5	240	0.425	11.3
70	0.811	16.9	250	0.488	12.5
80	0.740	16.1	260	0.570	13.8
90	0.657	15.1	270	0.657	15.1
100	0.570	13.8	280	0.740	16.1
110	0.488	12.5	290	0.811	16.9
120	0.425	11.3	300	0.870	17.5
130	0.395	10.6	310	0.915	17.9
140	0.402	10.8	320	0.949	18.2
150	0.433	11.4	330	0.973	18.5
160	0.470	12.1	340	0.988	18.6
170	0.498	12.6	350	0.997	18.7