

EXHIBIT #E22

R.F. RADIATION COMPLIANCE STATEMENT

VSS Catholic Communications
KVSS
Omaha, Nebraska
BMPED20010329ACP

Channel 205 – 1.5 kW Directional

April 2002

Based on the formulas expressed in the OET Bulletin, No. 65, August 1997, "Evaluating Compliance with F.C.C. Guidelines for Human Exposure to Radiofrequency Electromagnetic Fields", published by the Federal Communication Commission's Office of Science and Engineering, the proposed facility is predicted to produce a worst-case maximum R.F. non-ionization radiation level at a position six feet above the tower base (head level - based on the C.O.R. of 134 meters above ground minus 2 meters) of 3.039 microwatts per square centimeter. This figure is without regard for the antenna's vertical elevation field value toward the nadir, which will cause a reduction in the predicted "worst case" calculations. 3.039 microwatts per square centimeter is 0.3 percent of the maximum standard value for the frequency in use for this controlled area. The tower location is fenced and locked, limiting access to authorized personnel only.

VSS Catholic Communications is applying to move its LPTV construction permit, BPTTL20010126ABM to this tower. The TV antenna will be located at 154 meters above ground. It contributes 8.966 microwatts per square centimeter of R.F. radiation at ground level. This is 0.39 percent of the maximum for a controlled area.

Since "worst case" calculations were used and since it is well known that the actual RF power density level is considerably reduced at vertical angles toward the nadir the applicant is confident that there will be no exposure at the transmitter site greater than the maximum.

The applicant will protect workers on the tower by either reducing ERP or terminating transmission.

Consequently, it appears that the proposed FM station, when using the antenna listed above, will be in full compliance with the Commission's human exposure to radiofrequency electromagnetic field rules and regulations.