

EXHIBIT 12 – DISPLACEMENT APPLICATION

Paulino Bernal Evangelism (“PBE”) submits this application in order to change the channel of its licensed translator facility K216DV, Albuquerque, NM (Facility ID 89268) from channel 216 to channel 279.

In July 2009, an upgrade to FM station KQGC (Facility ID 85845) was granted at Belen, New Mexico, which is co-channel to K216DV’s existing signal. Please see the map below which shows KQGC’s 60 dBu protected contour and K216DV’s 40 dBu interfering contour. If K216DV were to continue to broadcast on channel 216, it is predicted that it will cause interference to KQGC. In order to eliminate the potential for interference, a move to an alternate frequency was necessary.

PBE submits that it is not technically feasible to operate K216DV on its current channel 216 or the 1st, 2nd, 3rd adjacent channels, or the intermodulation frequency channels, as shown in this Exhibit. In order to continue to provide service to the listeners of K216DV, PBE has chosen channel 279. As a result of the channel change, a new site was chosen.

MAP OF K216DV OVERLAP WITH KQGC




EXHIBIT 12 – DISPLACEMENT APPLICATION – page 2

CURRENT CHANNEL 216

The current 40 dbu (50, 10) contour of translator K216DV overlaps the 60 dbu contour of new FM station KQGC at Belen, New Mexico.

CALL	CITY	ST CHN CL	DIST	SEP	BRNG	CLEARANCE
K215DT	SAN AUGUSTIN	NM 215 D	116.80	0.00	79.1	24.74 dB
K216AW	GRANTS	NM 216 D	132.61	0.00	265.8	13.80 dB
K216CU	CUBA	NM 216 D	95.77	0.00	338.3	3.89 dB
KEDP	LAS VEGAS	NM 216 A	119.38	0.00	68.8	12.19 dB
KFLQ	ALBUQUERQUE	NM 218 C	0.17	0.00	333.9	-60.82 dB
KFLQ	ALBUQUERQUE	NM 218 C	0.17	0.00	333.9	-76.84 dB
KQGC	BELEN	NM 216 C3	104.23	0.00	209.6	-2.82 dB
KQLV	SANTA FE	NM 214 C	0.13	0.00	337.8	-79.89 dB
KQTM	RIO RANCHO	NM 269 A	2.91	10.00	221.2	-7.1
KQTM	RIO RANCHO	NM 269 A	3.58	10.00	221.4	-6.4
KQTM	RIO RANCHO	NM 269 A	19.37	10.00	219.4	9.4
KQTM	RIO RANCHO	NM 269 A	2.91	10.00	221.2	-7.1
KRJY	TRUTH OR CONSEQUENCE	NM 216 C2	259.14	0.00	196.2	38.93 dB
KRRT	ARROYO SECO	NM 215 A	154.91	0.00	31.6	34.00 dB
KRRT	ARROYO SECO	NM 215 A	154.91	0.00	31.6	33.97 dB
KWAS	RED RIVER	NM 217 C3	191.95	0.00	28.4	38.37 dB
NEW	CROWNPOINT	NM 216 C1	126.20	0.00	304.0	-6.33 dB

Note: The new Crownpoint station is not considered for this application as the construction permit for the station has expired.

EXHIBIT 12 – DISPLACEMENT APPLICATION – page 3

CHANNEL 215 (first adjacent)

Translator K216DV is located 0.13 kilometers from second adjacent station KQLV on FM channel 214, precluding operation of K216DV on FM channel 215.

CALL	CITY	ST	CHN	CL	DIST	SEP	BRNG	CLEARANCE
K212AN	ESPANOLA	NM	212	D	87.80	0.00	43.3	31.60 dB
K215AX	PAGOSA SPRINGS	CO	215	D	227.23	0.00	345.5	36.06 dB
K215DT	SAN AUGUSTIN	NM	215	D	116.80	0.00	79.1	10.74 dB
K215EG	GALLUP	NM	215	D	211.57	0.00	280.6	32.85 dB
K216AW	GRANTS	NM	216	D	132.61	0.00	265.8	27.80 dB
K216CU	CUBA	NM	216	D	95.77	0.00	338.3	17.89 dB
KEDP	LAS VEGAS	NM	216	A	119.38	0.00	68.8	26.19 dB
KFLQ	ALBUQUERQUE	NM	218	C	0.17	0.00	333.9	-60.82 dB
KFLQ	ALBUQUERQUE	NM	218	C	0.17	0.00	333.9	-76.84 dB
KLQ	GRANTS	NM	212	C2	104.42	0.00	272.7	21.44 dB
KLQ	GRANTS	NM	212	C1	105.14	0.00	268.5	16.16 dB
KQGC	BELEN	NM	216	C3	104.23	0.00	209.6	12.42 dB
KQLV	SANTA FE	NM	214	C	0.13	0.00	337.8	-26.19 dB
KQTM	RIO RANCHO	NM	269	A	2.91	10.00	221.2	-7.1
KQTM	RIO RANCHO	NM	269	A	3.58	10.00	221.4	-6.4
KQTM	RIO RANCHO	NM	269	A	19.37	10.00	219.4	9.4
KQTM	RIO RANCHO	NM	269	A	2.91	10.00	221.2	-7.1
KRRT	ARROYO SECO	NM	215	A	154.91	0.00	31.6	20.00 dB
KRRT	ARROYO SECO	NM	215	A	154.91	0.00	31.6	19.97 dB
KSHI	ZUNI	NM	215	A	213.65	0.00	267.0	33.32 dB
KSJE	FARMINGTON	NM	215	C3	229.50	0.00	316.5	32.36 dB
NEW	CROWNPOINT	NM	216	C1	126.20	0.00	304.0	9.77 dB
NEW	ROMEROVILLE	NM	212	C2	119.38	0.00	68.8	29.73 dB

EXHIBIT 12 – DISPLACEMENT APPLICATION – page 4

CHANNEL 214 (second adjacent)

Translator K216DV is located 0.13 kilometers from second adjacent station KQLV on FM channel 214, precluding operation of K216DV on FM channel 214.

870515NT	ALBUQUERQUE	NM 267 A	29.90	10.00	232.0	19.9
K212AN	ESPANOLA	NM 212 D	87.80	0.00	43.3	31.60 dB
K214BT	MONTOYA, ETC.	NM 214 D	219.95	0.00	93.7	35.11 dB
K214DE	ANTONITO	CO 214 D	186.82	0.00	11.8	30.72 dB
K215DT	SAN AUGUSTIN	NM 215 D	116.80	0.00	79.1	24.74 dB
K216CU	CUBA	NM 216 D	95.77	0.00	338.3	33.86 dB
KKRG	ALBUQUERQUE	NM 267 A	19.37	10.00	219.4	9.4
KKRG	ALBUQUERQUE	NM 267 A	34.45	10.00	241.7	24.5
KKRG	ALBUQUERQUE	NM 267 A	34.11	10.00	241.8	24.1
KKRG	ALBUQUERQUE	NM 267 A	34.11	10.00	241.8	24.1
KLQ	GRANTS	NM 212 C2	104.42	0.00	272.7	21.44 dB
KLQ	GRANTS	NM 212 C1	105.14	0.00	268.5	16.16 dB
KQGC	BELEN	NM 216 C3	104.23	0.00	209.6	30.44 dB
KQLV	SANTA FE	NM 214 C	0.13	0.00	337.8	-10.26 dB
KRRT	ARROYO SECO	NM 215 A	154.91	0.00	31.6	34.00 dB
KRRT	ARROYO SECO	NM 215 A	154.91	0.00	31.6	33.97 dB
NEW	CROWNPOINT	NM 216 C1	126.20	0.00	304.0	23.04 dB
NEW	ROMEROVILLE	NM 212 C2	119.38	0.00	68.8	29.73 dB

CHANNEL 213 (third adjacent)

Translator K216DV is located 0.13 kilometers from second adjacent station KQLV on FM channel 214, precluding operation of K216DV on FM channel 213.

CALL	CITY	ST CHN CL	DIST	SEP	BRNG	CLEARANCE
870515NT	ALBUQUERQUE	NM 267 A	29.90	10.00	232.0	19.9
K212AN	ESPANOLA	NM 212 D	87.80	0.00	43.3	14.22 dB
K212EF	LAS VEGAS	NM 212 D	116.50	0.00	67.7	26.19 dB
K213AD	DURANGO	CO 213 D	267.37	0.00	333.9	37.88 dB
K213ET	EAGLE NEST	NM 213 D	186.98	0.00	36.8	28.94 dB
K215EG	GALLUP	NM 213 D	211.57	0.00	280.6	32.73 dB
K216CU	CUBA	NM 216 D	95.77	0.00	338.3	33.86 dB
KCIE	DULCE	NM 213 A	201.97	0.00	346.8	29.36 dB
KFDC	SHIPROCK	NM 213 C0	276.31	0.00	301.0	35.17 dB
KKRG	ALBUQUERQUE	NM 267 A	19.37	10.00	219.4	9.4
KKRG	ALBUQUERQUE	NM 267 A	34.45	10.00	241.7	24.5
KKRG	ALBUQUERQUE	NM 267 A	34.11	10.00	241.8	24.1
KKRG	ALBUQUERQUE	NM 267 A	34.11	10.00	241.8	24.1
KLQ	GRANTS	NM 212 C2	104.42	0.00	272.7	7.23 dB
KLQ	GRANTS	NM 212 C1	105.14	0.00	268.5	0.82 dB
KQGC	BELEN	NM 216 C3	104.23	0.00	209.6	30.44 dB
KQLV	SANTA FE	NM 214 C	0.13	0.00	337.8	-26.19 dB
KUNM	ALBUQUERQUE	NM 210 C	0.08	0.00	140.7	-79.59 dB
NEW	CROWNPOINT	NM 216 C1	126.20	0.00	304.0	23.04 dB
NEW	ROMEROVILLE	NM 212 C2	119.38	0.00	68.8	21.54 dB

EXHIBIT 12 – DISPLACEMENT APPLICATION – page 5

CHANNEL 217 (first adjacent)

Translator K216DV is located 0.13 kilometers from second adjacent station KFLQ on FM channel 218, precluding operation of K216DV on FM channel 217.

CALL	CITY	ST	CHN	CL	DIST	SEP	BRNG	CLEARANCE
K216AW	GRANTS	NM	216	D	132.61	0.00	265.8	27.80 dB
K216CU	CUBA	NM	216	D	95.77	0.00	338.3	17.89 dB
K217EU	FARMINGTON	NM	217	D	228.34	0.00	316.3	36.19 dB
K220GM	PLACITAS	NM	220	D	0.00	0.00	90.0	-40.01 dB
K220HV	SANTA FE	NM	220	D	66.35	0.00	38.7	22.88 dB
KEDP	LAS VEGAS	NM	216	A	119.38	0.00	68.8	26.19 dB
KFLQ	ALBUQUERQUE	NM	218	C	0.17	0.00	333.9	-9.75 dB
KFLQ	ALBUQUERQUE	NM	218	C	0.17	0.00	333.9	-25.83 dB
KHCK	HOUCK	AZ	217	A	254.76	0.00	272.6	39.37 dB
KQGC	BELEN	NM	216	C3	104.23	0.00	209.6	12.42 dB
KQLV	SANTA FE	NM	214	C	0.13	0.00	337.8	-79.89 dB
KRAR	ESPANOLA	NM	220	C3	110.66	0.00	19.4	26.70 dB
KSUT	IGNACIO	CO	217	C2	237.74	0.00	337.3	31.71 dB
KWAS	RED RIVER	NM	217	C3	191.95	0.00	28.4	24.37 dB
KXFR	SOCORRO	NM	220	C3	104.23	0.00	209.6	23.66 dB
KYCT	RUIDOSO	NM	217	C3	209.82	0.00	162.8	32.25 dB
NEW	ALBUQUERQUE	NM	271	D	0.22	0.00	346.8	0.2
NEW	CROWNPOINT	NM	216	C1	126.20	0.00	304.0	9.77 dB

CHANNEL 218 (second adjacent)

Translator K216DV is located 0.13 kilometers from second adjacent station KFLQ on FM channel 218, precluding operation of K216DV on FM channel 218.

CALL	CITY	ST	CHN	CL	DIST	SEP	BRNG	CLEARANCE
K216CU	CUBA	NM	216	D	95.77	0.00	338.3	33.86 dB
K218EF	TRUTH OR CONSEQUENCE	NM	218	D	243.29	0.00	198.1	39.58 dB
K220GM	PLACITAS	NM	220	D	0.00	0.00	90.0	-40.01 dB
K220HV	SANTA FE	NM	220	D	66.35	0.00	38.7	22.88 dB
KFLQ	ALBUQUERQUE	NM	218	C	0.17	0.00	333.9	-6.18 dB
KFLQ	ALBUQUERQUE	NM	218	C	0.17	0.00	333.9	-9.93 dB
KQGC	BELEN	NM	216	C3	104.23	0.00	209.6	30.44 dB
KRAR	ESPANOLA	NM	220	C3	110.66	0.00	19.4	26.70 dB
KWAS	RED RIVER	NM	217	C3	191.95	0.00	28.4	38.37 dB
KXFR	SOCORRO	NM	220	C3	104.23	0.00	209.6	23.66 dB
NEW	ALBUQUERQUE	NM	271	D	0.22	0.00	346.8	0.2
NEW	CROWNPOINT	NM	216	C1	126.20	0.00	304.0	23.04 dB
NONE	CHAMA	NM	219	A	187.65	0.00	355.9	32.68 dB

EXHIBIT 12 – DISPLACEMENT APPLICATION – page 6

CHANNEL 219 (third adjacent)

Translator K216DV is located 0.13 kilometers from second adjacent station KFLQ on FM channel 218, precluding operation of K216DV on FM channel 219.

CALL	CITY	ST	CHN	CL	DIST	SEP	BRNG	CLEARANCE
K216CU	CUBA	NM	216	D	95.77	0.00	338.3	33.86 dB
K219DP	FORT SUMNER	NM	219	D	208.14	0.00	112.6	35.72 dB
K220AV	TAOS	NM	220	D	154.91	0.00	31.6	36.87 dB
K220GM	PLACITAS	NM	220	D	0.00	0.00	90.0	-6.68 dB
K220HV	SANTA FE	NM	220	D	66.35	0.00	38.7	10.40 dB
KFLQ	ALBUQUERQUE	NM	218	C	0.17	0.00	333.9	-9.75 dB
KFLQ	ALBUQUERQUE	NM	218	C	0.17	0.00	333.9	-25.83 dB
KGLP	GALLUP	NM	219	C3	207.10	0.00	282.8	27.33 dB
KIOT	LOS LUNAS	NM	273	C	0.13	29.00	157.8	-28.9
KIOT	LOS LUNAS	NM	273	C	19.37	29.00	219.4	-9.6
KIOT	LOS LUNAS	NM	273	C	0.03	29.00	1.5	-29.0
KKGT	GRANTS	NM	220	A	130.03	0.00	267.4	28.03 dB
KQGC	BELEN	NM	216	C3	104.23	0.00	209.6	30.44 dB
KRAR	ESPANOLA	NM	220	C3	110.66	0.00	19.4	12.48 dB
KRRE	LAS VEGAS	NM	220	A	119.68	0.00	66.6	27.76 dB
KRST	ALBUQUERQUE	NM	222	C	0.29	0.00	344.8	-56.92 dB
KRST	ALBUQUERQUE	NM	222	C	0.29	0.00	344.8	-80.34 dB
KTGW	FRUITLAND	NM	219	C3	229.35	0.00	316.5	32.37 dB
KUPR	ALAMOGORDO	NM	219	C2	269.40	0.00	168.8	39.02 dB
KXFR	SOCORRO	NM	220	C3	104.23	0.00	209.6	8.14 dB
NEW	SPRINGERVILLE	AZ	219	C2	306.30	0.00	250.4	39.93 dB
NEW	CROWNPOINT	NM	216	C1	126.20	0.00	304.0	23.04 dB
NONE	CHAMA	NM	219	A	187.65	0.00	355.9	21.47 dB

EXHIBIT 12 – DISPLACEMENT APPLICATION – page 7

CHANNEL 269 (intermod frequency)

Translator K216DV is located 2.91 kilometers from FM station KQTM at Rio Rancho, New Mexico, precluding operation of K216DV on FM channel 269.

CALL	CITY	ST	CHN	CL	DIST	SEP	BRNG	CLEARANCE
870515NT	ALBUQUERQUE	NM	267	A	29.90	0.00	232.0	28.74 dB
K270AP	THOREAU	NM	270	D	165.20	0.00	280.4	35.95 dB
KKRG	ALBUQUERQUE	NM	267	A	19.37	0.00	219.4	10.12 dB
KKRG	ALBUQUERQUE	NM	267	A	34.45	0.00	241.7	-2.06 dB
KKRG	ALBUQUERQUE	NM	267	A	34.11	0.00	241.8	-2.38 dB
KKRG	ALBUQUERQUE	NM	267	A	34.11	0.00	241.8	-1.31 dB
KQAZ	SPRINGERVILLE	AZ	269	C1	306.30	0.00	250.4	36.45 dB
KQTM	RIO RANCHO	NM	269	A	2.91	0.00	221.2	-37.52 dB
KQTM	RIO RANCHO	NM	269	A	3.58	0.00	221.4	-36.79 dB
KQTM	RIO RANCHO	NM	269	A	19.37	0.00	219.4	-24.87 dB
KQTM	RIO RANCHO	NM	269	A	2.91	0.00	221.2	-25.68 dB
KSFR	WHITE ROCK	NM	266	C2	74.88	0.00	4.3	14.04 dB
KTAO	TAOS	NM	270	C1	135.42	0.00	31.8	30.79 dB
KTAO	TAOS	NM	270	C1	135.42	0.00	31.8	17.61 dB
KTRA-FM	FARMINGTON	NM	271	C	220.21	0.00	324.3	37.97 dB
KVSF-FM	PECOS	NM	268	C3	86.67	0.00	64.2	19.84 dB
KVSF-FM	PECOS	NM	268	C3	73.67	0.00	55.9	0.59 dB
KVSF-FM1	SANTA FE	NM	268	D	66.04	0.00	47.4	6.72 dB
KZNM	MILAN	NM	270	C2	122.29	0.00	262.9	27.73 dB
KZNM	MILAN	NM	270	C2	122.29	0.00	262.9	12.71 dB
NEW	ALBUQUERQUE	NM	271	D	0.22	0.00	346.8	-44.94 dB

EXHIBIT 12 – DISPLACEMENT APPLICATION – page 8

CHANNEL 270 (intermod frequency)

Translator K216DV is located 2.91 kilometers from FM station KQTM at Rio Rancho, New Mexico, precluding operation of K216DV on FM channel 269.

CALL	CITY	ST	CHN	CL	DIST	SEP	BRNG	CLEARANCE
870515NT	ALBUQUERQUE	NM	267	A	29.90	0.00	232.0	28.74 dB
K270AP	THOREAU	NM	270	D	165.20	0.00	280.4	21.95 dB
KIOT	LOS LUNAS	NM	273	C	0.13	0.00	157.8	-56.92 dB
KIOT	LOS LUNAS	NM	273	C	19.37	0.00	219.4	10.12 dB
KIOT	LOS LUNAS	NM	273	C	0.03	0.00	1.5	-73.92 dB
KKRG	ALBUQUERQUE	NM	267	A	19.37	0.00	219.4	10.12 dB
KKRG	ALBUQUERQUE	NM	267	A	34.45	0.00	241.7	-2.06 dB
KKRG	ALBUQUERQUE	NM	267	A	34.11	0.00	241.8	-1.31 dB
KKRG	ALBUQUERQUE	NM	267	A	34.11	0.00	241.8	-2.38 dB
KQTM	RIO RANCHO	NM	269	A	2.91	0.00	221.2	-23.52 dB
KQTM	RIO RANCHO	NM	269	A	3.58	0.00	221.4	-22.79 dB
KQTM	RIO RANCHO	NM	269	A	19.37	0.00	219.4	-10.87 dB
KQTM	RIO RANCHO	NM	269	A	2.91	0.00	221.2	-11.68 dB
KTAO	TAOS	NM	270	C1	135.42	0.00	31.8	16.56 dB
KTAO	TAOS	NM	270	C1	135.42	0.00	31.8	3.61 dB
KTRA-FM	FARMINGTON	NM	271	C	220.21	0.00	324.3	32.20 dB
KVSF-FM	PECOS	NM	268	C3	73.67	0.00	55.9	15.63 dB
KVSF-FM1	SANTA FE	NM	268	D	66.04	0.00	47.4	22.57 dB
KYRN	SOCORRO	NM	271	A	107.15	0.00	196.9	24.96 dB
KYRN	SOCORRO	NM	271	A	132.88	0.00	198.5	30.12 dB
KZNM	MILAN	NM	270	C2	122.29	0.00	262.9	13.73 dB
KZNM	MILAN	NM	270	C2	122.29	0.00	262.9	-2.17 dB
NEW	ALBUQUERQUE	NM	271	D	0.22	0.00	346.8	-7.15 dB