

TABLE 3
FIELD STRENGTH MEASUREMENTS
3.5 KW DAYTIME DIRECTIONAL
WONX(AM) 1590 KILOHERTZ
EVANSTON, ILLINOIS
REVISED MAY 2008

RADIAL 190 DEGREES TRUE

<u>Point Number</u>	<u>Distance km</u>	<u>Date/Time (local) 5/21/2008</u>	<u>Field mv/m</u>
1	3.49	933	38.0
2	4.34	940	18.6
3	5.20	946	21.1
4	5.80	954	16.8
5	7.03	1004	11.2
6	8.07	1011	5.30
7	8.92	1016	5.80
8	10.10	1024	5.20
9	11.70	1033	3.55
10	13.80	1045	1.90
11	16.20	1100	1.15
12	19.00	1111	0.88
13	22.10	1123	0.60
14	25.20	1133	0.48

TABLE 5
FIELD STRENGTH MEASUREMENTS
3.5 KW DAYTIME DIRECTIONAL
WONX(AM) 1590 KILOHERTZ
EVANSTON, ILLINOIS
REVISED MAY 2008

RADIAL 290 DEGREES TRUE

<u>Point Number</u>	<u>Distance km</u>	<u>Date/Time (local) 5/20/2008</u>	<u>Field mv/m</u>
1	1.07	1117	249
2	1.26	1121	153
3	1.67	1126	67.0
4	2.12	1133	66.0
5	2.44	1136	60.0
6	2.86	1141	38.0
7	3.81	1147	18.2
8	4.36	1155	15.9
9	5.18	1201	14.8
10	6.14	1208	12.0
11	7.69	1219	6.40
12	8.38	1227	4.80
13	10.10	1235	3.90
14	12.70	1245	4.25
15	14.00	1253	2.89
16	16.00	1303	1.55
17	18.60	1313	1.52
18	20.00	1319	1.22
19	23.70	1329	0.50
20	27.50	1343	0.52
21	31.00	1355	0.47
22	35.80	1412	0.32

RADIAL 290 DEGREES TRUE

<u>Point Number</u>	<u>Distance km</u>	<u>Date/Time (local)</u> 5/20/2008	<u>Field mv/m</u>
23	42.00	1436	0.197
24	49.60	1501	0.090
25	56.30	1519	0.135
26	62.50	1533	0.120
27	69.50	1547	0.110
28	78.70	1602	0.070
29	85.70	1612	0.070