

NEW - Columbia, SC - Proposed
Latitude: 34-03-23 N / Longitude: 080-58-50 W
ERP: 0.099 kW / Channel: 286 / Freq: 105.1 MHz
AMSL Height: 246.8 m

GRAHAM BROCK, INC.
BROADCAST TECHNICAL CONSULTANTS




EXHIBIT B
MINOR CHANGE APPLICATION
AMENDMENT TO BNPFT-20030317AFG
GLORY COMMUNICATIONS, INC.
NEW FM TRANSLATOR STATION
CH 286D - 105.1 MHZ - 0.099 KW ND
COLUMBIA, SOUTH CAROLINA
July 2013

- + Proposed Translator
- Columbia, South Carolina Grid
- 20.5 km §73.807(D)(1) 1st Adjacent LPFM Spacing Requirement
- + LPFM Protected Point

MINOR CHANGE APPLICATION
AMENDMENT TO BNPFT-20030317AFG
GLORY COMMUNICATIONS, INC.
NEW FM TRANSLATOR STATION
CH 286D - 105.1 MHZ - 0.099 KW ND
COLUMBIA, SOUTH CAROLINA
July 2013

EXHIBIT B1

Columbia, SC
Latitude 34-00-02
Longitude 081-02-06
Grid Size 31 x 31
Micro FM 100 Watts at 30m HAAT
Co-Channel and 1st Adjacent Protected
2nd Adjacent Channel Protected
3rd Adjacent Channel Not Protected
I.F. Protected
TV Channel 6 Protected
CP Records Protected
APP Records Protected
FM Translators Protected
TV Channel 6 Translators/LP Protected
Auc83 FX App Records Protected

Chan	Avail	Chan	Avail	Chan	Avail	Chan	Avail	Chan	Avail
200	0	220	0	240	78	260	0	280	0
201	0	221	0	241	41	261	0	281	0
202	0	222	0	242	0	262	0	282	0
203	0	223	36	243	0	263	0	*283	0
204	0	224	672	244	0	264	666	*284	0
205	0	225	120	245	0	265	0	*285	0
206	10	226	5	246	0	266	0	*286	0
207	0	227	0	247	0	267	0	*287	25
208	0	228	0	248	0	268	0	*288	0
209	0	229	0	249	0	269	0	289	0
210	0	230	0	250	0	270	76	290	0
211	0	231	0	251	238	271	0	291	135
212	0	*232	0	252	0	272	0	292	0
213	0	*233	0	253	0	273	0	293	0
214	0	234	28	254	1	274	0	294	0
215	0	235	157	255	377	275	0	295	0
216	0	236	0	256	250	276	0	296	0
217	0	237	0	257	17	277	0	297	0
218	0	238	0	258	328	278	9	298	0
219	0	239	149	259	110	279	1	299	0
								300	3

Total 3532

Total allotments, least preclusive spacing: 51
Total allotments, most preclusive spacing: 45

* - Channel Impacted by this Proposed NEW Translator

EXHIBIT B2

A large rectangular frame with dashed lines and crosshairs at the corners. Inside the frame, on the right side, is a small diagram consisting of a vertical line with a circle at the top and a circle at the bottom.

Point #026 at 34-10-02 080-47-06
Point #899 at 34-15-02 081-15-06