

**EXHIBIT 15.14**  
**SPECIAL NIGHTTIME STUDY KRLD, DALLAS, TX**  
**Protecting WTIC (non-directional)**

	Freq. kHz	Power (kW)	Pat-Mult (mV/m)	Theo-RMS (mV/m)	Standard RMS-mV/m	Pat-RSS (mV/m)	Q Factor
	1080	0.650	519.63	231.39	243.78	761.23	19.0306

Twr No.	Field Ratio	Phase Deg.	Spacing Deg.	Orient Deg.	Twr Ref	TL/ Sec	Elec-Ht in Deg.	TL(B) Deg.	TL(C) Deg.	TL(D) Deg.
1	0.388	-155.0	0.0	0.0	0	0	77.4	0.0	0.0	0.0
2	1.000	0.0	70.0	170.0	1	0	77.4	0.0	0.0	0.0
3	0.943	154.5	70.0	170.0	1	0	77.4	0.0	0.0	0.0
4	0.326	-51.0	70.0	170.0	1	0	77.4	0.0	0.0	0.0

Towards	Azimuth Deg-Tru	Kilo- meters	**SWF** Field	Crit. LO	Angle HI	-----Radiations at:-----				RSS Limit	Max. Rad. Allowed	Perm. Limit	Prop. Limit
						HO Angle	LO Angle	HI Angle					
KRLD000	269.5	1650.2	0.01491	1.3	4.5	27.41	27.39	27.22		22.83	167.7	0.50	0.08
KRLD005	270.1	1596.5	0.01580	1.6	4.9	28.93	28.90	28.69		22.91	158.2	0.50	0.09
KRLD010	270.6	1542.4	0.01680	1.9	5.3	30.31	30.27	30.01		22.98	148.8	0.50	0.10
KRLD015	271.1	1488.3	0.01791	2.2	5.8	31.81	31.75	31.41		23.05	139.6	0.50	0.11
KRLD020	271.4	1434.6	0.01914	2.5	6.2	32.75	32.68	32.28		23.10	130.6	0.50	0.13
KRLD025	271.6	1381.5	0.02050	2.8	6.7	33.40	33.31	32.84		23.15	122.0	0.50	0.14
KRLD030	271.8	1329.0	0.02200	3.2	7.2	34.07	33.94	33.40		23.19	113.6	0.50	0.15
KRLD035	271.8	1277.2	0.02366	3.5	7.7	34.07	33.91	33.31		23.22	105.7	0.50	0.16
KRLD040	271.6	1225.9	0.02551	3.9	8.3	33.40	33.21	32.54		23.25	98.0	0.50	0.17
KRLD045	271.3	1175.2	0.02756	4.3	8.8	32.43	32.21	31.51		23.26	90.7	0.50	0.18
KRLD050	270.7	1125.7	0.02983	4.7	9.4	30.60	30.36	29.64		23.26	83.8	0.50	0.18
KRLD055	269.9	1077.7	0.03230	5.2	10.1	28.40	28.14	27.43		23.26	77.4	0.50	0.18
KRLD060	268.8	1031.9	0.03496	5.6	10.7	25.84	25.59	24.93		23.24	71.5	0.50	0.18
KRLD065	267.5	988.6	0.03779	6.1	11.4	23.51	23.27	22.68		23.22	66.2	0.50	0.18
KRLD070	266.0	948.1	0.04073	6.5	12.0	21.72	21.50	20.98		23.19	61.4	0.50	0.18
KRLD075	264.4	910.7	0.04376	6.9	12.6	20.74	20.53	20.05		23.16	57.1	0.50	0.18
KRLD080	262.4	876.6	0.04682	7.3	13.3	20.50	20.28	19.78		23.12	53.4	0.50	0.19
KRLD085	260.2	846.4	0.04981	7.7	13.9	20.91	20.66	20.10		23.08	50.2	0.50	0.21
KRLD090	257.5	821.0	0.05259	8.1	14.4	21.60	21.31	20.69		23.02	47.5	0.50	0.22
KRLD095	254.6	801.1	0.05499	8.4	14.8	22.04	21.72	21.07		22.96	45.5	0.50	0.24
KRLD100	251.5	786.7	0.05688	8.6	15.1	21.96	21.64	20.99		22.88	43.9	0.50	0.25
KRLD105	248.3	777.8	0.05821	8.7	15.3	21.41	21.11	20.50		22.81	43.0	0.50	0.25
KRLD110	245.2	773.4	0.05901	8.8	15.4	20.73	20.45	19.86		22.74	42.4	0.50	0.24
KRLD115	242.2	772.8	0.05933	8.8	15.4	20.27	19.97	19.38		22.67	42.1	0.50	0.24
KRLD120	239.4	775.6	0.05924	8.8	15.4	20.20	19.87	19.22		22.59	42.2	0.50	0.24
KRLD125	236.8	781.9	0.05872	8.7	15.2	20.50	20.14	19.43		22.52	42.6	0.50	0.24
KRLD130	234.3	791.2	0.05785	8.5	15.0	21.08	20.69	19.90		22.46	43.2	0.50	0.24
KRLD135	232.1	803.5	0.05668	8.3	14.7	21.71	21.31	20.49		22.39	44.1	0.50	0.24
KRLD140	230.0	818.1	0.05528	8.1	14.4	22.34	21.95	21.12		22.32	45.2	0.50	0.24
KRLD145	228.2	833.2	0.05389	7.9	14.1	22.83	22.46	21.65		22.25	46.4	0.50	0.24
KRLD150	226.6	848.5	0.05251	7.7	13.8	23.20	22.85	22.09		22.19	47.6	0.50	0.24
KRLD155	225.1	867.7	0.05083	7.5	13.4	23.46	23.14	22.45		22.13	49.2	0.50	0.24
KRLD160	223.8	889.9	0.04897	7.2	13.0	23.62	23.34	22.70		22.06	51.1	0.50	0.23
KRLD165	222.7	911.7	0.04724	6.9	12.6	23.69	23.44	22.87		22.00	52.9	0.50	0.22
KRLD170	221.8	930.8	0.04580	6.7	12.3	23.70	23.48	22.96		21.95	54.6	0.50	0.22
KRLD175	221.0	946.8	0.04466	6.5	12.0	23.68	23.49	23.02		21.90	56.0	0.50	0.21
KRLD180	220.3	964.0	0.04346	6.3	11.7	23.64	23.47	23.04		21.86	57.5	0.50	0.20
KRLD185	219.8	983.7	0.04214	6.1	11.4	23.60	23.45	23.05		21.81	59.3	0.50	0.20
KRLD190	219.3	1001.2	0.04103	5.9	11.2	23.55	23.41	23.04		21.76	60.9	0.50	0.19
KRLD195	218.9	1015.9	0.04013	5.8	10.9	23.50	23.37	23.04		21.73	62.3	0.50	0.19
KRLD200	218.5	1027.9	0.03942	5.7	10.8	23.45	23.33	23.01		21.69	63.4	0.50	0.18
KRLD205	218.0	1036.8	0.03891	5.6	10.6	23.37	23.26	22.97		21.67	64.2	0.50	0.18
KRLD210	217.6	1042.7	0.03859	5.5	10.6	23.30	23.20	22.91		21.65	64.8	0.50	0.18
KRLD215	217.0	1045.8	0.03843	5.5	10.5	23.19	23.09	22.83		21.64	65.0	0.50	0.18
KRLD220	216.3	1045.0	0.03851	5.5	10.5	23.05	22.96	22.71		21.62	64.9	0.50	0.18
KRLD225	215.5	1042.3	0.03870	5.5	10.6	22.87	22.79	22.56		21.61	64.6	0.50	0.18
KRLD230	214.7	1039.6	0.03889	5.5	10.6	22.68	22.61	22.39		21.61	64.3	0.50	0.18
KRLD235	213.6	1034.5	0.03923	5.6	10.7	22.41	22.34	22.14		21.60	63.7	0.50	0.18
KRLD240	212.2	1026.5	0.03976	5.7	10.8	22.08	22.01	21.82		21.59	62.9	0.50	0.18
KRLD245	210.7	1020.6	0.04017	5.7	10.9	21.77	21.69	21.49		21.59	62.2	0.50	0.17
KRLD250	209.2	1018.7	0.04034	5.7	10.9	21.54	21.44	21.20		21.57	62.0	0.50	0.17

**EXHIBIT 15.14**  
**SPECIAL NIGHTTIME STUDY KRLD, DALLAS, TX**  
**Protecting WTIC (non-directional)**

Freq.	Power	Pat-Mult	Theo-RMS	Standard	Pat-RSS	Q
kHz	(kW)	(mV/m)	(mV/m)	RMS-mV/m	(mV/m)	Factor
1080	0.650	519.63	231.39	243.78	761.23	19.0306

Twr	Field	Phase	Spacing	Orient	Twr	TL/	Elec-Ht	TL(B)	TL(C)	TL(D)
No.	Ratio	Deg.	Deg.	Deg.	Ref	Sec	in Deg.	Deg.	Deg.	Deg.
1	0.388	-155.0	0.0	0.0	0	0	77.4	0.0	0.0	0.0
2	1.000	0.0	70.0	170.0	1	0	77.4	0.0	0.0	0.0
3	0.943	154.5	70.0	170.0	1	0	77.4	0.0	0.0	0.0
4	0.326	-51.0	70.0	170.0	1	0	77.4	0.0	0.0	0.0

---


KRLD255	207.8	1020.9	0.04024	5.7	10.9	21.45	21.32	21.02	21.55	62.1	0.50	0.17
KRLD260	206.3	1024.4	0.04007	5.7	10.8	21.53	21.35	20.95	21.53	62.4	0.50	0.17
KRLD265	204.4	1026.5	0.04000	5.7	10.8	21.93	21.67	21.08	21.50	62.5	0.50	0.17
KRLD270	201.9	1029.8	0.03986	5.6	10.7	23.04	22.65	21.75	21.47	62.7	0.50	0.18
KRLD275	199.3	1037.3	0.03947	5.6	10.6	24.89	24.34	23.07	21.44	63.3	0.50	0.19
KRLD280	196.8	1050.9	0.03872	5.4	10.4	27.24	26.58	24.94	21.40	64.6	0.50	0.21
KRLD285	194.3	1070.3	0.03767	5.2	10.2	30.00	29.24	27.26	21.34	66.4	0.50	0.22
KRLD290	192.2	1095.3	0.03638	5.0	9.8	32.50	31.70	29.57	21.28	68.7	0.50	0.23
KRLD295	190.4	1124.6	0.03492	4.8	9.5	34.71	33.89	31.65	21.21	71.6	0.50	0.24
KRLD300	189.1	1157.1	0.03341	4.5	9.1	36.30	35.54	33.30	21.14	74.8	0.50	0.24
KRLD305	188.0	1192.2	0.03190	4.2	8.6	37.63	36.94	34.81	21.07	78.4	0.50	0.24
KRLD310	187.0	1230.0	0.03038	3.9	8.2	38.82	38.20	36.14	20.98	82.3	0.50	0.23
KRLD315	186.1	1270.8	0.02886	3.6	7.8	39.86	39.31	37.35	20.90	86.6	0.50	0.23
KRLD320	185.2	1314.6	0.02736	3.3	7.3	40.88	40.40	38.60	20.81	91.4	0.50	0.22
KRLD325	184.5	1361.2	0.02590	3.0	6.9	41.65	41.24	39.56	20.71	96.5	0.50	0.21
KRLD330	183.9	1410.5	0.02448	2.6	6.4	42.28	41.98	40.46	20.61	102.1	0.50	0.21
KRLD335	183.4	1462.1	0.02312	2.3	6.0	42.80	42.56	41.17	20.50	108.1	0.50	0.20
KRLD340	183.1	1515.8	0.02183	2.0	5.5	43.11	42.92	41.72	20.39	114.5	0.50	0.19
KRLD345	182.9	1571.4	0.02062	1.7	5.1	43.31	43.17	42.11	20.27	121.3	0.50	0.18
KRLD350	182.8	1628.3	0.01948	1.4	4.7	43.41	43.32	42.38	20.15	128.4	0.50	0.17
KRLD355	182.9	1687.0	0.01841	1.1	4.3	43.31	43.25	42.45	20.03	135.8	0.50	0.16

---


Full protection is afforded to KRLD. Study points shown represent 5° arc intervals. No interference over the entire KRLD 0.5 mV/m protected Skywave Contour will occur. The complete tabulation and vertical radiation section graphs for the entire protected contour will be supplied upon request.

---


**EXHIBIT 15.14**  
**SPECIAL NIGHTTIME STUDY KRLD, DALLAS, TX**  
**Protecting WTIC (non-directional)**




**EXHIBIT 15.14**  
**SPECIAL NIGHTTIME STUDY KRLD, DALLAS, TX**  
**Protecting WTIC (non-directional)**



**EXHIBIT 15.14**  
**SPECIAL NIGHTTIME STUDY KRLD, DALLAS, TX**  
**Protecting WTIC (non-directional)**




**EXHIBIT 15.14**  
**SPECIAL NIGHTTIME STUDY KRLD, DALLAS, TX**  
**Protecting WTIC (non-directional)**






**EXHIBIT 15.14**  
**SPECIAL NIGHTTIME STUDY KRLD, DALLAS, TX**  
**Protecting WTIC (non-directional)**




**EXHIBIT 15.14**  
**SPECIAL NIGHTTIME STUDY KRLD, DALLAS, TX**  
**Protecting WTIC (non-directional)**







**EXHIBIT 15.14**  
**SPECIAL NIGHTTIME STUDY KRLD, DALLAS, TX**  
**Protecting WTIC (non-directional)**




**EXHIBIT 15.14**  
**SPECIAL NIGHTTIME STUDY KRLD, DALLAS, TX**  
**Protecting WTIC (non-directional)**




**EXHIBIT 15.14**  
**SPECIAL NIGHTTIME STUDY KRLD, DALLAS, TX**  
**Protecting WTIC (non-directional)**



**EXHIBIT 15.14**  
**SPECIAL NIGHTTIME STUDY KRLD, DALLAS, TX**  
**Protecting WTIC (non-directional)**




**EXHIBIT 15.14**  
**SPECIAL NIGHTTIME STUDY KRLD, DALLAS, TX**  
**Protecting WTIC (non-directional)**






**EXHIBIT 15.14**  
**SPECIAL NIGHTTIME STUDY KRLD, DALLAS, TX**  
**Protecting WTIC (non-directional)**







**EXHIBIT 15.14**  
**SPECIAL NIGHTTIME STUDY KRLD, DALLAS, TX**  
**Protecting WTIC (non-directional)**




**EXHIBIT 15.14**  
**SPECIAL NIGHTTIME STUDY KRLD, DALLAS, TX**  
**Protecting WTIC (non-directional)**




**EXHIBIT 15.14**  
**SPECIAL NIGHTTIME STUDY KRLD, DALLAS, TX**  
**Protecting WTIC (non-directional)**



**EXHIBIT 15.14**  
**SPECIAL NIGHTTIME STUDY KRLD, DALLAS, TX**  
**Protecting WTIC (non-directional)**



**EXHIBIT 15.14**  
**SPECIAL NIGHTTIME STUDY KRLD, DALLAS, TX**  
**Protecting WTIC (non-directional)**





**EXHIBIT 15.14**  
**SPECIAL NIGHTTIME STUDY KRLD, DALLAS, TX**  
**Protecting WTIC (non-directional)**

