


W208AE - Fill-In
New Life Broadcasting, Inc.

Coverage Study - USGS 03 SEC
06-06-2014



N. Lat. = 181906.0 W. Lng. = 671049.0

HAAT and Distance to Contour,

FCC, FM 2-10 Mi, 51 pts Method - USGS 03 SEC

Fill-In Translator - Distance to 54 dBu Contour

Azi. AV EL HAAT ERP kW dBk Field 54-F5

000	17.6	378.4	0.2500	-6.02	1.000	35.11
030	102.4	293.6	0.2500	-6.02	1.000	30.86
060	92.6	303.4	0.2500	-6.02	1.000	31.37
090	169.8	226.2	0.2500	-6.02	1.000	27.22
120	88.8	307.2	0.2500	-6.02	1.000	31.57
150	44.8	351.2	0.2500	-6.02	1.000	33.88
180	0.5	395.5	0.2500	-6.02	1.000	35.79
210	0.1	395.9	0.2500	-6.02	1.000	35.80
240	11.6	384.4	0.2500	-6.02	1.000	35.35
270	9.1	386.9	0.2500	-6.02	1.000	35.45
300	43.8	352.2	0.2500	-6.02	1.000	33.93
330	18.7	377.3	0.2500	-6.02	1.000	35.07

Ave El= 49.99 M HAAT= 346.01 M AMSL= 396

N. Lat. = 181900.0 W. Lng. = 671059.0

HAAT and Distance to Contour,

FCC, FM 2-10 Mi, 51 pts Method - USGS 03 SEC

WVID, Centro Colegial Cristiano, In, BLED19910311KC

Azi. AV EL HAAT ERP kW dBk Field 54-F5

Azi.	AV EL	HAAT	ERP kW	dBk	Field	54-F5
000	19.2	358.8	14.5000	11.61	1.000	71.12
010	28.1	349.9	14.5000	11.61	1.000	70.48
020	80.7	297.3	14.5000	11.61	1.000	66.63
030	101.7	276.3	14.5000	11.61	1.000	64.98
040	92.7	285.3	14.5000	11.61	1.000	65.69
050	88.7	289.3	14.5000	11.61	1.000	66.00
060	90.9	287.1	14.5000	11.61	1.000	65.83
070	99.0	279.0	14.5000	11.61	1.000	65.19
080	119.4	258.6	14.5000	11.61	1.000	63.57
090	169.0	209.0	14.5000	11.61	1.000	59.47
100	133.6	244.4	14.5000	11.61	1.000	62.45
110	95.0	283.0	14.5000	11.61	1.000	65.51
120	77.6	300.4	14.5000	11.61	1.000	66.86
130	98.3	279.7	14.5000	11.61	1.000	65.25
140	78.2	299.8	14.5000	11.61	1.000	66.82
150	46.4	331.6	14.5000	11.61	1.000	69.16
160	18.5	359.5	14.5000	11.61	1.000	71.17
170	5.7	372.3	14.5000	11.61	1.000	72.07
180	0.4	377.6	14.5000	11.61	1.000	72.45
190	0.2	377.8	14.5000	11.61	1.000	72.46
200	0.0	378.0	14.5000	11.61	1.000	72.47
210	0.0	378.0	14.5000	11.61	1.000	72.48
220	0.1	377.9	14.5000	11.61	1.000	72.47
230	1.1	376.9	14.5000	11.61	1.000	72.40
240	9.1	368.9	14.5000	11.61	1.000	71.83
250	14.9	363.1	14.5000	11.61	1.000	71.42
260	8.9	369.1	14.5000	11.61	1.000	71.85
270	6.9	371.1	14.5000	11.61	1.000	71.99
280	14.4	363.6	14.5000	11.61	1.000	71.46
290	26.5	351.5	14.5000	11.61	1.000	70.60
300	41.4	336.6	14.5000	11.61	1.000	69.53
310	27.9	350.1	14.5000	11.61	1.000	70.49
320	23.5	354.5	14.5000	11.61	1.000	70.81
330	15.0	363.0	14.5000	11.61	1.000	71.42
340	20.5	357.5	14.5000	11.61	1.000	71.02
350	15.8	362.2	14.5000	11.61	1.000	71.36

Ave El= 46.37 M HAAT= 331.63 M AMSL= 378 M