

## Robert Moore

REFERENCE CH# 263D - 100.5 MHz, Pwr= 0.05 kw, HAAT= 20.1 M, COR= 314 M DISPLAY DATES  
 29 14 14.0 N. Average Protected F(50-50)= 4.71 km DATA 01-06-15  
 99 47 43.0 W. Omni-directional SEARCH 03-09-15

CH CITY	CALL	TYPE STATE	ANT <--	AZI FILE #	DIST FILE #	LAT LNG	PWR(kw) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*OUT* (Overlap in km)
263D Uvalde	K263BC	CP _C_	270.0	3.15	BNPFT20030827AJL	29 14 14.0 99 49 40.0	0.006 144	21.3 439	6.3 World Radio Network, Inc.	-18.2*
3/24/2005: Reminder letter dated 3/17/05 sent to Mexico. 7/17/2006: Accepted by Mexico in 3/30/06 letter.										
260B Piedras Negras	XHSGFM	CI	230.3 50.0	93.34		28 41 58.0 100 31 56.0	50.000 150	6.0 390	65.0	27.4
260B Piedras Negras	XHSGFM	OPE _HN CI	230.3 50.0	93.34		28 41 58.0 100 31 56.0	10.100 50	2.4 290	65.0	27.4
262C0 San Antonio	KCYV	LIC _C_	72.7 253.2	108.59	BMLH20001010ACO	29 31 25.0 98 43 25.0	100.000 300	107.3 612	74.0 Cox Radio, Inc.	27.9

Terrain database is FCC NGDC 30 Sec , R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM  
 In & Out distances between contours are shown at closest points. Reference zone= West Zone, Co to 3rd adjacent.  
 All separation margins (if shown) include rounding. Call signs with strikeout need not be protected.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 Incoming contour overlap is ignored.  
 "\*"affixed to 'IN' or 'OUT' values = site inside restricted contour.  
 Reference station has protected zone issue: Mexico