

EXHIBIT 12
Page #1, Waiver Request of Section 74.1204
Providence, RI NEW-T Channel 229 10 Watts ERP
CSN International 4/04



The proposed site is contained entirely inside the service contours of second-adjacent Stations WSNE, Taunton, MA and WHJY, Providence, RI

WSNE

The proposed site is contained entirely inside the service contour of second-adjacent Station WSNE, Channel 227, Class B, 30 kW, Taunton, MA. As shown by the map on **page #2** of this waiver request, the level of the second-adjacent station WSNE least arriving protected F(50,50) signal at the proposed transmitter site is 82-dBu. Using the Undesired-to-Desired method for calculating proposed interference (the basis of the FCC current contour overlap regulations and an acceptable method for the purposes of determining lack of interference for an FM Translator), the proposed interfering contour with respect to WSNE is 122-dBu (free-space contour method employed). This means that the 122-dBu interfering signal would, in the worst case at the maximum radial, extend 18 meters from the center of radiation, which is proposed at 77 meters AGL. The interference contour does not touch the ground, but is located 59 meters, or 194 feet above the ground level. This site is located near population but it has been determined that there are no buildings that are 194 feet in height within 18 meters, or 59 feet of the tower. Because there are no businesses or residences that are located within or affected by this interference zone, CSN International respectfully requests a waiver of the FM translator contour overlap regulations with respect to second-adjacent channel station WSNE.

WHJY

The proposed site is contained entirely inside the service contour of second-adjacent Station WHJY, Channel 231, Class B, 50 kW, Providence, RI. As shown by the map on **page #2** of this waiver request, the level of the second-adjacent station WHJY east arriving protected F(50,50) signal at the proposed transmitter site is 90-dBu. Using the Undesired-to-Desired method for calculating proposed interference (the basis of the FCC current contour overlap regulations and an acceptable method for the purposes of determining lack of interference for an FM Translator), the proposed interfering contour with respect to WHJY is 130-dBu (free-space contour method employed). This means that the 130-dBu interfering signal would, in the worst case at the maximum radial, extend 7 meters from the center of radiation, which is proposed at 77 meters AGL. The interference contour does not touch the ground, but is located 70 meters, or 230 feet above the ground level. This site is located near population but it has been determined that there are no buildings that are 230 feet tall within 7 meters or 23 feet of the tower. Because there are no businesses or residences that are located within or affected by this interference zone, CSN International respectfully requests a waiver of the FM translator contour overlap regulations with respect to second-adjacent channel station WHJY.



Prop 229D .01kW 159M AMSL
 N. Lat. 41 48 28 W. Lng. 71 28 22

Providence, RI
 CSN - 04/04

