

EXHIBIT 15.8

SPECIAL NIGHTTIME STUDY T KAAY, LITTLE ROCK, AR

Freq.	Power	Pat-Mult	Theo-RMS	Standard	Pat-RSS	Q
kHz	(kW)	(mV/m)	(mV/m)	RMS-mV/m	(mV/m)	Factor
1080	2.600	1039.25	462.77	487.55	1522.45	38.0613

Twr	Field	Phase	Spacing	Orient	Twr	TL/	Elec-Ht	TL(B)	TL(C)	TL(D)
No.	Ratio	Deg.	Deg.	Deg.	Ref	Sec	in Deg.	Deg.	Deg.	Deg.
1	0.388	-155.0	0.0	0.0	0	0	77.4	0.0	0.0	0.0
2	1.000	0.0	70.0	170.0	1	0	77.4	0.0	0.0	0.0
3	0.943	154.5	70.0	170.0	1	0	77.4	0.0	0.0	0.0
4	0.326	-51.0	70.0	170.0	1	0	77.4	0.0	0.0	0.0

	Towards	Azimuth	Kilo-	**SWF**	Crit.	Angle	-----Radiations at:-----			RSS	Max. Rad.	Perm.	Prop.
		Deg-Tru	meters	Field	LO	HI	HO Angle	LO Angle	HI Angle	Limit	Allowed	Limit	Limit
* KAAY 0	214.5	727.3	0.06682	9.6	16.5	45.27	44.80	43.82	0.04	374.2	5.00	0.60	
* KAAY 5	213.0	729.9	0.06654	9.5	16.5	44.54	44.13	43.26	0.04	375.7	5.00	0.59	
* KAAY 10	211.7	737.1	0.06563	9.4	16.3	43.94	43.54	42.75	0.04	380.9	5.00	0.57	
* KAAY 15	210.4	748.7	0.06420	9.2	16.0	43.43	43.01	42.25	0.04	389.4	5.00	0.55	
* KAAY 20	209.4	764.1	0.06234	8.9	15.6	43.13	42.68	41.90	0.04	401.0	5.00	0.53	
* KAAY 25	208.6	782.3	0.06023	8.7	15.2	42.98	42.48	41.66	0.04	415.1	5.00	0.51	
* KAAY 30	208.1	802.2	0.05803	8.4	14.8	42.92	42.41	41.55	0.03	430.8	5.00	0.49	
* KAAY 35	207.9	822.7	0.05590	8.1	14.3	42.91	42.41	41.57	0.03	447.2	5.00	0.47	
* KAAY 40	207.8	839.9	0.05420	7.8	14.0	42.91	42.43	41.59	0.03	461.3	5.00	0.46	
* KAAY 45	207.8	848.9	0.05333	7.7	13.8	42.91	42.44	41.62	0.03	468.8	5.00	0.45	
* KAAY 50	207.6	849.9	0.05324	7.7	13.8	42.90	42.42	41.57	0.03	469.6	5.00	0.45	
* KAAY 55	207.5	851.2	0.05313	7.7	13.8	42.91	42.41	41.54	0.03	470.6	5.00	0.45	
* KAAY 60	207.3	853.6	0.05291	7.6	13.7	42.91	42.41	41.51	0.03	472.5	5.00	0.45	
* KAAY 65	207.2	854.6	0.05282	7.6	13.7	42.92	42.41	41.49	0.03	473.3	5.00	0.45	
* KAAY 70	207.0	856.0	0.05270	7.6	13.7	42.94	42.40	41.45	0.03	474.4	5.00	0.45	
* KAAY 75	206.9	858.1	0.05250	7.6	13.6	42.95	42.40	41.45	0.03	476.2	5.00	0.45	
* KAAY 80	206.8	860.8	0.05226	7.6	13.6	42.96	42.41	41.43	0.03	478.4	5.00	0.44	
* KAAY 85	206.7	863.4	0.05202	7.5	13.5	42.98	42.42	41.44	0.03	480.5	5.00	0.44	
* KAAY 90	206.6	865.6	0.05183	7.5	13.5	42.99	42.43	41.42	0.03	482.4	5.00	0.44	
* KAAY 95	206.6	868.5	0.05157	7.5	13.4	42.99	42.43	41.44	0.03	484.8	5.00	0.44	
* KAAY100	206.5	871.1	0.05133	7.4	13.4	43.01	42.45	41.43	0.03	487.0	5.00	0.44	
* KAAY105	205.9	872.6	0.05123	7.4	13.3	43.16	42.53	41.40	0.03	488.0	5.00	0.44	
* KAAY110	205.0	875.5	0.05099	7.4	13.3	43.52	42.76	41.41	0.03	490.3	5.00	0.44	
* KAAY115	204.1	881.0	0.05053	7.3	13.2	44.05	43.16	41.56	0.03	494.7	5.00	0.44	
* KAAY120	203.1	889.4	0.04984	7.2	13.0	44.84	43.81	41.92	0.03	501.6	5.00	0.44	
* KAAY125	202.2	901.1	0.04889	7.0	12.8	45.73	44.60	42.42	0.03	511.3	5.00	0.44	
* KAAY130	201.4	915.1	0.04777	6.9	12.6	46.68	45.43	43.01	0.03	523.3	5.00	0.43	
* KAAY135	200.8	931.0	0.04655	6.7	12.3	47.47	46.19	43.62	0.03	537.0	5.00	0.43	
* KAAY140	200.5	947.5	0.04533	6.5	12.0	47.90	46.64	44.04	0.03	551.5	5.00	0.42	
* KAAY145	200.5	963.7	0.04417	6.3	11.7	47.90	46.71	44.20	0.03	566.0	5.00	0.41	
* KAAY150	200.7	978.5	0.04315	6.2	11.5	47.61	46.49	44.12	0.03	579.4	5.00	0.40	
* KAAY155	201.2	991.0	0.04231	6.0	11.3	46.94	45.95	43.79	0.03	590.9	5.00	0.39	
* KAAY160	201.8	1000.4	0.04168	5.9	11.2	46.19	45.32	43.36	0.03	599.8	5.00	0.38	
* KAAY165	202.5	1006.3	0.04129	5.9	11.1	45.42	44.64	42.93	0.03	605.5	5.00	0.37	
* KAAY170	203.3	1011.4	0.04095	5.8	11.0	44.66	44.00	42.53	0.03	610.5	5.00	0.36	
* KAAY175	204.1	1013.6	0.04079	5.8	11.0	44.05	43.48	42.20	0.03	612.8	5.00	0.35	
* KAAY180	204.9	1012.5	0.04084	5.8	11.0	43.57	43.08	41.99	0.03	612.1	5.00	0.35	
* KAAY185	205.8	1008.0	0.04110	5.9	11.1	43.19	42.77	41.85	0.03	608.2	5.00	0.35	
* KAAY190	206.6	1000.4	0.04156	5.9	11.2	42.99	42.63	41.84	0.03	601.5	5.00	0.35	
* KAAY195	207.3	990.0	0.04222	6.0	11.3	42.91	42.59	41.89	0.03	592.2	5.00	0.36	
* KAAY200	208.0	977.2	0.04305	6.2	11.5	42.92	42.62	42.00	0.03	580.8	5.00	0.37	
* KAAY205	208.5	962.9	0.04402	6.3	11.8	42.96	42.69	42.09	0.03	567.9	5.00	0.38	
* KAAY210	208.8	947.7	0.04510	6.5	12.0	43.01	42.73	42.15	0.03	554.4	5.00	0.39	
* KAAY215	209.1	932.6	0.04621	6.7	12.3	43.06	42.79	42.21	0.03	541.0	5.00	0.40	
* KAAY220	209.2	918.7	0.04728	6.8	12.5	43.09	42.80	42.22	0.03	528.8	5.00	0.40	
* KAAY225	209.2	907.8	0.04814	7.0	12.7	43.09	42.79	42.20	0.03	519.3	5.00	0.41	
* KAAY230	209.2	904.1	0.04844	7.0	12.8	43.09	42.79	42.19	0.03	516.1	5.00	0.41	
* KAAY235	209.8	914.4	0.04760	6.9	12.6	43.24	42.98	42.43	0.03	525.3	5.00	0.41	
* KAAY240	209.7	906.6	0.04822	7.0	12.7	43.21	42.94	42.38	0.03	518.5	5.00	0.41	
* KAAY245	209.9	906.4	0.04824	7.0	12.7	43.27	43.00	42.46	0.03	518.3	5.00	0.41	
* KAAY250	210.1	904.5	0.04838	7.0	12.8	43.33	43.07	42.52	0.03	516.7	5.00	0.42	
* KAAY255	210.2	902.8	0.04851	7.0	12.8	43.36	43.11	42.56	0.03	515.3	5.00	0.42	

MUNN-REESE, INC.

Broadcast Engineering Consultants
Coldwater, MI 49036

EXHIBIT 15.8
SPECIAL NIGHTTIME STUDY T KAAY, LITTLE ROCK, AR

	Freq. kHz	Power (kW)	Pat-Mult (mV/m)	Theo-RMS (mV/m)	Standard RMS-mV/m	Pat-RSS (mV/m)	Q Factor			
	1080	2.600	1039.25	462.77	487.55	1522.45	38.0613			
Twr	Field	Phase	Spacing	Orient	Twr	TL/	Elec-Ht	TL(B)	TL(C)	TL(D)
No.	Ratio	Deg.	Deg.	Deg.	Ref	Sec	in Deg.	Deg.	Deg.	Deg.
1	0.388	-155.0	0.0	0.0	0	0	77.4	0.0	0.0	0.0
2	1.000	0.0	70.0	170.0	1	0	77.4	0.0	0.0	0.0
3	0.943	154.5	70.0	170.0	1	0	77.4	0.0	0.0	0.0
4	0.326	-51.0	70.0	170.0	1	0	77.4	0.0	0.0	0.0

	Towards	Azimuth	Kilo-	**SWF**	Crit.	Angle	-----Radiations at:-----				RSS	Max. Rad.	Perm.	Prop.
		Deg-Tru	meters	Field	LO	HI	HO Angle	LO Angle	HI Angle		Limit	Allowed	Limit	Limit
* KAAY260	210.5		901.8	0.04859	7.0	12.8	43.46	43.22	42.69		0.03	514.5	5.00	0.42
* KAAY265	210.5		897.9	0.04891	7.1	12.9	43.46	43.21	42.68		0.03	511.2	5.00	0.42
* KAAY270	211.1		899.2	0.04878	7.1	12.8	43.69	43.45	42.94		0.03	512.5	5.00	0.42
* KAAY275	210.2		889.3	0.04964	7.2	13.0	43.36	43.09	42.54		0.03	503.7	5.00	0.43
* KAAY280	210.4		887.9	0.04975	7.2	13.1	43.43	43.16	42.61		0.03	502.5	5.00	0.43
* KAAY285	211.1		887.7	0.04975	7.2	13.1	43.69	43.44	42.91		0.03	502.6	5.00	0.43
* KAAY290	212.0		886.2	0.04984	7.2	13.1	44.07	43.84	43.30		0.03	501.6	5.00	0.44
* KAAY295	213.0		882.7	0.05010	7.3	13.2	44.54	44.30	43.73		0.03	499.0	5.00	0.44
* KAAY300	214.0		876.9	0.05056	7.3	13.3	45.02	44.77	44.15		0.03	494.4	5.00	0.45
* KAAY305	215.0		868.7	0.05125	7.4	13.4	45.51	45.22	44.53		0.03	487.9	5.00	0.46
* KAAY310	215.9		858.3	0.05215	7.6	13.6	45.92	45.59	44.82		0.03	479.4	5.00	0.48
* KAAY315	216.9		845.2	0.05334	7.8	13.9	46.34	45.96	45.07		0.03	468.7	5.00	0.49
* KAAY320	217.9		829.3	0.05484	8.0	14.2	46.71	46.26	45.24		0.03	455.9	5.00	0.51
* KAAY325	218.6		812.1	0.05656	8.2	14.6	46.92	46.42	45.26		0.03	442.0	5.00	0.53
* KAAY330	219.0		794.4	0.05845	8.5	14.9	47.03	46.47	45.24		0.03	427.7	5.00	0.54
* KAAY335	219.0		777.0	0.06041	8.7	15.3	47.03	46.44	45.14		0.03	413.9	5.00	0.56
* KAAY340	218.6		761.0	0.06233	9.0	15.7	46.92	46.31	44.99		0.03	401.1	5.00	0.58
* KAAY345	218.0		747.1	0.06407	9.2	16.0	46.74	46.14	44.83		0.03	390.2	5.00	0.59
* KAAY350	217.0		736.4	0.06550	9.4	16.3	46.38	45.81	44.57		0.04	381.7	5.00	0.60
* KAAY355	215.8		729.6	0.06645	9.5	16.5	45.87	45.36	44.23		0.04	376.2	5.00	0.60

* indicates an ADJACENT CHANNEL whose allowable contribution to the RSS Limit is 20 dB less than the Permissible Limit shown.

Full protection is afforded to KAAY. Study points shown represent 5° arc intervals. No interference over the entire KRLD 5.0 mV/m protected Groundwave Contour will occur. The complete tabulation and vertical radiation section graphs for the entire protected contour will be supplied upon request.

EXHIBIT 15.8
SPECIAL NIGHTTIME STUDY T KAAV, LITTLE ROCK, AR




EXHIBIT 15.8
SPECIAL NIGHTTIME STUDY T KAAV, LITTLE ROCK, AR




EXHIBIT 15.8
SPECIAL NIGHTTIME STUDY T KAAV, LITTLE ROCK, AR




EXHIBIT 15.8
SPECIAL NIGHTTIME STUDY T KAAV, LITTLE ROCK, AR




EXHIBIT 15.8
SPECIAL NIGHTTIME STUDY T KAAV, LITTLE ROCK, AR




EXHIBIT 15.8
SPECIAL NIGHTTIME STUDY T KAAY, LITTLE ROCK, AR




EXHIBIT 15.8
SPECIAL NIGHTTIME STUDY T KAAY, LITTLE ROCK, AR




EXHIBIT 15.8
SPECIAL NIGHTTIME STUDY T KAAY, LITTLE ROCK, AR




EXHIBIT 15.8
SPECIAL NIGHTTIME STUDY T KAAY, LITTLE ROCK, AR




EXHIBIT 15.8
SPECIAL NIGHTTIME STUDY T KAAY, LITTLE ROCK, AR




EXHIBIT 15.8
SPECIAL NIGHTTIME STUDY T KAAY, LITTLE ROCK, AR




EXHIBIT 15.8
SPECIAL NIGHTTIME STUDY T KAAY, LITTLE ROCK, AR




EXHIBIT 15.8
SPECIAL NIGHTTIME STUDY T KAAY, LITTLE ROCK, AR




EXHIBIT 15.8
SPECIAL NIGHTTIME STUDY T KAAY, LITTLE ROCK, AR




EXHIBIT 15.8
SPECIAL NIGHTTIME STUDY T KAAY, LITTLE ROCK, AR




EXHIBIT 15.8
SPECIAL NIGHTTIME STUDY T KAAY, LITTLE ROCK, AR




EXHIBIT 15.8
SPECIAL NIGHTTIME STUDY T KAAY, LITTLE ROCK, AR




EXHIBIT 15.8
SPECIAL NIGHTTIME STUDY T KAAY, LITTLE ROCK, AR

