




1:250,000

Scale in km



Prop 201D .007kW 510M AMSL
N. Lat. 48 46 57 W. Lng. 122 22 05

Bellingham, WA K21
CCTF - 07/06



Prop 201D .007kW 510M AMSL
N. Lat. 48 46 57 W. Lng. 122 22 05

Bellingham, WA K201FH
CCTF - 07/06

Contour.out

TERRAIN AND CONTOUR DATA
CANADIAN COMPLIANCE

CALVARY CHAPEL OF TWIN FALLS, INC.
K201FH BELLINGHAM, WA MINOR MODIFICATION
.007KW ERP

N. Lat. = 48 46 57 W. Lng. = 122 22 05
HAAT and Distance to Contour - FCC Method - 03 Arc Sec.

Azi.	AV EL	HAAT	ERP kW	dBk	Field	34-F1
000	57.6	452.4	0.0000	-45.29	0.065	12.71
030	106.3	403.7	0.0004	-34.16	0.234	24.59
060	293.9	216.1	0.0004	-33.59	0.250	18.35
090	428.1	81.9	0.0001	-38.50	0.142	8.03
120	404.7	105.3	0.0000	-50.18	0.037	4.68
150	129.9	380.1	0.0000	-48.48	0.045	9.67
180	273.6	236.4	0.0023	-26.43	0.570	29.16
210	251.7	258.3	0.0059	-22.27	0.920	38.84
240	45.3	464.7	0.0067	-21.73	0.979	54.52
270	44.1	465.9	0.0036	-24.46	0.715	47.33
300	52.1	457.9	0.0002	-36.11	0.187	23.53
330	45.7	464.3	0.0000	-51.45	0.032	8.33

Ave EI = 177.76 M HAAT= 332.24 M AMSL= 510

CANADIAN / US BORDI



AN / US BORDER

