

**KMRO FILE# BLED 19861107KD, MINOR CHANGE APPLICATION  
MAY 2002, Carl E. Gluck, Technical Consultant**

**EXHIBIT 14**

**ALLOCATION CONSIDERATIONS**

A study of the current allocations, licensed broadcasting facilities, outstanding construction permits, and pending applications that are pertinent to the instant proposal was performed with reference to the proposed facility. A table of data showing the proposed facility as the reference record and all nearby co-channel and adjacent channel FCC database records is part of this exhibit.

The proposed operation will produce pertinent contours that fall within 16 kilometers of the following stations: KPFK CH214B, Los Angeles, CA, and KCRW CH210B Santa Monica, CA. Furthermore, if the intervening terrain was flat, contour overlap would occur with station KTQX CH211B, Bakersfield, CA.

Exhibit 15 contains a series of plots showing each case mentioned above, with the interfering and protected contours of each station on maps produced in accordance with the contour values in 47 C.F.R. 73.509. In addition a coverage plot of the proposed facility is included to show the F(50,50) 60 dBu contour, the location of the tower site, and the location of the station's city of license, Camarillo.

The predicted coverage contours were calculated in accordance with the method prescribed in Section 73.313 of the rules utilizing the appropriate propagation curves from the rules (73.333, Figure 1), effective radiated power, and antenna height above average terrain as determined for each profile radial. Average terrain data from the proposed site was obtained from a National

Geophysical Data Center 30 Second Point Topographic Database (TGP-0050). The height above average terrain as licensed from the proposed transmitter site is 381 meters. Each contour calculation is performed along 360 radials.

**In no case do the proposed interfering contours overlap protected contours, nor do the proposed protected contours have interference overlaps from any stations, fully satisfying the requirements of 47 C.F.R. 73.509.**

There are no primary broadcast stations within 50 kilometers of KMRO's transmitting site operating on channels 265 and 266 (53 and 54 channels removed from 212 – "i.f." frequencies). Thus, **the proposed operation satisfies the requirements of 47 C.F.R. 507(c).**

In light of the above, the instant proposal satisfies the FCC's allocations considerations with respect to all pertinent allotments, permits, assignments, and applications.

Allocation Table on Next Two Pages

KMRO FM Proposed Power Increase  
Includes straight line radial terrain calculation

REFERENCE CH# 212B - 90.3 MHz, Pwr= 7.1 kw, HAAT=381.0 M, COR= 868 M      DISPLAY DATES  
34 24 47 N      Average Protected F(50-50)= 64.72 km      DATA 04-19-02  
119 11 10 W      Ave. F(50-10) 40 dBu= 147.3 54 dBu= 95.4 80 dBu= 25.5 100 dBu= 5.2      SEARCH 05-18-02

CH CITY	CALL	TYPE STATE	AZI. <--	DIST FILE #	LAT. LNG.	Pwr(kw) HAAT(M)	COR(M) INT(km)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*
212B Camarillo	KMRO	LIC CN CA	0.0 180.0	0.00 BLED19861107KD	34 24 47 119 11 10	4.400 381	868 117.8	47.5 The Assoc. For Community E	-169.82<	-173.51
211B Bakersfield	*KTQX	LIC CN CA	25.0 205.0	127.57 BLED19961031KA	35 27 11 118 35 25	0.570 1284	2326 81.5	54.8 Radio Bilingue, Inc.	29.52	48.27
> Reference HAAT at 25.0°= -226.7 M, Pwr= 7.1 kw, Pro. Dist. = 16.51 km, Int Dist. = 24.52 km										
211B San Luis Obispo	*KCBX	LIC CN CA	308.6 128.6	170.49 BLED19890317KD	35 21 37 120 39 17	5.300 245	766 60.8	41.0 Kcbx, Inc.	51.63	42.71
> Reference HAAT at 308.6°= 489.7 M, Pwr= 7.1 kw, Pro. Dist. = 58.1 km, Int Dist. = 86.78 km										
210B Santa Monica	*KCRW	LIC CN CA	113.9 293.9	80.11 BLED19810325AF	34 07 08 118 23 30	6.900 273	537 4.2	45.0 Santa Monica Comm. College	10.41	29.92
> Reference HAAT at 113.9°= 638.8 M, Pwr= 7.1 kw, Pro. Dist. = 65.49 km, Int Dist. = 5.23 km										
212C Tijuana	*XHITZF	OPE HN BN	136.7 316.7	288.15	32 30 26 117 04 50	93.100 -9	0 161.8	30.5	60.32	108.63
> Reference HAAT at 136.7°= 653.7 M, Pwr= 7.1 kw, Pro. Dist. = 66.04 km, Int Dist. = 149.05 km										
212C Tijuana	*ALLO		136.7 316.7	288.15	32 30 26 117 04 50	100.000 -9	0 163.5	31.0	58.65	108.13
> Reference HAAT at 136.7°= 653.7 M, Pwr= 7.1 kw, Pro. Dist. = 66.04 km, Int Dist. = 149.05 km										
214B Los Angeles	*KPFK	LIC CN CA	100.9 280.9	104.96 BLED19830425AF	34 13 45 118 04 03	110.000 698	1762 15.7	96.6 Pacifica Foundation, Inc	27.75	3.24
> Reference HAAT at 100.9°= 545.1 M, Pwr= 7.1 kw, Pro. Dist. = 61.51 km, Int Dist. = 5.1 km										
209B Santa Maria	*961223	APP DCN CA	301.5 121.5	106.94 BPED19961223ME	34 54 37 120 11 08	0.639 516	1002 1.7	37.2 Calvary Chapel Of San Luis	48.31	64.77
> Reference HAAT at 301.5°= 470.4 M, Pwr= 7.1 kw, Pro. Dist. = 56.94 km, Int Dist. = 4.98 km										
209B Santa Maria	*970626	APP DVN CA	301.5 121.5	106.94 BPED19970626ME	34 54 37 120 11 08	0.619 519	1005 1.7	37.0 Family Stations, Inc.	48.34	64.91
> Reference HAAT at 301.5°= 470.4 M, Pwr= 7.1 kw, Pro. Dist. = 56.94 km, Int Dist. = 4.98 km										
209B Santa Maria	*970626	APP DCN CA	301.5 121.5	106.94 BPED19970626MB	34 54 37 120 11 08	0.639 516	1002 1.7	37.2 People Of Action	48.31	64.77
> Reference HAAT at 301.5°= 470.4 M, Pwr= 7.1 kw, Pro. Dist. = 56.94 km, Int Dist. = 4.98 km										

215B	*KGZO	LIC DC	332.2	109.12	35 16 51	1.151	1294	36.2	71.11	69.52
Shafter		CA	152.2	BLED19980713KA	119 44 52	376	2.2	The Association For Commun		
> Reference HAAT at 332.2°= 153.0 M, Pwr= 7.1 kW, Pro. Dist. = 35.8 km, Int Dist. = 3.44 km										
213B	*KUFW	LIC CN	8.5	210.18	36 17 09	0.850	1715	54.3	113.30	131.36
Woodlake		CA	188.5	BLED19830524AA	118 50 15	1008	80.4	National Farm Workers Serv		
> Reference HAAT at 8.5°= -73.0 M, Pwr= 7.1 kW, Pro. Dist. = 16.51 km, Int Dist. = 24.52 km										
211B	*KLRD	LIC DC	100.0	214.97	34 03 18	0.550	2784	56.7	68.80	68.82
Yucaipa		CA	280.0	BLED20011019AAO	116 53 35	1483	85.6	Educational Media Foundati		
> Reference HAAT at 100.0°= 529.5 M, Pwr= 7.1 kW, Pro. Dist. = 60.59 km, Int Dist. = 89.48 km										
214B	*970328	APP DCN	287.8	121.01	34 44 20	0.242	420	10.8	56.80	105.08
Santa Maria		CA	107.8	BPED19970328MD	120 26 41	70	1.1	People Of Action		
> Reference HAAT at 287.8°= 577.6 M, Pwr= 7.1 kW, Pro. Dist. = 63.12 km, Int Dist. = 5.15 km										
214A	*971126	APP EN	287.5	119.77	34 43 50	0.560	366	8.8	55.04	105.86
Lompoc		CA	107.5	BPED19971126MC	120 26 01	22	1.6	Csn International		
> Reference HAAT at 287.5°= 577.6 M, Pwr= 7.1 kW, Pro. Dist. = 63.12 km, Int Dist. = 5.15 km										
06+2C	KSBY	LI HN	308.6	170.49	35 21 37	100.000	885	124.0	To Grd B= 46.47	
San Luis Obispo		CA	128.6	BLCT1159	120 39 17	543	0.0	Sjl of California, L.p.		

-----  
 "\*" = ERP and HAAT on direct line to and from reference station. "<" = Contour overlap