

MINOR CHANGE APPLICATION
EMMIS AUSTIN RADIO BROADCASTING COMPANY, L.P.
K259AJ FM TRANSLATOR STATION
CH 259D - 99.7 MHZ - 0.215 KW
AUSTIN, TEXAS
January 2011

EXHIBIT B1

Interference Review for K259AJ FM Translator Austin, Texas
Using Existing Site as Reference

REFERENCE	CH# 259D - 99.7 MHZ, Pwr= 0.215 kW, HAAT= 270.7 M, COR= 489.3 M	DISPLAY DATES
30 19 20.0 N.	Average Protected F(50-50)= 20.7 km	DATA 01-14-11
97 48 03.0 W.	Omni-directional	SEARCH 01-14-11

CH CITY	CALL	TYPE	ANT STATE	AZI. <--	DIST FILE #	LAT. LNG.	Pwr (kW) HAAT (M)	INT (km) COR (M)	PRO (km) LICENSEE	*IN* (Overlap in km)	*OUT*
259D Austin	K259AJ	LIC	C TX	0.0 0.0	0.0 BLFT20100514ABF	30 19 20.0 97 48 03.0	0.250	49.3 380	14.8 Emmis Austin Radio Broadcast	-68.9*	-75.4*
260C Waco	WACO-FM	LIC	NCN TX	22.4 202.7	121.9 BLH19901116KD	31 20 15.0 97 18 37.0	90.000 506	125.7 710	84.6 Capstar Tx Llc	-24.2*<	7.2
258C San Antonio	KISS-FM	LIC	C TX	201.1 20.9	124.5 BLH20060427AFE	29 16 29.0 98 15 52.0	100.000 453	122.8 611	82.7 Cox Radio, Inc.	-18.6<	11.9
262D Jonestown	629183	APP	V TX	335.3 155.2	20.3 BNPFT20030310ASV	30 29 17.0 97 53 22.0	0.092	0.7 395	11.3 Calvary Chapel Of Twin Falls	0.5	8.0
260D San Marcos	641299	APP	C TX	191.2 11.1	41.6 BNPFT20030317BCV	29 57 15.0 97 53 05.0	0.050	7.2 259	5.1 Gwendolynn Tellez	13.7	5.9
260D Lockhart	DK260AB	LIC	DHN TX	163.3 343.3	43.0 BLFT19930308TB	29 57 02.0 97 40 19.0	0.137 65	4.0 226	2.9 Gilbert Garcia	16.8	7.2
261D Henly	K260BC	APP	DE TX	240.7 60.6	29.8 BFPT20101210AIM	30 11 26.5 98 04 17.2	0.250	0.5 482	11.0 Rio Bravo Entertainment LLC	10.6	17.8
262D Georgetown	630416	APP	C TX	20.8 200.9	31.9 BNPFT20030313BIR	30 35 29.0 97 40 55.0	0.050	0.5 430	11.9 Educational Media Foundation	11.1	19.0
260D Johnson City	K260BC	LIC	C TX	268.3 88.0	57.1 BLFT20071114AGP	30 18 19.0 98 23 38.0	0.050	13.3 423	9.5 Rio Bravo Entertainment LLC	23.9	18.1
256D San Marcos	638048	APP	C TX	191.2 11.1	41.6 BNPFT20030317AFJ	29 57 15.0 97 53 05.0	0.050	0.5 239	4.7 Gerald Benavides	20.4	35.9
257A Thorndale	KLGO	LIC	NCX TX	68.7 249.0	51.7 BLH20051208ACB	30 29 23.0 97 17 56.0	6.000 100	2.6 250	26.9 Reo Radio Group, LLC	28.0	23.8
261D Henly	K260BC	CP	DE TX	251.4 71.1	43.7 BPFT20100709ALV	30 11 46.0 98 13 52.0	0.070	0.1 524	5.2 Rio Bravo Entertainment LLC	24.2	37.5
257D Lockhart	633032	APP	DC TX	174.8 354.8	51.7 BNPFT20030313BMI	29 51 27.0 97 45 07.0	0.250	1.0 245	10.5 Faith Pleases God Church	29.1	40.2
260D Canyon Lake	632051	APP	C TX	219.6 39.3	71.5 BNPFT20030314BTH	29 49 30.0 98 16 26.0	0.050	17.5 490	11.9 Educational Media Foundation	35.2	31.7
262C0 San Antonio	KCY	LIC	C TX	225.3 44.8	125.6 BMLH20001010ACO	29 31 25.0 98 43 25.0	100.000 300	9.9 612	71.4 Cox Radio, Inc.	96.9	53.1
256D Seguin	632036	APP	C TX	192.0 11.9	80.6 BNPFT20030314BTK	29 36 41.0 97 58 30.0	0.250	1.1 256	12.0 Educational Media Foundation	58.8	67.5

Terrain database is NGDC 30 SEC, R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM
Contour distances are on direct line to and from reference station. Reference Zone = 2, Co to 3rd adjacent.
Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, _= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)
"*"affixed to 'IN' or 'OUT' values = site inside protected contour.
< = Contour Overlap

MINOR CHANGE APPLICATION
EMMIS AUSTIN RADIO BROADCASTING COMPANY, L.P.
K259AJ FM TRANSLATOR STATION
CH 259D - 99.7 MHZ - 0.215 KW
AUSTIN, TEXAS
January 2011

EXHIBIT B2

Predicted contour:

N. Lat. = 30 19 20 - Tabulated Protected and Interfering Contour Data
W. Lng. = 97 48 03 - K259AJ FM Translator station - Austin, Texas

HAAT and Distance to Contour - NGDC 30 Second terrain database

Azi.	AV EL	HAAT	ERP kW	Field	60-F5	40-F1	54-F1	100-F1
000	248.1	241.2	0.2150	1.000	19.57	60.61	29.02	1.03
010	237.6	251.7	0.2150	1.000	19.99	61.61	29.60	1.03
020	228.0	261.3	0.2150	1.000	20.35	62.52	30.13	1.03
030	235.5	253.8	0.2150	1.000	20.07	61.81	29.72	1.03
040	238.6	250.7	0.2150	1.000	19.95	61.51	29.55	1.03
050	222.0	267.3	0.2150	1.000	20.58	63.10	30.47	1.03
060	213.6	275.7	0.2150	1.000	20.89	63.90	30.95	1.03
070	208.1	281.2	0.2150	1.000	21.09	64.43	31.26	1.03
080	199.2	290.1	0.2150	1.000	21.41	65.28	31.78	1.03
090	190.6	298.7	0.2150	1.000	21.71	66.09	32.28	1.03
100	180.7	308.6	0.2150	1.000	22.07	67.03	32.86	1.03
110	171.3	318.0	0.2150	1.000	22.39	67.93	33.41	1.03
120	158.7	330.6	0.2150	1.000	22.80	69.15	34.15	1.03
130	152.1	337.2	0.2150	1.000	23.02	69.79	34.54	1.03
140	153.9	335.4	0.2150	1.000	22.96	69.61	34.43	1.03
150	163.2	326.1	0.2150	1.000	22.66	68.72	33.88	1.03
160	175.6	313.7	0.2150	1.000	22.24	67.52	33.16	1.03
170	188.9	300.4	0.2150	1.000	21.78	66.26	32.39	1.03
180	200.4	288.9	0.2150	1.000	21.36	65.17	31.71	1.03
190	219.4	269.9	0.2150	1.000	20.68	63.35	30.62	1.03
200	230.9	258.4	0.2150	1.000	20.25	62.25	29.97	1.03
210	251.2	238.1	0.2150	1.000	19.45	60.32	28.86	1.03
220	266.9	222.4	0.2150	1.000	18.80	58.74	27.94	1.03
230	265.1	224.2	0.2150	1.000	18.87	58.92	28.05	1.03
240	269.7	219.6	0.2150	1.000	18.67	58.44	27.77	1.03
250	248.5	240.8	0.2150	1.000	19.55	60.57	29.00	1.03
260	257.8	231.5	0.2150	1.000	19.18	59.67	28.48	1.03
270	228.4	260.9	0.2150	1.000	20.34	62.48	30.11	1.03
280	195.3	294.0	0.2150	1.000	21.55	65.66	32.01	1.03
290	203.0	286.3	0.2150	1.000	21.27	64.92	31.56	1.03
300	206.4	282.9	0.2150	1.000	21.15	64.59	31.36	1.03
310	225.0	264.3	0.2150	1.000	20.47	62.81	30.30	1.03
320	244.0	245.3	0.2150	1.000	19.74	61.00	29.25	1.03
330	257.6	231.7	0.2150	1.000	19.19	59.69	28.49	1.03
340	257.6	231.7	0.2150	1.000	19.18	59.69	28.49	1.03
350	255.9	233.4	0.2150	1.000	19.26	59.86	28.59	1.03

AMSL= 489.3 M