

WSRQ - SARASOTA FL

Freq: 1220 kHz / Class: D
Latitude: 27-19-27 N / Longitude: 082-29-47 W
Power: 1 kW / RMS: 296.12 mV/m @1km
Towers: 2
Present - Dashed Lines

WSRQ - SARASOTA FL

Freq: 1220 kHz / Class: D
Latitude: 27-19-19 N / Longitude: 082-24-27 W
Power: 1 kW / RMS: 302.748 mV/m @1km
Towers: 2
Proposed - Solid Lines

■ 2.0 mV/m
■ 0.5 mV/m

**PRESENT / PROPOSED DAYTIME
WIDE AREA SERVICE CONTOURS**

GRAHAM BROCK, INC.
BROADCAST TECHNICAL CONSULTANTS

27-00-00 N

EXHIBIT 1A
MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

Scale 1:1,500,000

0 20 40 60 km


**PRESENT / PROPOSED DAYTIME
CITY GRADE SERVICE CONTOURS**

WSRQ - SARASOTA FL
Freq: 1220 kHz / Class: D
Latitude: 27-19-27 N / Longitude: 082-29-47 W
Power: 1 kW / RMS: 296.12 mV/m @1km
Towers: 2
Present - Dashed Lines

WSRQ - SARASOTA FL
Freq: 1220 kHz / Class: D
Latitude: 27-19-19 N / Longitude: 082-24-27 W
Power: 1 kW / RMS: 302.748 mV/m @1km
Towers: 2
Proposed - Solid Lines

■ 5.0 mV/m
□ Sarasota

EXHIBIT 1B
MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008



WSRQ - SARASOTA FL

Freq: 1220 kHz / Class: D
Latitude: 27-19-27 N / Longitude: 082-29-47 W
Power: 1 kW / RMS: 296.12 mV/m @1km
Towers: 2

**PRESENT DAYTIME
1000 mV/m SERVICE CONTOURS**

GRAHAM BROCK, INC.

BROADCAST TECHNICAL CONSULTANTS

1000.0 mV/m

EXHIBIT 1C1

**MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC**


WSRQ AM RADIO STATION

has: 1220 kHz - 0.159/1.0 kW - DA2

req: 1220 kHz - 0.039/1.0 kW - DA2

SARASOTA, FLORIDA

November 2008



WSRQ - SARASOTA FL

Freq: 1220 kHz / Class: D
Latitude: 27-19-19 N / Longitude: 082-24-27 W
Power: 1 kW / RMS: 302.748 mV/m @ 1km
Towers: 2

**PROPOSED DAYTIME
1000 mV/m SERVICE CONTOURS**

GRAHAM BROCK, INC.

BROADCAST TECHNICAL CONSULTANTS

1000.0 mV/m

27-20-00 N

082-25-00 W

082-23-00 W

WSRQ

EXHIBIT 1C2

**MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC**

WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

Scale 1:24,000

0 0.33 0.67 1.0 km

**WITHIN THE PROPOSED DAYTIME 1000 mV/m CONTOUR:
0 Persons - 2000 Census**

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL

SRQ RADIO, LLC

WSRQ AM RADIO STATION

has: 1220 kHz - 0.165/1.0 kW - DA2

req: 1220 kHz - 0.039/1.0 kW - DA2

SARASOTA, FLORIDA

November 2008

EXHIBIT #1D

Proposed Daytime Service Contours

North Latitude: 27° 19' 19"
West Longitude: 82° 24' 27"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :			
		Contour levels in mV/m.			
		1000.000	5.000	2.000	.500
0.0	327.59	0.30	15.35	23.53	43.19
5.0	300.50	0.28	14.71	22.64	41.59
10.0	272.18	0.25	13.99	21.65	39.84
15.0	243.12	0.23	13.22	20.56	37.93
20.0	214.02	0.20	12.37	19.39	35.88
25.0	185.83	0.18	11.49	18.15	33.74
30.0	159.95	0.15	10.59	16.90	31.61
35.0	138.42	0.13	9.78	15.76	29.68
40.0	123.88	0.12	9.19	14.93	28.27
45.0	118.88	0.11	8.97	14.63	27.76
50.0	124.05	0.12	9.19	14.94	28.28
55.0	137.47	0.13	9.74	15.71	29.59
60.0	156.07	0.15	10.45	16.71	31.27
65.0	177.21	0.17	11.20	17.75	33.05
70.0	199.07	0.19	11.91	18.74	34.77
75.0	220.48	0.21	12.57	19.66	36.35
80.0	240.68	0.22	13.15	20.47	37.76
85.0	259.16	0.24	13.65	21.17	39.00
90.0	275.59	0.26	14.08	21.77	40.06
95.0	289.75	0.27	14.44	22.27	40.94
100.0	301.48	0.28	14.73	22.67	41.65
105.0	310.69	0.29	14.95	22.98	42.20
110.0	317.30	0.29	15.11	23.20	42.59
115.0	321.28	0.30	15.20	23.33	42.82
120.0	322.61	0.30	15.23	23.37	42.90
125.0	321.28	0.30	15.20	23.33	42.82
130.0	317.30	0.29	15.11	23.20	42.59
135.0	310.69	0.29	14.95	22.98	42.20
140.0	301.48	0.28	14.73	22.67	41.65
145.0	289.75	0.27	14.44	22.27	40.94
150.0	275.59	0.26	14.08	21.77	40.06
155.0	259.16	0.24	13.65	21.17	39.00
160.0	240.68	0.22	13.15	20.47	37.76
165.0	220.48	0.21	12.57	19.66	36.35
170.0	199.07	0.19	11.91	18.74	34.77
175.0	177.21	0.17	11.20	17.75	33.05

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.165/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #1D (Continued)

Proposed Daytime Service Contours

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :			
		Contour levels in mV/m.			
		1000.000	5.000	2.000	.500
180.0	156.07	0.15	10.45	16.71	31.27
185.0	137.47	0.13	9.74	15.71	29.59
190.0	124.05	0.12	9.19	14.94	53.75
195.0	118.88	0.11	8.97	14.63	78.16
200.0	123.88	0.12	9.19	14.93	103.51
205.0	138.42	0.13	9.78	15.76	131.67
210.0	159.95	0.15	10.59	20.74	160.69
215.0	185.83	0.18	11.49	38.34	188.56
220.0	214.02	0.20	12.37	54.46	214.02
225.0	243.12	0.23	13.22	68.97	236.63
230.0	272.18	0.25	18.37	82.00	256.46
235.0	300.50	0.28	25.37	93.51	273.68
240.0	327.59	0.30	31.43	103.59	288.55
245.0	353.08	0.32	36.59	112.24	301.06
250.0	376.69	0.34	40.85	119.59	311.81
255.0	398.24	0.36	44.25	125.67	320.50
260.0	417.59	0.38	46.77	130.43	327.48
265.0	434.67	0.39	48.33	133.94	332.87
270.0	449.43	0.41	48.91	136.11	336.64
275.0	461.88	0.42	48.35	136.84	338.49
280.0	472.01	0.43	46.46	135.99	338.52
285.0	479.86	0.43	42.97	133.30	336.50
290.0	485.44	0.44	37.42	128.31	331.96
295.0	488.78	0.44	29.08	120.28	324.24
300.0	489.89	0.44	18.61	84.79	288.85
305.0	488.78	0.44	18.59	28.10	200.86
310.0	485.44	0.44	18.53	28.01	180.82
315.0	479.86	0.43	18.43	27.87	209.90
320.0	472.01	0.43	18.28	27.67	228.49
325.0	461.88	0.42	18.10	27.41	180.97
330.0	449.43	0.41	17.87	27.08	65.03
335.0	434.67	0.39	17.59	26.68	63.95
340.0	417.59	0.38	17.26	26.22	67.30
345.0	398.24	0.36	16.87	25.67	74.02
350.0	376.69	0.34	16.42	25.05	45.90
355.0	353.08	0.32	15.92	24.33	44.62

See Exhibit #2G4 for ground conductivity tabulation

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL

SRQ RADIO, LLC

WSRQ AM RADIO STATION

has: 1220 kHz - 0.165/1.0 kW - DA2

req: 1220 kHz - 0.039/1.0 kW - DA2

SARASOTA, FLORIDA

November 2008

EXHIBIT #1E

Present Daytime Service Contours

North Latitude: 27° 19' 27"

West Longitude: 82° 29' 47"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :			
		Contour levels in mV/m.			
		1000.000	5.000	2.000	.500
0.0	424.74	0.38	17.40	26.41	58.53
5.0	404.15	0.37	16.99	25.84	47.33
10.0	381.04	0.35	16.52	25.17	46.13
15.0	355.49	0.33	15.97	24.41	44.75
20.0	327.62	0.30	15.35	23.54	43.19
25.0	297.58	0.28	14.64	22.54	41.42
30.0	265.61	0.25	13.82	21.41	39.42
35.0	231.98	0.22	12.90	20.12	37.16
40.0	197.03	0.19	11.85	18.65	34.61
45.0	161.19	0.15	10.64	16.97	31.72
50.0	125.05	0.12	9.23	15.00	28.38
55.0	89.59	0.10	7.59	12.67	24.49
60.0	57.17	0.10	5.73	9.96	19.99
65.0	48.04	0.10	5.10	9.02	18.44
70.0	49.75	0.10	5.23	9.21	18.74
75.0	74.85	0.10	6.80	11.53	22.60
80.0	105.80	0.10	8.38	13.79	26.37
85.0	136.41	0.13	9.70	15.65	29.49
90.0	165.56	0.16	10.79	17.18	32.09
95.0	192.70	0.18	11.71	18.46	34.28
100.0	217.52	0.20	12.48	19.53	36.14
105.0	239.79	0.22	13.12	20.43	37.70
110.0	259.36	0.24	13.66	21.18	39.01
115.0	276.12	0.26	14.10	21.79	40.09
120.0	290.02	0.27	14.45	22.28	40.95
125.0	300.99	0.28	14.72	22.66	41.62
130.0	309.01	0.29	14.91	22.92	42.10
135.0	314.06	0.29	15.03	23.09	42.40
140.0	316.15	0.29	15.08	23.16	42.52
145.0	315.25	0.29	15.06	23.13	42.47
150.0	311.39	0.29	14.97	23.00	42.24
155.0	304.55	0.28	14.80	22.78	41.84
160.0	294.76	0.27	14.57	22.44	41.24
165.0	282.03	0.26	14.25	22.00	40.09
170.0	266.41	0.25	13.84	21.44	38.30
175.0	247.95	0.23	13.35	20.47	36.38

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.165/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #1E (Continued)

Present Daytime Service Contours

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :			
		Contour levels in mV/m.			
		1000.000	5.000	2.000	.500
180.0	226.74	0.21	13.69	69.39	232.62
185.0	202.92	0.19	20.73	71.87	227.89
190.0	176.68	0.17	21.63	67.43	214.22
195.0	148.28	0.14	19.59	59.19	193.89
200.0	118.17	0.11	15.90	48.43	167.26
205.0	87.42	0.10	11.29	36.07	134.27
210.0	58.03	0.10	6.47	23.32	96.14
215.0	37.38	0.10	4.30	14.07	64.70
220.0	50.82	0.10	6.19	21.03	86.56
225.0	76.29	0.10	11.56	33.39	122.75
230.0	110.71	0.11	18.51	49.20	163.52
235.0	146.73	0.14	25.58	64.83	198.78
240.0	182.77	0.17	32.48	79.55	228.64
245.0	218.13	0.20	39.07	93.15	254.00
250.0	252.34	0.23	45.28	105.57	275.53
255.0	285.01	0.26	51.05	116.76	294.01
260.0	315.85	0.29	56.35	126.79	309.78
265.0	344.61	0.32	61.15	135.66	323.22
270.0	371.11	0.34	65.43	143.46	334.88
275.0	395.20	0.36	69.18	150.22	344.70
280.0	416.81	0.38	72.37	155.95	352.91
285.0	435.88	0.39	75.00	160.74	359.80
290.0	452.39	0.41	77.04	164.54	365.35
295.0	466.36	0.42	78.41	167.36	369.40
300.0	477.81	0.43	79.02	169.14	372.16
305.0	486.76	0.44	78.67	169.68	373.46
310.0	493.26	0.44	76.92	168.54	372.90
315.0	497.34	0.45	37.28	129.28	334.00
320.0	499.02	0.45	18.77	43.92	248.78
325.0	498.30	0.45	18.76	47.32	252.12
330.0	495.18	0.44	18.70	63.38	267.91
335.0	489.65	0.44	18.60	55.53	118.14
340.0	481.69	0.43	18.46	46.47	69.66
345.0	471.24	0.42	18.27	27.65	76.20
350.0	458.29	0.41	18.03	27.31	87.52
355.0	442.79	0.40	17.74	26.90	77.01

See Exhibit #2H2 for ground conductivity tabulation

WSRQ - SARASOTA FL

Freq: 1220 kHz / Class: D
Latitude: 27-19-27 N / Longitude: 082-29-47 W
Power: 0.159 kW / RMS: 118.17 mV/m @ 1km
Towers: 2
Present - Dashed Lines

WSRQ - SARASOTA FL

Freq: 1220 kHz / Class: D
Latitude: 27-19-19 N / Longitude: 082-24-27 W
Power: 0.039 kW / RMS: 59.788 mV/m @ 1km
Towers: 2
Proposed - Solid Lines

- 15.676 mV/m Proposed NIFC
- 15.786 mV/m Present NIFC
- Sarasota

27-20-00 N

**PRESENT / PROPOSED NIGHTTIME
INTERFERENCE FREE SERVICE CONTOURS**

GRAHAM BROCK, INC.

BROADCAST TECHNICAL CONSULTANTS

Manatee

Samoset

Bayshore Gardens

Longboat Key

Sarasota

Fruitville

WSRQ

Bee Ridge

Vamo

Osprey

Sarasota

Laurel

Okemos

EXHIBIT 1F
MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

Scale 1:250,000

0 3 6 9 km

WSRQ - SARASOTA FL

Freq: 1220 kHz / Class: D

Latitude: 27-19-27 N / Longitude: 082-29-47 W

Power: 0.159 kW / RMS: 118.17 mV/m @ 1km

Towers: 2

**PRESENT NIGHTTIME
1000 mV/m SERVICE CONTOUR**

GRAHAM BROCK, INC.

BROADCAST TECHNICAL CONSULTANTS

1000.0 mV/m

EXHIBIT 1G1

**MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC**

WSRQ AM RADIO STATION

has: 1220 kHz - 0.159/1.0 kW - DA2

req: 1220 kHz - 0.039/1.0 kW - DA2

SARASOTA, FLORIDA

November 2008

Scale 1:24,000

0 0.33 0.67 1.0 km

WSRQ - SARASOTA FL

Freq: 1220 kHz / Class: D
Latitude: 27-19-19 N / Longitude: 082-24-27 W
Power: 0.039 kW / RMS: 59.788 mV/m @ 1km
Towers: 2

**PROPOSED NIGHTTIME
1000 mV/m SERVICE CONTOUR**

GRAHAM BROCK, INC.

BROADCAST TECHNICAL CONSULTANTS

1000.0 mV/m

27-20-00 N

082-24-00 W

082-23-00 W



EXHIBIT 1G2

**MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL**

SRQ RADIO, LLC

WSRQ AM RADIO STATION

has: 1220 kHz - 0.159/1.0 kW - DA2

req: 1220 kHz - 0.039/1.0 kW - DA2

SARASOTA, FLORIDA

November 2008

Scale 1:24,000



**WITHIN THE PROPOSED NIGHTTIME 1000 mV/m CONTOUR:
0 Persons - 2000 Census**

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.165/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #1H

Proposed Nighttime Service Contours

North Latitude: 27° 19' 19"
West Longitude: 82° 24' 27"

Azimuth	Radiation (mV/m at one km)	Dist to Contours - km:		Azimuth	Radiation (mV/m at one km)	Dist to Contours - km:	
		1000.000	* 15.676			1000.000	* 15.676
0.0	65.50	0.10	2.80	180.0	32.47	0.10	1.59
5.0	60.22	0.10	2.62	185.0	29.00	0.10	1.45
10.0	54.71	0.10	2.43	190.0	26.54	0.10	1.34
15.0	49.09	0.10	2.23	195.0	25.60	0.10	1.30
20.0	43.48	0.10	2.03	200.0	26.51	0.10	1.34
25.0	38.09	0.10	1.82	205.0	29.18	0.10	1.46
30.0	33.20	0.10	1.62	210.0	33.20	0.10	1.62
35.0	29.18	0.10	1.46	215.0	38.09	0.10	1.82
40.0	26.51	0.10	1.34	220.0	43.48	0.10	2.03
45.0	25.60	0.10	1.30	225.0	49.09	0.10	2.23
50.0	26.54	0.10	1.34	230.0	54.71	0.10	2.43
55.0	29.00	0.10	1.45	235.0	60.22	0.10	2.62
60.0	32.47	0.10	1.59	240.0	65.50	0.10	2.80
65.0	36.45	0.10	1.75	245.0	70.47	0.10	2.96
70.0	40.62	0.10	1.92	250.0	75.09	0.10	3.11
75.0	44.72	0.10	2.07	255.0	79.31	0.10	3.24
80.0	48.61	0.10	2.22	260.0	83.10	0.10	3.35
85.0	52.19	0.10	2.35	265.0	86.44	0.10	3.45
90.0	55.37	0.10	2.46	270.0	89.34	0.10	3.54
95.0	58.13	0.10	2.55	275.0	91.78	0.10	3.61
100.0	60.41	0.10	2.63	280.0	93.77	0.10	3.66
105.0	62.20	0.10	2.69	285.0	95.31	0.10	3.71
110.0	63.49	0.10	2.73	290.0	96.41	0.10	3.74
115.0	64.26	0.10	2.76	295.0	97.06	0.10	3.76
120.0	64.52	0.10	2.77	300.0	97.28	0.10	3.76
125.0	64.26	0.10	2.76	305.0	97.06	0.10	3.76
130.0	63.49	0.10	2.73	310.0	96.41	0.10	3.74
135.0	62.20	0.10	2.69	315.0	95.31	0.10	3.71
140.0	60.41	0.10	2.63	320.0	93.77	0.10	3.66
145.0	58.13	0.10	2.55	325.0	91.78	0.10	3.61
150.0	55.37	0.10	2.46	330.0	89.34	0.10	3.54
155.0	52.19	0.10	2.35	335.0	86.44	0.10	3.45
160.0	48.61	0.10	2.22	340.0	83.10	0.10	3.35
165.0	44.72	0.10	2.07	345.0	79.31	0.10	3.24
170.0	40.62	0.10	1.92	350.0	75.09	0.10	3.11
175.0	36.45	0.10	1.75	355.0	70.47	0.10	2.96

* - Nighttime Interference Free Contour

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.165/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #1I

Present Nighttime Service Contours

North Latitude: 27° 19' 27"
West Longitude: 82° 29' 47"

Azimuth	Radiation (mV/m at one km)	Dist to Contours - km:		Azimuth	Radiation (mV/m at one km)	Dist to Contours - km:	
		1000.000	* 15.786			1000.000	* 15.786
0.0	169.51	0.16	5.50	180.0	90.51	0.10	3.55
5.0	161.30	0.15	5.32	185.0	81.01	0.10	3.27
10.0	152.08	0.14	5.11	190.0	70.54	0.10	2.95
15.0	141.88	0.13	4.88	195.0	59.22	0.10	2.58
20.0	130.76	0.12	4.61	200.0	47.22	0.10	2.15
25.0	118.78	0.11	4.31	205.0	36.11	0.10	1.73
30.0	106.02	0.10	3.98	210.0	25.99	0.10	1.31
35.0	92.60	0.10	3.61	215.0	15.31	0.10	0.82
40.0	78.66	0.10	3.20	220.0	22.58	0.10	1.16
45.0	64.37	0.10	2.75	225.0	30.70	0.10	1.51
50.0	49.96	0.10	2.25	230.0	44.24	0.10	2.04
55.0	35.83	0.10	1.72	235.0	58.60	0.10	2.56
60.0	22.94	0.10	1.18	240.0	72.97	0.10	3.02
65.0	21.00	0.10	1.09	245.0	87.08	0.10	3.45
70.0	20.44	0.10	1.06	250.0	100.73	0.10	3.84
75.0	29.96	0.10	1.48	255.0	113.76	0.11	4.28
80.0	42.29	0.10	1.97	260.0	126.07	0.12	4.99
85.0	54.49	0.10	2.41	265.0	137.54	0.13	5.61
90.0	66.11	0.10	2.80	270.0	148.11	0.14	6.11
95.0	76.94	0.10	3.15	275.0	157.73	0.15	6.48
100.0	86.83	0.10	3.44	280.0	166.35	0.16	6.70
105.0	95.72	0.10	3.70	285.0	173.96	0.16	6.75
110.0	103.53	0.10	3.91	290.0	180.55	0.17	6.57
115.0	110.22	0.11	4.09	295.0	186.12	0.18	6.10
120.0	115.76	0.11	4.24	300.0	190.69	0.18	5.94
125.0	120.13	0.11	4.35	305.0	194.26	0.18	6.01
130.0	123.34	0.12	4.43	310.0	196.86	0.19	6.06
135.0	125.35	0.12	4.48	315.0	198.48	0.19	6.09
140.0	126.18	0.12	4.50	320.0	199.15	0.19	6.11
145.0	125.83	0.12	4.49	325.0	198.87	0.19	6.10
150.0	124.28	0.12	4.45	330.0	197.62	0.19	6.07
155.0	121.56	0.12	4.38	335.0	195.42	0.18	6.03
160.0	117.65	0.11	4.29	340.0	192.24	0.18	5.97
165.0	112.57	0.11	4.15	345.0	188.07	0.18	5.88
170.0	106.34	0.10	3.99	350.0	182.90	0.17	5.78
175.0	98.97	0.10	3.79	355.0	176.72	0.17	5.65

* - Nighttime Interference Free Contour

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.165/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #1J

ID Stations Study at 27 19 19 N, 82 24 27 W, Search Distance = 16 km

Call	Service	City	State	Chan.	Power	Coordinates	Dist-km	Azimuth	File Number
AM									
WLSS	L	SARASOTA	FL	930	0005.000kW	272117N 822306W	004.2	031.0	BL20040716ACI
WTMY	L	SARASOTA	FL	1280	0000.500kW	272121N 822913W	008.7	295.6	BL
WSRQ	L	SARASOTA	FL	1220	0001.000kW	271927N 822947W	008.8	271.6	BL
FM									
W295BH X		Sarasota	FL	295D	0000.030kW	271934N 822550W	002.4	281.4	BNPFT20080801AQD
W247AF X		Sarasota	FL	247D	0000.197kW	272015N 822652W	004.4	293.4	BNPFT20060203ACS
W247AF X		Sarasota	FL	247D	0000.080kW	272022N 822756W	006.1	288.7	BLFT20000218ABF
652012 X		Sarasota	FL	259D	0000.250kW	271621N 822823W	008.5	229.8	BNPFT20030317MXB
631416 X		Sarasota	FL	286D	0000.200kW	271620N 822824W	008.6	229.8	BNPFT20030314BRA
WSLR-L L		Sarasota	FL	243L1	0000.023kW	271927N 822944W	008.7	271.6	BPL20061012ACN
W255CC X		Sarasota	FL	255D	0000.120kW	271927N 822947W	008.8	271.6	BNPFT20080620AEP
649293 X		Sarasota	FL	260D	0000.250kW	271934N 822953W	009.0	273.0	BNPFT20030317FCV
WKZM M		Sarasota	FL	282A	0006.000kW	271630N 822854W	009.0	234.7	BLED20010226AAC
632652 X		Sarasota	FL	286D	0000.038kW	271707N 823013W	010.4	246.8	BNPFT20030310BCE
649033 X		Sarasota	FL	260D	0000.080kW	272048N 823110W	011.4	284.0	BNPFT20030317DYE
W295BH X		Osprey	FL	295D	0000.250kW	271309N 822600W	011.7	192.7	BLFT20080512AFT
629423 X		Sarasota	FL	260D	0000.170kW	271953N 823132W	011.8	275.2	BNPFT20030312AWI
WSLR-L L		Sarasota	FL	243L1	0000.100kW	271842N 823143W	012.1	264.6	BLL20050801BPL
TV									
W48CN X		Sarasota	FL	48-T	0026.000kW	272027N 822754W	006.1	290.2	BLTT20000725ABJ
W48CN G		Sarasota	FL	48 T	0005.000kW	272026N 822755W	006.1	289.9	BDFCDTT20060328A
W05CO X		Sarasota	FL	05ZT	0003.000kW	272011N 822818W	006.6	284.2	BLTVL20050412AET

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.165/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #1K1

WSRQ AM DAD Radiation Report - Standard Pattern

Call: WSRQ Freq: 1220 kHz SARASOTA, FL, US Hours: D
 Lat: 27-19-19 N Lng: 082-24-27 W
 Power: 1.0 kW Theo RMS: 302.75 mV/m @ 1km @ 1.0 kW

#	Field Ratio	Phase (deg)	Spacing (deg)	Orient (deg)	Height (deg)	Ref Swch	TL Swch	A (deg)	B (deg)	C (deg)	D (deg)
1	0.709	-162.0	0.0	0.0	64.7	0	0	0.0	0.0	0.0	0.0
2	1.000	0.0	70.0	120.0	64.7	0	0	0.0	0.0	0.0	0.0

 Standard Horizontal Plane Pattern

Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	327.59	5.0	300.50	10.0	272.18
15.0	243.12	20.0	214.02	25.0	185.83
30.0	159.95	35.0	138.42	40.0	123.88
45.0	118.88	50.0	124.05	55.0	137.47
60.0	156.07	65.0	177.21	70.0	199.07
75.0	220.48	80.0	240.68	85.0	259.16
90.0	275.59	95.0	289.75	100.0	301.48
105.0	310.69	110.0	317.30	115.0	321.28
120.0	322.61	125.0	321.28	130.0	317.30
135.0	310.69	140.0	301.48	145.0	289.75
150.0	275.59	155.0	259.16	160.0	240.68
165.0	220.48	170.0	199.07	175.0	177.21
180.0	156.07	185.0	137.47	190.0	124.05
195.0	118.88	200.0	123.88	205.0	138.42
210.0	159.95	215.0	185.83	220.0	214.02
225.0	243.12	230.0	272.18	235.0	300.50
240.0	327.59	245.0	353.08	250.0	376.69
255.0	398.24	260.0	417.59	265.0	434.67
270.0	449.43	275.0	461.88	280.0	472.01
285.0	479.86	290.0	485.44	295.0	488.78
300.0	489.89	305.0	488.78	310.0	485.44
315.0	479.86	320.0	472.01	325.0	461.88
330.0	449.43	335.0	434.67	340.0	417.59
345.0	398.24	350.0	376.69	355.0	353.08

