

EXHIBIT 15-P-2 Tabulation of Distance to WFAV Daytime Allocation Contour

WFAV 1220 kHz Lic ND1U Facil. ID 48732 01-Jan-2007
 VA FALLS CHURCH 5.000 kW 1 Tower 0 Augmentations
 N. Lat: 38 52 47 W. Lon: 77 10 18 0 Measured Cond

Conductivities are from M-3 map unless supplemented by measurements.
 All distances are in kilometers (US metric curves)
 All radiations are in mV/m at one kilometer

Bearing	Radiation	Distance to Contour 25.000
-----	-----	-----
0.0	730.5	7.06
5.0	730.5	7.06
10.0	730.5	7.06
15.0	730.5	7.06
20.0	730.5	7.06
25.0	730.5	7.06
30.0	730.5	7.06
35.0	730.5	7.06
40.0	730.5	7.06
45.0	730.5	7.06
50.0	730.5	7.06
55.0	730.5	7.06
60.0	730.5	7.06
65.0	730.5	7.06
70.0	730.5	7.06
75.0	730.5	7.06
80.0	730.5	7.06
85.0	730.5	7.06
90.0	730.5	7.06
95.0	730.5	7.06
100.0	730.5	7.06
105.0	730.5	7.06
110.0	730.5	7.06
115.0	730.5	7.06
120.0	730.5	7.06
125.0	730.5	7.06
130.0	730.5	7.06
135.0	730.5	7.06
140.0	730.5	7.06
145.0	730.5	7.06
150.0	730.5	7.06
155.0	730.5	7.06
160.0	730.5	7.06
165.0	730.5	7.06
170.0	730.5	7.06
175.0	730.5	7.06

EXHIBIT 15-P-2 (cont.)
 Tabulation of Distance to WFAX Daytime Allocation Contour

WFAX	1220 kHz	Lic	ND1U	Facil. ID 48732	01-Jan-2007
VA FALLS CHURCH			5.000 kW	1 Tower	0 Augmentations
N. Lat: 38 52 47	W. Lon: 77 10 18				0 Measured Cond

Bearing	Radiation	Distance to Contour 25.000
-----	-----	-----
180.0	730.5	7.06
185.0	730.5	7.06
190.0	730.5	7.06
195.0	730.5	7.06
200.0	730.5	7.06
205.0	730.5	7.06
210.0	730.5	7.06
215.0	730.5	7.06
220.0	730.5	7.06
225.0	730.5	7.06
230.0	730.5	7.06
235.0	730.5	7.06
240.0	730.5	7.06
245.0	730.5	7.06
250.0	730.5	7.06
255.0	730.5	7.06
260.0	730.5	7.06
265.0	730.5	7.06
270.0	730.5	7.06
275.0	730.5	7.06
280.0	730.5	7.06
285.0	730.5	7.06
290.0	730.5	7.06
295.0	730.5	7.06
300.0	730.5	7.06
305.0	730.5	7.06
310.0	730.5	7.06
315.0	730.5	7.06
320.0	730.5	7.06
325.0	730.5	7.06
330.0	730.5	7.06
335.0	730.5	7.06
340.0	730.5	7.06
345.0	730.5	7.06
350.0	730.5	7.06
355.0	730.5	7.06