

## TOWAIR Determination Results

A routine check of the coordinates, heights, and structure type you provided indicates that this structure does not require registration.

### \*\*\* NOTICE \*\*\*

TOWAIR's findings are not definitive or binding, and we cannot guarantee that the data in TOWAIR are fully current and accurate. In some instances, TOWAIR may yield results that differ from application of the criteria set out in 47 C.F.R. Section 17.7 and 14 C.F.R. Section 77.13. A positive finding by TOWAIR recommending notification should be given considerable weight. On the other hand, a finding by TOWAIR recommending either for or against notification is not conclusive. It is the responsibility of each ASR participant to exercise due diligence to determine if it must coordinate its structure with the FAA. TOWAIR is only one tool designed to assist ASR participants in exercising this due diligence, and further investigation may be necessary to determine if FAA coordination is appropriate.

#### DETERMINATION Results

**PASS SLOPE(100:1)NO FAA REQ - 3375.0 Meters (11072.7 Feet)away & below slope by 22.0 Meters (72.1800 Feet)**

Type	C/R	Latitude	Longitude	Name	Address	Lowest Elevation (m)	Runway Length (m)
AIRP	R	43-38-38.00N	070-17-56.00W	PORTLAND INTL JETPORT	CUMBERLAND PORTLAND, ME	13.1	2194.5999999999999

**PASS SLOPE(100:1)NO FAA REQ - 3603.0 Meters (11820.7 Feet)away & below slope by 25.0 Meters (82.0199 Feet)**

Type	C/R	Latitude	Longitude	Name	Address	Lowest Elevation (m)	Runway Length (m)
AIRP	R	43-39-16.00N	070-18-26.00W	PORTLAND INTL JETPORT	CUMBERLAND PORTLAND, ME	13.1	2194.5999999999999

#### Your Specifications

##### NAD83 Coordinates

Latitude 43-39-32.0 north  
Longitude 070-15-45.0 west

##### Measurements (Meters)

Overall Structure Height (AGL) 18  
Support Structure Height (AGL) 9  
Site Elevation (AMSL) 6

##### Structure Type

BTWR - Building with Tower

#### [Tower Construction Notification](#)

Notify Tribes and Historic Preservation Officers of your plans to build a tower.

Note: Notification does NOT replace [Section 106 Consultation](#).