

DELAWDER COMMUNICATIONS, INC.

2121 Eisenhower Avenue, Suite 200

Alexandria, Virginia 22314

(703) 299-9222

ENGINEERING REPORT

Iglesia Jesuschristo Es Mi Refugio, Inc.

KZFW-LP: Site Move & Channel Displacement Minor Mod. (Serving Dallas, TX)

EXHIBIT 8

LPTV MINOR MODIFICATION – INTERFERENCE STUDIES

1. Iglesia Jesuschristo Es Mi Refugio, Inc. ("Applicant") is the licensee of KZFW-LP, Royse City, TX, analog channel 53. By this analog minor modification application, Applicant proposes a new transmitter site to an existing tower (ASR #1053346) at Dallas, Texas (with a community of license change to Dallas) and a channel displacement to channel 6(-). Additionally, the transmit facilities are modified to accommodate the site move and channel change.

2. Attached as Figure 1 is a map showing contour overlap between the licensed 74 dBu and proposed 62 dBu (F50,50) service contours of KZFW-LP. This displacement is permitted to allow an out-of-core LPTV station to specify an in-core channel. Furthermore, because the channel displacement is from an out-of-core channel (channel 53), current Commission Policy allows a site move of up to 30 miles (48 kilometers) for an analog channel displacement application as long as contour overlap is predicted between the licensed and proposed analog service contours. This proposal involves a site move of 21 miles (33 kilometers) and Figure 1 demonstrates the necessary contour overlap; therefore, this application is in conformance with FCC Policy. If deemed necessary by the FCC, Applicant respectfully requests a waiver of Section 73.3572(a) in order to permit this application to be granted by the Commission.

3. The use of minus frequency offset is made in order to add protection to and from any nearby analog co-channel station. The applicant will maintain the requested offset per 47 C.F.R. Section 74.761 by use of a precision oscillator supplied by the transmitter manufacturer.

4. This application does not require coordination with Mexico or Canada.

5. Attached as Figure 2 are the OET-69 study results for the proposed facility (as the referenced station) as determined by V-Soft Communications' SunDTV™ software program. (According to V-Soft Communications, the SunDTV™ Program identically duplicates the FCC's OET-69 processing program.) As demonstrated by Figure 2, the proposed facility adequately protects all required US broadcast stations as required by the FCC Rules. All studies are conducted in accordance with current FCC Rules and Regulations.

DELAWDER COMMUNICATIONS, INC.

2121 Eisenhower Avenue, Suite 200

Alexandria, Virginia 22314

(703) 299-9222

ENGINEERING REPORT

Iglesia Jesuschristo Es Mi Refugio, Inc.

KZFW-LP: Site Move & Channel Displacement Minor Mod. (Serving Dallas, TX)

6. The applicant accepts any interference that is predicted to exist to the proposed facility by any licensed, authorized or previously proposed primary TV station. The applicant also accepts any interference that is predicted to exist to the proposed facility by any licensed or authorized secondary analog TV station, or by any secondary TV facility that is given preferential status by the FCC over the Applicant's herein proposed facility.

FIGURE 2—OET-69 STUDY FOR KZFW-LP FROM ASR#1053346 TOWER (CHANNEL 6-)

TV INTERFERENCE and SPACING ANALYSIS PROGRAM

Date: 05-18-2007 Time: 13:27:58

Record Selected for Analysis

KZFWLP6A USERRECORD-01 US
Channel 06 ERP 3. kW HAAT 182. m RCAMSL 00310 m
Latitude 032-44-28 Longitude 0096-53-42
Status APP Zone 2 Border Offset -
Dir Antenna Make usr Model USRPAT01 Beam tilt N Ref Azimuth 45.
Last update Cutoff date Docket
Comments
Applicant

1990 Census data selected

Cell Size for Service Analysis 2.0 km/side

Distance Increments for Longley-Rice Analysis 1.00 km

Not full service station

Facility meets maximum power limit

Azimuth (Deg)	ERP (kW)	HAAT (m)	62.0 dBu F(50,50) (km)
0.0	0.428	182.0	18.1
45.0	3.000	161.6	26.9
90.0	0.428	171.2	17.5
135.0	0.001	143.4	2.9
180.0	0.000	110.9	2.3
225.0	0.007	149.4	5.7
270.0	0.000	154.7	2.6
315.0	0.001	165.6	3.0

Proposed facility OK to FCC Monitoring Stations

Proposed facility OK toward West Virginia quite zone

Proposed facility OK toward Table Mountain

Proposed facility is beyond the Canadian coordination distance

Proposed facility is beyond the Mexican coordination distance

Proposed station is OK toward AM broadcast stations

FIGURE 2—OET-69 STUDY FOR KZFW-LP FROM ASR#1053346 TOWER (CHANNEL 6-)

Start of Interference Analysis

Proposed Station		
Channel	Call	City/State
06	KZFWLP6A	USERRECORD01

Stations Potentially Affected by Proposed Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
05	KXAS-TV	FORT WORTH TX	18.3	LIC	BLCT	-19900112KW
06	NEW	DALLAS TX	18.3	APP	BSFDTL	-20060630CSZ
06	NEW	GREENVILLE TX	75.7	APP	BSFDTL	-20060630AML
06	NEW	MESQUITE TX	18.3	APP	BSFDTL	-20060630BJR
06	KCEN-TV	TEMPLE TX	166.0	LIC	BLCT	-19811231KH
06	KTAL-TV	TEXARKANA TX	270.4	LIC	BLCT	-1135
06	KAUZ-TV	WICHITA FALLS TX	199.9	LIC	BLCT	-1576

[illegible]

Analysis of Interference to Affected Station 1

NTSC Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
05	KXASTV	FORT WORTH TX	DTVPLN	-NPLN0381

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
05	KFSMTV	FORT SMITH AR	404.0	PLN	DTVPLN	-NPLN0338
05	KOCOTV	OKLAHOMA CITY OK	334.2	PLN	DTVPLN	-NPLN0373
05	KTFH-DT	CONROE TX	305.6	PLN	DTVPLN	-DTVP0024
05	KENSTV	SAN ANTONIO TX	389.1	PLN	DTVPLN	-NPLN0383
06	KCENTV	TEMPLE TX	148.0	PLN	DTVPLN	-NPLN0444
06	KAUZTV	WICHITA FALLS TX	206.6	PLN	DTVPLN	-NPLN0446

Results for:	5N TX FORT WORTH	DTVPLN	NPLN0381	PLN
		POPULATION	AREA (sq km)	
	within Noise Limited Contour	4418651	46297.3	
	not affected by terrain losses	4400524	45059.5	
	lost to NTSC IX	173366	5449.6	
	lost to additional IX by ATV	0	0.0	
	lost to all IX	173366	5449.6	

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
05	KXAS-TV	FORT WORTH TX	BLCT	-19900112KW

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
05	KFSM-TV	FORT SMITH AR	404.0	LIC	BLCT	-1563
05	KOCO-TV	OKLAHOMA CITY OK	334.2	LIC	BMLCT	-20011205AAB
05	KPXB	CONROE TX	362.8	LIC	BLCDT	-20040406AAD
05	KTFH-DT	CONROE TX	305.6	PLN	DTVPLN	-DTV00024

FIGURE 2—OET-69 STUDY FOR KZFW-LP FROM ASR#1053346 TOWER (CHANNEL 6-)

05	KENS-TV	SAN ANTONIO TX	389.0	LIC	BLCT	-2516
06	KCEN-TV	TEMPLE TX	148.0	LIC	BLCT	-19811231KH
06	KAUZ-TV	WICHITA FALLS TX	206.6	LIC	BLCT	-1576
06	KZFWLP6A		18.3	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 2

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
06	NEW	DALLAS TX	BSFDTL	-20060630CSZ

(NOTE: THIS ANALOG DISPLACEMENT APPLICATION IS NOT REQUIRED TO PROTECT THIS COMPANION-CHANNEL DIGITAL PROPOSAL. THIS STUDY HAS BEEN REMOVED.)

#####

Analysis of Interference to Affected Station 3

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
06	NEW	GREENVILLE TX	BSFDTL	-20060630AML

(NOTE: THIS ANALOG DISPLACEMENT APPLICATION IS NOT REQUIRED TO PROTECT THIS COMPANION-CHANNEL DIGITAL PROPOSAL. THIS STUDY HAS BEEN REMOVED.)

#####

Analysis of Interference to Affected Station 4

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
06	NEW	MESQUITE TX	BSFDTL	-20060630BJR

(NOTE: THIS ANALOG DISPLACEMENT APPLICATION IS NOT REQUIRED TO PROTECT THIS COMPANION-CHANNEL DIGITAL PROPOSAL. THIS STUDY HAS BEEN REMOVED.)

#####

Analysis of Interference to Affected Station 5

NTSC Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
06	KCENTV	TEMPLE TX	DTVPLN	-NPLN0444

Stations Potentially Affecting This Station

FIGURE 2—OET-69 STUDY FOR KZFW-LP FROM ASR#1053346 TOWER (CHANNEL 6-)

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
05	KTFH-DT	CONROE TX	219.4	PLN	DTVPLN	-DTVP0024
05	KXASTV	FORT WORTH TX	148.0	PLN	DTVPLN	-NPLN0381
06	KFDMTV	BEAUMONT TX	334.4	PLN	DTVPLN	-NPLN0441
06	KRISTV	CORPUS CHRISTI TX	394.3	PLN	DTVPLN	-NPLN0442
06	KIDY	SAN ANGELO TX	314.6	PLN	DTVPLN	-NPLN0443
06	KTALTV	TEXARKANA TX	352.7	PLN	DTVPLN	-NPLN0445
06	KAUZTV	WICHITA FALLS TX	317.1	PLN	DTVPLN	-NPLN0446

Results for: 6N TX TEMPLE DTVPLN NPLN0444 PLN

	POPULATION	AREA (sq km)
within Noise Limited Contour	1438586	50487.8
not affected by terrain losses	1281978	47988.3
lost to NTSC IX	310813	12678.3
lost to additional IX by ATV	0	0.0
lost to all IX	310813	12678.3

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
06	KCEN-TV	TEMPLE TX	BLCT	-19811231KH

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
05	KTFH-DT	CONROE TX	219.4	PLN	DTVPLN	-DTVP0024
05	KXAS-TV	FORT WORTH TX	148.0	LIC	BLCT	-19900112KW
06	KFDM-TV	BEAUMONT TX	334.4	LIC	BLCT	-2049
06	KRIS-TV	CORPUS CHRISTI TX	394.3	LIC	BLCT	-19880331KT
06	KIDY	SAN ANGELO TX	314.6	LIC	BMLCT	-19960717KG
06	KTAL-TV	TEXARKANA TX	352.7	LIC	BLCT	-1135
06	KAUZ-TV	WICHITA FALLS TX	317.1	LIC	BLCT	-1576
06	KZFWLP6A		166.0	APP	USERRECORD-01	

Total scenarios = 2

Result key: 7
 Scenario 1 Affected station 5
 Before Analysis

Results for: 6N TX TEMPLE BLCT 19811231KH LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	1438586	50487.8
not affected by terrain losses	1281978	47988.3
lost to NTSC IX	310813	12678.3
lost to additional IX by ATV	0	0.0
lost to all IX	310813	12678.3

Potential Interfering Stations Included in above Scenario 1

5N TX FORT WORTH	BLCT	19900112KW	LIC
6N TX BEAUMONT	BLCT	2049	LIC
6N TX CORPUS CHRISTI	BLCT	19880331KT	LIC
6N TX SAN ANGELO	BMLCT	19960717KG	LIC
6N TX TEXARKANA	BLCT	1135	LIC
6N TX WICHITA FALLS	BLCT	1576	LIC

FIGURE 2—OET-69 STUDY FOR KZFW-LP FROM ASR#1053346 TOWER (CHANNEL 6-)

After Analysis

Results for: 6N TX TEMPLE	BLCT	19811231KH	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1438586	50487.8	
not affected by terrain losses	1281978	47988.3	
lost to NTSC IX	310813	12678.3	
lost to additional IX by ATV	0	0.0	
lost to all IX	310813	12678.3	
Potential Interfering Stations Included in above Scenario			1
5N TX FORT WORTH	BLCT	19900112KW	LIC
6N TX BEAUMONT	BLCT	2049	LIC
6N TX CORPUS CHRISTI	BLCT	19880331KT	LIC
6N TX SAN ANGELO	BMLCT	19960717KG	LIC
6N TX TEXARKANA	BLCT	1135	LIC
6N TX WICHITA FALLS	BLCT	1576	LIC
6N	USERRECORD01		APP
*Percent Service lost without proposal:	21.6	to BLCT	19811231KH
*Percent Service lost with proposal:	21.6	to BLCT	19811231KH

Result key: 8
 Scenario 2 Affected station 5
 Before Analysis

Results for: 6N TX TEMPLE	BLCT	19811231KH	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1438586	50487.8	
not affected by terrain losses	1281978	47988.3	
lost to NTSC IX	310813	12678.3	
lost to additional IX by ATV	0	0.0	
lost to all IX	310813	12678.3	
Potential Interfering Stations Included in above Scenario			2
5N TX FORT WORTH	BLCT	19900112KW	LIC
6N TX BEAUMONT	BLCT	2049	LIC
6N TX CORPUS CHRISTI	BLCT	19880331KT	LIC
6N TX SAN ANGELO	BMLCT	19960717KG	LIC
6N TX TEXARKANA	BLCT	1135	LIC
6N TX WICHITA FALLS	BLCT	1576	LIC

After Analysis

Results for: 6N TX TEMPLE	BLCT	19811231KH	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1438586	50487.8	
not affected by terrain losses	1281978	47988.3	
lost to NTSC IX	310813	12678.3	
lost to additional IX by ATV	0	0.0	
lost to all IX	310813	12678.3	
Potential Interfering Stations Included in above Scenario			2
5N TX FORT WORTH	BLCT	19900112KW	LIC

FIGURE 2—OET-69 STUDY FOR KZFW-LP FROM ASR#1053346 TOWER (CHANNEL 6-)

6N TX BEAUMONT	BLCT	2049	LIC
6N TX CORPUS CHRISTI	BLCT	19880331KT	LIC
6N TX SAN ANGELO	BMLCT	19960717KG	LIC
6N TX TEXARKANA	BLCT	1135	LIC
6N TX WICHITA FALLS	BLCT	1576	LIC
6N	USERRECORD01		APP
*Percent Service lost without proposal:	21.6	to BLCT	19811231KH
*Percent Service lost with proposal:	21.6	to BLCT	19811231KH

#####

Analysis of Interference to Affected Station 6

NTSC Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
06	KTALTV	TEXARKANA TX	DTVPLN	-NPLN0445

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
06	KEMV	MOUNTAIN VIEW AR	359.7	PLN	DTVPLN	-NPLN0394
06	WABGT	GREENWOOD MS	326.6	PLN	DTVPLN	-NPLN0421
06	KOTV	TULSA OK	378.8	PLN	DTVPLN	-NPLN0434
06	KFDMTV	BEAUMONT TX	307.2	PLN	DTVPLN	-NPLN0441
06	KCENTV	TEMPLE TX	352.7	PLN	DTVPLN	-NPLN0444

Results for:	6N TX TEXARKANA	DTVPLN	NPLN0445	PLN
		POPULATION	AREA (sq km)	
within Noise Limited Contour	1020886	44165.0		
not affected by terrain losses	1014996	43107.4		
lost to NTSC IX	130983	10647.7		
lost to additional IX by ATV	0	0.0		
lost to all IX	130983	10647.7		

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
06	KTAL-TV	TEXARKANA TX	BLCT	-1135

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
06	KEMV	MOUNTAIN VIEW AR	359.7	LIC	BLET	-19800903KE
06	WABG-TV	GREENWOOD MS	326.8	CP	BPCT	-20030701BNS
06	KOTV	TULSA OK	378.8	LIC	BLCT	-19841031KI
06	KFDM-TV	BEAUMONT TX	307.2	LIC	BLCT	-2049
06	KCEN-TV	TEMPLE TX	352.7	LIC	BLCT	-19811231KH
06	KZFWLP6A		270.4	APP	USERRECORD-01	

Total scenarios = 2

Result key: 9
 Scenario 1 Affected station 6
 Before Analysis

FIGURE 2—OET-69 STUDY FOR KZFW-LP FROM ASR#1053346 TOWER (CHANNEL 6-)

Results for: 6N TX TEXARKANA	BLCT	1135	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1020886	44165.0	
not affected by terrain losses	1014996	43107.4	
lost to NTSC IX	129618	10667.7	
lost to additional IX by ATV	0	0.0	
lost to all IX	129618	10667.7	

Potential Interfering Stations Included in above Scenario 1

6N AR MOUNTAIN VIEW	BLET	19800903KE	LIC
6N MS GREENWOOD	BPCT	20030701BNS	CP
6N OK TULSA	BLCT	19841031KI	LIC
6N TX BEAUMONT	BLCT	2049	LIC
6N TX TEMPLE	BLCT	19811231KH	LIC

After Analysis

Results for: 6N TX TEXARKANA	BLCT	1135	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1020886	44165.0	
not affected by terrain losses	1014996	43107.4	
lost to NTSC IX	129618	10667.7	
lost to additional IX by ATV	0	0.0	
lost to all IX	129618	10667.7	

Potential Interfering Stations Included in above Scenario 1

6N AR MOUNTAIN VIEW	BLET	19800903KE	LIC
6N MS GREENWOOD	BPCT	20030701BNS	CP
6N OK TULSA	BLCT	19841031KI	LIC
6N TX BEAUMONT	BLCT	2049	LIC
6N TX TEMPLE	BLCT	19811231KH	LIC
6N	USERRECORD01		APP
*Percent Service lost without proposal:	12.7	to BLCT	1135
*Percent Service lost with proposal:	12.7	to BLCT	1135

Result key: 10
 Scenario 2 Affected station 6
 Before Analysis

Results for: 6N TX TEXARKANA	BLCT	1135	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1020886	44165.0	
not affected by terrain losses	1014996	43107.4	
lost to NTSC IX	129618	10667.7	
lost to additional IX by ATV	0	0.0	
lost to all IX	129618	10667.7	

Potential Interfering Stations Included in above Scenario 2

6N AR MOUNTAIN VIEW	BLET	19800903KE	LIC
6N MS GREENWOOD	BPCT	20030701BNS	CP
6N OK TULSA	BLCT	19841031KI	LIC
6N TX BEAUMONT	BLCT	2049	LIC

FIGURE 2—OET-69 STUDY FOR KZFW-LP FROM ASR#1053346 TOWER (CHANNEL 6-)

6N TX TEMPLE BLCT 19811231KH LIC

After Analysis

Results for: 6N TX TEXARKANA BLCT 1135 LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	1020886	44165.0
not affected by terrain losses	1014996	43107.4
lost to NTSC IX	129618	10667.7
lost to additional IX by ATV	0	0.0
lost to all IX	129618	10667.7

Potential Interfering Stations Included in above Scenario 2

6N AR MOUNTAIN VIEW	BLET	19800903KE	LIC
6N MS GREENWOOD	BPCT	20030701BNS	CP
6N OK TULSA	BLCT	19841031KI	LIC
6N TX BEAUMONT	BLCT	2049	LIC
6N TX TEMPLE	BLCT	19811231KH	LIC
6N	USERRECORD01		APP
*Percent Service lost without proposal:	12.7	to BLCT	1135
*Percent Service lost with proposal:	12.7	to BLCT	1135

#####

Analysis of Interference to Affected Station 7

NTSC Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
06	KAUZTV	WICHITA FALLS TX	DTVPLN	-NPLN0446

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
05	KOCOTV	OKLAHOMA CITY OK	208.0	PLN	DTVPLN	-NPLN0373
05	KXASTV	FORT WORTH TX	206.6	PLN	DTVPLN	-NPLN0381
06	KOTV	TULSA OK	351.5	PLN	DTVPLN	-NPLN0434
06	KIDY	SAN ANGELO TX	316.5	PLN	DTVPLN	-NPLN0443
06	KCENTV	TEMPLE TX	317.1	PLN	DTVPLN	-NPLN0444

Results for: 6N TX WICHITA FALLS DTVPLN NPLN0446 PLN

	POPULATION	AREA (sq km)
within Noise Limited Contour	394127	34307.2
not affected by terrain losses	388451	33264.2
lost to NTSC IX	30930	5207.1
lost to additional IX by ATV	0	0.0
lost to all IX	30930	5207.1

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
06	KAUZ-TV	WICHITA FALLS TX	BLCT	-1576

Stations Potentially Affecting This Station

FIGURE 2—OET-69 STUDY FOR KZFW-LP FROM ASR#1053346 TOWER (CHANNEL 6-)

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
05	KOCO-TV	OKLAHOMA CITY OK	208.0	LIC	BMLCT	-20011205AAB
05	KXAS-TV	FORT WORTH TX	206.6	LIC	BLCT	-19900112KW
06	KOTV	TULSA OK	351.5	LIC	BLCT	-19841031KI
06	KIDY	SAN ANGELO TX	316.5	LIC	BMLCT	-19960717KG
06	KCEN-TV	TEMPLE TX	317.1	LIC	BLCT	-19811231KH
06	KZFWLP6A		199.9	APP	USERRECORD-01	

Total scenarios = 2

Result key: 11
 Scenario 1 Affected station 7
 Before Analysis

Results for: 6N TX WICHITA FALLS	BLCT	1576	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	394127	34307.2	
not affected by terrain losses	388451	33264.2	
lost to NTSC IX	30930	5207.1	
lost to additional IX by ATV	0	0.0	
lost to all IX	30930	5207.1	

Potential Interfering Stations Included in above Scenario 1

6N OK TULSA	BLCT	19841031KI	LIC
6N TX SAN ANGELO	BMLCT	19960717KG	LIC
6N TX TEMPLE	BLCT	19811231KH	LIC

After Analysis

Results for: 6N TX WICHITA FALLS	BLCT	1576	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	394127	34307.2	
not affected by terrain losses	388451	33264.2	
lost to NTSC IX	30930	5207.1	
lost to additional IX by ATV	0	0.0	
lost to all IX	30930	5207.1	

Potential Interfering Stations Included in above Scenario 1

6N OK TULSA	BLCT	19841031KI	LIC
6N TX SAN ANGELO	BMLCT	19960717KG	LIC
6N TX TEMPLE	BLCT	19811231KH	LIC
6N	USERRECORD01		APP
*Percent Service lost without proposal:	7.8	to BLCT	1576
*Percent Service lost with proposal:	7.8	to BLCT	1576

Result key: 12
 Scenario 2 Affected station 7
 Before Analysis

Results for: 6N TX WICHITA FALLS	BLCT	1576	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	394127	34307.2	
not affected by terrain losses	388451	33264.2	

FIGURE 2—OET-69 STUDY FOR KZFW-LP FROM ASR#1053346 TOWER (CHANNEL 6-)

lost to NTSC IX	30930	5207.1
lost to additional IX by ATV	0	0.0
lost to all IX	30930	5207.1

Potential Interfering Stations Included in above Scenario 2

6N OK TULSA	BLCT	19841031KI	LIC
6N TX SAN ANGELO	BMLCT	19960717KG	LIC
6N TX TEMPLE	BLCT	19811231KH	LIC

After Analysis

Results for: 6N TX WICHITA FALLS	BLCT	1576	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	394127	34307.2	
not affected by terrain losses	388451	33264.2	
lost to NTSC IX	30930	5207.1	
lost to additional IX by ATV	0	0.0	
lost to all IX	30930	5207.1	

Potential Interfering Stations Included in above Scenario 2

6N OK TULSA	BLCT	19841031KI	LIC
6N TX SAN ANGELO	BMLCT	19960717KG	LIC
6N TX TEMPLE	BLCT	19811231KH	LIC
6N	USERRECORD01		APP
*Percent Service lost without proposal:	7.8	to BLCT	1576
*Percent Service lost with proposal:	7.8	to BLCT	1576

#####

FINISHED FINISHED FINISHED FINISHED FINISHED FINISHED