

w25aw_stm_cc_49_da_02_977w

Census data selected: 1990

TV INTERFERENCE and SPACING ANALYSIS PROGRAM

Date: 06-17-2006 Time: 14:44:09

Record Selected for Analysis

W25AW USERRECORD-01 TRENTON NJ US
Channel 49 ERP 0.977 kw HAAT 186. m RCAMSL 00220 m STRINGENT MASK
Latitude 040-16-58 Longitude 0074-41-11
Status APP Zone 1 Border
Dir Antenna Make usr Model W25AW_ANT_01 Beam tilt N Ref Azimuth 3.
Last update Cutoff date Docket
Comments
Applicant

Cell Size for Service Analysis 1.0 km/side

Distance Increments for Longley-Rice Analysis 1.00 km

Not full service station

Facility meets maximum power limit

Azimuth (Deg)	ERP (kw)	HAAT (m)	51.0 dBu F(50,90) (km)
0.0	0.885	176.9	33.8
45.0	0.328	191.2	29.5
90.0	0.001	189.1	8.0
135.0	0.001	187.1	6.8
180.0	0.001	196.3	7.4
225.0	0.091	202.1	23.6
270.0	0.900	180.6	34.1
315.0	0.558	162.6	30.6

Contour Overlap to Proposed Station

W49BE Station
49 HACKETTSTOWN NJ BLTT19930517IG causes

Contour overlap to Digital LPTV station
W25AW 49 TRENTON NJ USERRECORD01

Station
WNYN-LP 49 NEW YORK NY BPTTL20030929AJK causes

Contour overlap to Digital LPTV station
W25AW 49 TRENTON NJ USERRECORD01

Contour Overlap Evaluation to Proposed Station Complete

Proposed facility OK to FCC Monitoring Stations

Proposed facility OK toward West Virginia quite zone

Proposed facility OK toward Table Mountain

Proposed facility is beyond the Canadian coordination distance

Proposed facility is beyond the Mexican coordination distance

Proposed station is OK toward AM broadcast stations

Start of Interference Analysis

Channel	Call	Proposed Station City/State	ARN
49	W25AW	TRENTON NJ	USERRECORD01

Stations Potentially Affected by Proposed Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
34	WQAV-LP	ATLANTIC CITY NJ	105.4	LIC	BLTTL	-19970924JG
34	WPXO-LP	EAST ORANGE NJ	78.6	LIC	BLTTL	-20040730AAO
34	W34DI	PORT JERVIS NY	121.2	APP	BMPTTL	-20060403ARQ
34	W34DI	PORT JERVIS NY	121.2	CP	BNPTTL	-20000831AKZ
35	W36AZ	SUSSEX NJ	96.5	CP	BPTT	-JG0601SC
35	WNYX-LP	NEW YORK NY	81.2	LIC	BLTTL	-20050421AAP
35	WYLN-LP	HAZLETON PA	131.6	LIC	BLTTL	-19950324IE
35	WYBE	PHILADELPHIA PA	53.9	LIC	BLET	-20030317DRA
41	WXTV	PATERSON NJ	78.6	LIC	BLCT	-20041122AIG
41	WNAI-LP	SPRINGVILLE NJ	53.9	LIC	BLTTL	-20041117ACS
42	WKOB-LP	NEW YORK NY	74.0	LIC	BLTTL	-20051212ABH
42	W42CX	PORT JERVIS NY	81.2	APP	BMPTTL	-20040310ACC
42	W42CX	PORT JERVIS NY	121.2	CP	BNPTTL	-20000831ALA
45	W60CX	ATLANTIC CITY NJ	105.0	CP	BPTT	-20031119AGA
45	WELL-CA	PHILADELPHIA PA	54.1	CP	BPTTA	-20040730BDK
46	WMBQ-CA	MANHATTAN NY	78.8	CP	BPTTL	-20000915AAN
46	W46DQ	PORT JERVIS NY	121.2	CP	BNPTTL	-20000831ATO
46	W46DQ	PORT JERVIS NY	121.2	APP	BMPTTL	-20060403ARR
46	W46BL	ALLENTOWN-BETHLEHEM PA	71.0	LIC	BLTT	-19990325JE
47	WNJU	LINDEN NJ	74.2	CP	BPCT	-19991028AAN
47	WNJU	LINDEN NJ	74.2	APP	BPCT	-20030721AGT
47	WNJU	LINDEN NJ	74.2	LIC	BLCT	-19800423KE
48	WGTW-TV	BURLINGTON NJ	54.2	LIC	BLCT	-19920821KF
48	WRNN-TV	KINGSTON NY	147.6	LIC	BLCDT	-20040908AMF
48	WRNNTV	KINGSTON NY	147.7	APP	BPRM	-20000328AAV
48	W48AQ	CLARKS SUMMIT, ETC. PA	156.2	LIC	BLTT	-19880104IB
49	WEDW	BRIDGEPORT CT	167.9	LIC	BLET	-19870908KE
49	WWTB-LP	WASHINGTON DC	253.6	CP MOD	BMPTTL	-20050912ACV
49	WLNE-TV	NEW BEDFORD MA	334.7	LIC	BLCDT	-20040930BBS
49	WSHM-LP	SPRINGFIELD MA	276.3	APP	BDISDTL	-20060331AVR
49	WEKW-TV	KEENE NH	361.3	LIC	BLEDT	-20030618ABK
49	WWSI	ATLANTIC CITY NJ	77.8	LIC	BLCDT	-20020812ABS
49	W49BE	HACKETTSTOWN NJ	65.3	LIC	BLTT	-19930517IG
49	WFNY-CA	GLOVERSVILLE NY	314.5	LIC	BLTTL	-19970811JF
49	WNYN-LP	NEW YORK NY	81.2	CP	BPTTL	-20030929AJK
49	WNDR-LP	SYRACUSE NY	325.5	CP	BMJPTTA	-20031117AAS
49	WLLS-LP	INDIANA PA	384.8	LIC	BLTTL	-19961230JA
49	WGCB-TV	RED LION PA	166.7	LIC	BLCT	-19790419KG
49	WNEP-TV	SCRANTON PA	141.2	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	141.2	LIC	BLCDT	-20020807AAF
49	WHSV-TV	HARRISONBURG VA	386.8	CP MOD	BMPCDT	-20051109AAL

49	WVBK-CA	MANCHESTER, ETC. VT	345.9	LIC	BLTT	-19980317JH
50	NEW	WILMINGTON DE	54.1	APP	BPRM	-20051206AEA
50	WNJN	MONTCLAIR NJ	76.6	LIC	BLET	-19860805KG
50	940415D9	HARRISBURG PA	199.2	APP	BPTTL	-19940415D9
50	W66AI	POTTSVILLE, ETC. PA	135.1	APP	BDISDTT	-20060403ADI
50	940413EW	WILKES-BARRE, SCRANTON PA	153.2	APP	BPTTL	-19940413EW
51	940630KG	READING PA	102.5	APP	BPCT	-19940630KG
51	WTVE	READING PA	103.1	LIC	BLCT	-19800521KW
51	WTVE	READING PA	103.1	CP	BPCT	-20010430AAL
52	WNJT	TRENTON NJ	0.0	LIC	BLET	-20030625AAS
52	W52DW	PORT JERVIS NY	121.2	CP	BNPTTL	-20000831CEX
52	W52DW	PORT JERVIS NY	121.2	APP	BMPTTL	-20060403ARS
53	W55BT	TALLEYVILLE DE	84.2	CP	BPTTL	-20030307ABS
53	W55BT	TALLEYVILLE DE	90.6	STA	BSTA	-20040806AGQ
56	WOLF-TV	HAZLETON PA	141.2	LIC	BLCT	-19981202KG
57	WRNN-LP	NYACK NY	122.8	LIC	BLTT	-19950510ID
57	WRNN-LP	NYACK NY	78.6	APP	BPTTA	-20030530CAT
57	WPSG	PHILADELPHIA PA	54.0	LIC	BLCT	-19980213KE

Analysis of Interference to Affected Station 1

Channel	Call	City/State	Application Ref. No.
34	WOAV-LP	ATLANTIC CITY NJ	BLTTL -19970924JG

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
26	KYW-TV	PHILADELPHIA PA	102.1	CP	BPCDT	-19980408KE
26	KYW-DT	PHILADELPHIA PA	102.1	PLN	DTVPLN	-DTVP0650
27	WGTW-TV	BURLINGTON NJ	101.7	LIC	BLCDT	-20060105AAR
27	WGTW-DT	BURLINGTON NJ	102.2	PLN	DTVPLN	-DTVP0678
31	WPPX	WILMINGTON DE	101.7	LIC	BLCDT	-20031203AFI
31	WTGI-DT	WILMINGTON DE	81.7	PLN	DTVPLN	-DTVP0815
32	WPSG	PHILADELPHIA PA	101.7	LIC	BLCDT	-20021025AAS
32	WPSG-DT	PHILADELPHIA PA	101.5	PLN	DTVPLN	-DTVP0877
34	WHPX	NEW LONDON CT	298.9	CP	BPCDT	-20051007AAN
34	WTWS-DT	NEW LONDON CT	298.9	PLN	DTVPLN	-DTVP0929
34	WHPX	NEW LONDON CT	298.9	LIC	BLCDT	-20020510AAE
34	WUSA	WASHINGTON DC	230.4	LIC	BLCDT	-20040206AAS
34	WUSA-DT	WASHINGTON DC	230.4	PLN	DTVPLN	-DTVP0930
34	WPXO-LP	EAST ORANGE NJ	160.4	LIC	BLTTL	-20040730AAO
34	WIVT	BINGHAMTON NY	326.2	APP	BSRCCT	-20050812AFK
34	WIVT	BINGHAMTON NY	326.2	LIC	BLCT	-20040113ABJ
34	WMHT	SCHENECTADY NY	365.9	LIC	BLEDT	-20040108ALV
34	WMHT-DT	SCHENECTADY NY	367.3	PLN	DTVPLN	-DTVP0949
34	WCAU	PHILADELPHIA PA	101.7	APP	BSRCCT	-20051130BFF
34	WYBE-DT	PHILADELPHIA PA	101.7	PLN	DTVPLN	-DTVP0953
34	WYBE	PHILADELPHIA PA	101.7	LIC	BLEDT	-20030213AAD
34	WPXW	MANASSAS VA	230.4	APP	BSRCCT	-20060331ARG
35	WYBE	PHILADELPHIA PA	101.7	LIC	BLET	-20030317DRA
35	WYBE	PHILADELPHIA PA	101.7	APP	BFRCT	-20050304ABO
35	WYBE	PHILADELPHIA PA	101.7	APP	BSRCCT	-20051130BGS
36	WMGM-TD	SOMERS POINT NJ	36.6	APP	BPRM	-20020725ABJ
36	WMGM-TV	WILDWOOD NJ	36.6	CP	BPCDT	-19991029AFH
36	WMGM-DT	WILDWOOD NJ	36.6	PLN	DTVPLN	-DTVP1028
36	WMGM-TV	WILDWOOD NJ	36.6	APP	BMPCDT	-20050906ACO
42	WTFX-F	PHILADELPHIA PA	101.7	CP	BPCDT	-20020424AAZ
42	WTFX-DT	PHILADELPHIA PA	101.7	PLN	DTVPLN	-DTVP1207

w25aw_stm_cc_49_da_02_977w

48	WGTW-TV	BURLINGTON NJ	102.2	LIC	BLCT	-19920821KF
49	WWSI	ATLANTIC CITY NJ	32.5	LIC	BLCDDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	33.6	PLN	DTVPLN	-DTVP1426
49	W25AW	TRENTON NJ	105.4	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 2

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
34	WPXO-LP	EAST ORANGE NJ	BLTTL	-20040730AAO

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
26	KYW-TV	PHILADELPHIA PA	132.2	CP	BPCDDT	-19980408KE
26	KYW-DT	PHILADELPHIA PA	131.9	PLN	DTVPLN	-DTVP0650
27	WGTW-TV	BURLINGTON NJ	131.8	LIC	BLCDDT	-20060105AAR
27	WGTW-DT	BURLINGTON NJ	132.1	PLN	DTVPLN	-DTVP0678
27	WTBY-TV	POUGHKEEPSIE NY	82.4	LIC	BLCDDT	-20030930ACY
27	WTBY-DT	POUGHKEEPSIE NY	107.9	PLN	DTVPLN	-DTVP0681
30	WBIS-DT	NEW YORK NY	4.7	PLN	DTVPLN	-DTVP0794
30	WPXN-TV	NEW YORK NY	4.7	CP	BPCDDT	-19991028ACH
31	WTIC-TV	HARTFORD CT	143.4	CP MOD	BMPDDT	-20030328ABZ
31	WTIC-TV	HARTFORD CT	143.4	LIC	BPRM	-20001020ACY
31	WTIC-TV	HARTFORD CT	143.4	APP	BMPDDT	-20040616AAM
31	WPPX	WILMINGTON DE	131.8	LIC	BLCDDT	-20031203AFL
32	WPSG	PHILADELPHIA PA	131.8	LIC	BLCDDT	-20021025AAS
32	WPSG-DT	PHILADELPHIA PA	132.0	PLN	DTVPLN	-DTVP0877
33	WPIX	NEW YORK NY	4.7	CP	BPCDDT	-19991019ABH
33	WPIX-DT	NEW YORK NY	4.7	PLN	DTVPLN	-DTVP0911
33	WCBS-TV	NEW YORK NY	4.7	APP	BSRCCT	-20060403BQX
34	WHPX	NEW LONDON CT	167.2	CP	BPCDDT	-20051007AAN
34	WTWS-DT	NEW LONDON CT	167.2	PLN	DTVPLN	-DTVP0929
34	WHPX	NEW LONDON CT	167.2	LIC	BLCDDT	-20020510AAE
34	WUSA	WASHINGTON DC	331.1	LIC	BLCDDT	-20040206AAS
34	WUSA-DT	WASHINGTON DC	331.1	PLN	DTVPLN	-DTVP0930
34	WESA-LP	SPRINGFIELD MA	183.0	CP	BPTTL	-20031119AIE
34	WNEU	MERRIMACK NH	318.0	LIC	BLCDDT	-20021028AAH
34	WGOT-DT	MERRIMACK NH	318.0	PLN	DTVPLN	-DTVP0946
34	WQAV-LP	ATLANTIC CITY NJ	160.4	LIC	BLTTL	-19970924JG
34	WIVT	BINGHAMTON NY	218.9	APP	BFRCCCT	-20050812AFK
34	WIVT	BINGHAMTON NY	218.9	LIC	BLCT	-20040113ABJ
34	960910KE	LAKE PLACID NY	390.3	APP	BPET	-19960910KE
34	WMHT	SCHENECTADY NY	208.6	LIC	BLEDT	-20040108ALV
34	WMHT-DT	SCHENECTADY NY	209.9	PLN	DTVPLN	-DTVP0949
34	WCAU	PHILADELPHIA PA	131.8	APP	BSRCCT	-20051130BFF
34	WYBE-DT	PHILADELPHIA PA	132.0	PLN	DTVPLN	-DTVP0953
34	WYBE	PHILADELPHIA PA	131.8	LIC	BLEDT	-20030213AAD
34	WPXW	MANASSAS VA	331.1	APP	BSRCCT	-20060331ARG
35	WNYX-LP	NEW YORK NY	3.6	CP	BDFCDTL	-20060111ACR
35	WNYX-LP	NEW YORK NY	3.6	LIC	BLTTL	-20050421AAP
35	WYBE	PHILADELPHIA PA	131.8	LIC	BLET	-20030317DRA
35	WYBE	PHILADELPHIA PA	131.8	APP	BFRCCCT	-20050304ABO
35	WYBE	PHILADELPHIA PA	131.8	APP	BSRCCT	-20051130BGS
36	WNJU-DT	LINDEN NJ	4.7	PLN	DTVPLN	-DTVP1027
36	WNJU	LINDEN NJ	0.0	CP	BPCDDT	-19991004ABJ

w25aw_stm_cc_49_da_02_977w

38	WWOR-TV	SECAUCUS NJ	0.0	APP	BMPCDT	-20040130AZR
38	WWOR-DT	SECAUCUS NJ	4.7	PLN	DTVPLN	-DTVP1058
41	WFUT-TV	NEWARK NJ	0.9	APP	BFRCT	-20050516AAU
42	WSAH	BRIDGEPORT CT	100.0	APP	BMPCDT	-20060214AAF
42	WHAI-DT	BRIDGEPORT CT	100.0	PLN	DTVPLN	-DTVP1185
42	WSAH	BRIDGEPORT CT	100.0	CP	BPCDT	-19991101AFE
42	WTFX-TV	PHILADELPHIA PA	132.0	CP	BPCDT	-20020424AAZ
42	WTFX-DT	PHILADELPHIA PA	132.0	PLN	DTVPLN	-DTVP1207
48	WGTW-TV	BURLINGTON NJ	132.1	LIC	BLCT	-19920821KF
48	WRNN-TV	KINGSTON NY	82.3	LIC	BLCDT	-20040908AMF
48	WRNNTV	KINGSTON NY	82.3	APP	BPRM	-20000328AAV
49	WEDW	BRIDGEPORT CT	89.3	LIC	BLET	-19870908KE
49	WWSI	ATLANTIC CITY NJ	128.0	LIC	BLCDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	128.3	PLN	DTVPLN	-DTVP1426
49	WNYN-LP	NEW YORK NY	3.6	CP	BPTTL	-20030929AJK
49	W25AW	TRENTON NJ	78.6	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 3

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
34	W34DI	PORT JERVIS NY	BMPTTL	-20060403ARQ

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
27	WTBY-TV	POUGHKEEPSIE NY	66.4	LIC	BLCDT	-20030930ACY
27	WTBY-DT	POUGHKEEPSIE NY	72.2	PLN	DTVPLN	-DTVP0681
30	WBIS-DT	NEW YORK NY	94.9	PLN	DTVPLN	-DTVP0794
30	WPXN-TV	NEW YORK NY	94.9	CP	BPCDT	-19991028ACH
31	WOLF-DT	SCRANTON PA	83.6	PLN	DTVPLN	-DTVP0838
31	WSWB	SCRANTON PA	83.6	CP	BPCDT	-19980825KK
32	WQPX	SCRANTON PA	83.3	CP MOD	BMPCDT	-20010510AAE
32	WSWB-DT	SCRANTON PA	83.3	PLN	DTVPLN	-DTVP0878
33	WPIX	NEW YORK NY	94.9	CP	BPCDT	-19991019ABH
33	WPIX-DT	NEW YORK NY	94.9	PLN	DTVPLN	-DTVP0911
33	WCBS-TV	NEW YORK NY	94.9	APP	BSRCCT	-20060403BQX
34	WHPX	NEW LONDON CT	211.1	CP	BPCDT	-20051007AAN
34	WTWS-DT	NEW LONDON CT	211.1	PLN	DTVPLN	-DTVP0929
34	WHPX	NEW LONDON CT	211.1	LIC	BLCDT	-20020510AAE
34	WUSA	WASHINGTON DC	335.2	LIC	BLCDT	-20040206AAS
34	WUSA-DT	WASHINGTON DC	335.2	PLN	DTVPLN	-DTVP0930
34	WNEU	MERRIMACK NH	314.6	LIC	BLCDT	-20021028AAH
34	WGOT-DT	MERRIMACK NH	314.6	PLN	DTVPLN	-DTVP0946
34	WPXO-LP	EAST ORANGE NJ	93.3	LIC	BLTTL	-20040730AAO
34	WIVT	BINGHAMTON NY	126.4	APP	BFRCT	-20050812AFK
34	WIVT	BINGHAMTON NY	126.4	LIC	BLCT	-20040113ABJ
34	WNYO-TV	BUFFALO NY	391.4	CP	BPCDT	-19991027ACW
34	WNYO-DT	BUFFALO NY	345.1	PLN	DTVPLN	-DTVP0948
34	960910KE	LAKE PLACID NY	326.0	APP	BPET	-19960910KE
34	WMHT	SCHENECTADY NY	151.3	LIC	BLEDT	-20040108ALV
34	WMHT-DT	SCHENECTADY NY	152.8	PLN	DTVPLN	-DTVP0949
34	WJAC-TV	JOHNSTOWN PA	374.3	LIC	BLCDT	-20051123AKN
34	WJAC-DT	JOHNSTOWN PA	374.3	PLN	DTVPLN	-DTVP0952
34	WCAU	PHILADELPHIA PA	154.0	APP	BSRCCT	-20051130BFF
34	WYBE-DT	PHILADELPHIA PA	154.2	PLN	DTVPLN	-DTVP0953

w25aw_stm_cc_49_da_02_977w

34	WYBE	PHILADELPHIA PA	154.0	LIC	BLEDT	-20030213AAD
34	WPXW	MANASSAS VA	335.2	APP	BSRCCT	-20060331ARG
35	W36AZ	SUSSEX NJ	30.1	CP	BPTT	-JG0601SC
36	WNJU-DT	LINDEN NJ	94.9	PLN	DTVPLN	-DTVP1027
36	WNJU	LINDEN NJ	93.3	CP	BPCDT	-19991004ABJ
38	WWOR-TV	SECAUCUS NJ	93.3	APP	BMPCDT	-20040130AZR
38	WWOR-DT	SECAUCUS NJ	94.9	PLN	DTVPLN	-DTVP1058
41	WFUT-TV	NEWARK NJ	92.7	APP	BFRCT	-20050516AUU
41	WVIA-TV	SCRANTON PA	97.7	LIC	BLEDT	-20010109AAP
41	WVIA-DT	SCRANTON PA	97.7	PLN	DTVPLN	-DTVP1171
42	WSAH	BRIDGEPORT CT	134.9	APP	BMPCDT	-20060214AAF
42	WHAI-DT	BRIDGEPORT CT	134.9	PLN	DTVPLN	-DTVP1185
42	WSAH	BRIDGEPORT CT	134.9	CP	BPCDT	-19991101AFE
42	WSKG-DT	BINGHAMTON NY	126.1	PLN	DTVPLN	-DTVP1202
42	WSKG-TV	BINGHAMTON NY	126.6	LIC	BLEDT	-20050526ACA
48	WRNN-TV	KINGSTON NY	66.4	LIC	BLCDT	-20040908AMF
48	WRNNTV	KINGSTON NY	66.5	APP	BPRM	-20000328AAV
49	WEDW	BRIDGEPORT CT	129.4	LIC	BLET	-19870908KE
49	WNEP-DT	SCRANTON PA	97.7	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	97.5	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	97.5	LIC	BLCDT	-20020807AAF
49	W25AW	TRENTON NJ	121.2	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 4

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
34	W34DI	PORT JERVIS NY	BNPTTL	-20000831AKZ

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
27	WTBY-TV	POUGHKEEPSIE NY	66.4	LIC	BLCDT	-20030930ACY
27	WTBY-DT	POUGHKEEPSIE NY	72.2	PLN	DTVPLN	-DTVP0681
30	WBIS-DT	NEW YORK NY	94.9	PLN	DTVPLN	-DTVP0794
30	WPXN-TV	NEW YORK NY	94.9	CP	BPCDT	-19991028ACH
31	WOLF-DT	SCRANTON PA	83.6	PLN	DTVPLN	-DTVP0838
31	WSWB	SCRANTON PA	83.6	CP	BPCDT	-19980825KK
32	WQPX	SCRANTON PA	83.3	CP MOD	BMPCDT	-20010510AAE
32	WSWB-DT	SCRANTON PA	83.3	PLN	DTVPLN	-DTVP0878
33	WPIX	NEW YORK NY	94.9	CP	BPCDT	-19991019ABH
33	WPIX-DT	NEW YORK NY	94.9	PLN	DTVPLN	-DTVP0911
33	WCBS-TV	NEW YORK NY	94.9	APP	BSRCCT	-20060403BQX
34	WHPX	NEW LONDON CT	211.1	CP	BPCDT	-20051007AAN
34	WTWS-DT	NEW LONDON CT	211.1	PLN	DTVPLN	-DTVP0929
34	WHPX	NEW LONDON CT	211.1	LIC	BLCDT	-20020510AAE
34	WUSA	WASHINGTON DC	335.2	LIC	BLCDT	-20040206AAS
34	WUSA-DT	WASHINGTON DC	335.2	PLN	DTVPLN	-DTVP0930
34	WNEU	MERRIMACK NH	314.6	LIC	BLCDT	-20021028AAH
34	WGOT-DT	MERRIMACK NH	314.6	PLN	DTVPLN	-DTVP0946
34	WPXO-LP	EAST ORANGE NJ	93.3	LIC	BLTTL	-20040730AAO
34	WIVT	BINGHAMTON NY	126.4	APP	BFRCT	-20050812AFK
34	WIVT	BINGHAMTON NY	126.4	LIC	BLCT	-20040113ABJ
34	WNYO-TV	BUFFALO NY	391.4	CP	BPCDT	-19991027ACW
34	WNYO-DT	BUFFALO NY	345.1	PLN	DTVPLN	-DTVP0948
34	960910KE	LAKE PLACID NY	326.0	APP	BPET	-19960910KE

w25aw_stm_cc_49_da_02_977w

34	WMHT	SCHENECTADY NY	151.3	LIC	BLEDT	-20040108ALV
34	WMHT-DT	SCHENECTADY NY	152.8	PLN	DTVPLN	-DTVP0949
34	WJAC-TV	JOHNSTOWN PA	374.3	LIC	BLCDDT	-20051123AKN
34	WJAC-DT	JOHNSTOWN PA	374.3	PLN	DTVPLN	-DTVP0952
34	WCAU	PHILADELPHIA PA	154.0	APP	BSRCCT	-20051130BFF
34	WYBE-DT	PHILADELPHIA PA	154.2	PLN	DTVPLN	-DTVP0953
34	WYBE	PHILADELPHIA PA	154.0	LIC	BLEDT	-20030213AAD
34	WPXW	MANASSAS VA	335.2	APP	BSRCCT	-20060331ARG
36	WNJU-DT	LINDEN NJ	94.9	PLN	DTVPLN	-DTVP1027
36	WNJU	LINDEN NJ	93.3	CP	BPCDDT	-19991004ABJ
38	WWOR-TV	SECAUCUS NJ	93.3	APP	BMPDDT	-20040130AZR
38	WWOR-DT	SECAUCUS NJ	94.9	PLN	DTVPLN	-DTVP1058
41	WFUT-TV	NEWARK NJ	92.7	APP	BFRCTT	-20050516AUU
41	WVIA-TV	SCRANTON PA	97.7	LIC	BLEDT	-20010109AAP
41	WVIA-DT	SCRANTON PA	97.7	PLN	DTVPLN	-DTVP1171
42	WSAH	BRIDGEPORT CT	134.9	APP	BMPDDT	-20060214AAF
42	WHAI-DT	BRIDGEPORT CT	134.9	PLN	DTVPLN	-DTVP1185
42	WSAH	BRIDGEPORT CT	134.9	CP	BPCDDT	-19991101AFE
42	WSKG-DT	BINGHAMTON NY	126.1	PLN	DTVPLN	-DTVP1202
42	WSKG-TV	BINGHAMTON NY	126.6	LIC	BLEDT	-20050526ACA
48	WRNN-TV	KINGSTON NY	66.4	LIC	BLCDDT	-20040908AMF
48	WRNNTV	KINGSTON NY	66.5	APP	BPRM	-20000328AAV
49	WEDW	BRIDGEPORT CT	129.4	LIC	BLET	-19870908KE
49	WNEP-DT	SCRANTON PA	97.7	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	97.5	CP	BPCDDT	-19990729KF
49	WNEP-TV	SCRANTON PA	97.5	LIC	BLCDDT	-20020807AAF
49	W25AW	TRENTON NJ	121.2	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 5

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
35	W36AZ	SUSSEX NJ	BPTT	-JG0601SC

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
27	WGTW-TV	BURLINGTON NJ	135.9	LIC	BLCDDT	-20060105AAR
27	WGTW-DT	BURLINGTON NJ	136.0	PLN	DTVPLN	-DTVP0678
27	WTBY-TV	POUGHKEEPSIE NY	62.5	LIC	BLCDDT	-20030930ACY
27	WTBY-DT	POUGHKEEPSIE NY	78.3	PLN	DTVPLN	-DTVP0681
28	WNBC-DT	NEW YORK NY	65.1	PLN	DTVPLN	-DTVP0719
28	WBRE-TV	WILKES-BARRE PA	111.3	LIC	BLCT	-19891005KF
31	WPPX	WILMINGTON DE	135.9	LIC	BLCDDT	-20031203AFL
31	WOLF-DT	SCRANTON PA	104.6	PLN	DTVPLN	-DTVP0838
31	WSWB	SCRANTON PA	104.6	CP	BPCDDT	-19980825KK
32	WPSG	PHILADELPHIA PA	135.9	LIC	BLCDDT	-20021025AAS
32	WPSG-DT	PHILADELPHIA PA	136.2	PLN	DTVPLN	-DTVP0877
32	WQPX	SCRANTON PA	104.4	CP MOD	BMPDDT	-20010510AAE
32	WSWB-DT	SCRANTON PA	104.4	PLN	DTVPLN	-DTVP0878
33	WPIX	NEW YORK NY	65.1	CP	BPCDDT	-19991019ABH
33	WPIX-DT	NEW YORK NY	65.1	PLN	DTVPLN	-DTVP0911
33	WCBS-TV	NEW YORK NY	65.1	APP	BSRCCT	-20060403BQX
35	WVIT-DT	NEW BRITAIN CT	155.1	PLN	DTVPLN	-DTVP0967
35	WVIT	NEW BRITAIN CT	155.1	LIC	BLCDDT	-20041203AEF
35	WDCA-DT	WASHINGTON DC	326.2	PLN	DTVPLN	-DTVP0968

w25aw_stm_cc_49_da_02_977w

35	WDCA	WASHINGTON DC	325.8	CP MOD	BMPCDT	-20010816AAF
35	WNDS-DT	DERRY NH	314.5	PLN	DTVPLN	-DTVP0985
35	WZMY-TV	DERRY NH	314.4	CP	BPCDT	-19991101AKG
35	WVNY-DT	CARTHAGE NY	327.3	PLN	DTVPLN	-DTVP0986
35	WVNY-LP	NEW YORK NY	66.6	CP	BDFCDTL	-20060111ACR
35	WVNY-LP	NEW YORK NY	66.6	LIC	BLTTL	-20050421AAP
35	WYBE	PHILADELPHIA PA	135.9	LIC	BLET	-20030317DRA
35	WYBE	PHILADELPHIA PA	135.9	APP	BRCET	-20050304ABO
35	WYBE	PHILADELPHIA PA	135.9	APP	BSRCET	-20051130BGS
36	WNJU-DT	LINDEN NJ	65.1	PLN	DTVPLN	-DTVP1027
36	WNJU	LINDEN NJ	63.9	CP	BPCDT	-19991004ABJ
36	W36AZ	SUSSEX NJ	0.0	LIC	BLTT	-19970806JC
38	WWOR-TV	SECAUCUS NJ	63.9	APP	BMPCDT	-20040130AZR
38	WWOR-DT	SECAUCUS NJ	65.1	PLN	DTVPLN	-DTVP1058
39	WEDY-DT	NEW HAVEN CT	137.9	PLN	DTVPLN	-DTVP1081
39	WCTX	NEW HAVEN CT	136.1	LIC	BLCDT	-20040507AAZ
42	WSAH	BRIDGEPORT CT	121.5	APP	BMPCDT	-20060214AAF
42	WHAI-DT	BRIDGEPORT CT	121.5	PLN	DTVPLN	-DTVP1185
42	WSAH	BRIDGEPORT CT	121.5	CP	BPCDT	-19991101AFE
42	WTFX-TV	PHILADELPHIA PA	136.1	CP	BPCDT	-20020424AAZ
42	WTFX-DT	PHILADELPHIA PA	136.1	PLN	DTVPLN	-DTVP1207
43	WNJT-DT	TRENTON NJ	96.5	PLN	DTVPLN	-DTVP1235
49	WEDW	BRIDGEPORT CT	114.1	LIC	BLET	-19870908KE
49	WNEP-DT	SCRANTON PA	111.7	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	111.5	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	111.5	LIC	BLCDT	-20020807AAF
50	NEW	WILMINGTON DE	136.0	APP	BPRM	-20051206AEA
50	WNJN	MONTCLAIR NJ	42.0	LIC	BLET	-19860805KG
49	W25AW	TRENTON NJ	96.5	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 6

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
35	WVNY-LP	NEW YORK NY	BLTTL	-20050421AAP

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
27	WGTW-TV	BURLINGTON NJ	134.6	LIC	BLCDT	-20060105AAR
27	WGTW-DT	BURLINGTON NJ	134.9	PLN	DTVPLN	-DTVP0678
27	WTBY-TV	POUGHKEEPSIE NY	82.4	LIC	BLCDT	-20030930ACY
27	WTBY-DT	POUGHKEEPSIE NY	108.1	PLN	DTVPLN	-DTVP0681
28	WNBC-DT	NEW YORK NY	7.1	PLN	DTVPLN	-DTVP0719
31	WTIC-TV	HARTFORD CT	141.2	CP MOD	BMPCDT	-20030328ABZ
31	WTIC-TV	HARTFORD CT	141.2	LIC	BPRM	-20001020ACY
31	WTIC-TV	HARTFORD CT	141.2	APP	BMPCDT	-20040616AAM
31	WPPX	WILMINGTON DE	134.6	LIC	BLCDT	-20031203AFL
32	WPSG	PHILADELPHIA PA	134.6	LIC	BLCDT	-20021025AAS
32	WPSG-DT	PHILADELPHIA PA	134.8	PLN	DTVPLN	-DTVP0877
33	WPIX	NEW YORK NY	7.1	CP	BPCDT	-19991019ABH
33	WPIX-DT	NEW YORK NY	7.1	PLN	DTVPLN	-DTVP0911
33	WCBS-TV	NEW YORK NY	7.1	APP	BSRCCT	-20060403BQX
34	WPXO-LP	EAST ORANGE NJ	3.6	CP	BDFCDTL	-20060320AAW
34	WPXO-LP	EAST ORANGE NJ	3.6	LIC	BLTTL	-20040730AAO
35	WVIT-DT	NEW BRITAIN CT	140.9	PLN	DTVPLN	-DTVP0967

w25aw_stm_cc_49_da_02_977w

35	WVIT	NEW BRITAIN CT	140.9	LIC	BLCDDT	-20041203AEF
35	WDCA-DT	WASHINGTON DC	334.7	PLN	DTVPLN	-DTVP0968
35	WDCA	WASHINGTON DC	333.9	CP MOD	BMPCDT	-20010816AAF
35	WNDS-DT	DERRY NH	305.9	PLN	DTVPLN	-DTVP0985
35	WZMY-TV	DERRY NH	305.9	CP	BPCDDT	-19991101AKG
35	W36AZ	SUSSEX NJ	66.6	CP	BPTT	-JG0601SC
35	WWNY-DT	CARTHAGE NY	385.4	PLN	DTVPLN	-DTVP0986
35	WYBE	PHILADELPHIA PA	134.6	LIC	BLET	-20030317DRA
35	WYBE	PHILADELPHIA PA	134.6	APP	BFRCT	-20050304ABO
35	WYBE	PHILADELPHIA PA	134.6	APP	BSRCT	-20051130BGS
36	WNJU-DT	LINDEN NJ	7.1	PLN	DTVPLN	-DTVP1027
36	WNJU	LINDEN NJ	3.6	CP	BPCDDT	-19991004ABJ
38	WWOR-TV	SECAUCUS NJ	3.6	APP	BMPCDT	-20040130AZR
38	WWOR-DT	SECAUCUS NJ	7.1	PLN	DTVPLN	-DTVP1058
39	WEDY-DT	NEW HAVEN CT	108.3	PLN	DTVPLN	-DTVP1081
39	WCTX	NEW HAVEN CT	112.0	LIC	BLCDDT	-20040507AAZ
42	WSAH	BRIDGEPORT CT	97.5	APP	BMPCDT	-20060214AAF
42	WHAI-DT	BRIDGEPORT CT	97.5	PLN	DTVPLN	-DTVP1185
42	WSAH	BRIDGEPORT CT	97.5	CP	BPCDDT	-19991101AFE
42	WTFX-TV	PHILADELPHIA PA	134.8	CP	BPCDDT	-20020424AAZ
42	WTFX-DT	PHILADELPHIA PA	134.9	PLN	DTVPLN	-DTVP1207
43	WNJT-DT	TRENTON NJ	81.4	PLN	DTVPLN	-DTVP1235
49	WEDW	BRIDGEPORT CT	86.8	LIC	BLET	-19870908KE
49	WWSI	ATLANTIC CITY NJ	128.8	LIC	BLCDDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	128.9	PLN	DTVPLN	-DTVP1426
50	NEW	WILMINGTON DE	134.8	APP	BPRM	-20051206AEA
50	WNJN	MONTCLAIR NJ	25.3	LIC	BLET	-19860805KG
49	W25AW	TRENTON NJ	81.2	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 7

Analysis of current record

Channel	Call	City/State	Application Ref. No.
35	WYLN-LP	HAZLETON PA	BLTTL -19950324IE

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
27	WGTW-TV	BURLINGTON NJ	119.7	LIC	BLCDDT -20060105AAR
27	WGTW-DT	BURLINGTON NJ	119.3	PLN	DTVPLN -DTVP0678
28	WBRE-TV	WILKES-BARRE PA	25.0	LIC	BLCT -19891005KF
31	WPPX	WILMINGTON DE	119.7	LIC	BLCDDT -20031203AFL
31	WOLF-DT	SCRANTON PA	55.2	PLN	DTVPLN -DTVP0838
31	WSWB	SCRANTON PA	55.2	CP	BPCDDT -19980825KK
32	WPSG	PHILADELPHIA PA	119.7	LIC	BLCDDT -20021025AAS
32	WPSG-DT	PHILADELPHIA PA	120.0	PLN	DTVPLN -DTVP0877
32	WQPX	SCRANTON PA	55.2	CP MOD	BMPCDT -20010510AAE
32	WSWB-DT	SCRANTON PA	55.3	PLN	DTVPLN -DTVP0878
34	WIVT	BINGHAMTON NY	121.3	APP	BFRCT -20050812AFK
34	WIVT	BINGHAMTON NY	121.3	LIC	BLCT -20040113ABJ
34	WCAU	PHILADELPHIA PA	119.7	APP	BSRCT -20051130BFF
34	WYBE-DT	PHILADELPHIA PA	119.7	PLN	DTVPLN -DTVP0953
34	WYBE	PHILADELPHIA PA	119.7	LIC	BLEDT -20030213AAD
35	WVIT-DT	NEW BRITAIN CT	273.1	PLN	DTVPLN -DTVP0967
35	WVIT	NEW BRITAIN CT	273.1	LIC	BLCDDT -20041203AEF
35	WDCA-DT	WASHINGTON DC	243.5	PLN	DTVPLN -DTVP0968

w25aw_stm_cc_49_da_02_977w

35	WDCA	WASHINGTON DC	244.0	CP MOD	BMPCDT	-20010816AAF
35	WWNY-DT	CARTHAGE NY	332.3	PLN	DTVPLN	-DTVP0986
35	W35BT	DILLSBURG PA	115.4	LIC	BLTTL	-20031121AJD
35	WSEE-TV	ERIE PA	361.7	LIC	BLCT	-20021126AAC
35	WYBE	PHILADELPHIA PA	119.7	LIC	BLET	-20030317DRA
35	WYBE	PHILADELPHIA PA	119.7	APP	BFCET	-20050304ABO
35	WYBE	PHILADELPHIA PA	119.7	APP	BSRCET	-20051130BGS
36	WITF-DT	HARRISBURG PA	103.5	PLN	DTVPLN	-DTVP1032
42	WSKG-DT	BINGHAMTON NY	120.8	PLN	DTVPLN	-DTVP1202
42	WSKG-TV	BINGHAMTON NY	121.3	LIC	BLEDT	-20050526ACA
42	WTFX-TV	PHILADELPHIA PA	119.8	CP	BPCDT	-20020424AAZ
42	WTFX-DT	PHILADELPHIA PA	119.7	PLN	DTVPLN	-DTVP1207
43	WNJT-DT	TRENTON NJ	131.4	PLN	DTVPLN	-DTVP1235
49	WGCB-TV	RED LION PA	129.6	LIC	BLCT	-19790419KG
49	WNEP-DT	SCRANTON PA	24.7	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	24.9	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	24.9	LIC	BLCDT	-20020807AAF
50	NEW	WILMINGTON DE	119.6	APP	BPRM	-20051206AEA
50	940413EW	WILKES-BARRE, SCRANTON PA	33.8	APP	BPTTL	-19940413EW
49	W25AW	TRENTON NJ	131.6	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 8

NTSC Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
35	WYBE	PHILADELPHIA PA	DTVPLN	-NPLN1506

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
27	WGTW-DT	BURLINGTON NJ	0.4	PLN	DTVPLN	-DTVP0678
28	WCPB	SALISBURY MD	186.4	PLN	DTVPLN	-NPLN1333
28	WNBC-DT	NEW YORK NY	127.8	PLN	DTVPLN	-DTVP0719
28	WBRETV	WILKES-BARRE PA	137.7	PLN	DTVPLN	-NPLN1338
31	WTGI-DT	WILMINGTON DE	38.7	PLN	DTVPLN	-DTVP0815
32	WPSG-DT	PHILADELPHIA PA	0.2	PLN	DTVPLN	-DTVP0877
33	WPIX-DT	NEW YORK NY	127.8	PLN	DTVPLN	-DTVP0911
34	WUSA-DT	WASHINGTON DC	199.0	PLN	DTVPLN	-DTVP0930
34	WYBE-DT	PHILADELPHIA PA	0.0	PLN	DTVPLN	-DTVP0953
35	WVIT-DT	NEW BRITAIN CT	273.8	PLN	DTVPLN	-DTVP0967
35	WDCA-DT	WASHINGTON DC	199.8	PLN	DTVPLN	-DTVP0968
35	WRLHTV	RICHMOND VA	353.3	PLN	DTVPLN	-NPLN1509
36	WTTG-DT	WASHINGTON DC	198.8	PLN	DTVPLN	-DTVP1006
36	WNJU-DT	LINDEN NJ	127.8	PLN	DTVPLN	-DTVP1027
36	WMGM-DT	WILDWOOD NJ	109.6	PLN	DTVPLN	-DTVP1028
36	WITF-DT	HARRISBURG PA	142.4	PLN	DTVPLN	-DTVP1032
38	WWOR-DT	SECAUCUS NJ	127.8	PLN	DTVPLN	-DTVP1058
39	WLVT-TV	ALLENTOWN PA	60.7	PLN	DTVPLN	-NPLN1567
42	WTFX-DT	PHILADELPHIA PA	0.0	PLN	DTVPLN	-DTVP1207
43	WNJT-DT	TRENTON NJ	54.0	PLN	DTVPLN	-DTVP1235
43	WPMT	YORK PA	115.8	PLN	DTVPLN	-NPLN1647
49	WACI-DT	ATLANTIC CITY NJ	95.8	PLN	DTVPLN	-DTVP1426
49	WGCBTV	RED LION PA	115.5	PLN	DTVPLN	-NPLN1760
49	WNEP-DT	SCRANTON PA	137.8	PLN	DTVPLN	-DTVP1429
50	WBDCTV	WASHINGTON DC	194.6	PLN	DTVPLN	-NPLN1771
50	WWAC-DT	ATLANTIC CITY NJ	99.6	PLN	DTVPLN	-DTVP1452

50 WNJN MONTCLAIR NJ w25aw_stm_cc_49_da_02_977w 126.9 PLN DTVPLN -NPLN1779

Results for: 35N PA PHILADELPHIA DTVPLN NPLN1506 PLN
 POPULATION AREA (sq km)
 within Noise Limited Contour 5735337 11946.4
 not affected by terrain losses 5727177 11858.0
 lost to NTSC IX 40323 251.3
 lost to additional IX by ATV 75668 138.4
 lost to all IX 115991 389.7

Analysis of current record
 Channel Call City/State Application Ref. No.
 35 WYBE PHILADELPHIA PA BLET -20030317DRA

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
27	WGTW-TV	BURLINGTON NJ	0.0	LIC	BLCDDT	-20060105AAR
27	WGTW-DT	BURLINGTON NJ	0.6	PLN	DTVPLN	-DTVP0678
28	WCPB	SALISBURY MD	186.6	LIC	BLET	-19950629KE
28	WNBC-DT	NEW YORK NY	127.6	PLN	DTVPLN	-DTVP0719
28	WBRE-TV	WILKES-BARRE PA	137.6	LIC	BLCT	-19891005KF
31	WPPX	WILMINGTON DE	0.0	LIC	BLCDDT	-20031203AFL
31	WTGI-DT	WILMINGTON DE	38.9	PLN	DTVPLN	-DTVP0815
32	WPSG	PHILADELPHIA PA	0.0	LIC	BLCDDT	-20021025AAS
32	WPSG-DT	PHILADELPHIA PA	0.3	PLN	DTVPLN	-DTVP0877
33	WPIX	NEW YORK NY	127.6	CP	BPCDDT	-19991019ABH
33	WPIX-DT	NEW YORK NY	127.6	PLN	DTVPLN	-DTVP0911
33	WCBS-TV	NEW YORK NY	127.6	APP	BSRCCT	-20060403BQX
34	WUSA	WASHINGTON DC	199.3	LIC	BLCDDT	-20040206AAS
34	WUSA-DT	WASHINGTON DC	199.3	PLN	DTVPLN	-DTVP0930
34	WCAU	PHILADELPHIA PA	0.0	APP	BSRCCT	-20051130BFF
34	WYBE-DT	PHILADELPHIA PA	0.2	PLN	DTVPLN	-DTVP0953
34	WYBE	PHILADELPHIA PA	0.0	LIC	BLEDT	-20030213AAD
34	WPXW	MANASSAS VA	199.3	APP	BSRCCT	-20060331ARG
35	WVIT-DT	NEW BRITAIN CT	273.5	PLN	DTVPLN	-DTVP0967
35	WVIT	NEW BRITAIN CT	273.5	LIC	BLCDDT	-20041203AEF
35	WDCA-DT	WASHINGTON DC	200.1	PLN	DTVPLN	-DTVP0968
35	WDCA	WASHINGTON DC	199.3	CP MOD	BMPDDT	-20010816AAF
35	WRLH-TV	RICHMOND VA	353.6	LIC	BLCT	-19870930LA
36	WTTG-DT	WASHINGTON DC	199.1	PLN	DTVPLN	-DTVP1006
36	WNJU-DT	LINDEN NJ	127.6	PLN	DTVPLN	-DTVP1027
36	WNJU	LINDEN NJ	131.8	CP	BPCDDT	-19991004ABJ
36	WMGM-TD	SOMERS POINT NJ	109.6	APP	BPRM	-20020725ABJ
36	WMGM-TV	WILDWOOD NJ	109.6	CP	BPCDDT	-19991029AFH
36	WMGM-DT	WILDWOOD NJ	109.6	PLN	DTVPLN	-DTVP1028
36	WMGM-TV	WILDWOOD NJ	109.6	APP	BMPDDT	-20050906ACO
36	WITF-DT	HARRISBURG PA	142.6	PLN	DTVPLN	-DTVP1032
38	WWOR-TV	SECAUCUS NJ	131.8	APP	BMPDDT	-20040130AZR
38	WWOR-DT	SECAUCUS NJ	127.6	PLN	DTVPLN	-DTVP1058
39	WLVT-TV	ALLENTOWN PA	60.7	LIC	BMLET	-20041014AEU
42	WTFX-TV	PHILADELPHIA PA	0.2	CP	BPCDDT	-20020424AAZ
42	WTFX-DT	PHILADELPHIA PA	0.2	PLN	DTVPLN	-DTVP1207
43	WNJT-DT	TRENTON NJ	53.7	PLN	DTVPLN	-DTVP1235
43	WPMT	YORK PA	116.1	LIC	BMLCT	-20041025ABJ
49	WWSI	ATLANTIC CITY NJ	88.1	LIC	BLCDDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	95.7	PLN	DTVPLN	-DTVP1426
49	WGCN-TV	RED LION PA	115.7	LIC	BLCT	-19790419KG
49	WNEP-DT	SCRANTON PA	137.7	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	137.7	CP	BPCDDT	-19990729KF
49	WNEP-TV	SCRANTON PA	137.7	LIC	BLCDDT	-20020807AAF
50	WDCW	WASHINGTON DC	194.9	LIC	BLCT	-20030819ABE
50	NEW	WILMINGTON DE	0.3	APP	BPRM	-20051206AEA

w25aw_stm_cc_49_da_02_977w

50	WWAC-DT	ATLANTIC CITY NJ	99.5	PLN	DTVPLN	-DTVP1452
50	WNJN	MONTCLAIR NJ	126.6	LIC	BLET	-19860805KG
49	W25AW	TRENTON NJ	53.9	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 9

NTSC Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
41	WXTV	PATERSON NJ	DTVPLN	-NPLN1606

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
33	WPIX-DT	NEW YORK NY	4.7	PLN	DTVPLN	-DTVP0911
34	WYBE-DT	PHILADELPHIA PA	132.0	PLN	DTVPLN	-DTVP0953
38	WWOR-DT	SECAUCUS NJ	4.7	PLN	DTVPLN	-DTVP1058
39	WEDY-DT	NEW HAVEN CT	111.1	PLN	DTVPLN	-DTVP1081
39	WLVT-TV	ALLENTOWN PA	123.8	PLN	DTVPLN	-NPLN1567
40	WGB-TV	SPRINGFIELD MA	199.8	PLN	DTVPLN	-NPLN1585
40	WXTV-DT	PATERSON NJ	0.0	PLN	DTVPLN	-DTVP1134
40	WMGM-TV	WILDWOOD NJ	192.3	PLN	DTVPLN	-NPLN1590
41	WLVI-DT	CAMBRIDGE MA	287.9	PLN	DTVPLN	-DTVP1162
41	WHSW-DT	BALTIMORE MD	286.6	PLN	DTVPLN	-DTVP1163
41	WNPE-DT	WATERTOWN NY	374.5	PLN	DTVPLN	-DTVP1168
41	WVIA-DT	SCRANTON PA	165.4	PLN	DTVPLN	-DTVP1171
41	WVTA	WINDSOR VT	324.5	PLN	DTVPLN	-NPLN1612
42	WHAI-DT	BRIDGEPORT CT	100.0	PLN	DTVPLN	-DTVP1185
42	WTFX-DT	PHILADELPHIA PA	132.0	PLN	DTVPLN	-DTVP1207
43	WHAI-TV	BRIDGEPORT CT	100.0	PLN	DTVPLN	-NPLN1636
43	WNJT-DT	TRENTON NJ	78.7	PLN	DTVPLN	-DTVP1235
44	WNYW-DT	NEW YORK NY	4.7	PLN	DTVPLN	-DTVP1278
45	WABC-DT	NEW YORK NY	4.7	PLN	DTVPLN	-DTVP1309
48	WGTW	BURLINGTON NJ	132.1	PLN	DTVPLN	-NPLN1735
49	WEDW	BRIDGEPORT CT	89.3	PLN	DTVPLN	-NPLN1748
49	WACI-DT	ATLANTIC CITY NJ	128.3	PLN	DTVPLN	-DTVP1426
55	WHYY-DT	WILMINGTON DE	132.0	PLN	DTVPLN	-DTVP1563
55	WLNY	RIVERHEAD NY	91.6	PLN	DTVPLN	-NPLN1853
56	WCBS-DT	NEW YORK NY	4.7	PLN	DTVPLN	-DTVP1590
56	WWLF	HAZLETON PA	179.3	PLN	DTVPLN	-NPLN1870

Results for: 41N NJ PATERSON	DTVPLN	NPLN1606	PLN
	POPULATION	AREA (sq km)	
within Noise Limited Contour	16831399	19603.3	
not affected by terrain losses	16536088	17574.0	
lost to NTSC IX	295805	342.5	
lost to additional IX by ATV	38643	213.4	
lost to all IX	334448	556.0	

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
41	WXTV	PATERSON NJ	BLCT	-20041122AIG

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
33	WPIX	NEW YORK NY	4.7	CP	BPCDT	-19991019ABH
33	WPIX-DT	NEW YORK NY	4.7	PLN	DTVPLN	-DTVP0911
33	WCBS-TV	NEW YORK NY	4.7	APP	BSRCCT	-20060403BQX

w25aw_stm_cc_49_da_02_977w

34	WCAU	PHILADELPHIA PA	131.8	APP	BSRCCT	-20051130BFF
34	WYBE-DT	PHILADELPHIA PA	132.0	PLN	DTVPLN	-DTVP0953
34	WYBE	PHILADELPHIA PA	131.8	LIC	BLEDT	-20030213AAD
38	WWOR-TV	SECAUCUS NJ	0.0	APP	BMPCDT	-20040130AZR
38	WWOR-DT	SECAUCUS NJ	4.7	PLN	DTVPLN	-DTVP1058
39	WEDY-DT	NEW HAVEN CT	111.1	PLN	DTVPLN	-DTVP1081
39	WCTX	NEW HAVEN CT	114.6	LIC	BLCDT	-20040507AAZ
39	WLVT-TV	ALLENTOWN PA	123.8	LIC	BMLET	-20041014AEU
40	WGGB-TV	SPRINGFIELD MA	199.8	APP	BFRCT	-20050812AAJ
40	WGGB-TV	SPRINGFIELD MA	199.8	LIC	BLCT	-19990429KH
40	WXTV-DT	PATERSON NJ	0.0	PLN	DTVPLN	-DTVP1134
40	WXTV	PATERSON NJ	0.0	LIC	BLCDT	-20050214AGS
40	WMGM-TV	SOMERS POINT NJ	192.3	APP	BPRM	-20020725ABK
40	WMGM-TV	WILDWOOD NJ	192.3	APP	BPCT	-20050906ACP
40	WMGM-TV	WILDWOOD NJ	192.3	LIC	BLCT	-19900515KH
41	WLVI-DT	CAMBRIDGE MA	287.9	PLN	DTVPLN	-DTVP1162
41	WLVI-TV	CAMBRIDGE MA	287.9	LIC	BLCDT	-20040910AAH
41	WUTB	BALTIMORE MD	286.6	APP	BMPCDT	-20051118ADM
41	WHSW-DT	BALTIMORE MD	286.6	PLN	DTVPLN	-DTVP1163
41	WUTB	BALTIMORE MD	286.6	CP MOD	BMPCDT	-20040608ABC
41	WFUT-TV	NEWARK NJ	0.9	APP	BFRCT	-20050516AUU
41	NEW	GENESEO NY	380.6	ADD	BPRM	-20000717ABS
41	NEW	ROCHESTER NY	405.9	ADD	BPRM	-20000906AAB
41	WNPE-DT	WATERTOWN NY	374.5	PLN	DTVPLN	-DTVP1168
41	WVIA-TV	SCRANTON PA	165.4	LIC	BLEDT	-20010109AAP
41	WVIA-DT	SCRANTON PA	165.4	PLN	DTVPLN	-DTVP1171
41	WVTA	WINDSOR VT	324.6	CP	BPET	-20020507AAG
42	WSAH	BRIDGEPORT CT	100.0	APP	BMPCDT	-20060214AAF
42	WHAI-DT	BRIDGEPORT CT	100.0	PLN	DTVPLN	-DTVP1185
42	WSAH	BRIDGEPORT CT	100.0	CP	BPCDT	-19991101AFE
42	WTFX-TV	PHILADELPHIA PA	132.0	CP	BPCDT	-20020424AAZ
42	WTFX-DT	PHILADELPHIA PA	132.0	PLN	DTVPLN	-DTVP1207
43	WSAH	BRIDGEPORT CT	100.0	LIC	BLCT	-19871009KE
43	WSAH	BRIDGEPORT CT	100.0	APP	BPCT	-20060222AAG
43	WNJT-DT	TRENTON NJ	78.7	PLN	DTVPLN	-DTVP1235
44	WMCN-TV	ATLANTIC CITY NJ	134.8	CP	BPCDT	-19990604KF
44	WNYW-DT	NEW YORK NY	4.7	PLN	DTVPLN	-DTVP1278
44	WNYW	NEW YORK NY	0.0	CP MOD	BMPCDT	-19990402KI
45	WABC-DT	NEW YORK NY	4.7	PLN	DTVPLN	-DTVP1309
48	WGTW-TV	BURLINGTON NJ	132.1	LIC	BLCT	-19920821KF
48	WRNN-TV	KINGSTON NY	82.3	LIC	BLCDT	-20040908AMF
48	WRNNTV	KINGSTON NY	82.3	APP	BPRM	-20000328AAV
49	WEDW	BRIDGEPORT CT	89.3	LIC	BLET	-19870908KE
49	WWSI	ATLANTIC CITY NJ	128.0	LIC	BLCDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	128.3	PLN	DTVPLN	-DTVP1426
55	WHYY-DT	WILMINGTON DE	132.0	PLN	DTVPLN	-DTVP1563
55	WLNY	RIVERHEAD NY	91.6	LIC	BLCT	-19850429KJ
56	WCBS-DT	NEW YORK NY	4.7	PLN	DTVPLN	-DTVP1590
56	WOLF-TV	HAZLETON PA	165.3	LIC	BLCT	-19981202KG
49	W25AW	TRENTON NJ	78.6	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 10

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
41	WNAI-LP	SPRINGVILLE NJ	BLTTL	-20041117ACS

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
33	WPIX	NEW YORK NY	127.6	CP	BPCDT	-19991019ABH
33	WPIX-DT	NEW YORK NY	127.6	PLN	DTVPLN	-DTVP0911
33	WCBS-TV	NEW YORK NY	127.6	APP	BSRCCT	-20060403BQX
34	WCAU	PHILADELPHIA PA	0.0	APP	BSRCCT	-20051130BFF
34	WYBE-DT	PHILADELPHIA PA	0.2	PLN	DTVPLN	-DTVP0953
34	WYBE	PHILADELPHIA PA	0.0	LIC	BLEDT	-20030213AAD
38	WJZ-DT	BALTIMORE MD	144.3	PLN	DTVPLN	-DTVP1048
38	WJZ-TV	BALTIMORE MD	144.3	LIC	BLCDDT	-20050128AKU
38	WWOR-TV	SECAUCUS NJ	131.8	APP	BMPCDT	-20040130AZR
38	WWOR-DT	SECAUCUS NJ	127.6	PLN	DTVPLN	-DTVP1058
39	WLVT-TV	ALLENTOWN PA	60.7	LIC	BMLET	-20041014AEU
40	W40AZ	WILMINGTON DE	30.9	LIC	BLTT	-19931117JC
40	WXTV-DT	PATERSON NJ	131.8	PLN	DTVPLN	-DTVP1134
40	WXTV	PATERSON NJ	131.8	LIC	BLCDDT	-20050214AGS
40	WMGM-TV	SOMERS POINT NJ	109.6	APP	BPRM	-20020725ABK
40	WMGM-TV	WILDWOOD NJ	109.6	APP	BPCT	-20050906ACP
40	WMGM-TV	WILDWOOD NJ	109.6	LIC	BLCT	-19900515KH
41	WUTB	BALTIMORE MD	155.0	APP	BMPCDT	-20051118ADM
41	WHSW-DT	BALTIMORE MD	155.0	PLN	DTVPLN	-DTVP1163
41	WUTB	BALTIMORE MD	155.0	CP MOD	BMPCDT	-20040608ABC
41	WFUT-TV	NEWARK NJ	132.3	APP	BFRCT	-20050516AUU
41	WXTV	PATERSON NJ	131.8	LIC	BLCT	-20041122AIG
41	NEW	GENESEO NY	359.7	ADD	BPRM	-20000717ABS
41	WVIA-TV	SCRANTON PA	137.6	LIC	BLEDT	-20010109AAP
41	WVIA-DT	SCRANTON PA	137.6	PLN	DTVPLN	-DTVP1171
41	WHTJ	CHARLOTTESVILLE VA	361.9	LIC	BLET	-19890421KE
41	WVEC-TV	HAMPTON VA	374.2	LIC	BLCDDT	-20020412AAT
41	WVEC-DT	HAMPTON VA	374.1	PLN	DTVPLN	-DTVP1178
42	WTFX-TV	PHILADELPHIA PA	0.2	CP	BPCDT	-20020424AAZ
42	WTFX-DT	PHILADELPHIA PA	0.2	PLN	DTVPLN	-DTVP1207
43	WNJT-DT	TRENTON NJ	53.7	PLN	DTVPLN	-DTVP1235
43	WPMT	YORK PA	116.1	LIC	BMLCT	-20041025ABJ
44	WWAC-TV	ATLANTIC CITY NJ	53.3	LIC	BPRM	-20000724ACE
44	WMCN-TV	ATLANTIC CITY NJ	48.3	CP	BPCDT	-19990604KF
44	WNYW-DT	NEW YORK NY	127.6	PLN	DTVPLN	-DTVP1278
44	WNYW	NEW YORK NY	131.8	CP MOD	BMPCDT	-19990402KI
44	WVIA-TV	SCRANTON PA	137.6	LIC	BLET	-19830929KG
45	WBFF	BALTIMORE MD	144.1	CP MOD	BMPCT	-20030116AAX
45	WABC-DT	NEW YORK NY	127.6	PLN	DTVPLN	-DTVP1309
45	WOLFTV	HAZLETON PA	137.7	LIC	BPRM	-20000413AAD
45	WOLF-TV	HAZLETON PA	137.7	LIC	BLCDDT	-20050906ACK
49	WWSI	ATLANTIC CITY NJ	88.1	LIC	BLCDDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	95.7	PLN	DTVPLN	-DTVP1426
49	WNEP-DT	SCRANTON PA	137.7	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	137.7	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	137.7	LIC	BLCDDT	-20020807AAF
55	WHYY-DT	WILMINGTON DE	0.3	PLN	DTVPLN	-DTVP1563
56	WCBS-DT	NEW YORK NY	127.6	PLN	DTVPLN	-DTVP1590
56	WOLF-TV	HAZLETON PA	137.7	LIC	BLCT	-19981202KG
49	W25AW	TRENTON NJ	53.9	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 11

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
42	WKOB-LP	NEW YORK NY	BLTTL	-20051212ABH

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
34	WCAU	PHILADELPHIA PA	127.4	APP	BSRCCT	-20051130BFF
34	WYBE-DT	PHILADELPHIA PA	127.7	PLN	DTVPLN	-DTVP0953
34	WYBE	PHILADELPHIA PA	127.4	LIC	BLEDT	-20030213AAD
35	WYBE	PHILADELPHIA PA	127.4	LIC	BLET	-20030317DRA
35	WYBE	PHILADELPHIA PA	127.4	APP	BFRCT	-20050304ABO
35	WYBE	PHILADELPHIA PA	127.4	APP	BSRCCT	-20051130BGS
38	WWOR-TV	SECAUCUS NJ	5.2	APP	BMPCT	-20040130AZR
38	WWOR-DT	SECAUCUS NJ	0.8	PLN	DTVPLN	-DTVP1058
39	WEDY-DT	NEW HAVEN CT	115.5	PLN	DTVPLN	-DTVP1081
39	WCTX	NEW HAVEN CT	119.2	LIC	BLEDT	-20040507AAZ
40	WXTV-DT	PATERSON NJ	5.2	PLN	DTVPLN	-DTVP1134
40	WXTV	PATERSON NJ	5.2	LIC	BLEDT	-20050214AGS
41	WFUT-TV	NEWARK NJ	6.0	APP	BFRCT	-20050516AAU
41	WXTV	PATERSON NJ	5.2	LIC	BLCT	-20041122AIG
42	WSAH	BRIDGEPORT CT	104.7	APP	BMPCT	-20060214AAF
42	WHAI-DT	BRIDGEPORT CT	104.7	PLN	DTVPLN	-DTVP1185
42	WSAH	BRIDGEPORT CT	104.7	CP	BPCDT	-19991101AFE
42	WHDH-DT	BOSTON MA	293.1	PLN	DTVPLN	-DTVP1197
42	WMPT-DT	ANNAPOLIS MD	291.0	PLN	DTVPLN	-DTVP1198
42	WSKG-DT	BINGHAMTON NY	220.4	PLN	DTVPLN	-DTVP1202
42	WSKG-TV	BINGHAMTON NY	220.9	LIC	BLEDT	-20050526ACA
42	W42AE	POUGHKEEPSIE NY	112.7	LIC	BLTTL	-20040225AAW
42	WTFX-TV	PHILADELPHIA PA	127.6	CP	BPCDT	-20020424AAZ
42	WTFX-DT	PHILADELPHIA PA	127.7	PLN	DTVPLN	-DTVP1207
43	WSAH	BRIDGEPORT CT	104.7	LIC	BLCT	-19871009KE
43	WSAH	BRIDGEPORT CT	104.7	APP	BPCT	-20060222AAG
43	WNJT-DT	TRENTON NJ	74.1	PLN	DTVPLN	-DTVP1235
43	WXNY-LP	NEW YORK NY	7.2	CP	BPTTL	-20021204AAZ
43	WNXY-LP	NEW YORK NY	7.2	APP	BDISTTL	-20051227AGM
44	WMCN-TV	ATLANTIC CITY NJ	129.7	CP	BPCDT	-19990604KF
44	WNYW-DT	NEW YORK NY	0.8	PLN	DTVPLN	-DTVP1278
44	WNYW	NEW YORK NY	5.2	CP MOD	BMPCT	-19990402KI
45	WABC-DT	NEW YORK NY	0.8	PLN	DTVPLN	-DTVP1309
46	WFMZ-DT	ALLENTOWN PA	121.7	PLN	DTVPLN	-DTVP1339
46	WFMZ-TV	ALLENTOWN PA	121.7	CP MOD	BMPCT	-20041029AHC
49	WWSI	ATLANTIC CITY NJ	122.9	LIC	BLEDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	123.3	PLN	DTVPLN	-DTVP1426
50	NEW	WILMINGTON DE	127.6	APP	BPRM	-20051206AEA
56	WCBS-DT	NEW YORK NY	0.8	PLN	DTVPLN	-DTVP1590
57	WRNN-LP	NYACK NY	5.2	APP	BPTTA	-20030530CAT
57	WLNY	RIVERHEAD NY	94.5	CP MOD	BMPCT	-20051201BIN
57	WLNY-DT	RIVERHEAD NY	94.5	PLN	DTVPLN	-DTVP1614
57	WPSG	PHILADELPHIA PA	127.6	LIC	BLCT	-19980213KE
49	W25AW	TRENTON NJ	74.0	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 12

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
42	W42CX	PORT JERVIS NY	BMPTTL	-20040310ACC

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
------	------	------------	----------	--------	-------------	----------

w25aw_stm_cc_49_da_02_977w

34	WCAU	PHILADELPHIA PA	120.5	APP	BSRCCT	-20051130BFF
34	WYBE-DT	PHILADELPHIA PA	120.7	PLN	DTVPLN	-DTVP0953
34	WYBE	PHILADELPHIA PA	120.5	LIC	BLEDT	-20030213AAD
35	WYBE	PHILADELPHIA PA	120.5	LIC	BLET	-20030317DRA
35	WYBE	PHILADELPHIA PA	120.5	APP	BFRCT	-20050304ABO
35	WYBE	PHILADELPHIA PA	120.5	APP	BSRCCT	-20051130BGS
38	WWOR-TV	SECAUCUS NJ	58.8	APP	BMPCDT	-20040130AZR
38	WWOR-DT	SECAUCUS NJ	59.0	PLN	DTVPLN	-DTVP1058
39	WEDY-DT	NEW HAVEN CT	145.5	PLN	DTVPLN	-DTVP1081
39	WCTX	NEW HAVEN CT	144.8	LIC	BLCDDT	-20040507AAZ
39	WLVT-TV	ALLENTOWN PA	86.2	LIC	BMLET	-20041014AEU
40	WXTV-DT	PATERSON NJ	58.8	PLN	DTVPLN	-DTVP1134
40	WXTV	PATERSON NJ	58.8	LIC	BLCDDT	-20050214AGS
41	WFUT-TV	NEWARK NJ	58.3	APP	BFRCT	-20050516AUU
41	WXTV	PATERSON NJ	58.8	LIC	BLCT	-20041122AIG
41	WVIA-TV	SCRANTON PA	108.7	LIC	BLEDT	-20010109AAP
41	WVIA-DT	SCRANTON PA	108.7	PLN	DTVPLN	-DTVP1171
42	WSAH	BRIDGEPORT CT	129.9	APP	BMPCDT	-20060214AAF
42	WHAI-DT	BRIDGEPORT CT	129.9	PLN	DTVPLN	-DTVP1185
42	WSAH	BRIDGEPORT CT	129.9	CP	BPCDT	-19991101AFE
42	WHDH-DT	BOSTON MA	315.5	PLN	DTVPLN	-DTVP1197
42	WMPT-DT	ANNAPOLIS MD	280.7	PLN	DTVPLN	-DTVP1198
42	WSKG-DT	BINGHAMTON NY	161.7	PLN	DTVPLN	-DTVP1202
42	WSKG-TV	BINGHAMTON NY	162.2	LIC	BLEDT	-20050526ACA
42	WKOB-LP	NEW YORK NY	59.7	LIC	BLTTL	-20051212ABH
42	W42AE	POUGHKEEPSIE NY	93.3	LIC	BLTTL	-20040225AAW
42	WTFX-TV	PHILADELPHIA PA	120.7	CP	BPCDT	-20020424AAZ
42	WTFX-DT	PHILADELPHIA PA	120.7	PLN	DTVPLN	-DTVP1207
42	WVPY	FRONT ROYAL VA	391.3	APP	BPET	-20060206ABM
42	WVPY	FRONT ROYAL VA	391.3	LIC	BLET	-19961015KF
43	WSAH	BRIDGEPORT CT	129.9	LIC	BLCT	-19871009KE
43	WSAH	BRIDGEPORT CT	129.9	APP	BPCT	-20060222AAG
43	WNJT-DT	TRENTON NJ	81.1	PLN	DTVPLN	-DTVP1235
44	WMCN-TV	ATLANTIC CITY NJ	144.0	CP	BPCDT	-19990604KF
44	WNYW-DT	NEW YORK NY	59.0	PLN	DTVPLN	-DTVP1278
44	WNYW	NEW YORK NY	58.8	CP MOD	BMPCDT	-19990402KI
44	WVIA-TV	SCRANTON PA	108.7	LIC	BLET	-19830929KG
45	WABC-DT	NEW YORK NY	59.0	PLN	DTVPLN	-DTVP1309
45	WOLFTV	HAZLETON PA	108.5	LIC	BPRM	-20000413AAD
45	WOLF-TV	HAZLETON PA	108.5	LIC	BLCDDT	-20050906ACK
46	WFMZ-DT	ALLENTOWN PA	86.7	PLN	DTVPLN	-DTVP1339
46	WFMZ-TV	ALLENTOWN PA	86.7	CP MOD	BMPCDT	-20041029AHC
49	WNEP-DT	SCRANTON PA	108.8	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	108.5	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	108.5	LIC	BLCDDT	-20020807AAF
50	NEW	WILMINGTON DE	120.6	APP	BPRM	-20051206AEA
56	WCBS-DT	NEW YORK NY	59.0	PLN	DTVPLN	-DTVP1590
56	WOLF-TV	HAZLETON PA	108.5	LIC	BLCT	-19981202KG
57	WRNN-LP	NYACK NY	58.8	APP	BPTTA	-20030530CAT
57	WLNY	RIVERHEAD NY	141.5	CP MOD	BMPCDT	-20051201BIN
57	WLNY-DT	RIVERHEAD NY	141.5	PLN	DTVPLN	-DTVP1614
57	WPSG	PHILADELPHIA PA	120.8	LIC	BLCT	-19980213KE
49	W25AW	TRENTON NJ	81.2	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 13

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
42	W42CX	PORT JERVIS NY	BNPTTL	-20000831ALA

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
34	WIVT	BINGHAMTON NY	126.4	APP	BFRCT	-20050812AFK
38	WWOR-TV	SECAUCUS NJ	93.3	APP	BMPCDT	-20040130AZR
38	WWOR-DT	SECAUCUS NJ	94.9	PLN	DTVPLN	-DTVP1058
40	WXTV-DT	PATERSON NJ	93.3	PLN	DTVPLN	-DTVP1134
40	WXTV	PATERSON NJ	93.3	LIC	BLCDT	-20050214AGS
41	WFUT-TV	NEWARK NJ	92.7	APP	BFRCT	-20050516AUU
41	WXTV	PATERSON NJ	93.3	LIC	BLCT	-20041122AIG
41	WVIA-TV	SCRANTON PA	97.7	LIC	BLEDT	-20010109AAP
41	WVIA-DT	SCRANTON PA	97.7	PLN	DTVPLN	-DTVP1171
42	WSAH	BRIDGEPORT CT	134.9	APP	BMPCDT	-20060214AAF
42	WHAI-DT	BRIDGEPORT CT	134.9	PLN	DTVPLN	-DTVP1185
42	WSAH	BRIDGEPORT CT	134.9	CP	BPCDT	-19991101AFE
42	WHDH-DT	BOSTON MA	309.0	PLN	DTVPLN	-DTVP1197
42	WMPT-DT	ANNAPOLIS MD	307.3	PLN	DTVPLN	-DTVP1198
42	WSKG-DT	BINGHAMTON NY	126.1	PLN	DTVPLN	-DTVP1202
42	WSKG-TV	BINGHAMTON NY	126.6	LIC	BLEDT	-20050526ACA
42	WKOB-LP	NEW YORK NY	95.7	LIC	BLTTL	-20051212ABH
42	W42AE	POUGHKEEPSIE NY	72.2	LIC	BLTTL	-20040225AAW
42	WTFX-TV	PHILADELPHIA PA	154.2	CP	BPCDT	-20020424AAZ
42	WTFX-DT	PHILADELPHIA PA	154.2	PLN	DTVPLN	-DTVP1207
43	WNJT-DT	TRENTON NJ	121.2	PLN	DTVPLN	-DTVP1235
44	WNYW-DT	NEW YORK NY	94.9	PLN	DTVPLN	-DTVP1278
44	WNYW	NEW YORK NY	93.3	CP MOD	BMPCDT	-19990402KI
45	WABC-DT	NEW YORK NY	94.9	PLN	DTVPLN	-DTVP1309
45	WOLFTV	HAZLETON PA	97.5	LIC	BPRM	-20000413AAD
45	WOLF-TV	HAZLETON PA	97.5	LIC	BLCDT	-20050906ACK
46	WFMZ-DT	ALLENTOWN PA	107.8	PLN	DTVPLN	-DTVP1339
46	WFMZ-TV	ALLENTOWN PA	107.8	CP MOD	BMPCDT	-20041029AHC
49	WNEP-DT	SCRANTON PA	97.7	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	97.5	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	97.5	LIC	BLCDT	-20020807AAF
56	WCBS-DT	NEW YORK NY	94.9	PLN	DTVPLN	-DTVP1590
56	WOLF-TV	HAZLETON PA	97.5	LIC	BLCT	-19981202KG
49	W25AW	TRENTON NJ	121.2	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 14

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
45	W60CX	ATLANTIC CITY NJ	BPTT	-20031119AGA

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
42	WTFX-TV	PHILADELPHIA PA	103.1	CP	BPCDT	-20020424AAZ
42	WTFX-DT	PHILADELPHIA PA	103.1	PLN	DTVPLN	-DTVP1207
43	WNJT-DT	TRENTON NJ	105.1	PLN	DTVPLN	-DTVP1235
44	WDPB	SEAFORD DE	129.6	LIC	BLEDT	-20050624AAK
44	WDPB-DT	SEAFORD DE	129.6	PLN	DTVPLN	-DTVP1256

w25aw_stm_cc_49_da_02_977w

44	WWAC-TV	ATLANTIC CITY NJ	59.3	LIC	BPRM	-20000724ACE
44	WMCN-TV	ATLANTIC CITY NJ	54.7	CP	BPCDT	-19990604KF
45	WEDH	HARTFORD CT	292.8	APP	BPEDT	-19990113KG
45	WEDN	NORWICH CT	306.3	LIC	BLEDT	-20030425AAL
45	WEDN-DT	NORWICH CT	306.2	PLN	DTVPLN	-DTVP1291
45	WBFF	BALTIMORE MD	191.8	CP MOD	BMPCT	-20030116AAX
45	W45CH	SALISBURY MD	126.8	APP	BMPTTL	-20030501ACH
45	WABC-DT	NEW YORK NY	154.0	PLN	DTVPLN	-DTVP1309
45	WCWN	SCHENECTADY NY	364.4	LIC	BLCT	-20040330AAX
45	WOLFTV	HAZLETON PA	237.0	LIC	BPRM	-20000413AAD
45	WOLF-TV	HAZLETON PA	237.0	LIC	BLCDT	-20050906ACK
45	WELL-CA	PHILADELPHIA PA	102.8	CP	BPTTA	-20040730BDK
49	WWSI	ATLANTIC CITY NJ	30.5	LIC	BLCDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	31.0	PLN	DTVPLN	-DTVP1426
59	960920YV	VINELAND NJ	54.7	APP	BPCT	-19960920YV
59	960920LO	VINELAND NJ	52.2	APP	BPCT	-19960920LO
60	W60CX	ATLANTIC CITY NJ	0.0	LIC	BLTT	-20021029AAJ
49	W25AW	TRENTON NJ	105.0	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 15

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
45	WELL-CA	PHILADELPHIA PA	BPTTA	-20040730BDK

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
38	WJZ-DT	BALTIMORE MD	144.0	PLN	DTVPLN	-DTVP1048
38	WJZ-TV	BALTIMORE MD	144.0	LIC	BLCDT	-20050128AKU
38	WWOR-TV	SECAUCUS NJ	132.1	APP	BMPCDT	-20040130AZR
38	WWOR-DT	SECAUCUS NJ	127.8	PLN	DTVPLN	-DTVP1058
41	WFUT-TV	NEWARK NJ	132.5	APP	BFRCTT	-20050516AUU
41	WVIA-TV	SCRANTON PA	137.9	LIC	BLEDT	-20010109AAP
41	WVIA-DT	SCRANTON PA	137.9	PLN	DTVPLN	-DTVP1171
42	WTFX-TV	PHILADELPHIA PA	0.2	CP	BPCDT	-20020424AAZ
42	WTFX-DT	PHILADELPHIA PA	0.3	PLN	DTVPLN	-DTVP1207
43	WNJT-DT	TRENTON NJ	53.9	PLN	DTVPLN	-DTVP1235
43	WPMT	YORK PA	116.0	LIC	BMLCT	-20041025ABJ
44	WWAC-TV	ATLANTIC CITY NJ	53.0	LIC	BPRM	-20000724ACE
44	WMCN-TV	ATLANTIC CITY NJ	48.1	CP	BPCDT	-19990604KF
44	WNYW-DT	NEW YORK NY	127.8	PLN	DTVPLN	-DTVP1278
44	WNYW	NEW YORK NY	132.1	CP MOD	BMPCDT	-19990402KI
45	WEDH	HARTFORD CT	274.0	APP	BPEDT	-19990113KG
45	WEDN	NORWICH CT	306.4	LIC	BLEDT	-20030425AAL
45	WEDN-DT	NORWICH CT	306.3	PLN	DTVPLN	-DTVP1291
45	WBFF	BALTIMORE MD	143.9	CP MOD	BMPCT	-20030116AAX
45	W45CH	SALISBURY MD	155.4	APP	BMPTTL	-20030501ACH
45	W60CX	ATLANTIC CITY NJ	102.8	CP	BPTT	-20031119AGA
45	WABC-DT	NEW YORK NY	127.8	PLN	DTVPLN	-DTVP1309
45	WCWN	SCHENECTADY NY	305.2	LIC	BLCT	-20040330AAX
45	WOLFTV	HAZLETON PA	138.0	LIC	BPRM	-20000413AAD
45	WOLF-TV	HAZLETON PA	138.0	LIC	BLCDT	-20050906ACK
46	WFMZ-DT	ALLENTOWN PA	61.0	PLN	DTVPLN	-DTVP1339
46	WFMZ-TV	ALLENTOWN PA	60.9	CP MOD	BMPCDT	-20041029AHC
47	WNJU	LINDEN NJ	127.8	CP	BPCT	-19991028AAN

w25aw_stm_cc_49_da_02_977w

47	WPMT-DT	YORK PA	116.0	PLN	DTVPLN	-DTVP1370
47	WPMT	YORK PA	116.0	LIC	BMLCDT	-20041025ABI
48	WGTW-TV	BURLINGTON NJ	0.7	LIC	BLCT	-19920821KF
49	WWSI	ATLANTIC CITY NJ	88.0	LIC	BLCDDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	95.6	PLN	DTVPLN	-DTVP1426
49	WGCB-TV	RED LION PA	115.6	LIC	BLCT	-19790419KG
49	WNEP-DT	SCRANTON PA	138.0	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	138.0	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	138.0	LIC	BLCDDT	-20020807AAF
52	WMAR-DT	BALTIMORE MD	144.0	PLN	DTVPLN	-DTVP1511
53	WFUT-TV	NEWARK NJ	132.5	LIC	BLCDDT	-20040809AAX
53	WHSE-DT	NEWARK NJ	132.1	PLN	DTVPLN	-DTVP1533
59	WBAL-DT	BALTIMORE MD	144.0	PLN	DTVPLN	-DTVP1650
59	960920YV	VINELAND NJ	48.1	APP	BPCT	-19960920YV
59	960920LO	VINELAND NJ	71.0	APP	BPCT	-19960920LO
59	WBPH-DT	BETHLEHEM PA	61.0	PLN	DTVPLN	-DTVP1658
60	WBPH-TV	BETHLEHEM PA	60.9	LIC	BLCT	-20020703AAA
49	W25AW	TRENTON NJ	54.1	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 16

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
46	WMBQ-CA	MANHATTAN NY	BPTTL	-20000915AAN

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
38	WWOR-TV	SECAUCUS NJ	0.5	APP	BMPCDT	-20040130AZR
38	WWOR-DT	SECAUCUS NJ	4.7	PLN	DTVPLN	-DTVP1058
39	WEDY-DT	NEW HAVEN CT	110.9	PLN	DTVPLN	-DTVP1081
39	WCTX	NEW HAVEN CT	114.4	LIC	BLCDDT	-20040507AAZ
39	WLVT-TV	ALLENTOWN PA	124.2	LIC	BMLET	-20041014AEU
42	WSAH	BRIDGEPORT CT	99.9	APP	BMPCDT	-20060214AAF
42	WHAI-DT	BRIDGEPORT CT	99.9	PLN	DTVPLN	-DTVP1185
42	WSAH	BRIDGEPORT CT	99.9	CP	BPCDT	-19991101AFE
42	WTFX-TV	PHILADELPHIA PA	132.2	CP	BPCDT	-20020424AAZ
42	WTFX-DT	PHILADELPHIA PA	132.2	PLN	DTVPLN	-DTVP1207
43	WNJT-DT	TRENTON NJ	78.9	PLN	DTVPLN	-DTVP1235
44	WMCN-TV	ATLANTIC CITY NJ	134.8	CP	BPCDT	-19990604KF
44	WNYW-DT	NEW YORK NY	4.7	PLN	DTVPLN	-DTVP1278
44	WNYW	NEW YORK NY	0.5	CP MOD	BMPCDT	-19990402KI
45	WABC-DT	NEW YORK NY	4.7	PLN	DTVPLN	-DTVP1309
46	WHCT-DT	HARTFORD CT	151.0	PLN	DTVPLN	-DTVP1321
46	WWDW	NORWELL MA	282.1	LIC	BLCT	-19970116KE
46	WBFF	BALTIMORE MD	275.9	CP	BPCDT	-19980803KR
46	WBFF-DT	BALTIMORE MD	275.9	PLN	DTVPLN	-DTVP1329
46	WSKG-TV	BINGHAMTON NY	219.5	LIC	BLET	-20040109ACN
46	WFMZ-DT	ALLENTOWN PA	124.7	PLN	DTVPLN	-DTVP1339
46	WFMZ-TV	ALLENTOWN PA	124.7	CP MOD	BMPCDT	-20041029AHC
46	WKBS-DT	ALTOONA PA	376.5	PLN	DTVPLN	-DTVP1340
46	WKBS-TV	ALTOONA PA	376.5	CP	BPCDT	-19991026ACS
47	WNJU	LINDEN NJ	4.7	CP	BPCT	-19991028AAN
47	WLNY	RIVERHEAD NY	91.2	APP	BSRCCT	-20060228ALR
48	WRNN-TV	KINGSTON NY	82.5	LIC	BLCDDT	-20040908AMF
48	WRNNTV	KINGSTON NY	82.6	APP	BPRM	-20000328AAV
49	WWSI	ATLANTIC CITY NJ	127.9	LIC	BLCDDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	128.2	PLN	DTVPLN	-DTVP1426

w25aw_stm_cc_49_da_02_977w

50	NEW	WILMINGTON DE	132.2	APP	BPRM	-20051206AEA
53	WFUT-TV	NEWARK NJ	1.2	LIC	BLCDDT	-20040809AAX
53	WHSE-DT	NEWARK NJ	0.5	PLN	DTVPLN	-DTVP1533
54	WPHL-TV	PHILADELPHIA PA	132.0	LIC	BLCDDT	-20021025ABE
54	WPHL-DT	PHILADELPHIA PA	132.2	PLN	DTVPLN	-DTVP1554
60	WBPH-TV	BETHLEHEM PA	124.7	LIC	BLCT	-20020703AAA
61	WTIC-TV	HARTFORD CT	143.3	CP	BPCT	-20040907AAM
61	WNET-DT	NEWARK NJ	4.7	PLN	DTVPLN	-DTVP1667
49	W25AW	TRENTON NJ	78.8	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 17

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
46	W46DQ	PORT JERVIS NY	BNPTTL	-20000831ATO

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
38	WWOR-TV	SECAUCUS NJ	93.3	APP	BMPCDT	-20040130AZR
38	WWOR-DT	SECAUCUS NJ	94.9	PLN	DTVPLN	-DTVP1058
39	WLVT-TV	ALLENTOWN PA	107.4	LIC	BMLET	-20041014AEU
42	WSAH	BRIDGEPORT CT	134.9	APP	BMPCDT	-20060214AAF
42	WHAI-DT	BRIDGEPORT CT	134.9	PLN	DTVPLN	-DTVP1185
42	WSAH	BRIDGEPORT CT	134.9	CP	BPCDT	-19991101AFE
42	WSKG-DT	BINGHAMTON NY	126.1	PLN	DTVPLN	-DTVP1202
42	WSKG-TV	BINGHAMTON NY	126.6	LIC	BLEDT	-20050526ACA
43	WNJT-DT	TRENTON NJ	121.2	PLN	DTVPLN	-DTVP1235
44	WNYW-DT	NEW YORK NY	94.9	PLN	DTVPLN	-DTVP1278
44	WNYW	NEW YORK NY	93.3	CP MOD	BMPCDT	-19990402KI
45	WABC-DT	NEW YORK NY	94.9	PLN	DTVPLN	-DTVP1309
45	WOLFTV	HAZLETON PA	97.5	LIC	BPRM	-20000413AAD
45	WOLF-TV	HAZLETON PA	97.5	LIC	BLCDDT	-20050906ACK
46	WHCT-DT	HARTFORD CT	166.5	PLN	DTVPLN	-DTVP1321
46	WWDW	NORWELL MA	313.1	LIC	BLCT	-19970116KE
46	WBFF	BALTIMORE MD	278.7	CP	BPCDT	-19980803KR
46	WBFF-DT	BALTIMORE MD	278.7	PLN	DTVPLN	-DTVP1329
46	WSKG-TV	BINGHAMTON NY	126.6	LIC	BLET	-20040109ACN
46	900725KG	JAMESTOWN NY	386.4	APP	BPET	-19900725KG
46	WMBQ-CA	MANHATTAN NY	93.8	CP	BPTTL	-20000915AAN
46	WNGS	SPRINGVILLE NY	350.6	APP	BPCDT	-19991101AKN
46	WNGS-DT	SPRINGVILLE NY	345.1	PLN	DTVPLN	-DTVP1334
46	WFMZ-DT	ALLENTOWN PA	107.8	PLN	DTVPLN	-DTVP1339
46	WFMZ-TV	ALLENTOWN PA	107.8	CP MOD	BMPCDT	-20041029AHC
46	WKBS-DT	ALTOONA PA	323.9	PLN	DTVPLN	-DTVP1340
46	WKBS-TV	ALTOONA PA	323.9	CP	BPCDT	-19991026ACS
47	WNJU	LINDEN NJ	94.9	CP	BPCT	-19991028AAN
48	WRNN-TV	KINGSTON NY	66.4	LIC	BLCDDT	-20040908AMF
48	WRNNTV	KINGSTON NY	66.5	APP	BPRM	-20000328AAV
49	WNEP-DT	SCRANTON PA	97.7	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	97.5	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	97.5	LIC	BLCDDT	-20020807AAF
53	WFUT-TV	NEWARK NJ	92.7	LIC	BLCDDT	-20040809AAX
53	WHSE-DT	NEWARK NJ	93.3	PLN	DTVPLN	-DTVP1533
60	WBPH-TV	BETHLEHEM PA	107.8	LIC	BLCT	-20020703AAA
61	WNET-DT	NEWARK NJ	94.9	PLN	DTVPLN	-DTVP1667

w25aw_stm_cc_49_da_02_977w
49 W25AW TRENTON NJ 121.2 APP USERRECORD-01

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 18

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
46	W46DQ	PORT JERVIS NY	BMPTTL	-20060403ARR

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
38	WWOR-TV	SECAUCUS NJ	93.3	APP	BMPCDT	-20040130AZR
38	WWOR-DT	SECAUCUS NJ	94.9	PLN	DTVPLN	-DTVP1058
39	WLVT-TV	ALLENTOWN PA	107.4	LIC	BMLET	-20041014AEU
42	WSAH	BRIDGEPORT CT	134.9	APP	BMPCDT	-20060214AAF
42	WHAI-DT	BRIDGEPORT CT	134.9	PLN	DTVPLN	-DTVP1185
42	WSAH	BRIDGEPORT CT	134.9	CP	BPCDT	-19991101AFE
42	WSKG-DT	BINGHAMTON NY	126.1	PLN	DTVPLN	-DTVP1202
42	WSKG-TV	BINGHAMTON NY	126.6	LIC	BLEDT	-20050526ACA
43	WNJT-DT	TRENTON NJ	121.2	PLN	DTVPLN	-DTVP1235
44	WNYW-DT	NEW YORK NY	94.9	PLN	DTVPLN	-DTVP1278
44	WNYW	NEW YORK NY	93.3	CP MOD	BMPCDT	-19990402KI
45	WABC-DT	NEW YORK NY	94.9	PLN	DTVPLN	-DTVP1309
45	WOLFTV	HAZLETON PA	97.5	LIC	BPRM	-20000413AAD
45	WOLF-TV	HAZLETON PA	97.5	LIC	BLCDT	-20050906ACK
46	WHCT-DT	HARTFORD CT	166.5	PLN	DTVPLN	-DTVP1321
46	WWDP	NORWELL MA	313.1	LIC	BLCT	-19970116KE
46	WBFF	BALTIMORE MD	278.7	CP	BPCDT	-19980803KR
46	WBFF-DT	BALTIMORE MD	278.7	PLN	DTVPLN	-DTVP1329
46	WSKG-TV	BINGHAMTON NY	126.6	LIC	BLET	-20040109ACN
46	900725KG	JAMESTOWN NY	386.4	APP	BPET	-19900725KG
46	WMBQ-CA	MANHATTAN NY	93.8	CP	BPTTL	-20000915AAN
46	WNGS	SPRINGVILLE NY	350.6	APP	BPCDT	-19991101AKN
46	WNGS-DT	SPRINGVILLE NY	345.1	PLN	DTVPLN	-DTVP1334
46	WFMZ-DT	ALLENTOWN PA	107.8	PLN	DTVPLN	-DTVP1339
46	WFMZ-TV	ALLENTOWN PA	107.8	CP MOD	BMPCDT	-20041029AHC
46	W46BL	ALLENTOWN-BETHLEHEM PA	107.8	LIC	BLTT	-19990325JE
46	WKBS-DT	ALTOONA PA	323.9	PLN	DTVPLN	-DTVP1340
46	WKBS-TV	ALTOONA PA	323.9	CP	BPCDT	-19991026ACS
47	WNJU	LINDEN NJ	94.9	CP	BPCT	-19991028AAN
48	WRNN-TV	KINGSTON NY	66.4	LIC	BLCDT	-20040908AMF
48	WRNNTV	KINGSTON NY	66.5	APP	BPRM	-20000328AAV
49	WNEP-DT	SCRANTON PA	97.7	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	97.5	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	97.5	LIC	BLCDT	-20020807AAF
53	WFUT-TV	NEWARK NJ	92.7	LIC	BLCDT	-20040809AAX
53	WHSE-DT	NEWARK NJ	93.3	PLN	DTVPLN	-DTVP1533
60	WBPH-TV	BETHLEHEM PA	107.8	LIC	BLCT	-20020703AAA
61	WNET-DT	NEWARK NJ	94.9	PLN	DTVPLN	-DTVP1667
49	W25AW	TRENTON NJ	121.2	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 19

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
46	W46BL	ALLENTOWN-BETHLEHEM PA	BLTT	-19990325JE

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
38	WWOR-TV	SECAUCUS NJ	124.3	APP	BMPCDT	-20040130AZR
38	WWOR-DT	SECAUCUS NJ	121.4	PLN	DTVPLN	-DTVP1058
39	WLVT-TV	ALLENTOWN PA	0.5	LIC	BMLET	-20041014AEU
42	WTFX-TV	PHILADELPHIA PA	60.7	CP	BPCDT	-20020424AAZ
42	WTFX-DT	PHILADELPHIA PA	60.7	PLN	DTVPLN	-DTVP1207
43	WNJT-DT	TRENTON NJ	70.8	PLN	DTVPLN	-DTVP1235
44	WWAC-TV	ATLANTIC CITY NJ	113.9	LIC	BPRM	-20000724ACE
44	WMCN-TV	ATLANTIC CITY NJ	105.9	CP	BPCDT	-19990604KF
44	WNYW-DT	NEW YORK NY	121.4	PLN	DTVPLN	-DTVP1278
44	WNYW	NEW YORK NY	124.3	CP MOD	BMPCDT	-19990402KI
45	WABC-DT	NEW YORK NY	121.4	PLN	DTVPLN	-DTVP1309
45	WOLFTV	HAZLETON PA	77.7	LIC	BPRM	-20000413AAD
45	WOLF-TV	HAZLETON PA	77.7	LIC	BLCDT	-20050906ACK
46	WHCT-DT	HARTFORD CT	258.5	PLN	DTVPLN	-DTVP1321
46	WBFF	BALTIMORE MD	171.1	CP	BPCDT	-19980803KR
46	WBFF-DT	BALTIMORE MD	171.1	PLN	DTVPLN	-DTVP1329
46	WSKG-TV	BINGHAMTON NY	171.6	LIC	BLET	-20040109ACN
46	900725KG	JAMESTOWN NY	363.0	APP	BPET	-19900725KG
46	WMBQ-CA	MANHATTAN NY	124.7	CP	BPTTL	-20000915AAN
46	WNGS	SPRINGVILLE NY	350.6	APP	BPCDT	-19991101AKN
46	WNGS-DT	SPRINGVILLE NY	337.5	PLN	DTVPLN	-DTVP1334
46	WFMZ-DT	ALLENTOWN PA	0.1	PLN	DTVPLN	-DTVP1339
46	WFMZ-TV	ALLENTOWN PA	0.0	CP MOD	BMPCDT	-20041029AHC
46	WKBS-DT	ALTOONA PA	253.3	PLN	DTVPLN	-DTVP1340
46	WKBS-TV	ALTOONA PA	253.3	CP	BPCDT	-19991026ACS
46	WHTJ	CHARLOTTESVILLE VA	388.4	LIC	BLEDT	-20050819ADO
46	WHTJ	CHARLOTTESVILLE VA	388.4	LIC	BPRM	-20000414AAB
47	WNJU	LINDEN NJ	121.4	CP	BPCT	-19991028AAN
47	WPMT-DT	YORK PA	115.0	PLN	DTVPLN	-DTVP1370
47	WPMT	YORK PA	115.0	LIC	BMLCDT	-20041025ABI
49	WWSI	ATLANTIC CITY NJ	138.9	LIC	BLCDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	145.5	PLN	DTVPLN	-DTVP1426
49	WNEP-DT	SCRANTON PA	77.7	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	77.7	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	77.7	LIC	BLCDT	-20020807AAF
50	NEW	WILMINGTON DE	60.5	APP	BPRM	-20051206AEA
53	WFUT-TV	NEWARK NJ	124.4	LIC	BLCDT	-20040809AAX
53	WHSE-DT	NEWARK NJ	124.3	PLN	DTVPLN	-DTVP1533
54	WPHL-TV	PHILADELPHIA PA	60.6	LIC	BLCDT	-20021025ABE
54	WPHL-DT	PHILADELPHIA PA	60.5	PLN	DTVPLN	-DTVP1554
60	WBPH-TV	BETHLEHEM PA	0.0	LIC	BLCT	-20020703AAA
61	WPPX	WILMINGTON DE	97.4	LIC	BLCT	-19860717KH
61	WNET-DT	NEWARK NJ	121.4	PLN	DTVPLN	-DTVP1667
49	W25AW	TRENTON NJ	71.0	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 20

NTSC Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
47	WNJU	LINDEN NJ	DTVPLN	-NPLN1721

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
39	WEDY-DT	NEW HAVEN CT	115.4	PLN	DTVPLN	-DTVP1081
39	WLVT-TV	ALLENTOWN PA	121.0	PLN	DTVPLN	-NPLN1567
40	WGBTV	SPRINGFIELD MA	204.5	PLN	DTVPLN	-NPLN1585
40	WXTV-DT	PATERSON NJ	4.7	PLN	DTVPLN	-DTVP1134
40	WMGMTV	WILDWOOD NJ	187.7	PLN	DTVPLN	-NPLN1590
43	WNJT-DT	TRENTON NJ	74.3	PLN	DTVPLN	-DTVP1235
44	WNYW-DT	NEW YORK NY	0.0	PLN	DTVPLN	-DTVP1278
45	WABC-DT	NEW YORK NY	0.0	PLN	DTVPLN	-DTVP1309
46	WHCT-DT	HARTFORD CT	155.7	PLN	DTVPLN	-DTVP1321
46	WFMZ-DT	ALLENTOWN PA	121.5	PLN	DTVPLN	-DTVP1339
47	WYDN-DT	WORCESTER MA	217.9	PLN	DTVPLN	-DTVP1362
47	WMDT	SALISBURY MD	286.5	PLN	DTVPLN	-NPLN1717
47	WTVH-DT	SYRACUSE NY	303.8	PLN	DTVPLN	-DTVP1367
47	WKBSTV	ALTOONA PA	373.7	PLN	DTVPLN	-NPLN1723
47	WPMT-DT	YORK PA	231.9	PLN	DTVPLN	-DTVP1370
48	WGTW	BURLINGTON NJ	127.9	PLN	DTVPLN	-NPLN1735
49	WEDW	BRIDGEPORT CT	93.8	PLN	DTVPLN	-NPLN1748
49	WACI-DT	ATLANTIC CITY NJ	123.9	PLN	DTVPLN	-DTVP1426
50	WNJN	MONTCLAIR NJ	23.2	PLN	DTVPLN	-NPLN1779
51	WNJN-DT	MONTCLAIR NJ	23.2	PLN	DTVPLN	-DTVP1486
54	WTBY	POUGHKEEPSIE NY	112.0	PLN	DTVPLN	-NPLN1843
54	WPHL-DT	PHILADELPHIA PA	127.8	PLN	DTVPLN	-DTVP1554
55	WHYY-DT	WILMINGTON DE	127.8	PLN	DTVPLN	-DTVP1563
55	WLNY	RIVERHEAD NY	94.7	PLN	DTVPLN	-NPLN1853
61	WTICTV	HARTFORD CT	148.0	PLN	DTVPLN	-NPLN1922
61	WTGTV	WILMINGTON DE	157.1	PLN	DTVPLN	-NPLN1923
61	WNET-DT	NEWARK NJ	0.0	PLN	DTVPLN	-DTVP1667
62	WACITV	ATLANTIC CITY NJ	123.9	PLN	DTVPLN	-NPLN1942
62	WRNNTV	KINGSTON NY	152.8	PLN	DTVPLN	-NPLN1944
62	WLVT-DT	ALLENTOWN PA	121.0	PLN	DTVPLN	-DTVP1671

Results for: 47N NJ LINDEN

	POPULATION	AREA (sq km)	DTVPLN	NPLN1721	PLN
within Noise Limited Contour	16480646	15967.2			
not affected by terrain losses	16262499	15116.6			
lost to NTSC IX	189385	400.0			
lost to additional IX by ATV	27143	122.1			
lost to all IX	216528	522.0			

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
47	WNJU	LINDEN NJ	BPCT	-19991028AAN

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
39	WEDY-DT	NEW HAVEN CT	115.4	PLN	DTVPLN	-DTVP1081
39	WCTX	NEW HAVEN CT	119.0	LIC	BLCDDT	-20040507AAZ
39	WLVT-TV	ALLENTOWN PA	121.0	LIC	BMLET	-20041014AEU
40	WGBB-TV	SPRINGFIELD MA	204.5	LIC	BLCT	-19990429KH
40	WXTV-DT	PATERSON NJ	4.7	PLN	DTVPLN	-DTVP1134
40	WXTV	PATERSON NJ	4.7	LIC	BLCDDT	-20050214AGS
40	WMGM-TV	SOMERS POINT NJ	187.7	APP	BPRM	-20020725ABK
40	WMGM-TV	WILDWOOD NJ	187.7	APP	BPCT	-20050906ACP

w25aw_stm_cc_49_da_02_977w

40	WMGM-TV	WILDWOOD NJ	187.7	LIC	BLCT	-19900515KH
43	WNJT-DT	TRENTON NJ	74.3	PLN	DTVPLN	-DTVP1235
44	WMCN-TV	ATLANTIC CITY NJ	130.1	CP	BPCDT	-19990604KF
44	WNYW-DT	NEW YORK NY	0.0	PLN	DTVPLN	-DTVP1278
44	WNYW	NEW YORK NY	4.7	CP MOD	BMPCDT	-19990402KI
45	WABC-DT	NEW YORK NY	0.0	PLN	DTVPLN	-DTVP1309
46	WHCT-DT	HARTFORD CT	155.7	PLN	DTVPLN	-DTVP1321
46	WFMZ-DT	ALLENTOWN PA	121.5	PLN	DTVPLN	-DTVP1339
46	WFMZ-TV	ALLENTOWN PA	121.4	CP MOD	BMPCDT	-20041029AHC
47	WYDN	WORCESTER MA	292.1	LIC	BLEDT	-20050505ABL
47	WYDN-DT	WORCESTER MA	217.9	PLN	DTVPLN	-DTVP1362
47	WMDT	SALISBURY MD	286.4	LIC	BLCT	-20030703ABJ
47	WLNY	RIVERHEAD NY	94.7	APP	BSRCCT	-20060228ALR
47	WTVH-DT	SYRACUSE NY	303.8	PLN	DTVPLN	-DTVP1367
47	WTVH	SYRACUSE NY	303.8	CP MOD	BMPCDT	-20040810ABB
47	WKBS-TV	ALTOONA PA	373.7	LIC	BLCT	-19850925KE
47	WPMT-DT	YORK PA	231.9	PLN	DTVPLN	-DTVP1370
47	WPMT	YORK PA	231.8	LIC	BMLCDT	-20041025ABI
48	WGTW-TV	BURLINGTON NJ	127.9	LIC	BLCT	-19920821KF
48	WRNN-TV	KINGSTON NY	86.5	LIC	BLCDDT	-20040908AMF
48	WRNNTV	KINGSTON NY	86.5	APP	BPRM	-20000328AAV
49	WEDW	BRIDGEPORT CT	93.8	LIC	BLET	-19870908KE
49	WWSI	ATLANTIC CITY NJ	123.5	LIC	BLCDDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	123.9	PLN	DTVPLN	-DTVP1426
50	NEW	WILMINGTON DE	127.8	APP	BPRM	-20051206AEA
50	WNJN	MONTCLAIR NJ	23.2	LIC	BLET	-19860805KG
51	WNJN-DT	MONTCLAIR NJ	23.2	PLN	DTVPLN	-DTVP1486
51	WNJN	MONTCLAIR NJ	23.2	APP	BMPEDT	-20060523ABB
51	WNJN	MONTCLAIR NJ	23.2	CP	BPEDT	-20000425AAH
54	WTBY-TV	POUGHKEEPSIE NY	112.0	LIC	BLCT	-19921016KF
54	WPHL-TV	PHILADELPHIA PA	127.6	LIC	BLCDDT	-20021025ABE
54	WPHL-DT	PHILADELPHIA PA	127.8	PLN	DTVPLN	-DTVP1554
55	WHYY-DT	WILMINGTON DE	127.8	PLN	DTVPLN	-DTVP1563
55	WLNY	RIVERHEAD NY	94.7	LIC	BLCT	-19850429KJ
61	WTIC-TV	HARTFORD CT	148.0	CP	BPCT	-20040907AAM
61	WPPX	WILMINGTON DE	157.1	LIC	BLCT	-19860717KH
61	WNET-DT	NEWARK NJ	0.0	PLN	DTVPLN	-DTVP1667
62	WWSI	ATLANTIC CITY NJ	123.5	LIC	BLCT	-20010129ADC
62	WLVT-DT	ALLENTOWN PA	121.0	PLN	DTVPLN	-DTVP1671
49	W25AW	TRENTON NJ	74.2	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 21

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
47	WNJU	LINDEN NJ	BPCT	-20030721AGT

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
39	WEDY-DT	NEW HAVEN CT	115.4	PLN	DTVPLN	-DTVP1081
39	WCTX	NEW HAVEN CT	119.0	LIC	BLCDDT	-20040507AAZ
39	WLVT-TV	ALLENTOWN PA	121.0	LIC	BMLET	-20041014AEU
40	WGGT-TV	SPRINGFIELD MA	204.5	LIC	BLCT	-19990429KH
40	WXTV-DT	PATERSON NJ	4.7	PLN	DTVPLN	-DTVP1134
40	WXTV	PATERSON NJ	4.7	LIC	BLCDDT	-20050214AGS
40	WMGM-TV	SOMERS POINT NJ	187.7	APP	BPRM	-20020725ABK
40	WMGM-TV	WILDWOOD NJ	187.7	APP	BPCT	-20050906ACP

w25aw_stm_cc_49_da_02_977w

40	WMGM-TV	WILDWOOD NJ	187.7	LIC	BLCT	-19900515KH
43	WNJT-DT	TRENTON NJ	74.3	PLN	DTVPLN	-DTVP1235
44	WMCN-TV	ATLANTIC CITY NJ	130.1	CP	BPCDT	-19990604KF
44	WNYW-DT	NEW YORK NY	0.0	PLN	DTVPLN	-DTVP1278
44	WNYW	NEW YORK NY	4.7	CP MOD	BMPCDT	-19990402KI
45	WABC-DT	NEW YORK NY	0.0	PLN	DTVPLN	-DTVP1309
46	WHCT-DT	HARTFORD CT	155.7	PLN	DTVPLN	-DTVP1321
46	WFMZ-DT	ALLENTOWN PA	121.5	PLN	DTVPLN	-DTVP1339
46	WFMZ-TV	ALLENTOWN PA	121.4	CP MOD	BMPCDT	-20041029AHC
47	WYDN	WORCESTER MA	292.1	LIC	BLEDT	-20050505ABL
47	WYDN-DT	WORCESTER MA	217.9	PLN	DTVPLN	-DTVP1362
47	WMDT	SALISBURY MD	286.4	LIC	BLCT	-20030703ABJ
47	WLNY	RIVERHEAD NY	94.7	APP	BSRCCT	-20060228ALR
47	WTVH-DT	SYRACUSE NY	303.8	PLN	DTVPLN	-DTVP1367
47	WTVH	SYRACUSE NY	303.8	CP MOD	BMPCDT	-20040810ABB
47	WKBS-TV	ALTOONA PA	373.7	LIC	BLCT	-19850925KE
47	WPMT-DT	YORK PA	231.9	PLN	DTVPLN	-DTVP1370
47	WPMT	YORK PA	231.8	LIC	BMLCDT	-20041025ABI
48	WGTW-TV	BURLINGTON NJ	127.9	LIC	BLCT	-19920821KF
48	WRNN-TV	KINGSTON NY	86.5	LIC	BLCDT	-20040908AMF
48	WRNNTV	KINGSTON NY	86.5	APP	BPRM	-20000328AAV
49	WEDW	BRIDGEPORT CT	93.8	LIC	BLET	-19870908KE
49	WWSI	ATLANTIC CITY NJ	123.5	LIC	BLCDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	123.9	PLN	DTVPLN	-DTVP1426
50	NEW	WILMINGTON DE	127.8	APP	BPRM	-20051206AEA
50	WNJN	MONTCLAIR NJ	23.2	LIC	BLET	-19860805KG
51	WNJN-DT	MONTCLAIR NJ	23.2	PLN	DTVPLN	-DTVP1486
51	WNJN	MONTCLAIR NJ	23.2	APP	BMPEDT	-20060523ABB
51	WNJN	MONTCLAIR NJ	23.2	CP	BPEDT	-20000425AAH
54	WTBY-TV	POUGHKEEPSIE NY	112.0	LIC	BLCT	-19921016KF
54	WPHL-TV	PHILADELPHIA PA	127.6	LIC	BLCDT	-20021025ABE
54	WPHL-DT	PHILADELPHIA PA	127.8	PLN	DTVPLN	-DTVP1554
55	WHYY-DT	WILMINGTON DE	127.8	PLN	DTVPLN	-DTVP1563
55	WLNY	RIVERHEAD NY	94.7	LIC	BLCT	-19850429KJ
61	WTIC-TV	HARTFORD CT	148.0	CP	BPCT	-20040907AAM
61	WPPX	WILMINGTON DE	157.1	LIC	BLCT	-19860717KH
61	WNET-DT	NEWARK NJ	0.0	PLN	DTVPLN	-DTVP1667
62	WWSI	ATLANTIC CITY NJ	123.5	LIC	BLCT	-20010129ADC
62	WLVT-DT	ALLENTOWN PA	121.0	PLN	DTVPLN	-DTVP1671
49	W25AW	TRENTON NJ	74.2	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 22

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
47	WNJU	LINDEN NJ	BLCT	-19800423KE

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
39	WEDY-DT	NEW HAVEN CT	115.4	PLN	DTVPLN	-DTVP1081
39	WCTX	NEW HAVEN CT	119.0	LIC	BLCDT	-20040507AAZ
39	WLVT-TV	ALLENTOWN PA	121.0	LIC	BMLET	-20041014AEU
40	WGGB-TV	SPRINGFIELD MA	204.5	LIC	BLCT	-19990429KH
40	WXTV-DT	PATERSON NJ	4.7	PLN	DTVPLN	-DTVP1134
40	WXTV	PATERSON NJ	4.7	LIC	BLCDT	-20050214AGS
40	WMGM-TV	SOMERS POINT NJ	187.7	APP	BPRM	-20020725ABK
40	WMGM-TV	WILDWOOD NJ	187.7	APP	BPCT	-20050906ACP

w25aw_stm_cc_49_da_02_977w

40	WMGM-TV	WILDWOOD NJ	187.7	LIC	BLCT	-19900515KH
43	WNJT-DT	TRENTON NJ	74.3	PLN	DTVPLN	-DTVP1235
44	WMCN-TV	ATLANTIC CITY NJ	130.1	CP	BPCDT	-19990604KF
44	WNYW-DT	NEW YORK NY	0.0	PLN	DTVPLN	-DTVP1278
44	WNYW	NEW YORK NY	4.7	CP MOD	BMPCDT	-19990402KI
45	WABC-DT	NEW YORK NY	0.0	PLN	DTVPLN	-DTVP1309
46	WHCT-DT	HARTFORD CT	155.7	PLN	DTVPLN	-DTVP1321
46	WFMZ-DT	ALLENTOWN PA	121.5	PLN	DTVPLN	-DTVP1339
46	WFMZ-TV	ALLENTOWN PA	121.4	CP MOD	BMPCDT	-20041029AHC
47	WYDN	WORCESTER MA	292.1	LIC	BLEDT	-20050505ABL
47	WYDN-DT	WORCESTER MA	217.9	PLN	DTVPLN	-DTVP1362
47	WMDT	SALISBURY MD	286.4	LIC	BLCT	-20030703ABJ
47	WLNY	RIVERHEAD NY	94.7	APP	BSRCCT	-20060228ALR
47	WTVH-DT	SYRACUSE NY	303.8	PLN	DTVPLN	-DTVP1367
47	WTVH	SYRACUSE NY	303.8	CP MOD	BMPCDT	-20040810ABB
47	WKBS-TV	ALTOONA PA	373.7	LIC	BLCT	-19850925KE
47	WPMT-DT	YORK PA	231.9	PLN	DTVPLN	-DTVP1370
47	WPMT	YORK PA	231.8	LIC	BMLCDT	-20041025ABI
48	WGTW-TV	BURLINGTON NJ	127.9	LIC	BLCT	-19920821KF
48	WRNN-TV	KINGSTON NY	86.5	LIC	BLCDT	-20040908AMF
48	WRNNTV	KINGSTON NY	86.5	APP	BPRM	-20000328AAV
49	WEDW	BRIDGEPORT CT	93.8	LIC	BLET	-19870908KE
49	WWSI	ATLANTIC CITY NJ	123.5	LIC	BLCDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	123.9	PLN	DTVPLN	-DTVP1426
50	NEW	WILMINGTON DE	127.8	APP	BPRM	-20051206AEA
50	WNJN	MONTCLAIR NJ	23.2	LIC	BLET	-19860805KG
51	WNJN-DT	MONTCLAIR NJ	23.2	PLN	DTVPLN	-DTVP1486
51	WNJN	MONTCLAIR NJ	23.2	APP	BMPEDT	-20060523ABB
51	WNJN	MONTCLAIR NJ	23.2	CP	BPEDT	-20000425AAH
54	WTBY-TV	POUGHKEEPSIE NY	112.0	LIC	BLCT	-19921016KF
54	WPHL-TV	PHILADELPHIA PA	127.6	LIC	BLCDT	-20021025ABE
54	WPHL-DT	PHILADELPHIA PA	127.8	PLN	DTVPLN	-DTVP1554
55	WHYY-DT	WILMINGTON DE	127.8	PLN	DTVPLN	-DTVP1563
55	WLNY	RIVERHEAD NY	94.7	LIC	BLCT	-19850429KJ
61	WTIC-TV	HARTFORD CT	148.0	CP	BPCT	-20040907AAM
61	WPPX	WILMINGTON DE	157.1	LIC	BLCT	-19860717KH
61	WNET-DT	NEWARK NJ	0.0	PLN	DTVPLN	-DTVP1667
62	WWSI	ATLANTIC CITY NJ	123.5	LIC	BLCT	-20010129ADC
62	WLVT-DT	ALLENTOWN PA	121.0	PLN	DTVPLN	-DTVP1671
49	W25AW	TRENTON NJ	74.2	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 23

NTSC Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
48	WGTW	BURLINGTON NJ	DTVPLN	-NPLN1735

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
40	WXTV-DT	PATERSON NJ	132.1	PLN	DTVPLN	-DTVP1134
40	WGMTV	WILDWOOD NJ	110.0	PLN	DTVPLN	-NPLN1590
41	WXTV	PATERSON NJ	132.1	PLN	DTVPLN	-NPLN1606
41	WVIA-DT	SCRANTON PA	137.2	PLN	DTVPLN	-DTVP1171
44	WNYW-DT	NEW YORK NY	127.9	PLN	DTVPLN	-DTVP1278
45	WABC-DT	NEW YORK NY	127.9	PLN	DTVPLN	-DTVP1309
46	WFMZ-DT	ALLENTOWN PA	60.4	PLN	DTVPLN	-DTVP1339
47	WMDT	SALISBURY MD	176.5	PLN	DTVPLN	-NPLN1717

w25aw_stm_cc_49_da_02_977w

47	WNJU	LINDEN NJ	127.9	PLN	DTVPLN	-NPLN1721
47	WPMT-DT	YORK PA	115.5	PLN	DTVPLN	-DTVP1370
48	WRC-DT	WASHINGTON DC	199.8	PLN	DTVPLN	-DTVP1385
48	WYDN	WORCESTER MA	344.0	PLN	DTVPLN	-NPLN1732
48	WYDC	CORNING NY	279.4	PLN	DTVPLN	-NPLN1737
48	WPXI-DT	PITTSBURGH PA	406.6	PLN	DTVPLN	-DTVP1399
49	WACI-DT	ATLANTIC CITY NJ	96.2	PLN	DTVPLN	-DTVP1426
49	WGCBTV	RED LION PA	115.2	PLN	DTVPLN	-NPLN1760
49	WNEP-DT	SCRANTON PA	137.4	PLN	DTVPLN	-DTVP1429
50	WWAC-DT	ATLANTIC CITY NJ	100.0	PLN	DTVPLN	-DTVP1452
50	WNJN	MONTCLAIR NJ	126.9	PLN	DTVPLN	-NPLN1779
51	WNJN-DT	MONTCLAIR NJ	126.9	PLN	DTVPLN	-DTVP1486
51	WTVE	READING PA	50.3	PLN	DTVPLN	-NPLN1799
52	WNJT	TRENTON NJ	54.1	PLN	DTVPLN	-NPLN1810
55	WHYY-DT	WILMINGTON DE	0.3	PLN	DTVPLN	-DTVP1563
56	WCBS-DT	NEW YORK NY	127.9	PLN	DTVPLN	-DTVP1590
56	WWLF	HAZLETON PA	131.4	PLN	DTVPLN	-NPLN1870
62	WFPT	FREDERICK MD	197.9	PLN	DTVPLN	-NPLN1936
62	WACITV	ATLANTIC CITY NJ	96.2	PLN	DTVPLN	-NPLN1942
62	WLVT-DT	ALLENTOWN PA	60.4	PLN	DTVPLN	-DTVP1671
63	WMBCTV	NEWTON NJ	120.6	PLN	DTVPLN	-NPLN1954

Results for: 48N NJ BURLINGTON	DTVPLN	NPLN1735	PLN
	POPULATION	AREA (sq km)	
within Noise Limited Contour	6964398	19176.3	
not affected by terrain losses	6536788	17833.2	
lost to NTSC IX	112291	936.9	
lost to additional IX by ATV	90109	686.7	
lost to all IX	202400	1623.6	

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
48	WGTW-TV	BURLINGTON NJ	BLCT	-19920821KF

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
40	WXTV-DT	PATERSON NJ	132.1	PLN	DTVPLN	-DTVP1134
40	WXTV	PATERSON NJ	132.1	LIC	BLCDDT	-20050214AGS
40	WMGM-TV	SOMERS POINT NJ	110.0	APP	BPRM	-20020725ABK
40	WMGM-TV	WILDWOOD NJ	110.0	APP	BPCT	-20050906ACP
40	WMGM-TV	WILDWOOD NJ	110.0	LIC	BLCT	-19900515KH
41	WFUT-TV	NEWARK NJ	132.6	APP	BFRCTT	-20050516AUU
41	WXTV	PATERSON NJ	132.1	LIC	BLCT	-20041122AIG
41	WVIA-TV	SCRANTON PA	137.2	LIC	BLEDT	-20010109AAP
41	WVIA-DT	SCRANTON PA	137.2	PLN	DTVPLN	-DTVP1171
44	WWAC-TV	ATLANTIC CITY NJ	53.6	LIC	BPRM	-20000724ACE
44	WMCN-TV	ATLANTIC CITY NJ	48.8	CP	BPCDDT	-19990604KF
44	WNYW-DT	NEW YORK NY	127.9	PLN	DTVPLN	-DTVP1278
44	WNYW	NEW YORK NY	132.1	CP MOD	BMPDDT	-19990402KI
45	WABC-DT	NEW YORK NY	127.9	PLN	DTVPLN	-DTVP1309
45	WOLFTV	HAZLETON PA	137.3	LIC	BPRM	-20000413AAD
45	WOLF-TV	HAZLETON PA	137.3	LIC	BLCDDT	-20050906ACK
46	WFMZ-DT	ALLENTOWN PA	60.4	PLN	DTVPLN	-DTVP1339
46	WFMZ-TV	ALLENTOWN PA	60.3	CP MOD	BMPDDT	-20041029AHC
47	WMDT	SALISBURY MD	176.5	LIC	BLCT	-20030703ABJ
47	WNJU	LINDEN NJ	127.9	CP	BPCT	-19991028AAN
47	WPMT-DT	YORK PA	115.5	PLN	DTVPLN	-DTVP1370
47	WPMT	YORK PA	115.5	LIC	BMLCDDT	-20041025ABI
48	WRC-TV	WASHINGTON DC	199.8	LIC	BLCDDT	-20000216AAT
48	WRC-DT	WASHINGTON DC	199.8	PLN	DTVPLN	-DTVP1385
48	WYDN	WORCESTER MA	376.0	LIC	BLET	-20001226AAM
48	WYDC	CORNING NY	279.3	CP	BPCT	-20010123ABG

w25aw_stm_cc_49_da_02_977w

48	WRNN-TV	KINGSTON NY	194.0	LIC	BLC DT	-20040908AMF
48	WRNNTV	KINGSTON NY	194.1	APP	BPRM	-20000328AAV
48	WPXI-DT	PITTSBURGH PA	406.6	PLN	DTVPLN	-DTVP1399
48	WPXI	PITTSBURGH PA	406.6	LIC	BLC DT	-20050609AAQ
49	WWSI	ATLANTIC CITY NJ	88.6	LIC	BLC DT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	96.2	PLN	DTVPLN	-DTVP1426
49	WGCB-TV	RED LION PA	115.2	LIC	BLCT	-19790419KG
49	WNEP-DT	SCRANTON PA	137.4	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	137.3	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	137.3	LIC	BLC DT	-20020807AAF
50	NEW	WILMINGTON DE	0.3	APP	BPRM	-20051206AEA
50	WWAC-DT	ATLANTIC CITY NJ	100.0	PLN	DTVPLN	-DTVP1452
50	WNJN	MONTCLAIR NJ	126.9	LIC	BLET	-19860805KG
51	WNJN-DT	MONTCLAIR NJ	126.9	PLN	DTVPLN	-DTVP1486
51	WNJN	MONTCLAIR NJ	126.9	APP	BMPEDT	-20060523ABB
51	WNJN	MONTCLAIR NJ	126.9	CP	BPEDT	-20000425AAH
51	WTVE	READING PA	65.6	CP	BPCT	-20010430AAL
52	WNJT	TRENTON NJ	54.2	LIC	BLET	-20030625AAS
55	WHYY-DT	WILMINGTON DE	0.3	PLN	DTVPLN	-DTVP1563
56	WCBS-DT	NEW YORK NY	127.9	PLN	DTVPLN	-DTVP1590
56	WOLF-TV	HAZLETON PA	137.3	LIC	BLCT	-19981202KG
62	WFPT	FREDERICK MD	197.4	CP	BPET	-20030609ACZ
62	WWSI	ATLANTIC CITY NJ	88.6	LIC	BLCT	-20010129ADC
62	WLVT-DT	ALLENTOWN PA	60.4	PLN	DTVPLN	-DTVP1671
63	WMBC-TV	NEWTON NJ	120.9	CP	BPCT	-19980126KH
49	W25AW	TRENTON NJ	54.2	APP	USERRECORD-01	

Total scenarios = 48

Result key: 1
 Scenario 1 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON		BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)		
within Noise Limited Contour	7011107	19641.1		
not affected by terrain losses	6584944	18240.2		
lost to NTSC IX	220941	1632.4		
lost to additional IX by ATV	97035	790.7		
lost to all IX	317976	2423.1		

Potential Interfering Stations Included in above Scenario 1

41N NJ	PATERSON	BLCT	20041122AIG	LIC
47N NJ	LINDEN	BPCT	19991028AAN	CP
49N PA	RED LION	BLCT	19790419KG	LIC
51N PA	READING	BPCT	20010430AAL	CP
52N NJ	TRENTON	BLET	20030625AAS	LIC
62N NJ	ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ	NEWTON	BPCT	19980126KH	CP
46A PA	ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA	YORK	DTVPLN	DTVP1370	PLN
48A DC	WASHINGTON	BLC DT	20000216AAT	LIC
48A NY	KINGSTON	BLC DT	20040908AMF	LIC
49A NJ	ATLANTIC CITY	BLC DT	20020812ABS	LIC
62A PA	ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON		BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)		
within Noise Limited Contour	7011107	19641.1		

w25aw_stm_cc_49_da_02_977w

not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	97110	791.7
lost to all IX	318051	2424.1

Potential Interfering Stations Included in above Scenario 1

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 2
 Scenario 2 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON

	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	97035	792.7	
lost to all IX	317976	2425.1	

Potential Interfering Stations Included in above Scenario 2

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON

	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	97110	793.7	
lost to all IX	318051	2426.1	

Potential Interfering Stations Included in above Scenario 2

41N NJ PATERSON	BLCT	20041122AIG	LIC
-----------------	------	-------------	-----

w25aw_stm_cc_49_da_02_977w

47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 3
Scenario 3 Affected station 23 WGTW-TV
Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	101618	808.4	
lost to all IX	322559	2440.8	

Potential Interfering Stations Included in above Scenario 3

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	101693	809.3	
lost to all IX	322634	2441.8	

Potential Interfering Stations Included in above Scenario 3

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	DTVPLN	DTVP1370	PLN

w25aw_stm_cc_49_da_02_977w

48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 4
 Scenario 4 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	101618	810.3
lost to all IX	322559	2442.8

Potential Interfering Stations Included in above Scenario 4

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	101693	811.3
lost to all IX	322634	2443.7

Potential Interfering Stations Included in above Scenario 4

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 5
 Scenario 5 Affected station 23 WGTW-TV

Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	97416	794.6	
lost to all IX	318357	2427.1	

Potential Interfering Stations Included in above Scenario 5

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	97491	795.6	
lost to all IX	318432	2428.0	

Potential Interfering Stations Included in above Scenario 5

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 6
 Scenario 6 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	97416	796.6	

w25aw_stm_cc_49_da_02_977w
318357 2429.0

Potential Interfering Stations Included in above Scenario 6

41N	NJ	PATERSON	BLCT	20041122AIG	LIC
47N	NJ	LINDEN	BPCT	19991028AAN	CP
49N	PA	RED LION	BLCT	19790419KG	LIC
51N	PA	READING	BPCT	20010430AAL	CP
52N	NJ	TRENTON	BLET	20030625AAS	LIC
62N	NJ	ATLANTIC CITY	BLCT	20010129ADC	LIC
63N	NJ	NEWTON	BPCT	19980126KH	CP
46A	PA	ALLENTOWN	DTVPLN	DTV1339	PLN
47A	PA	YORK	BMLCDT	20041025ABI	LIC
48A	DC	WASHINGTON	BLCDDT	20000216AAT	LIC
48A	NY	KINGSTON	BLCDDT	20040908AMF	LIC
49A	NJ	ATLANTIC CITY	DTVPLN	DTV1426	PLN
62A	PA	ALLENTOWN	DTVPLN	DTV1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	97491	797.6	
lost to all IX	318432	2430.0	

Potential Interfering Stations Included in above Scenario 6

41N	NJ	PATERSON	BLCT	20041122AIG	LIC
47N	NJ	LINDEN	BPCT	19991028AAN	CP
49N	PA	RED LION	BLCT	19790419KG	LIC
51N	PA	READING	BPCT	20010430AAL	CP
52N	NJ	TRENTON	BLET	20030625AAS	LIC
62N	NJ	ATLANTIC CITY	BLCT	20010129ADC	LIC
63N	NJ	NEWTON	BPCT	19980126KH	CP
46A	PA	ALLENTOWN	DTVPLN	DTVP1339	PLN
47A	PA	YORK	BMLCDT	20041025ABI	LIC
48A	DC	WASHINGTON	BLCDDT	20000216AAT	LIC
48A	NY	KINGSTON	BLCDDT	20040908AMF	LIC
49A	NJ	ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A	PA	ALLENTOWN	DTVPLN	DTVP1671	PLN
49A	NJ	TRENTON	USERRECORD01		APP

Result key:	7			
Scenario	7	Affected station	23	WGTW-TV
Before Analysis				

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	101999	812.3	
lost to all IX	322940	2444.7	

Potential Interfering Stations Included in above Scenario 7

41N	NJ	PATERSON	BLCT	20041122AIG	LIC
47N	NJ	LINDEN	BPCT	19991028AAN	CP
49N	PA	RED LION	BLCT	19790419KG	LIC
51N	PA	READING	BPCT	20010430AAL	CP

w25aw_stm_cc_49_da_02_977w

52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON

	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	102074	813.3	
lost to all IX	323015	2445.7	

Potential Interfering Stations Included in above scenario 7

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 8
 Scenario 8 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON

	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	101999	814.3	
lost to all IX	322940	2446.7	

Potential Interfering Stations Included in above scenario 8

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN

62A PA ALLENTOWN

w25aw_stm_cc_49_da_02_977w
DTVPLN DTVP1671 PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	102074	815.2	
lost to all IX	323015	2447.7	

Potential Interfering Stations Included in above Scenario 8

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 9
Scenario 9 Affected station 23 WGTW-TV
Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	98685	814.3	
lost to all IX	319626	2446.7	

Potential Interfering Stations Included in above Scenario 9

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	

w25aw_stm_cc_49_da_02_977w

lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	98760	815.2
lost to all IX	319701	2447.7

Potential Interfering Stations Included in above Scenario 9

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 10
 Scenario 10 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	98685	816.2
lost to all IX	319626	2448.6

Potential Interfering Stations Included in above Scenario 10

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	98760	817.2
lost to all IX	319701	2449.6

Potential Interfering Stations Included in above Scenario 10

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP

w25aw_stm_cc_49_da_02_977w

49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 11
 Scenario 11 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	103152	830.9
lost to all IX	324093	2463.4

Potential Interfering Stations Included in above Scenario 11

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	103227	831.9
lost to all IX	324168	2464.3

Potential Interfering Stations Included in above Scenario 11

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN

w25aw_stm_cc_49_da_02_977w

48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 12
Scenario 12 Affected station 23 WGTW-TV
Before Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	103152	832.9
lost to all IX	324093	2465.3

Potential Interfering Stations Included in above Scenario 12

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	103227	833.9
lost to all IX	324168	2466.3

Potential Interfering Stations Included in above Scenario 12

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 13
Scenario 13 Affected station 23 WGTW-TV
Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	99066	818.2	
lost to all IX	320007	2450.6	

Potential Interfering Stations Included in above Scenario 13

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	99141	819.2	
lost to all IX	320082	2451.6	

Potential Interfering Stations Included in above Scenario 13

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 14
 Scenario 14 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	99066	820.1	
lost to all IX	320007	2452.6	

Potential Interfering Stations Included in above Scenario 14

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	99141	821.1	
lost to all IX	320082	2453.5	

Potential Interfering Stations Included in above Scenario 14

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 15
 Scenario 15 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	103533	834.9	
lost to all IX	324474	2467.3	

Potential Interfering Stations Included in above Scenario 15

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC

w25aw_stm_cc_49_da_02_977w

62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON

	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	103608	835.8	
lost to all IX	324549	2468.3	

Potential Interfering Stations Included in above Scenario 15

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 16
 Scenario 16 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON

	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	103533	836.8	
lost to all IX	324474	2469.2	

Potential Interfering Stations Included in above Scenario 16

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	103608	837.8	
lost to all IX	324549	2470.2	

Potential Interfering Stations Included in above Scenario 16

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 17
 Scenario 17 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	97035	790.7	
lost to all IX	317976	2423.1	

Potential Interfering Stations Included in above Scenario 17

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	

w25aw_stm_cc_49_da_02_977w

lost to additional IX by ATV	97110	791.7
lost to all IX	318051	2424.1

Potential Interfering Stations Included in above Scenario 17

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 18
 Scenario 18 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON

	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	97035	792.7	
lost to all IX	317976	2425.1	

Potential Interfering Stations Included in above Scenario 18

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON

	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	97110	793.7	
lost to all IX	318051	2426.1	

Potential Interfering Stations Included in above Scenario 18

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC

w25aw_stm_cc_49_da_02_977w

51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 19
 Scenario 19 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	73524	667.1
lost to all IX	294465	2299.5

Potential Interfering Stations Included in above Scenario 19

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	73599	668.1
lost to all IX	294540	2300.5

Potential Interfering Stations Included in above Scenario 19

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP

w25aw_stm_cc_49_da_02_977w
 49A NJ ATLANTIC CITY BLCDT 20020812ABS LIC
 62A PA ALLENTOWN DTVPLN DTVP1671 PLN
 49A NJ TRENTON USERRECORD01 APP

Result key: 20
 Scenario 20 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 7011107 19641.1
 not affected by terrain losses 6584944 18240.2
 lost to NTSC IX 220941 1632.4
 lost to additional IX by ATV 73524 669.1
 lost to all IX 294465 2301.5

Potential Interfering Stations Included in above Scenario 20

41N NJ PATERSON BLCT 20041122AIG LIC
 47N NJ LINDEN BPCT 19991028AAN CP
 49N PA RED LION BLCT 19790419KG LIC
 51N PA READING BPCT 20010430AAL CP
 52N NJ TRENTON BLET 20030625AAS LIC
 62N NJ ATLANTIC CITY BLCT 20010129ADC LIC
 63N NJ NEWTON BPCT 19980126KH CP
 46A PA ALLENTOWN DTVPLN DTVP1339 PLN
 47A PA YORK DTVPLN DTVP1370 PLN
 48A DC WASHINGTON BLCDT 20000216AAT LIC
 48A NY KINGSTON BPRM 20000328AAV APP
 49A NJ ATLANTIC CITY DTVPLN DTVP1426 PLN
 62A PA ALLENTOWN DTVPLN DTVP1671 PLN

After Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 7011107 19641.1
 not affected by terrain losses 6584944 18240.2
 lost to NTSC IX 220941 1632.4
 lost to additional IX by ATV 73599 670.0
 lost to all IX 294540 2302.5

Potential Interfering Stations Included in above Scenario 20

41N NJ PATERSON BLCT 20041122AIG LIC
 47N NJ LINDEN BPCT 19991028AAN CP
 49N PA RED LION BLCT 19790419KG LIC
 51N PA READING BPCT 20010430AAL CP
 52N NJ TRENTON BLET 20030625AAS LIC
 62N NJ ATLANTIC CITY BLCT 20010129ADC LIC
 63N NJ NEWTON BPCT 19980126KH CP
 46A PA ALLENTOWN DTVPLN DTVP1339 PLN
 47A PA YORK DTVPLN DTVP1370 PLN
 48A DC WASHINGTON BLCDT 20000216AAT LIC
 48A NY KINGSTON BPRM 20000328AAV APP
 49A NJ ATLANTIC CITY DTVPLN DTVP1426 PLN
 62A PA ALLENTOWN DTVPLN DTVP1671 PLN
 49A NJ TRENTON USERRECORD01 APP

Result key: 21
 Scenario 21 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	101618	808.4
lost to all IX	322559	2440.8

Potential Interfering Stations Included in above Scenario 21

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	101693	809.3
lost to all IX	322634	2441.8

Potential Interfering Stations Included in above Scenario 21

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 22

Scenario 22 Affected station 23 WGTW-TV

Before Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	101618	810.3
lost to all IX	322559	2442.8

Potential Interfering Stations Included in above Scenario 22

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	101693	811.3	
lost to all IX	322634	2443.7	

Potential Interfering Stations Included in above Scenario 22

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 23
 Scenario 23 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	79125	694.6	
lost to all IX	300066	2327.0	

Potential Interfering Stations Included in above Scenario 23

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC

		w25aw_stm_cc_49_da_02_977w	
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	79200	695.5	
lost to all IX	300141	2328.0	

Potential Interfering Stations Included in above Scenario 23

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 24
Scenario 24 Affected station 23 WGTW-TV
Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	79125	696.5	
lost to all IX	300066	2329.0	

Potential Interfering Stations Included in above Scenario 24

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	79200	697.5	
lost to all IX	300141	2329.9	

Potential Interfering Stations Included in above Scenario 24

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 25
 Scenario 25 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	97416	794.6	
lost to all IX	318357	2427.1	

Potential Interfering Stations Included in above Scenario 25

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	97491	795.6	

w25aw_stm_cc_49_da_02_977w
318432 2428.0

Potential Interfering Stations Included in above Scenario 25

41N	NJ	PATERSON	BLCT	20041122AIG	LIC
47N	NJ	LINDEN	BPCT	19991028AAN	CP
49N	PA	RED LION	BLCT	19790419KG	LIC
51N	PA	READING	BPCT	20010430AAL	CP
52N	NJ	TRENTON	BLET	20030625AAS	LIC
62N	NJ	ATLANTIC CITY	BLCT	20010129ADC	LIC
63N	NJ	NEWTON	BPCT	19980126KH	CP
46A	PA	ALLENTOWN	DTVPLN	DTV1339	PLN
47A	PA	YORK	BMLCDT	20041025ABI	LIC
48A	DC	WASHINGTON	BLCDDT	20000216AAT	LIC
48A	NY	KINGSTON	BLCDDT	20040908AMF	LIC
49A	NJ	ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A	PA	ALLENTOWN	DTVPLN	DTV1671	PLN
49A	NJ	TRENTON	USERRECORD01		APP

Result key: 26
Scenario 26 Affected station 23 WGTW-TV
Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	97416	796.6	
lost to all IX	318357	2429.0	

Potential Interfering Stations Included in above Scenario 26

41N	NJ	PATERSON	BLCT	20041122AIG	LIC
47N	NJ	LINDEN	BPCT	19991028AAN	CP
49N	PA	RED LION	BLCT	19790419KG	LIC
51N	PA	READING	BPCT	20010430AAL	CP
52N	NJ	TRENTON	BLET	20030625AAS	LIC
62N	NJ	ATLANTIC CITY	BLCT	20010129ADC	LIC
63N	NJ	NEWTON	BPCT	19980126KH	CP
46A	PA	ALLENTOWN	DTVPLN	DTVLP1339	PLN
47A	PA	YORK	BMLCDT	20041025ABI	LIC
48A	DC	WASHINGTON	BLCDT	20000216AAT	LIC
48A	NY	KINGSTON	BLCDT	20040908AMF	LIC
49A	NJ	ATLANTIC CITY	DTVPLN	DTVLP1426	PLN
62A	PA	ALLENTOWN	DTVPLN	DTVLP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	97491	797.6	
lost to all IX	318432	2430.0	

Potential Interfering Stations Included in above Scenario 26

41N	NJ	PATERSON	BLCT	20041122AIG	LIC
47N	NJ	LINDEN	BPCT	19991028AAN	CP
49N	PA	RED LION	BLCT	19790419KG	LIC
51N	PA	READING	BPCT	20010430AAL	CP

w25aw_stm_cc_49_da_02_977w

52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 27
 Scenario 27 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	73905	671.0
lost to all IX	294846	2303.5

Potential Interfering Stations Included in above Scenario 27

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	73980	672.0
lost to all IX	294921	2304.4

Potential Interfering Stations Included in above Scenario 27

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC

w25aw_stm_cc_49_da_02_977w
 62A PA ALLENTOWN DTVPLN DTVP1671 PLN
 49A NJ TRENTON USERRECORD01 APP

Result key: 28
 Scenario 28 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 7011107 19641.1
 not affected by terrain losses 6584944 18240.2
 lost to NTSC IX 220941 1632.4
 lost to additional IX by ATV 73905 673.0
 lost to all IX 294846 2305.4

Potential Interfering Stations Included in above Scenario 28

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 7011107 19641.1
 not affected by terrain losses 6584944 18240.2
 lost to NTSC IX 220941 1632.4
 lost to additional IX by ATV 73980 674.0
 lost to all IX 294921 2306.4

Potential Interfering Stations Included in above Scenario 28

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 29
 Scenario 29 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC

w25aw_stm_cc_49_da_02_977w

	POPULATION	AREA (sq km)
within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	101999	812.3
lost to all IX	322940	2444.7

Potential Interfering Stations Included in above Scenario 29

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON

	POPULATION	AREA (sq km)	LIC
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	102074	813.3	
lost to all IX	323015	2445.7	

Potential Interfering Stations Included in above Scenario 29

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 30
 Scenario 30 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON

	POPULATION	AREA (sq km)	LIC
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	101999	814.3	
lost to all IX	322940	2446.7	

Potential Interfering Stations Included in above Scenario 30

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	102074	815.2	
lost to all IX	323015	2447.7	

Potential Interfering Stations Included in above Scenario 30

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 31
 Scenario 31 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	79506	698.5	
lost to all IX	300447	2330.9	

Potential Interfering Stations Included in above Scenario 31

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP

w25aw_stm_cc_49_da_02_977w

46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	79581	699.5	
lost to all IX	300522	2331.9	

Potential Interfering Stations Included in above Scenario 31

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 32
 Scenario 32 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	79506	700.5	
lost to all IX	300447	2332.9	

Potential Interfering Stations Included in above Scenario 32

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	79581	701.4	
lost to all IX	300522	2333.9	

Potential Interfering Stations Included in above Scenario 32

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	DTVPLN	DTVP1339	PLN
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 33
 Scenario 33 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	98685	814.3	
lost to all IX	319626	2446.7	

Potential Interfering Stations Included in above Scenario 33

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	98760	815.2	
lost to all IX	319701	2447.7	

Potential Interfering Stations Included in above Scenario 33

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 34

Scenario 34 Affected station 23 WGTW-TV
Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	98685	816.2	
lost to all IX	319626	2448.6	

Potential Interfering Stations Included in above Scenario 34

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	98760	817.2	
lost to all IX	319701	2449.6	

Potential Interfering Stations Included in above Scenario 34

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC

w25aw_stm_cc_49_da_02_977w

62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 35
 Scenario 35 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	77336	700.5	
lost to all IX	298277	2332.9	

Potential Interfering Stations Included in above Scenario 35

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	77411	701.4	
lost to all IX	298352	2333.9	

Potential Interfering Stations Included in above Scenario 35

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

49A NJ TRENTON w25aw_stm_cc_49_da_02_977w
USERRECORD01 APP

Result key: 36
Scenario 36 Affected station 23 WGTW-TV
Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	77336	702.4	
lost to all IX	298277	2334.8	

Potential Interfering Stations Included in above Scenario 36

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	77411	703.4	
lost to all IX	298352	2335.8	

Potential Interfering Stations Included in above Scenario 36

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 37
Scenario 37 Affected station 23 WGTW-TV
Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	

w25aw_stm_cc_49_da_02_977w

within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	103152	830.9
lost to all IX	324093	2463.4

Potential Interfering Stations Included in above Scenario 37

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON

	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	103227	831.9	
lost to all IX	324168	2464.3	

Potential Interfering Stations Included in above Scenario 37

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 38
Scenario 38 Affected station 23 WGTW-TV
Before Analysis

Results for: 48N NJ BURLINGTON

	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	103152	832.9	
lost to all IX	324093	2465.3	

Potential Interfering Stations Included in above Scenario 38

w25aw_stm_cc_49_da_02_977w

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	103227	833.9	
lost to all IX	324168	2466.3	

Potential Interfering Stations Included in above scenario 38

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 39
 Scenario 39 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	82724	725.0	
lost to all IX	303665	2357.4	

Potential Interfering Stations Included in above scenario 39

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP

w25aw_stm_cc_49_da_02_977w

47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON

	BLCT	POPULATION	19920821KF	AREA (sq km)	LIC
within Noise Limited Contour		7011107		19641.1	
not affected by terrain losses		6584944		18240.2	
lost to NTSC IX		220941		1632.4	
lost to additional IX by ATV		82799		726.0	
lost to all IX		303740		2358.4	

Potential Interfering Stations Included in above Scenario 39

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 40
 Scenario 40 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON

	BLCT	POPULATION	19920821KF	AREA (sq km)	LIC
within Noise Limited Contour		7011107		19641.1	
not affected by terrain losses		6584944		18240.2	
lost to NTSC IX		220941		1632.4	
lost to additional IX by ATV		82724		726.9	
lost to all IX		303665		2359.4	

Potential Interfering Stations Included in above Scenario 40

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

w25aw_stm_cc_49_da_02_977w

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	82799	727.9
lost to all IX	303740	2360.4

Potential Interfering Stations Included in above Scenario 40

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 41
 Scenario 41 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	99066	818.2
lost to all IX	320007	2450.6

Potential Interfering Stations Included in above Scenario 41

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	99141	819.2
lost to all IX	320082	2451.6

Potential Interfering Stations Included in above Scenario 41

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 42

Scenario 42 Affected station 23 WGTW-TV

Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	99066	820.1	
lost to all IX	320007	2452.6	

Potential Interfering Stations Included in above Scenario 42

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	99141	821.1	
lost to all IX	320082	2453.5	

Potential Interfering Stations Included in above Scenario 42

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC

w25aw_stm_cc_49_da_02_977w

63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 43
 Scenario 43 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	77717	704.4
lost to all IX	298658	2336.8

Potential Interfering Stations Included in above Scenario 43

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	77792	705.4
lost to all IX	298733	2337.8

Potential Interfering Stations Included in above Scenario 43

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 44
 Scenario 44 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 7011107 19641.1
 not affected by terrain losses 6584944 18240.2
 lost to NTSC IX 220941 1632.4
 lost to additional IX by ATV 77717 706.3
 lost to all IX 298658 2338.8

Potential Interfering Stations Included in above Scenario 44

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 7011107 19641.1
 not affected by terrain losses 6584944 18240.2
 lost to NTSC IX 220941 1632.4
 lost to additional IX by ATV 77792 707.3
 lost to all IX 298733 2339.7

Potential Interfering Stations Included in above Scenario 44

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 45
 Scenario 45 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 7011107 19641.1

w25aw_stm_cc_49_da_02_977w
not affected by terrain losses 6584944 18240.2
lost to NTSC IX 220941 1632.4
lost to additional IX by ATV 103533 834.9
lost to all IX 324474 2467.3

Potential Interfering Stations Included in above Scenario 45

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC
POPULATION AREA (sq km)
within Noise Limited Contour 7011107 19641.1
not affected by terrain losses 6584944 18240.2
lost to NTSC IX 220941 1632.4
lost to additional IX by ATV 103608 835.8
lost to all IX 324549 2468.3

Potential Interfering Stations Included in above Scenario 45

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 46
Scenario 46 Affected station 23 WGTW-TV
Before Analysis

Results for: 48N NJ BURLINGTON BLCT 19920821KF LIC
POPULATION AREA (sq km)
within Noise Limited Contour 7011107 19641.1
not affected by terrain losses 6584944 18240.2
lost to NTSC IX 220941 1632.4
lost to additional IX by ATV 103533 836.8
lost to all IX 324474 2469.2

Potential Interfering Stations Included in above Scenario 46

41N NJ PATERSON	BLCT	20041122AIG	LIC
-----------------	------	-------------	-----

w25aw_stm_cc_49_da_02_977w

47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	103608	837.8	
lost to all IX	324549	2470.2	

Potential Interfering Stations Included in above Scenario 46

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 47
 Scenario 47 Affected station 23 WGTW-TV
 Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	83105	728.9	
lost to all IX	304046	2361.3	

Potential Interfering Stations Included in above Scenario 47

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC

w25aw_stm_cc_49_da_02_977w

48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	83180	729.9	
lost to all IX	304121	2362.3	

Potential Interfering Stations Included in above Scenario 47

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 48
Scenario 48 Affected station 23 WGTW-TV
Before Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7011107	19641.1	
not affected by terrain losses	6584944	18240.2	
lost to NTSC IX	220941	1632.4	
lost to additional IX by ATV	83105	730.9	
lost to all IX	304046	2363.3	

Potential Interfering Stations Included in above Scenario 48

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN

After Analysis

Results for: 48N NJ BURLINGTON	BLCT	19920821KF	LIC
--------------------------------	------	------------	-----

Page 69

w25aw_stm_cc_49_da_02_977w

	POPULATION	AREA (sq km)
within Noise Limited Contour	7011107	19641.1
not affected by terrain losses	6584944	18240.2
lost to NTSC IX	220941	1632.4
lost to additional IX by ATV	83180	731.8
lost to all IX	304121	2364.3

Potential Interfering Stations Included in above Scenario 48

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
49N PA RED LION	BLCT	19790419KG	LIC
51N PA READING	BPCT	20010430AAL	CP
52N NJ TRENTON	BLET	20030625AAS	LIC
62N NJ ATLANTIC CITY	BLCT	20010129ADC	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
46A PA ALLENTOWN	BMPCDT	20041029AHC	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
62A PA ALLENTOWN	DTVPLN	DTVP1671	PLN
49A NJ TRENTON	USERRECORD01		APP

#####

Analysis of Interference to Affected Station 24

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
48	WRNN-TV	KINGSTON NY	BLCDDT	-20040908AMF

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
47	WYDN-DT	WORCESTER MA	160.3	PLN	DTVPLN	-DTVP1362
47	WNJU	LINDEN NJ	86.5	CP	BPCT	-19991028AAN
47	WLNY	RIVERHEAD NY	108.6	APP	BSRCCT	-20060228ALR
48	WRC-TV	WASHINGTON DC	388.4	LIC	BLCDDT	-20000216AAT
48	WRC-DT	WASHINGTON DC	388.4	PLN	DTVPLN	-DTVP1385
48	WYDN	WORCESTER MA	192.4	LIC	BLET	-20001226AAM
48	WLED-DT	LITTLETON NH	365.7	PLN	DTVPLN	-DTVP1397
48	WGTW-TV	BURLINGTON NJ	194.0	LIC	BLCT	-19920821KF
48	WYDC	CORNING NY	269.2	CP	BPCT	-20010123ABG
49	WEDW	BRIDGEPORT CT	67.8	LIC	BLET	-19870908KE
49	WLNE-TV	NEW BEDFORD MA	224.9	LIC	BLCDDT	-20040930BBS
49	WEKW-TV	KEENE NH	215.4	LIC	BLEDT	-20030618ABK
49	WEKW-DT	KEENE NH	215.4	PLN	DTVPLN	-DTVP1425
49	WWSI	ATLANTIC CITY NJ	209.2	LIC	BLCDDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	210.1	PLN	DTVPLN	-DTVP1426
49	WNEP-DT	SCRANTON PA	164.1	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	163.8	CP	BPCDDT	-19990729KF
49	WNEP-TV	SCRANTON PA	163.8	LIC	BLCDDT	-20020807AAF
49	W25AW	TRENTON NJ	147.6	APP	USERRECORD-01	

Total scenarios = 12

Result key: 49
Scenario 1 Affected station 24 WRNN-TV
Before Analysis

Results for: 48A NY KINGSTON BLCDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3
not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	0	0.0
lost to ATV IX only	3779	38.3
lost to all IX	1720936	1889.1

Potential Interfering Stations Included in above Scenario 1

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP

After Analysis

Results for: 48A NY KINGSTON BLCDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3
not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	0	0.0
lost to ATV IX only	4019	40.3
lost to all IX	1720936	1889.1

Potential Interfering Stations Included in above Scenario 1

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 50
 Scenario 2 Affected station 24 WRNN-TV
 Before Analysis

Results for: 48A NY KINGSTON BLCDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3
not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	0	0.0
lost to ATV IX only	3779	38.3
lost to all IX	1720936	1889.1

Potential Interfering Stations Included in above Scenario 2

47N NJ LINDEN	BPCT	19991028AAN	CP
---------------	------	-------------	----

w25aw_stm_cc_49_da_02_977w

48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC

After Analysis

Results for: 48A NY KINGSTON BLCDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3
not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	0	0.0
lost to ATV IX only	4019	40.3
lost to all IX	1720936	1889.1

Potential Interfering Stations Included in above Scenario 2

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 51
 Scenario 3 Affected station 24 WRNN-TV
 Before Analysis

Results for: 48A NY KINGSTON BLCDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3
not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	0	0.0
lost to ATV IX only	3852	40.3
lost to all IX	1720936	1889.1

Potential Interfering Stations Included in above Scenario 3

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP

After Analysis

Results for: 48A NY KINGSTON BLCDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3

w25aw_stm_cc_49_da_02_977w

not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	0	0.0
lost to ATV IX only	4092	42.2
lost to all IX	1720936	1889.1

Potential Interfering Stations Included in above Scenario 3

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 52
 Scenario 4 Affected station 24 WRNN-TV
 Before Analysis

Results for: 48A NY KINGSTON BLCDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3
not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	0	0.0
lost to ATV IX only	3852	40.3
lost to all IX	1720936	1889.1

Potential Interfering Stations Included in above Scenario 4

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC

After Analysis

Results for: 48A NY KINGSTON BLCDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3
not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	0	0.0
lost to ATV IX only	4092	42.2
lost to all IX	1720936	1889.1

Potential Interfering Stations Included in above Scenario 4

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN

w25aw_stm_cc_49_da_02_977w
 48A DC WASHINGTON DTVPLN DTVP1385 PLN
 49A PA SCRANTON BLCDT 20020807AAF LIC
 49A NJ TRENTON USERRECORD01 APP

Result key: 53
 Scenario 5 Affected station 24 WRNN-TV
 Before Analysis

Results for: 48A NY KINGSTON BLCDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3
not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	12236	34.4
lost to ATV IX only	91172	191.6
lost to all IX	1733172	1923.5

Potential Interfering Stations Included in above Scenario 5

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP

After Analysis

Results for: 48A NY KINGSTON BLCDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3
not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	12236	34.4
lost to ATV IX only	91412	193.5
lost to all IX	1733172	1923.5

Potential Interfering Stations Included in above Scenario 5

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 54
 Scenario 6 Affected station 24 WRNN-TV
 Before Analysis

Results for: 48A NY KINGSTON BLCDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3

w25aw_stm_cc_49_da_02_977w

not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	12236	34.4
lost to ATV IX only	91172	191.6
lost to all IX	1733172	1923.5

Potential Interfering Stations Included in above Scenario 6

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC

After Analysis

Results for: 48A NY KINGSTON BLCDDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3
not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	12236	34.4
lost to ATV IX only	91412	193.5
lost to all IX	1733172	1923.5

Potential Interfering Stations Included in above Scenario 6

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 55
 Scenario 7 Affected station 24 WRNN-TV
 Before Analysis

Results for: 48A NY KINGSTON BLCDDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3
not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	12236	34.4
lost to ATV IX only	91245	193.5
lost to all IX	1733172	1923.5

Potential Interfering Stations Included in above Scenario 7

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP

		w25aw_stm_cc_49_da_02_977w	
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP

After Analysis

Results for: 48A NY KINGSTON BLCDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3
not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	12236	34.4
lost to ATV IX only	91485	195.5
lost to all IX	1733172	1923.5

Potential Interfering Stations Included in above Scenario 7

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 56
 Scenario 8 Affected station 24 WRNN-TV
 Before Analysis

Results for: 48A NY KINGSTON BLCDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3
not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	12236	34.4
lost to ATV IX only	91245	193.5
lost to all IX	1733172	1923.5

Potential Interfering Stations Included in above Scenario 8

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC

After Analysis

Results for: 48A NY KINGSTON BLCDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3

w25aw_stm_cc_49_da_02_977w

not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	12236	34.4
lost to ATV IX only	91485	195.5
lost to all IX	1733172	1923.5

Potential Interfering Stations Included in above Scenario 8

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 57
 Scenario 9 Affected station 24 WRNN-TV
 Before Analysis

Results for: 48A NY KINGSTON BLCDDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3
not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	0	0.0
lost to ATV IX only	3779	38.3
lost to all IX	1720936	1889.1

Potential Interfering Stations Included in above Scenario 9

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP

After Analysis

Results for: 48A NY KINGSTON BLCDDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3
not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	0	0.0
lost to ATV IX only	4019	40.3
lost to all IX	1720936	1889.1

Potential Interfering Stations Included in above Scenario 9

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC

w25aw_stm_cc_49_da_02_977w

47A MA WORCESTER	DTVPLN	DTVP1362	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 58
 Scenario 10 Affected station 24 WRNN-TV
 Before Analysis

Results for: 48A NY KINGSTON BLCDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3
not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	0	0.0
lost to ATV IX only	3779	38.3
lost to all IX	1720936	1889.1

Potential Interfering Stations Included in above Scenario 10

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC

After Analysis

Results for: 48A NY KINGSTON BLCDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3
not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	0	0.0
lost to ATV IX only	4019	40.3
lost to all IX	1720936	1889.1

Potential Interfering Stations Included in above Scenario 10

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 59
 Scenario 11 Affected station 24 WRNN-TV
 Before Analysis

Results for: 48A NY KINGSTON BLCDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3
not affected by terrain losses	13259028	24188.5

w25aw_stm_cc_49_da_02_977w

lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	0	0.0
lost to ATV IX only	3852	40.3
lost to all IX	1720936	1889.1

Potential Interfering Stations Included in above Scenario 11

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP

After Analysis

Results for: 48A NY KINGSTON BLCDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3
not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	0	0.0
lost to ATV IX only	4092	42.2
lost to all IX	1720936	1889.1

Potential Interfering Stations Included in above Scenario 11

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 60
 Scenario 12 Affected station 24 WRNN-TV
 Before Analysis

Results for: 48A NY KINGSTON BLCDT 20040908AMF LIC
 HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3
not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	0	0.0
lost to ATV IX only	3852	40.3
lost to all IX	1720936	1889.1

Potential Interfering Stations Included in above Scenario 12

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN

49A PA SCRANTON w25aw_stm_cc_49_da_02_977w
BLCDT 20020807AAF LIC

After Analysis

Results for: 48A NY KINGSTON BLCDT 20040908AMF LIC
HAAT 378.0 m, ATV ERP 950.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	13949769	27264.3
not affected by terrain losses	13259028	24188.5
lost to NTSC IX	1720936	1889.1
lost to additional IX by ATV	0	0.0
lost to ATV IX only	4092	42.2
lost to all IX	1720936	1889.1

Potential Interfering Stations Included in above scenario 12

47N NJ LINDEN	BPCT	19991028AAN	CP
48N MA WORCESTER	BLET	20001226AAM	LIC
48N NJ BURLINGTON	BLCT	19920821KF	LIC
48N NY CORNING	BPCT	20010123ABG	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
47A MA WORCESTER	DTVPLN	DTVP1362	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A NJ TRENTON	USERRECORD01		APP

#####

Analysis of Interference to Affected Station 25

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
48	WRNNTV	KINGSTON NY	BPRM	-20000328AAV

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
47	WYDN-DT	WORCESTER MA	160.2	PLN	DTVPLN	-DTVP1362
47	WNJU	LINDEN NJ	86.5	CP	BPCT	-19991028AAN
47	WLNY	RIVERHEAD NY	108.5	APP	BSRCCT	-20060228ALR
48	WRC-TV	WASHINGTON DC	388.5	LIC	BLCDT	-20000216AAT
48	WRC-DT	WASHINGTON DC	388.5	PLN	DTVPLN	-DTVP1385
48	WYDN	WORCESTER MA	192.3	LIC	BLET	-20001226AAM
48	WLED-DT	LITTLETON NH	365.7	PLN	DTVPLN	-DTVP1397
48	WGTW-TV	BURLINGTON NJ	194.1	LIC	BLCT	-19920821KF
48	WYDC	CORNING NY	269.2	CP	BPCT	-20010123ABG
49	WEDW	BRIDGEPORT CT	67.7	LIC	BLET	-19870908KE
49	WLNE-TV	NEW BEDFORD MA	224.8	LIC	BLCDT	-20040930BBS
49	WEKW-TV	KEENE NH	215.3	LIC	BLEDT	-20030618ABK
49	WEKW-DT	KEENE NH	215.3	PLN	DTVPLN	-DTVP1425
49	WWSI	ATLANTIC CITY NJ	209.3	LIC	BLCDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	210.1	PLN	DTVPLN	-DTVP1426
49	WNEP-DT	SCRANTON PA	164.2	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	163.9	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	163.9	LIC	BLCDT	-20020807AAF
49	W25AW	TRENTON NJ	147.7	APP	USERRECORD-01	

Proposal causes no interference

#####

w25aw_stm_cc_49_da_02_977w
Analysis of Interference to Affected Station 26

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
48	W48AQ	CLARKS SUMMIT, ETC. PA	BLTT	-19880104IB

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
41	WVIA-TV	SCRANTON PA	35.2	LIC	BLEDT	-20010109AAP
41	WVIA-DT	SCRANTON PA	35.2	PLN	DTVPLN	-DTVP1171
45	WOLFTV	HAZLETON PA	35.0	LIC	BPRM	-20000413AAD
45	WOLF-TV	HAZLETON PA	35.0	LIC	BLCDT	-20050906ACK
46	WFMZ-DT	ALLENTOWN PA	102.4	PLN	DTVPLN	-DTVP1339
46	WFMZ-TV	ALLENTOWN PA	102.4	CP MOD	BMPCDT	-20041029AHC
48	WRC-TV	WASHINGTON DC	304.8	LIC	BLCDT	-20000216AAT
48	WRC-DT	WASHINGTON DC	304.8	PLN	DTVPLN	-DTVP1385
48	WYDN	WORCESTER MA	327.0	LIC	BLET	-20001226AAM
48	WGTW-TV	BURLINGTON NJ	162.6	LIC	BLCT	-19920821KF
48	WYDC	CORNING NY	137.5	CP	BPCT	-20010123ABG
48	WRNN-TV	KINGSTON NY	144.7	LIC	BLCDT	-20040908AMF
48	WRNNTV	KINGSTON NY	144.8	APP	BPRM	-20000328AAV
48	WPXI-DT	PITTSBURGH PA	379.2	PLN	DTVPLN	-DTVP1399
48	WPXI	PITTSBURGH PA	379.1	LIC	BLCDT	-20050609AAQ
49	WNEP-DT	SCRANTON PA	35.2	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	35.0	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	35.0	LIC	BLCDT	-20020807AAF
50	WYDC-DT	CORNING NY	136.0	PLN	DTVPLN	-DTVP1454
50	WYDC	CORNING NY	136.0	CP	BPCDT	-19991029AID
51	WNJN-DT	MONTCLAIR NJ	141.2	PLN	DTVPLN	-DTVP1486
51	WNJN	MONTCLAIR NJ	141.2	APP	BPEDT	-20060523ABB
51	WNJN	MONTCLAIR NJ	141.2	CP	BPEDT	-20000425AAH
55	WENY-DT	ELMIRA NY	121.2	PLN	DTVPLN	-DTVP1573
62	WLVT-DT	ALLENTOWN PA	102.3	PLN	DTVPLN	-DTVP1671
63	WMBC-TV	NEWTON NJ	104.5	CP	BPCT	-19980126KH
49	W25AW	TRENTON NJ	156.2	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 27

NTSC Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
49	WEDW	BRIDGEPORT CT	DTVPLN	-NPLN1748

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
41	WXTV	PATERSON NJ	89.3	PLN	DTVPLN	-NPLN1606
42	WHAI-DT	BRIDGEPORT CT	11.1	PLN	DTVPLN	-DTVP1185
45	WEDN-DT	NORWICH CT	89.0	PLN	DTVPLN	-DTVP1291
45	WABC-DT	NEW YORK NY	93.8	PLN	DTVPLN	-DTVP1309
46	WHCT-DT	HARTFORD CT	63.8	PLN	DTVPLN	-DTVP1321
47	WYDN-DT	WORCESTER MA	124.8	PLN	DTVPLN	-DTVP1362
47	WNJU	LINDEN NJ	93.8	PLN	DTVPLN	-NPLN1721
48	WYDN	WORCESTER MA	124.8	PLN	DTVPLN	-NPLN1732
49	WLNE-DT	NEW BEDFORD MA	170.0	PLN	DTVPLN	-DTVP1420

w25aw_stm_cc_49_da_02_977w

49	WEKW-DT	KEENE NH	206.3	PLN	DTVPLN	-DTVP1425
49	WLEDTV	LITTLETON NH	361.6	PLN	DTVPLN	-NPLN1757
49	WACI-DT	ATLANTIC CITY NJ	206.3	PLN	DTVPLN	-DTVP1426
49	WGBTV	RED LION PA	324.9	PLN	DTVPLN	-NPLN1760
49	WNEP-DT	SCRANTON PA	224.8	PLN	DTVPLN	-DTVP1429
50	WNJN	MONTCLAIR NJ	96.7	PLN	DTVPLN	-NPLN1779
50	WOCD-DT	AMSTERDAM NY	206.6	PLN	DTVPLN	-DTVP1453
51	WNJN-DT	MONTCLAIR NJ	96.7	PLN	DTVPLN	-DTVP1486
52	WEDW-DT	BRIDGEPORT CT	0.0	PLN	DTVPLN	-DTVP1502
53	WEDN	NORWICH CT	89.0	PLN	DTVPLN	-NPLN1821
53	WHSE-DT	NEWARK NJ	89.3	PLN	DTVPLN	-DTVP1533
56	WLVITV	CAMBRIDGE MA	198.8	PLN	DTVPLN	-NPLN1867
56	WCBS-DT	NEW YORK NY	93.8	PLN	DTVPLN	-DTVP1590
57	WGBYTV	SPRINGFIELD MA	115.9	PLN	DTVPLN	-NPLN1880
57	WLNY-DT	RIVERHEAD NY	48.0	PLN	DTVPLN	-DTVP1614
63	WMBCTV	NEWTON NJ	121.6	PLN	DTVPLN	-NPLN1954
64	WSWBTV	SCRANTON PA	212.6	PLN	DTVPLN	-NPLN1965
64	WNACTV	PROVIDENCE RI	170.3	PLN	DTVPLN	-NPLN1967

Results for: 49N CT BRIDGEPORT		DTVPLN	NPLN1748	PLN
		POPULATION	AREA (sq km)	
	within Noise Limited Contour	3822904	11302.4	
	not affected by terrain losses	3394584	10181.0	
	lost to NTSC IX	206807	462.6	
	lost to additional IX by ATV	381931	708.1	
	lost to all IX	588738	1170.7	

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
49	WEDW	BRIDGEPORT CT	BLET	-19870908KE

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
41	WFUT-TV	NEWARK NJ	88.8	APP	BFRCT	-20050516AAU
41	WXTV	PATERSON NJ	89.3	LIC	BLCT	-20041122AIG
42	WSAH	BRIDGEPORT CT	11.1	APP	BMPCT	-20060214AAF
42	WHAI-DT	BRIDGEPORT CT	11.1	PLN	DTVPLN	-DTVP1185
42	WSAH	BRIDGEPORT CT	11.1	CP	BPCDT	-19991101AFE
45	WEDH	HARTFORD CT	55.6	APP	BPEDT	-19990113KG
45	WEDN	NORWICH CT	89.0	LIC	BLEDT	-20030425AAL
45	WEDN-DT	NORWICH CT	89.0	PLN	DTVPLN	-DTVP1291
45	WABC-DT	NEW YORK NY	93.8	PLN	DTVPLN	-DTVP1309
46	WHCT-DT	HARTFORD CT	63.8	PLN	DTVPLN	-DTVP1321
47	WYDN-DT	WORCESTER MA	124.8	PLN	DTVPLN	-DTVP1362
47	WNJU	LINDEN NJ	93.8	CP	BPCT	-19991028AAN
47	WLNY	RIVERHEAD NY	48.0	APP	BSRCCT	-20060228ALR
48	WYDN	WORCESTER MA	156.1	LIC	BLET	-20001226AAM
48	WRNN-TV	KINGSTON NY	67.8	LIC	BLCDT	-20040908AMF
48	WRNNTV	KINGSTON NY	67.7	APP	BPRM	-20000328AAV
49	WLNE-DT	NEW BEDFORD MA	170.0	PLN	DTVPLN	-DTVP1420
49	WLNE-TV	NEW BEDFORD MA	170.8	LIC	BLCDT	-20040930BBS
49	WEKW-TV	KEENE NH	206.3	LIC	BLEDT	-20030618ABK
49	WEKW-DT	KEENE NH	206.3	PLN	DTVPLN	-DTVP1425
49	WLED-TV	LITTLETON NH	361.5	LIC	BMLET	-20030725ACD
49	WWSI	ATLANTIC CITY NJ	208.0	LIC	BLCDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	206.3	PLN	DTVPLN	-DTVP1426
49	WGCB-TV	RED LION PA	324.9	LIC	BLCT	-19790419KG
49	WNEP-DT	SCRANTON PA	224.8	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	224.6	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	224.6	LIC	BLCDT	-20020807AAF
50	WNJN	MONTCLAIR NJ	96.7	LIC	BLET	-19860805KG
50	WYPX	AMSTERDAM NY	206.6	LIC	BLCDT	-20040908ABO

w25aw_stm_cc_49_da_02_977w

50	WOCD-DT	AMSTERDAM NY	206.6	PLN	DTVPLN	-DTVP1453
51	960724LI	PITTSFIELD MA	141.0	APP	BPCT	-19960724LI
51	WNYA	PITTSFIELD MA	136.5	LIC	BLCT	-20060120ABO
51	WNJN-DT	MONTCLAIR NJ	96.7	PLN	DTVPLN	-DTVP1486
51	WNJN	MONTCLAIR NJ	96.7	APP	BMPEDT	-20060523ABB
51	WNJN	MONTCLAIR NJ	96.7	CP	BPEDT	-20000425AAH
52	WEDW	BRIDGEPORT CT	0.0	LIC	BLEDT	-20030425AAK
52	WEDW-DT	BRIDGEPORT CT	0.0	PLN	DTVPLN	-DTVP1502
53	WEDN	NORWICH CT	89.0	LIC	BLET	-20060106ABO
53	WFUT-TV	NEWARK NJ	88.8	LIC	BLCDDT	-20040809AAX
53	WHSE-DT	NEWARK NJ	89.3	PLN	DTVPLN	-DTVP1533
56	WLVI-TV	CAMBRIDGE MA	198.8	LIC	BLCT	-2080
56	WCBS-DT	NEW YORK NY	93.8	PLN	DTVPLN	-DTVP1590
57	WGBY-TV	SPRINGFIELD MA	115.9	LIC	BLET	-19961101KE
57	WLNY	RIVERHEAD NY	48.0	CP MOD	BMPCDT	-20051201BIN
57	WLNY-DT	RIVERHEAD NY	48.0	PLN	DTVPLN	-DTVP1614
63	WMBC-TV	NEWTON NJ	121.4	CP	BPCT	-19980126KH
64	WQPX	SCRANTON PA	212.7	LIC	BLCT	-19980528KH
64	WNAC-TV	PROVIDENCE RI	170.3	LIC	BLCT	-19880418KF
49	W25AW	TRENTON NJ	167.9	APP	USERRECORD-01	

Total scenarios = 216

Result key: 61
 Scenario 1 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432566	868.9	
lost to all IX	538593	1085.9	

Potential Interfering Stations Included in above Scenario 1

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432591	869.9	
lost to all IX	538618	1086.8	

Potential Interfering Stations Included in above Scenario 1

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 62
 Scenario 2 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432651	872.8
lost to all IX	538678	1089.8

Potential Interfering Stations Included in above Scenario 2

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432676	873.8
lost to all IX	538703	1090.8

Potential Interfering Stations Included in above Scenario 2

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN

w25aw_stm_cc_49_da_02_977w

48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 63
 Scenario 3 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432651	872.8
lost to all IX	538678	1089.8

Potential Interfering Stations Included in above scenario 3

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432676	873.8
lost to all IX	538703	1090.8

Potential Interfering Stations Included in above scenario 3

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 64
 Scenario 4 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432416	869.9	
lost to all IX	538443	1086.8	

Potential Interfering Stations Included in above Scenario 4

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432441	870.9	
lost to all IX	538468	1087.8	

Potential Interfering Stations Included in above Scenario 4

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 65
 Scenario 5 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	

	w25aw_stm_cc_49_da_02_977w	
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432501	873.8
lost to all IX	538528	1090.8

Potential Interfering Stations Included in above Scenario 5

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDD	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDD	19990729KF	CP
53A NJ NEWARK	BLCDD	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432526	874.8	
lost to all IX	538553	1091.8	

Potential Interfering Stations Included in above Scenario 5

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDD	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDD	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDD	19990729KF	CP
53A NJ NEWARK	BLCDD	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 66
Scenario 6 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432501	873.8	
lost to all IX	538528	1090.8	

Potential Interfering Stations Included in above Scenario 6

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP

w25aw_stm_cc_49_da_02_977w

50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432526	874.8
lost to all IX	538553	1091.8

Potential Interfering Stations Included in above Scenario 6

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 67
 Scenario 7 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432693	869.9
lost to all IX	538720	1086.8

Potential Interfering Stations Included in above Scenario 7

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN

w25aw_stm_cc_49_da_02_977w

49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432718	870.9	
lost to all IX	538745	1087.8	

Potential Interfering Stations Included in above scenario 7

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 68
 Scenario 8 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432778	873.8	
lost to all IX	538805	1090.8	

Potential Interfering Stations Included in above scenario 8

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	

Page 89

w25aw_stm_cc_49_da_02_977w

within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432803	874.8
lost to all IX	538830	1091.8

Potential Interfering Stations Included in above Scenario 8

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 69
 Scenario 9 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432778	873.8
lost to all IX	538805	1090.8

Potential Interfering Stations Included in above Scenario 9

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432803	874.8
lost to all IX	538830	1091.8

Potential Interfering Stations Included in above Scenario 9

w25aw_stm_cc_49_da_02_977w

41N NJ	PATERSON	BLCT	20041122AIG	LIC
47N NJ	LINDEN	BPCT	19991028AAN	CP
50N NJ	MONTCLAIR	BLET	19860805KG	LIC
53N CT	NORWICH	BLET	20060106ABO	LIC
63N NJ	NEWTON	BPCT	19980126KH	CP
42A CT	BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT	HARTFORD	DTVPLN	DTVP1321	PLN
48A NY	KINGSTON	BLCDT	20040908AMF	LIC
49A MA	NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH	KEENE	DTVPLN	DTVP1425	PLN
49A NJ	ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA	SCRANTON	BLCDT	20020807AAF	LIC
53A NJ	NEWARK	BLCDT	20040809AAX	LIC
49A NJ	TRENTON	USERRECORD01		APP

Result key: 70
 Scenario 10 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432543	870.9	
lost to all IX	538570	1087.8	

Potential Interfering Stations Included in above Scenario 10

41N NJ	PATERSON	BLCT	20041122AIG	LIC
47N NJ	LINDEN	BPCT	19991028AAN	CP
50N NJ	MONTCLAIR	BLET	19860805KG	LIC
53N CT	NORWICH	BLET	20060106ABO	LIC
63N NJ	NEWTON	BPCT	19980126KH	CP
42A CT	BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT	HARTFORD	DTVPLN	DTVP1321	PLN
48A NY	KINGSTON	BLCDT	20040908AMF	LIC
49A MA	NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH	KEENE	DTVPLN	DTVP1425	PLN
49A NJ	ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA	SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ	NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432568	871.8	
lost to all IX	538595	1088.8	

Potential Interfering Stations Included in above Scenario 10

41N NJ	PATERSON	BLCT	20041122AIG	LIC
47N NJ	LINDEN	BPCT	19991028AAN	CP
50N NJ	MONTCLAIR	BLET	19860805KG	LIC
53N CT	NORWICH	BLET	20060106ABO	LIC
63N NJ	NEWTON	BPCT	19980126KH	CP
42A CT	BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT	HARTFORD	DTVPLN	DTVP1321	PLN
48A NY	KINGSTON	BLCDT	20040908AMF	LIC

w25aw_stm_cc_49_da_02_977w

49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 71
 Scenario 11 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432628	874.8
lost to all IX	538655	1091.8

Potential Interfering Stations Included in above Scenario 11

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432653	875.8
lost to all IX	538680	1092.8

Potential Interfering Stations Included in above Scenario 11

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 72

w25aw_stm_cc_49_da_02_977w

Scenario 12 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432628	874.8	
lost to all IX	538655	1091.8	

Potential Interfering Stations Included in above Scenario 12

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432653	875.8	
lost to all IX	538680	1092.8	

Potential Interfering Stations Included in above Scenario 12

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 73
Scenario 13 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	

w25aw_stm_cc_49_da_02_977w

lost to additional IX by ATV	149590	346.2
lost to all IX	255617	563.1

Potential Interfering Stations Included in above Scenario 13

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	149929	348.1	
lost to all IX	255956	565.1	

Potential Interfering Stations Included in above Scenario 13

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 74
Scenario 14 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	149706	352.1	
lost to all IX	255733	569.1	

Potential Interfering Stations Included in above Scenario 14

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC

w25aw_stm_cc_49_da_02_977w

53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	150045	354.1	
lost to all IX	256072	571.0	

Potential Interfering Stations Included in above Scenario 14

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 75
 Scenario 15 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	149706	352.1	
lost to all IX	255733	569.1	

Potential Interfering Stations Included in above Scenario 15

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC

w25aw_stm_cc_49_da_02_977w

49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	150045	354.1	
lost to all IX	256072	571.0	

Potential Interfering Stations Included in above Scenario 15

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 76
Scenario 16 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	155641	351.1	
lost to all IX	261668	568.1	

Potential Interfering Stations Included in above Scenario 16

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	

w25aw_stm_cc_49_da_02_977w

not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	155666	352.1
lost to all IX	261693	569.1

Potential Interfering Stations Included in above Scenario 16

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 77
 Scenario 17 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	155757	357.0
lost to all IX	261784	574.0

Potential Interfering Stations Included in above Scenario 17

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	155782	358.0
lost to all IX	261809	575.0

Potential Interfering Stations Included in above Scenario 17

41N NJ PATERSON	BLCT	20041122AIG	LIC
-----------------	------	-------------	-----

w25aw_stm_cc_49_da_02_977w

47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 78
 Scenario 18 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	155757	357.0
lost to all IX	261784	574.0

Potential Interfering Stations Included in above scenario 18

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	155782	358.0
lost to all IX	261809	575.0

Potential Interfering Stations Included in above scenario 18

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC

w25aw_stm_cc_49_da_02_977w

49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 79
 Scenario 19 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	149717	347.2
lost to all IX	255744	564.1

Potential Interfering Stations Included in above Scenario 19

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	150056	349.1
lost to all IX	256083	566.1

Potential Interfering Stations Included in above Scenario 19

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 80
 Scenario 20 Affected station 27 WEDW

Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	149833	353.1	
lost to all IX	255860	570.1	

Potential Interfering Stations Included in above Scenario 20

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDD	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDD	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDD	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDD	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	150172	355.0	
lost to all IX	256199	572.0	

Potential Interfering Stations Included in above Scenario 20

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDD	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDD	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDD	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDD	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 81
 Scenario 21 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	149833	353.1	

w25aw_stm_cc_49_da_02_977w
255860 570.1

Potential Interfering Stations Included in above Scenario 21

41N	NJ	PATERSON	BLCT	20041122AIG	LIC
47N	NJ	LINDEN	BPCT	19991028AAN	CP
50N	NJ	MONTCLAIR	BLET	19860805KG	LIC
53N	CT	NORWICH	BLET	20060106ABO	LIC
63N	NJ	NEWTON	BPCT	19980126KH	CP
42A	CT	BRIDGEPORT	BPCDT	19991101AFE	CP
46A	CT	HARTFORD	DTVPLN	DTVP1321	PLN
48A	NY	KINGSTON	BLCDT	20040908AMF	LIC
49A	MA	NEW BEDFORD	BLCDT	20040930BBS	LIC
49A	NH	KEENE	DTVPLN	DTVP1425	PLN
49A	NJ	ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A	PA	SCRANTON	BLCDT	20020807AAF	LIC
53A	NJ	NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	150172	355.0	
lost to all IX	256199	572.0	

Potential Interfering Stations Included in above Scenario 21

41N	NJ	PATERSON	BLCT	20041122AIG	LIC
47N	NJ	LINDEN	BPCT	19991028AAN	CP
50N	NJ	MONTCLAIR	BLET	19860805KG	LIC
53N	CT	NORWICH	BLET	20060106ABO	LIC
63N	NJ	NEWTON	BPCT	19980126KH	CP
42A	CT	BRIDGEPORT	BPCDT	19991101AFE	CP
46A	CT	HARTFORD	DTVPLN	DTVP1321	PLN
48A	NY	KINGSTON	BLCDT	20040908AMF	LIC
49A	MA	NEW BEDFORD	BLCDT	20040930BBS	LIC
49A	NH	KEENE	DTVPLN	DTVP1425	PLN
49A	NJ	ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A	PA	SCRANTON	BLCDT	20020807AAF	LIC
53A	NJ	NEWARK	BLCDT	20040809AAX	LIC
49A	NJ	TRENTON	USERRECORD01		APP

Result key: 82
Scenario 22 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	155768	352.1	
lost to all IX	261795	569.1	

Potential Interfering Stations Included in above Scenario 22

41N	NJ	PATERSON	BLCT	20041122AIG	LIC
47N	NJ	LINDEN	BPCT	19991028AAN	CP
50N	NJ	MONTCLAIR	BLET	19860805KG	LIC
53N	CT	NORWICH	BLET	20060106ABO	LIC

		w25aw_stm_cc_49_da_02_977w	
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	155793	353.1	
lost to all IX	261820	570.1	

Potential Interfering Stations Included in above scenario 22

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 83
Scenario 23 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	155884	358.0	
lost to all IX	261911	575.0	

Potential Interfering Stations Included in above scenario 23

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP

53A NJ NEWARK

w25aw_stm_cc_49_da_02_977w
BLC DT 20040809AAX LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	155909	359.0	
lost to all IX	261936	576.0	

Potential Interfering Stations Included in above Scenario 23

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLC DT	20040908AMF	LIC
49A MA NEW BEDFORD	BLC DT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLC DT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 84
Scenario 24 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	155884	358.0	
lost to all IX	261911	575.0	

Potential Interfering Stations Included in above Scenario 24

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLC DT	20040908AMF	LIC
49A MA NEW BEDFORD	BLC DT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLC DT	20020807AAF	LIC
53A NJ NEWARK	BLC DT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	

	w25aw_stm_cc_49_da_02_977w	
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	155909	359.0
lost to all IX	261936	576.0

Potential Interfering Stations Included in above Scenario 24

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 85
 Scenario 25 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	462560	912.3	
lost to all IX	568587	1129.3	

Potential Interfering Stations Included in above Scenario 25

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	462585	913.3	
lost to all IX	568612	1130.2	

Potential Interfering Stations Included in above Scenario 25

w25aw_stm_cc_49_da_02_977w

41N NJ	PATERSON	BLCT	20041122AIG	LIC
47N NJ	LINDEN	BPCT	19991028AAN	CP
50N NJ	MONTCLAIR	BLET	19860805KG	LIC
53N CT	NORWICH	BLET	20060106ABO	LIC
63N NJ	NEWTON	BPCT	19980126KH	CP
42A CT	BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT	HARTFORD	BPEDT	19990113KG	APP
46A CT	HARTFORD	DTVPLN	DTVP1321	PLN
47A NY	RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY	KINGSTON	BLCDT	20040908AMF	LIC
49A MA	NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH	KEENE	BLEDT	20030618ABK	LIC
49A NJ	ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA	SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ	NEWARK	BLCDT	20040809AAX	LIC
49A NJ	TRENTON	USERRECORD01		APP

Result key: 86
 Scenario 26 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462645	916.2
lost to all IX	568672	1133.2

Potential Interfering Stations Included in above Scenario 26

41N NJ	PATERSON	BLCT	20041122AIG	LIC
47N NJ	LINDEN	BPCT	19991028AAN	CP
50N NJ	MONTCLAIR	BLET	19860805KG	LIC
53N CT	NORWICH	BLET	20060106ABO	LIC
63N NJ	NEWTON	BPCT	19980126KH	CP
42A CT	BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT	HARTFORD	BPEDT	19990113KG	APP
46A CT	HARTFORD	DTVPLN	DTVP1321	PLN
47A NY	RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY	KINGSTON	BLCDT	20040908AMF	LIC
49A MA	NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH	KEENE	BLEDT	20030618ABK	LIC
49A NJ	ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA	SCRANTON	BPCDT	19990729KF	CP
53A NJ	NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462670	917.2
lost to all IX	568697	1134.2

Potential Interfering Stations Included in above Scenario 26

41N NJ	PATERSON	BLCT	20041122AIG	LIC
47N NJ	LINDEN	BPCT	19991028AAN	CP
50N NJ	MONTCLAIR	BLET	19860805KG	LIC
53N CT	NORWICH	BLET	20060106ABO	LIC

w25aw_stm_cc_49_da_02_977w

63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 87
 Scenario 27 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462645	916.2
lost to all IX	568672	1133.2

Potential Interfering Stations Included in above Scenario 27

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462670	917.2
lost to all IX	568697	1134.2

Potential Interfering Stations Included in above Scenario 27

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN

w25aw_stm_cc_49_da_02_977w

47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 88
 Scenario 28 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462410	913.3
lost to all IX	568437	1130.2

Potential Interfering Stations Included in above Scenario 28

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462435	914.3
lost to all IX	568462	1131.2

Potential Interfering Stations Included in above Scenario 28

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC

w25aw_stm_cc_49_da_02_977w

49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 89
 Scenario 29 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462495	917.2
lost to all IX	568522	1134.2

Potential Interfering Stations Included in above scenario 29

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462520	918.2
lost to all IX	568547	1135.2

Potential Interfering Stations Included in above scenario 29

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 90
 Scenario 30 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 462495 917.2
 lost to all IX 568522 1134.2

Potential Interfering Stations Included in above Scenario 30

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 462520 918.2
 lost to all IX 568547 1135.2

Potential Interfering Stations Included in above Scenario 30

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 91
 Scenario 31 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	462687	913.3	
lost to all IX	568714	1130.2	

Potential Interfering Stations Included in above Scenario 31

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	462712	914.3	
lost to all IX	568739	1131.2	

Potential Interfering Stations Included in above Scenario 31

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 92
 Scenario 32 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	

w25aw_stm_cc_49_da_02_977w
not affected by terrain losses 3394584 10181.0
lost to NTSC IX 106027 217.0
lost to additional IX by ATV 462772 917.2
lost to all IX 568799 1134.2

Potential Interfering Stations Included in above Scenario 32

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
POPULATION AREA (sq km)
within Noise Limited Contour 3822904 11302.4
not affected by terrain losses 3394584 10181.0
lost to NTSC IX 106027 217.0
lost to additional IX by ATV 462797 918.2
lost to all IX 568824 1135.2

Potential Interfering Stations Included in above Scenario 32

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 93
Scenario 33 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
POPULATION AREA (sq km)
within Noise Limited Contour 3822904 11302.4
not affected by terrain losses 3394584 10181.0
lost to NTSC IX 106027 217.0
lost to additional IX by ATV 462772 917.2
lost to all IX 568799 1134.2

Potential Interfering Stations Included in above Scenario 33

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	462797	918.2	
lost to all IX	568824	1135.2	

Potential Interfering Stations Included in above Scenario 33

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 94
 Scenario 34 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	462537	914.3	
lost to all IX	568564	1131.2	

Potential Interfering Stations Included in above Scenario 34

41N NJ PATERSON	BLCT	20041122AIG	LIC
-----------------	------	-------------	-----

w25aw_stm_cc_49_da_02_977w

47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462562	915.2
lost to all IX	568589	1132.2

Potential Interfering Stations Included in above Scenario 34

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 95
Scenario 35 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462622	918.2
lost to all IX	568649	1135.2

Potential Interfering Stations Included in above Scenario 35

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP

w25aw_stm_cc_49_da_02_977w

42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	462647	919.2	
lost to all IX	568674	1136.2	

Potential Interfering Stations Included in above scenario 35

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 96
 Scenario 36 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	462622	918.2	
lost to all IX	568649	1135.2	

Potential Interfering Stations Included in above scenario 36

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP

w25aw_stm_cc_49_da_02_977w

48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462647	919.2
lost to all IX	568674	1136.2

Potential Interfering Stations Included in above scenario 36

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 97
 Scenario 37 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	208571	440.9
lost to all IX	314598	657.8

Potential Interfering Stations Included in above scenario 37

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC

	w25aw_stm_cc_49_da_02_977w		
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	208910	442.8	
lost to all IX	314937	659.8	

Potential Interfering Stations Included in above Scenario 37

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 98
Scenario 38 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	208687	446.8	
lost to all IX	314714	663.7	

Potential Interfering Stations Included in above Scenario 38

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	209026	448.7	
lost to all IX	315053	665.7	

Potential Interfering Stations Included in above Scenario 38

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 99
 Scenario 39 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	208687	446.8	
lost to all IX	314714	663.7	

Potential Interfering Stations Included in above Scenario 39

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	

w25aw_stm_cc_49_da_02_977w

not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	209026	448.7
lost to all IX	315053	665.7

Potential Interfering Stations Included in above Scenario 39

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 100
 Scenario 40 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	214622	445.8	
lost to all IX	320649	662.8	

Potential Interfering Stations Included in above Scenario 40

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	214647	446.8	
lost to all IX	320674	663.7	

Potential Interfering Stations Included in above Scenario 40

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 101
 Scenario 41 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	214738	451.7	
lost to all IX	320765	668.7	

Potential Interfering Stations Included in above Scenario 41

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	214763	452.7	
lost to all IX	320790	669.7	

Potential Interfering Stations Included in above Scenario 41

41N NJ PATERSON	BLCT	20041122AIG	LIC
-----------------	------	-------------	-----

w25aw_stm_cc_49_da_02_977w

47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 102
 Scenario 42 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	214738	451.7
lost to all IX	320765	668.7

Potential Interfering Stations Included in above Scenario 42

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	214763	452.7
lost to all IX	320790	669.7

Potential Interfering Stations Included in above Scenario 42

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP

w25aw_stm_cc_49_da_02_977w

42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 103
 Scenario 43 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	208698	441.8
lost to all IX	314725	658.8

Potential Interfering Stations Included in above scenario 43

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	209037	443.8
lost to all IX	315064	660.8

Potential Interfering Stations Included in above scenario 43

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP

w25aw_stm_cc_49_da_02_977w

48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 104
 Scenario 44 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	208814	447.8
lost to all IX	314841	664.7

Potential Interfering Stations Included in above scenario 44

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	209153	449.7
lost to all IX	315180	666.7

Potential Interfering Stations Included in above scenario 44

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC

w25aw_stm_cc_49_da_02_977w
 49A PA SCRANTON BPCDT 19990729KF CP
 53A NJ NEWARK BLCDT 20040809AAX LIC
 49A NJ TRENTON USERRECORD01 APP

Result key: 105
 Scenario 45 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 208814 447.8
 lost to all IX 314841 664.7

Potential Interfering Stations Included in above Scenario 45

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 209153 449.7
 lost to all IX 315180 666.7

Potential Interfering Stations Included in above Scenario 45

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 106
 Scenario 46 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 214749 446.8
 lost to all IX 320776 663.7

Potential Interfering Stations Included in above Scenario 46

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 214774 447.8
 lost to all IX 320801 664.7

Potential Interfering Stations Included in above Scenario 46

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 107
 Scenario 47 Affected station 27 WEDW
 Before Analysis

w25aw_stm_cc_49_da_02_977w

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	214865	452.7
lost to all IX	320892	669.7

Potential Interfering Stations Included in above Scenario 47

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	214890	453.7
lost to all IX	320917	670.6

Potential Interfering Stations Included in above Scenario 47

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 108

Scenario 48 Affected station 27 WEDW

Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0

	w25aw_stm_cc_49_da_02_977w	
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	214865	452.7
lost to all IX	320892	669.7

Potential Interfering Stations Included in above Scenario 48

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	214890	453.7	
lost to all IX	320917	670.6	

Potential Interfering Stations Included in above Scenario 48

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 109
Scenario 49 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	462088	908.3	
lost to all IX	568115	1125.3	

Potential Interfering Stations Included in above Scenario 49

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	462113	909.3	
lost to all IX	568140	1126.3	

Potential Interfering Stations Included in above Scenario 49

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 110
 Scenario 50 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	462618	914.3	
lost to all IX	568645	1131.2	

Potential Interfering Stations Included in above Scenario 50

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP

w25aw_stm_cc_49_da_02_977w

50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462643	915.2
lost to all IX	568670	1132.2

Potential Interfering Stations Included in above scenario 50

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 111
Scenario 51 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462618	914.3
lost to all IX	568645	1131.2

Potential Interfering Stations Included in above scenario 51

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP

w25aw_stm_cc_49_da_02_977w

45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462643	915.2
lost to all IX	568670	1132.2

Potential Interfering Stations Included in above scenario 51

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 112
 Scenario 52 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	461838	908.3
lost to all IX	567865	1125.3

Potential Interfering Stations Included in above scenario 52

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP

w25aw_stm_cc_49_da_02_977w

49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	461863	909.3	
lost to all IX	567890	1126.3	

Potential Interfering Stations Included in above Scenario 52

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 113
 Scenario 53 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	462368	914.3	
lost to all IX	568395	1131.2	

Potential Interfering Stations Included in above Scenario 53

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDDT	19990729KF	CP

53A NJ NEWARK

w25aw_stm_cc_49_da_02_977w
BLCDT 20040809AAX LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	462393	915.2	
lost to all IX	568420	1132.2	

Potential Interfering Stations Included in above Scenario 53

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 114
Scenario 54 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	462368	914.3	
lost to all IX	568395	1131.2	

Potential Interfering Stations Included in above Scenario 54

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

w25aw_stm_cc_49_da_02_977w

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462393	915.2
lost to all IX	568420	1132.2

Potential Interfering Stations Included in above Scenario 54

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 115
 Scenario 55 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462215	909.3
lost to all IX	568242	1126.3

Potential Interfering Stations Included in above Scenario 55

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0

w25aw_stm_cc_49_da_02_977w

lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462240	910.3
lost to all IX	568267	1127.3

Potential Interfering Stations Included in above Scenario 55

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 116
 Scenario 56 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462745	915.2
lost to all IX	568772	1132.2

Potential Interfering Stations Included in above Scenario 56

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462770	916.2
lost to all IX	568797	1133.2

Potential Interfering Stations Included in above Scenario 56

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 117
 Scenario 57 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462745	915.2
lost to all IX	568772	1132.2

Potential Interfering Stations Included in above Scenario 57

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462770	916.2
lost to all IX	568797	1133.2

Potential Interfering Stations Included in above Scenario 57

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP

w25aw_stm_cc_49_da_02_977w

50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 118
 Scenario 58 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	461965	909.3	
lost to all IX	567992	1126.3	

Potential Interfering Stations Included in above Scenario 58

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	461990	910.3	
lost to all IX	568017	1127.3	

Potential Interfering Stations Included in above Scenario 58

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP

w25aw_stm_cc_49_da_02_977w

45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 119
 Scenario 59 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462495	915.2
lost to all IX	568522	1132.2

Potential Interfering Stations Included in above Scenario 59

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462520	916.2
lost to all IX	568547	1133.2

Potential Interfering Stations Included in above Scenario 59

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP

w25aw_stm_cc_49_da_02_977w

49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 120
 Scenario 60 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462495	915.2
lost to all IX	568522	1132.2

Potential Interfering Stations Included in above Scenario 60

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	462520	916.2
lost to all IX	568547	1133.2

Potential Interfering Stations Included in above Scenario 60

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC

53A NJ NEWARK w25aw_stm_cc_49_da_02_977w
 49A NJ TRENTON BLCDDT 20040809AAX LIC
 USERRECORD01 APP

Result key: 121
 Scenario 61 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 207336 432.0
 lost to all IX 313363 649.0

Potential Interfering Stations Included in above Scenario 61

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 207675 433.9
 lost to all IX 313702 650.9

Potential Interfering Stations Included in above Scenario 61

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 122

Scenario 62 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
POPULATION AREA (sq km)
within Noise Limited Contour 3822904 11302.4
not affected by terrain losses 3394584 10181.0
lost to NTSC IX 106027 217.0
lost to additional IX by ATV 207897 439.9
lost to all IX 313924 656.8

Potential Interfering Stations Included in above Scenario 62

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
POPULATION AREA (sq km)
within Noise Limited Contour 3822904 11302.4
not affected by terrain losses 3394584 10181.0
lost to NTSC IX 106027 217.0
lost to additional IX by ATV 208236 441.8
lost to all IX 314263 658.8

Potential Interfering Stations Included in above Scenario 62

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 123
Scenario 63 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
Page 139

w25aw_stm_cc_49_da_02_977w

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	207897	439.9
lost to all IX	313924	656.8

Potential Interfering Stations Included in above Scenario 63

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	208236	441.8	
lost to all IX	314263	658.8	

Potential Interfering Stations Included in above Scenario 63

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 124
 Scenario 64 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	

w25aw_stm_cc_49_da_02_977w

lost to additional IX by ATV	213287	435.9
lost to all IX	319314	652.9

Potential Interfering Stations Included in above Scenario 64

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	213312	436.9
lost to all IX	319339	653.9

Potential Interfering Stations Included in above Scenario 64

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 125
Scenario 65 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	213848	443.8
lost to all IX	319875	660.8

Potential Interfering Stations Included in above Scenario 65

w25aw_stm_cc_49_da_02_977w

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	213873	444.8	
lost to all IX	319900	661.8	

Potential Interfering Stations Included in above Scenario 65

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 126
 Scenario 66 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	213848	443.8	
lost to all IX	319875	660.8	

Potential Interfering Stations Included in above Scenario 66

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC

w25aw_stm_cc_49_da_02_977w

53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	213873	444.8	
lost to all IX	319900	661.8	

Potential Interfering Stations Included in above Scenario 66

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 127
 Scenario 67 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	207463	433.0	
lost to all IX	313490	649.9	

Potential Interfering Stations Included in above Scenario 67

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP

w25aw_stm_cc_49_da_02_977w

46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	207802	434.9
lost to all IX	313829	651.9

Potential Interfering Stations Included in above Scenario 67

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 128
 Scenario 68 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	208024	440.9
lost to all IX	314051	657.8

Potential Interfering Stations Included in above Scenario 68

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC

	w25aw_stm_cc_49_da_02_977w		
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	208363	442.8	
lost to all IX	314390	659.8	

Potential Interfering Stations Included in above Scenario 68

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 129
Scenario 69 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	208024	440.9	
lost to all IX	314051	657.8	

Potential Interfering Stations Included in above Scenario 69

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	208363	442.8	
lost to all IX	314390	659.8	

Potential Interfering Stations Included in above Scenario 69

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 130
 Scenario 70 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	213414	436.9	
lost to all IX	319441	653.9	

Potential Interfering Stations Included in above Scenario 70

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
--------------------------------	------	------------	-----

Page 146

w25aw_stm_cc_49_da_02_977w

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	213439	437.9
lost to all IX	319466	654.9

Potential Interfering Stations Included in above Scenario 70

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 131
 Scenario 71 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT

	POPULATION	AREA (sq km)	LIC
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	213975	444.8	
lost to all IX	320002	661.8	

Potential Interfering Stations Included in above Scenario 71

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	POPULATION	AREA (sq km)	LIC
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	

w25aw_stm_cc_49_da_02_977w

lost to additional IX by ATV	214000	445.8
lost to all IX	320027	662.8

Potential Interfering Stations Included in above Scenario 71

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 132
 Scenario 72 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	213975	444.8
lost to all IX	320002	661.8

Potential Interfering Stations Included in above Scenario 72

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	214000	445.8
lost to all IX	320027	662.8

Potential Interfering Stations Included in above Scenario 72

41N NJ	PATERSON	BLCT	20041122AIG	LIC
47N NJ	LINDEN	BPCT	19991028AAN	CP
50N NJ	MONTCLAIR	BLET	19860805KG	LIC
53N CT	NORWICH	BLET	20060106ABO	LIC
63N NJ	NEWTON	BPCT	19980126KH	CP
42A CT	BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT	HARTFORD	BPEDT	19990113KG	APP
46A CT	HARTFORD	DTVPLN	DTVP1321	PLN
47A NY	RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY	KINGSTON	BPRM	20000328AAV	APP
49A MA	NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH	KEENE	DTVPLN	DTVP1425	PLN
49A NJ	ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA	SCRANTON	BLCDT	20020807AAF	LIC
53A NJ	NEWARK	BLCDT	20040809AAX	LIC
49A NJ	TRENTON	USERRECORD01		APP

Result key: 133
 Scenario 73 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	430719	867.9
lost to all IX	536746	1084.9

Potential Interfering Stations Included in above Scenario 73

41N NJ	PATERSON	BLCT	20041122AIG	LIC
47N NJ	LINDEN	BPCT	19991028AAN	CP
50N NJ	MONTCLAIR	BLET	19860805KG	LIC
53N CT	NORWICH	BLET	20060106ABO	LIC
63N NJ	NEWTON	BPCT	19980126KH	CP
42A CT	BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT	HARTFORD	BPEDT	19990113KG	APP
46A CT	HARTFORD	DTVPLN	DTVP1321	PLN
48A NY	KINGSTON	BLCDT	20040908AMF	LIC
49A MA	NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH	KEENE	BLEDT	20030618ABK	LIC
49A NJ	ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA	SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ	NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	430744	868.9
lost to all IX	536771	1085.9

Potential Interfering Stations Included in above Scenario 73

41N NJ	PATERSON	BLCT	20041122AIG	LIC
47N NJ	LINDEN	BPCT	19991028AAN	CP
50N NJ	MONTCLAIR	BLET	19860805KG	LIC
53N CT	NORWICH	BLET	20060106ABO	LIC

w25aw_stm_cc_49_da_02_977w

63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 134
 Scenario 74 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	430804	871.8
lost to all IX	536831	1088.8

Potential Interfering Stations Included in above Scenario 74

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	430829	872.8
lost to all IX	536856	1089.8

Potential Interfering Stations Included in above Scenario 74

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN

		w25aw_stm_cc_49_da_02_977w	
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 135
 Scenario 75 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430804	871.8	
lost to all IX	536831	1088.8	

Potential Interfering Stations Included in above Scenario 75

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430829	872.8	
lost to all IX	536856	1089.8	

Potential Interfering Stations Included in above Scenario 75

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 136
 Scenario 76 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430569	868.9	
lost to all IX	536596	1085.9	

Potential Interfering Stations Included in above Scenario 76

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430594	869.9	
lost to all IX	536621	1086.8	

Potential Interfering Stations Included in above Scenario 76

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 137
 Scenario 77 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	

w25aw_stm_cc_49_da_02_977w

within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	430654	872.8
lost to all IX	536681	1089.8

Potential Interfering Stations Included in above Scenario 77

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430679	873.8	
lost to all IX	536706	1090.8	

Potential Interfering Stations Included in above Scenario 77

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 138
 Scenario 78 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430654	872.8	
lost to all IX	536681	1089.8	

Potential Interfering Stations Included in above Scenario 78

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430679	873.8	
lost to all IX	536706	1090.8	

Potential Interfering Stations Included in above Scenario 78

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 139
 Scenario 79 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430846	868.9	
lost to all IX	536873	1085.9	

Potential Interfering Stations Included in above Scenario 79

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC

w25aw_stm_cc_49_da_02_977w

63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430871	869.9	
lost to all IX	536898	1086.8	

Potential Interfering Stations Included in above scenario 79

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 140
 Scenario 80 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430931	872.8	
lost to all IX	536958	1089.8	

Potential Interfering Stations Included in above scenario 80

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN

	w25aw_stm_cc_49_da_02_977w		
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430956	873.8	
lost to all IX	536983	1090.8	

Potential Interfering Stations Included in above Scenario 80

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 141
Scenario 81 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430931	872.8	
lost to all IX	536958	1089.8	

Potential Interfering Stations Included in above Scenario 81

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430956	873.8	
lost to all IX	536983	1090.8	

Potential Interfering Stations Included in above Scenario 81

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 142
 Scenario 82 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430696	869.9	
lost to all IX	536723	1086.8	

Potential Interfering Stations Included in above Scenario 82

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	

w25aw_stm_cc_49_da_02_977w

lost to additional IX by ATV	430721	870.9
lost to all IX	536748	1087.8

Potential Interfering Stations Included in above Scenario 82

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 143
 Scenario 83 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	430781	873.8
lost to all IX	536808	1090.8

Potential Interfering Stations Included in above Scenario 83

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	430806	874.8
lost to all IX	536833	1091.8

Potential Interfering Stations Included in above Scenario 83

41N NJ PATERSON	BLCT	20041122AIG	LIC
-----------------	------	-------------	-----

w25aw_stm_cc_49_da_02_977w

47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 144
 Scenario 84 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	430781	873.8
lost to all IX	536808	1090.8

Potential Interfering Stations Included in above Scenario 84

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	430806	874.8
lost to all IX	536833	1091.8

Potential Interfering Stations Included in above Scenario 84

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP

w25aw_stm_cc_49_da_02_977w

46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 145
 Scenario 85 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	147743	345.2	
lost to all IX	253770	562.2	

Potential Interfering Stations Included in above Scenario 85

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	148082	347.2	
lost to all IX	254109	564.1	

Potential Interfering Stations Included in above Scenario 85

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN

w25aw_stm_cc_49_da_02_977w
 53A NJ NEWARK BLCDDT 20040809AAX LIC
 49A NJ TRENTON USERRECORD01 APP

Result key: 146
 Scenario 86 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 147859 351.1
 lost to all IX 253886 568.1

Potential Interfering Stations Included in above Scenario 86

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 148198 353.1
 lost to all IX 254225 570.1

Potential Interfering Stations Included in above Scenario 86

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 147
 Scenario 87 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	147859	351.1	
lost to all IX	253886	568.1	

Potential Interfering Stations Included in above Scenario 87

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	148198	353.1	
lost to all IX	254225	570.1	

Potential Interfering Stations Included in above Scenario 87

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 148
 Scenario 88 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	

w25aw_stm_cc_49_da_02_977w
lost to additional IX by ATV 153794 350.1
lost to all IX 259821 567.1

Potential Interfering Stations Included in above Scenario 88

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
POPULATION AREA (sq km)
within Noise Limited Contour 3822904 11302.4
not affected by terrain losses 3394584 10181.0
lost to NTSC IX 106027 217.0
lost to additional IX by ATV 153819 351.1
lost to all IX 259846 568.1

Potential Interfering Stations Included in above Scenario 88

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 149
Scenario 89 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
POPULATION AREA (sq km)
within Noise Limited Contour 3822904 11302.4
not affected by terrain losses 3394584 10181.0
lost to NTSC IX 106027 217.0
lost to additional IX by ATV 153910 356.0
lost to all IX 259937 573.0

Potential Interfering Stations Included in above Scenario 89

41N NJ PATERSON	BLCT	20041122AIG	LIC
-----------------	------	-------------	-----

w25aw_stm_cc_49_da_02_977w

47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	153935	357.0
lost to all IX	259962	574.0

Potential Interfering Stations Included in above scenario 89

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 150
 Scenario 90 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	153910	356.0
lost to all IX	259937	573.0

Potential Interfering Stations Included in above scenario 90

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP

w25aw_stm_cc_49_da_02_977w

46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	153935	357.0
lost to all IX	259962	574.0

Potential Interfering Stations Included in above scenario 90

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 151
 Scenario 91 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	147870	346.2
lost to all IX	253897	563.1

Potential Interfering Stations Included in above scenario 91

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN

53A NJ NEWARK

w25aw_stm_cc_49_da_02_977w
BLC DT 20040809AAX LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	148209	348.1	
lost to all IX	254236	565.1	

Potential Interfering Stations Included in above Scenario 91

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLC DT	20040908AMF	LIC
49A MA NEW BEDFORD	BLC DT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLC DT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLC DT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 152
Scenario 92 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	147986	352.1	
lost to all IX	254013	569.1	

Potential Interfering Stations Included in above Scenario 92

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLC DT	20040908AMF	LIC
49A MA NEW BEDFORD	BLC DT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLC DT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLC DT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	

Page 166

w25aw_stm_cc_49_da_02_977w

within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	148325	354.1
lost to all IX	254352	571.0

Potential Interfering Stations Included in above Scenario 92

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 153
 Scenario 93 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	147986	352.1
lost to all IX	254013	569.1

Potential Interfering Stations Included in above Scenario 93

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	148325	354.1
lost to all IX	254352	571.0

Potential Interfering Stations Included in above Scenario 93

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 154
 Scenario 94 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	153921	351.1
lost to all IX	259948	568.1

Potential Interfering Stations Included in above Scenario 94

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	153946	352.1
lost to all IX	259973	569.1

Potential Interfering Stations Included in above Scenario 94

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC

w25aw_stm_cc_49_da_02_977w

63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 155
 Scenario 95 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	154037	357.0
lost to all IX	260064	574.0

Potential Interfering Stations Included in above Scenario 95

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	154062	358.0
lost to all IX	260089	575.0

Potential Interfering Stations Included in above Scenario 95

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC

		w25aw_stm_cc_49_da_02_977w	
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 156
Scenario 96 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	154037	357.0	
lost to all IX	260064	574.0	

Potential Interfering Stations Included in above Scenario 96

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	154062	358.0	
lost to all IX	260089	575.0	

Potential Interfering Stations Included in above Scenario 96

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 157
 Scenario 97 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 430247 864.0
 lost to all IX 536274 1080.9

Potential Interfering Stations Included in above Scenario 97

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 430272 864.9
 lost to all IX 536299 1081.9

Potential Interfering Stations Included in above Scenario 97

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 158
 Scenario 98 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)

w25aw_stm_cc_49_da_02_977w

within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	430777	869.9
lost to all IX	536804	1086.8

Potential Interfering Stations Included in above Scenario 98

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430802	870.9	
lost to all IX	536829	1087.8	

Potential Interfering Stations Included in above Scenario 98

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 159
 Scenario 99 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430777	869.9	
lost to all IX	536804	1086.8	

Potential Interfering Stations Included in above Scenario 99

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430802	870.9	
lost to all IX	536829	1087.8	

Potential Interfering Stations Included in above Scenario 99

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 160
 Scenario 100 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	429997	864.0	
lost to all IX	536024	1080.9	

Potential Interfering Stations Included in above Scenario 100

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC

w25aw_stm_cc_49_da_02_977w

63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430022	864.9	
lost to all IX	536049	1081.9	

Potential Interfering Stations Included in above scenario 100

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 161
 Scenario 101 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430527	869.9	
lost to all IX	536554	1086.8	

Potential Interfering Stations Included in above scenario 101

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN

	w25aw_stm_cc_49_da_02_977w		
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430552	870.9	
lost to all IX	536579	1087.8	

Potential Interfering Stations Included in above Scenario 101

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 162
Scenario 102 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430527	869.9	
lost to all IX	536554	1086.8	

Potential Interfering Stations Included in above Scenario 102

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430552	870.9	
lost to all IX	536579	1087.8	

Potential Interfering Stations Included in above Scenario 102

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 163
 Scenario 103 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430374	864.9	
lost to all IX	536401	1081.9	

Potential Interfering Stations Included in above Scenario 103

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	

w25aw_stm_cc_49_da_02_977w

lost to additional IX by ATV	430399	865.9
lost to all IX	536426	1082.9

Potential Interfering Stations Included in above Scenario 103

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 164
Scenario 104 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	430904	870.9
lost to all IX	536931	1087.8

Potential Interfering Stations Included in above Scenario 104

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	430929	871.8
lost to all IX	536956	1088.8

Potential Interfering Stations Included in above Scenario 104

41N NJ PATERSON	BLCT	20041122AIG	LIC
-----------------	------	-------------	-----

w25aw_stm_cc_49_da_02_977w

47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 165
 Scenario 105 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	430904	870.9
lost to all IX	536931	1087.8

Potential Interfering Stations Included in above Scenario 105

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	430929	871.8
lost to all IX	536956	1088.8

Potential Interfering Stations Included in above Scenario 105

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP

w25aw_stm_cc_49_da_02_977w

46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 166
 Scenario 106 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	430124	864.9
lost to all IX	536151	1081.9

Potential Interfering Stations Included in above scenario 106

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	430149	865.9
lost to all IX	536176	1082.9

Potential Interfering Stations Included in above scenario 106

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN

w25aw_stm_cc_49_da_02_977w
 53A NJ NEWARK BLCDDT 20040809AAX LIC
 49A NJ TRENTON USERRECORD01 APP

Result key: 167
 Scenario 107 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 430654 870.9
 lost to all IX 536681 1087.8

Potential Interfering Stations Included in above scenario 107

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 430679 871.8
 lost to all IX 536706 1088.8

Potential Interfering Stations Included in above scenario 107

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 168
 Scenario 108 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430654	870.9	
lost to all IX	536681	1087.8	

Potential Interfering Stations Included in above scenario 108

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	430679	871.8	
lost to all IX	536706	1088.8	

Potential Interfering Stations Included in above scenario 108

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 169
 Scenario 109 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	

w25aw_stm_cc_49_da_02_977w
lost to additional IX by ATV 146508 336.3
lost to all IX 252535 553.3

Potential Interfering Stations Included in above Scenario 109

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
POPULATION AREA (sq km)
within Noise Limited Contour 3822904 11302.4
not affected by terrain losses 3394584 10181.0
lost to NTSC IX 106027 217.0
lost to additional IX by ATV 146847 338.3
lost to all IX 252874 555.3

Potential Interfering Stations Included in above Scenario 109

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 170
Scenario 110 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
POPULATION AREA (sq km)
within Noise Limited Contour 3822904 11302.4
not affected by terrain losses 3394584 10181.0
lost to NTSC IX 106027 217.0
lost to additional IX by ATV 147069 344.2
lost to all IX 253096 561.2

Potential Interfering Stations Included in above Scenario 110

41N NJ PATERSON	BLCT	20041122AIG	LIC
-----------------	------	-------------	-----

w25aw_stm_cc_49_da_02_977w

47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	147408	346.2
lost to all IX	253435	563.1

Potential Interfering Stations Included in above scenario 110

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 171
 Scenario 111 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	147069	344.2
lost to all IX	253096	561.2

Potential Interfering Stations Included in above scenario 111

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP

w25aw_stm_cc_49_da_02_977w

46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	147408	346.2
lost to all IX	253435	563.1

Potential Interfering Stations Included in above scenario 111

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 172
 Scenario 112 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	152459	340.3
lost to all IX	258486	557.2

Potential Interfering Stations Included in above scenario 112

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN

53A NJ NEWARK

w25aw_stm_cc_49_da_02_977w
BLCDT 20040809AAX LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	152484	341.2	
lost to all IX	258511	558.2	

Potential Interfering Stations Included in above Scenario 112

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 173
Scenario 113 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	153020	348.1	
lost to all IX	259047	565.1	

Potential Interfering Stations Included in above Scenario 113

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	

Page 185

w25aw_stm_cc_49_da_02_977w

within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	153045	349.1
lost to all IX	259072	566.1

Potential Interfering Stations Included in above Scenario 113

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 174
 Scenario 114 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	153020	348.1
lost to all IX	259047	565.1

Potential Interfering Stations Included in above Scenario 114

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	153045	349.1
lost to all IX	259072	566.1

Potential Interfering Stations Included in above Scenario 114

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 175

Scenario 115 Affected station 27 WEDW

Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	146635	337.3	
lost to all IX	252662	554.3	

Potential Interfering Stations Included in above Scenario 115

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	146974	339.3	
lost to all IX	253001	556.2	

Potential Interfering Stations Included in above Scenario 115

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC

w25aw_stm_cc_49_da_02_977w

63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 176
 Scenario 116 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	147196	345.2
lost to all IX	253223	562.2

Potential Interfering Stations Included in above scenario 116

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	147535	347.2
lost to all IX	253562	564.1

Potential Interfering Stations Included in above scenario 116

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC

	w25aw_stm_cc_49_da_02_977w		
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 177
 Scenario 117 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	147196	345.2	
lost to all IX	253223	562.2	

Potential Interfering Stations Included in above Scenario 117

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	147535	347.2	
lost to all IX	253562	564.1	

Potential Interfering Stations Included in above Scenario 117

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 178
 Scenario 118 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	152586	341.2	
lost to all IX	258613	558.2	

Potential Interfering Stations Included in above Scenario 118

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	152611	342.2	
lost to all IX	258638	559.2	

Potential Interfering Stations Included in above Scenario 118

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 179
 Scenario 119 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	

w25aw_stm_cc_49_da_02_977w

within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	153147	349.1
lost to all IX	259174	566.1

Potential Interfering Stations Included in above Scenario 119

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	153172	350.1	
lost to all IX	259199	567.1	

Potential Interfering Stations Included in above Scenario 119

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 180
 Scenario 120 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	153147	349.1	
lost to all IX	259174	566.1	

Potential Interfering Stations Included in above Scenario 120

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	153172	350.1	
lost to all IX	259199	567.1	

Potential Interfering Stations Included in above Scenario 120

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BMPCDT	20060214AAF	APP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 181
 Scenario 121 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	464407	913.3	
lost to all IX	570434	1130.2	

Potential Interfering Stations Included in above Scenario 121

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC

w25aw_stm_cc_49_da_02_977w

63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464432	914.3
lost to all IX	570459	1131.2

Potential Interfering Stations Included in above Scenario 121

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 182
 Scenario 122 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464492	917.2
lost to all IX	570519	1134.2

Potential Interfering Stations Included in above Scenario 122

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN

w25aw_stm_cc_49_da_02_977w

47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464517	918.2
lost to all IX	570544	1135.2

Potential Interfering Stations Included in above Scenario 122

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 183
 Scenario 123 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464492	917.2
lost to all IX	570519	1134.2

Potential Interfering Stations Included in above Scenario 123

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC

w25aw_stm_cc_49_da_02_977w

49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464517	918.2
lost to all IX	570544	1135.2

Potential Interfering Stations Included in above scenario 123

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 184
Scenario 124 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464257	914.3
lost to all IX	570284	1131.2

Potential Interfering Stations Included in above scenario 124

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	464282	915.2	
lost to all IX	570309	1132.2	

Potential Interfering Stations Included in above Scenario 124

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 185
 Scenario 125 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	464342	918.2	
lost to all IX	570369	1135.2	

Potential Interfering Stations Included in above Scenario 125

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	

w25aw_stm_cc_49_da_02_977w

within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464367	919.2
lost to all IX	570394	1136.2

Potential Interfering Stations Included in above Scenario 125

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 186
Scenario 126 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464342	918.2
lost to all IX	570369	1135.2

Potential Interfering Stations Included in above Scenario 126

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464367	919.2

w25aw_stm_cc_49_da_02_977w
570394 1136.2

Potential Interfering Stations Included in above Scenario 126

41N	NJ	PATERSON	BLCT	20041122AIG	LIC
47N	NJ	LINDEN	BPCT	19991028AAN	CP
50N	NJ	MONTCLAIR	BLET	19860805KG	LIC
53N	CT	NORWICH	BLET	20060106ABO	LIC
63N	NJ	NEWTON	BPCT	19980126KH	CP
42A	CT	BRIDGEPORT	BPCDT	19991101AFE	CP
45A	CT	HARTFORD	BPEDT	19990113KG	APP
46A	CT	HARTFORD	DTVPLN	DTVP1321	PLN
47A	NY	RIVERHEAD	BSRCCT	20060228ALR	APP
48A	NY	KINGSTON	BLCDT	20040908AMF	LIC
49A	MA	NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A	NH	KEENE	BLEDT	20030618ABK	LIC
49A	NJ	ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A	PA	SCRANTON	BLCDT	20020807AAF	LIC
53A	NJ	NEWARK	BLCDT	20040809AAX	LIC
49A	NJ	TRENTON	USERRECORD01		APP

Result key: 187
Scenario 127 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	464534	914.3	
lost to all IX	570561	1131.2	

Potential Interfering Stations Included in above Scenario 127

41N	NJ	PATERSON	BLCT	20041122AIG	LIC
47N	NJ	LINDEN	BPCT	19991028AAN	CP
50N	NJ	MONTCLAIR	BLET	19860805KG	LIC
53N	CT	NORWICH	BLET	20060106ABO	LIC
63N	NJ	NEWTON	BPCT	19980126KH	CP
42A	CT	BRIDGEPORT	BPCDT	19991101AFE	CP
45A	CT	HARTFORD	BPEDT	19990113KG	APP
46A	CT	HARTFORD	DTVPLN	DTVP1321	PLN
47A	NY	RIVERHEAD	BSRCT	20060228ALR	APP
48A	NY	KINGSTON	BLCDT	20040908AMF	LIC
49A	MA	NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A	NH	KEENE	DTVPLN	DTVP1425	PLN
49A	NJ	ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A	PA	SCRANTON	DTVPLN	DTVP1429	PLN
53A	NJ	NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	464559	915.2	
lost to all IX	570586	1132.2	

Potential Interfering Stations Included in above Scenario 127

w25aw_stm_cc_49_da_02_977w

41N NJ	PATERSON	BLCT	20041122AIG	LIC
47N NJ	LINDEN	BPCT	19991028AAN	CP
50N NJ	MONTCLAIR	BLET	19860805KG	LIC
53N CT	NORWICH	BLET	20060106ABO	LIC
63N NJ	NEWTON	BPCT	19980126KH	CP
42A CT	BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT	HARTFORD	BPEDT	19990113KG	APP
46A CT	HARTFORD	DTVPLN	DTVP1321	PLN
47A NY	RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY	KINGSTON	BLCDDT	20040908AMF	LIC
49A MA	NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH	KEENE	DTVPLN	DTVP1425	PLN
49A NJ	ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA	SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ	NEWARK	BLCDDT	20040809AAX	LIC
49A NJ	TRENTON	USERRECORD01		APP

Result key: 188
 Scenario 128 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464619	918.2
lost to all IX	570646	1135.2

Potential Interfering Stations Included in above scenario 128

41N NJ	PATERSON	BLCT	20041122AIG	LIC
47N NJ	LINDEN	BPCT	19991028AAN	CP
50N NJ	MONTCLAIR	BLET	19860805KG	LIC
53N CT	NORWICH	BLET	20060106ABO	LIC
63N NJ	NEWTON	BPCT	19980126KH	CP
42A CT	BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT	HARTFORD	BPEDT	19990113KG	APP
46A CT	HARTFORD	DTVPLN	DTVP1321	PLN
47A NY	RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY	KINGSTON	BLCDDT	20040908AMF	LIC
49A MA	NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH	KEENE	DTVPLN	DTVP1425	PLN
49A NJ	ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA	SCRANTON	BPCDT	19990729KF	CP
53A NJ	NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464644	919.2
lost to all IX	570671	1136.2

Potential Interfering Stations Included in above scenario 128

41N NJ	PATERSON	BLCT	20041122AIG	LIC
47N NJ	LINDEN	BPCT	19991028AAN	CP
50N NJ	MONTCLAIR	BLET	19860805KG	LIC
53N CT	NORWICH	BLET	20060106ABO	LIC

w25aw_stm_cc_49_da_02_977w

63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 189
 Scenario 129 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464619	918.2
lost to all IX	570646	1135.2

Potential Interfering Stations Included in above Scenario 129

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464644	919.2
lost to all IX	570671	1136.2

Potential Interfering Stations Included in above Scenario 129

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN

w25aw_stm_cc_49_da_02_977w

47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 190
 Scenario 130 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	464384	915.2	
lost to all IX	570411	1132.2	

Potential Interfering Stations Included in above scenario 130

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	464409	916.2	
lost to all IX	570436	1133.2	

Potential Interfering Stations Included in above scenario 130

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN

w25aw_stm_cc_49_da_02_977w

49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 191
Scenario 131 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464469	919.2
lost to all IX	570496	1136.2

Potential Interfering Stations Included in above scenario 131

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464494	920.2
lost to all IX	570521	1137.1

Potential Interfering Stations Included in above scenario 131

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 192
 Scenario 132 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 464469 919.2
 lost to all IX 570496 1136.2

Potential Interfering Stations Included in above Scenario 132

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 464494 920.2
 lost to all IX 570521 1137.1

Potential Interfering Stations Included in above Scenario 132

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 193
 Scenario 133 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	210418	441.8	
lost to all IX	316445	658.8	

Potential Interfering Stations Included in above Scenario 133

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	210757	443.8	
lost to all IX	316784	660.8	

Potential Interfering Stations Included in above Scenario 133

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 194
 Scenario 134 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	

w25aw_stm_cc_49_da_02_977w
not affected by terrain losses 3394584 10181.0
lost to NTSC IX 106027 217.0
lost to additional IX by ATV 210534 447.8
lost to all IX 316561 664.7

Potential Interfering Stations Included in above Scenario 134

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
POPULATION AREA (sq km)
within Noise Limited Contour 3822904 11302.4
not affected by terrain losses 3394584 10181.0
lost to NTSC IX 106027 217.0
lost to additional IX by ATV 210873 449.7
lost to all IX 316900 666.7

Potential Interfering Stations Included in above Scenario 134

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 195
Scenario 135 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
POPULATION AREA (sq km)
within Noise Limited Contour 3822904 11302.4
not affected by terrain losses 3394584 10181.0
lost to NTSC IX 106027 217.0
lost to additional IX by ATV 210534 447.8
lost to all IX 316561 664.7

Potential Interfering Stations Included in above Scenario 135

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	210873	449.7	
lost to all IX	316900	666.7	

Potential Interfering Stations Included in above Scenario 135

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 196
 Scenario 136 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	216469	446.8	
lost to all IX	322496	663.7	

Potential Interfering Stations Included in above Scenario 136

41N NJ PATERSON	BLCT	20041122AIG	LIC
-----------------	------	-------------	-----

w25aw_stm_cc_49_da_02_977w

47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	216494	447.8
lost to all IX	322521	664.7

Potential Interfering Stations Included in above Scenario 136

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 197
 Scenario 137 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	216585	452.7
lost to all IX	322612	669.7

Potential Interfering Stations Included in above Scenario 137

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP

w25aw_stm_cc_49_da_02_977w

42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	216610	453.7
lost to all IX	322637	670.6

Potential Interfering Stations Included in above scenario 137

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 198
 Scenario 138 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	216585	452.7
lost to all IX	322612	669.7

Potential Interfering Stations Included in above scenario 138

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP

w25aw_stm_cc_49_da_02_977w

48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	216610	453.7
lost to all IX	322637	670.6

Potential Interfering Stations Included in above scenario 138

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 199
 Scenario 139 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	210545	442.8
lost to all IX	316572	659.8

Potential Interfering Stations Included in above scenario 139

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC

	w25aw_stm_cc_49_da_02_977w		
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	210884	444.8	
lost to all IX	316911	661.8	

Potential Interfering Stations Included in above Scenario 139

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 200
Scenario 140 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	210661	448.7	
lost to all IX	316688	665.7	

Potential Interfering Stations Included in above Scenario 140

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	211000	450.7	
lost to all IX	317027	667.7	

Potential Interfering Stations Included in above Scenario 140

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 201
 Scenario 141 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	210661	448.7	
lost to all IX	316688	665.7	

Potential Interfering Stations Included in above Scenario 141

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	

w25aw_stm_cc_49_da_02_977w

not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	211000	450.7
lost to all IX	317027	667.7

Potential Interfering Stations Included in above Scenario 141

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 202
 Scenario 142 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	216596	447.8	
lost to all IX	322623	664.7	

Potential Interfering Stations Included in above Scenario 142

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	216621	448.7	
lost to all IX	322648	665.7	

Potential Interfering Stations Included in above Scenario 142

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 203
 Scenario 143 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	216712	453.7	
lost to all IX	322739	670.6	

Potential Interfering Stations Included in above Scenario 143

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	216737	454.7	
lost to all IX	322764	671.6	

Potential Interfering Stations Included in above Scenario 143

41N NJ PATERSON	BLCT	20041122AIG	LIC
-----------------	------	-------------	-----

w25aw_stm_cc_49_da_02_977w

47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 204
 Scenario 144 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	216712	453.7
lost to all IX	322739	670.6

Potential Interfering Stations Included in above Scenario 144

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	216737	454.7
lost to all IX	322764	671.6

Potential Interfering Stations Included in above Scenario 144

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP

w25aw_stm_cc_49_da_02_977w

42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 205
 Scenario 145 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	463935	909.3
lost to all IX	569962	1126.3

Potential Interfering Stations Included in above scenario 145

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	463960	910.3
lost to all IX	569987	1127.3

Potential Interfering Stations Included in above scenario 145

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP

w25aw_stm_cc_49_da_02_977w

48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 206
 Scenario 146 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464465	915.2
lost to all IX	570492	1132.2

Potential Interfering Stations Included in above scenario 146

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464490	916.2
lost to all IX	570517	1133.2

Potential Interfering Stations Included in above scenario 146

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC

w25aw_stm_cc_49_da_02_977w
 49A PA SCRANTON BPCDT 19990729KF CP
 53A NJ NEWARK BLCDT 20040809AAX LIC
 49A NJ TRENTON USERRECORD01 APP

Result key: 207
 Scenario 147 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 464465 915.2
 lost to all IX 570492 1132.2

Potential Interfering Stations Included in above Scenario 147

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 464490 916.2
 lost to all IX 570517 1133.2

Potential Interfering Stations Included in above Scenario 147

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 208
 Scenario 148 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 463685 909.3
 lost to all IX 569712 1126.3

Potential Interfering Stations Included in above Scenario 148

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 463710 910.3
 lost to all IX 569737 1127.3

Potential Interfering Stations Included in above Scenario 148

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 209
 Scenario 149 Affected station 27 WEDW
 Before Analysis

w25aw_stm_cc_49_da_02_977w

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464215	915.2
lost to all IX	570242	1132.2

Potential Interfering Stations Included in above Scenario 149

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464240	916.2
lost to all IX	570267	1133.2

Potential Interfering Stations Included in above Scenario 149

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 210
Scenario 150 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0

	w25aw_stm_cc_49_da_02_977w	
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464215	915.2
lost to all IX	570242	1132.2

Potential Interfering Stations Included in above Scenario 150

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	464240	916.2	
lost to all IX	570267	1133.2	

Potential Interfering Stations Included in above Scenario 150

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 211
Scenario 151 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	464062	910.3	
lost to all IX	570089	1127.3	

Potential Interfering Stations Included in above Scenario 151

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	464087	911.3	
lost to all IX	570114	1128.3	

Potential Interfering Stations Included in above Scenario 151

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 212
 Scenario 152 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	464592	916.2	
lost to all IX	570619	1133.2	

Potential Interfering Stations Included in above Scenario 152

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP

w25aw_stm_cc_49_da_02_977w

50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464617	917.2
lost to all IX	570644	1134.2

Potential Interfering Stations Included in above scenario 152

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 213
Scenario 153 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464592	916.2
lost to all IX	570619	1133.2

Potential Interfering Stations Included in above scenario 153

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP

w25aw_stm_cc_49_da_02_977w

45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464617	917.2
lost to all IX	570644	1134.2

Potential Interfering Stations Included in above scenario 153

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 214
 Scenario 154 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	463812	910.3
lost to all IX	569839	1127.3

Potential Interfering Stations Included in above scenario 154

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP

w25aw_stm_cc_49_da_02_977w

49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	463837	911.3	
lost to all IX	569864	1128.3	

Potential Interfering Stations Included in above Scenario 154

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 215
 Scenario 155 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	464342	916.2	
lost to all IX	570369	1133.2	

Potential Interfering Stations Included in above Scenario 155

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDDT	19990729KF	CP

53A NJ NEWARK

w25aw_stm_cc_49_da_02_977w
BLCDT 20040809AAX LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	464367	917.2	
lost to all IX	570394	1134.2	

Potential Interfering Stations Included in above Scenario 155

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 216
Scenario 156 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	464342	916.2	
lost to all IX	570369	1133.2	

Potential Interfering Stations Included in above Scenario 156

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

w25aw_stm_cc_49_da_02_977w

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	464367	917.2
lost to all IX	570394	1134.2

Potential Interfering Stations Included in above Scenario 156

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 217

Scenario 157 Affected station 27 WEDW

Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	209183	433.0
lost to all IX	315210	649.9

Potential Interfering Stations Included in above Scenario 157

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0

w25aw_stm_cc_49_da_02_977w

lost to NTSC IX	106027	217.0
lost to additional IX by ATV	209522	434.9
lost to all IX	315549	651.9

Potential Interfering Stations Included in above Scenario 157

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 218
Scenario 158 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	209744	440.9
lost to all IX	315771	657.8

Potential Interfering Stations Included in above Scenario 158

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	210083	442.8
lost to all IX	316110	659.8

Potential Interfering Stations Included in above Scenario 158

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 219

Scenario 159 Affected station 27 WEDW

Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	209744	440.9	
lost to all IX	315771	657.8	

Potential Interfering Stations Included in above Scenario 159

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	210083	442.8	
lost to all IX	316110	659.8	

Potential Interfering Stations Included in above Scenario 159

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP

w25aw_stm_cc_49_da_02_977w

50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 220
 Scenario 160 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	215134	436.9	
lost to all IX	321161	653.9	

Potential Interfering Stations Included in above Scenario 160

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	215159	437.9	
lost to all IX	321186	654.9	

Potential Interfering Stations Included in above Scenario 160

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP

w25aw_stm_cc_49_da_02_977w

45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 221
 Scenario 161 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	215695	444.8
lost to all IX	321722	661.8

Potential Interfering Stations Included in above Scenario 161

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	215720	445.8
lost to all IX	321747	662.8

Potential Interfering Stations Included in above Scenario 161

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP

w25aw_stm_cc_49_da_02_977w

49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 222
 Scenario 162 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	215695	444.8
lost to all IX	321722	661.8

Potential Interfering Stations Included in above Scenario 162

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	215720	445.8
lost to all IX	321747	662.8

Potential Interfering Stations Included in above Scenario 162

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC

w25aw_stm_cc_49_da_02_977w
 53A NJ NEWARK BLC DT 20040809AAX LIC
 49A NJ TRENTON USERRECORD01 APP

Result key: 223
 Scenario 163 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLE T 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 209310 433.9
 lost to all IX 315337 650.9

Potential Interfering Stations Included in above Scenario 163

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLC DT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLC DT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLC DT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLE T 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 209649 435.9
 lost to all IX 315676 652.9

Potential Interfering Stations Included in above Scenario 163

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLC DT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLC DT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLC DT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 224

w25aw_stm_cc_49_da_02_977w

Scenario 164 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	209871	441.8
lost to all IX	315898	658.8

Potential Interfering Stations Included in above Scenario 164

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	210210	443.8
lost to all IX	316237	660.8

Potential Interfering Stations Included in above Scenario 164

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 225
Scenario 165 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

w25aw_stm_cc_49_da_02_977w

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	209871	441.8
lost to all IX	315898	658.8

Potential Interfering Stations Included in above Scenario 165

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	210210	443.8	
lost to all IX	316237	660.8	

Potential Interfering Stations Included in above Scenario 165

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 226
 Scenario 166 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	

w25aw_stm_cc_49_da_02_977w

lost to additional IX by ATV	215261	437.9
lost to all IX	321288	654.9

Potential Interfering Stations Included in above Scenario 166

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	215286	438.9
lost to all IX	321313	655.9

Potential Interfering Stations Included in above Scenario 166

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 227
Scenario 167 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	215822	445.8
lost to all IX	321849	662.8

Potential Interfering Stations Included in above Scenario 167

w25aw_stm_cc_49_da_02_977w

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	215847	446.8	
lost to all IX	321874	663.7	

Potential Interfering Stations Included in above Scenario 167

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 228
Scenario 168 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	215822	445.8	
lost to all IX	321849	662.8	

Potential Interfering Stations Included in above Scenario 168

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC

w25aw_stm_cc_49_da_02_977w

53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	215847	446.8	
lost to all IX	321874	663.7	

Potential Interfering Stations Included in above scenario 168

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
47A NY RIVERHEAD	BSRCCT	20060228ALR	APP
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 229
 Scenario 169 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432566	868.9	
lost to all IX	538593	1085.9	

Potential Interfering Stations Included in above scenario 169

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP

w25aw_stm_cc_49_da_02_977w

46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432591	869.9
lost to all IX	538618	1086.8

Potential Interfering Stations Included in above scenario 169

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 230
 Scenario 170 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432651	872.8
lost to all IX	538678	1089.8

Potential Interfering Stations Included in above scenario 170

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP

53A NJ NEWARK

w25aw_stm_cc_49_da_02_977w
BLC DT 20040809AAX LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432676	873.8	
lost to all IX	538703	1090.8	

Potential Interfering Stations Included in above scenario 170

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLC DT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLC DT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLC DT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 231
Scenario 171 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432651	872.8	
lost to all IX	538678	1089.8	

Potential Interfering Stations Included in above scenario 171

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLC DT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLC DT	20020812ABS	LIC
49A PA SCRANTON	BLC DT	20020807AAF	LIC
53A NJ NEWARK	BLC DT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	

Page 239

w25aw_stm_cc_49_da_02_977w

within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432676	873.8
lost to all IX	538703	1090.8

Potential Interfering Stations Included in above Scenario 171

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 232
 Scenario 172 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432416	869.9
lost to all IX	538443	1086.8

Potential Interfering Stations Included in above Scenario 172

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432441	870.9
lost to all IX	538468	1087.8

Potential Interfering Stations Included in above Scenario 172

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 233

Scenario 173 Affected station 27 WEDW

Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432501	873.8	
lost to all IX	538528	1090.8	

Potential Interfering Stations Included in above Scenario 173

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432526	874.8	
lost to all IX	538553	1091.8	

Potential Interfering Stations Included in above Scenario 173

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC

w25aw_stm_cc_49_da_02_977w

63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 234
 Scenario 174 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432501	873.8
lost to all IX	538528	1090.8

Potential Interfering Stations Included in above Scenario 174

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432526	874.8
lost to all IX	538553	1091.8

Potential Interfering Stations Included in above Scenario 174

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN

	w25aw_stm_cc_49_da_02_977w	
49A NH KEENE	BLEDT	20030618ABK LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426 PLN
49A PA SCRANTON	BLCDT	20020807AAF LIC
53A NJ NEWARK	BLCDT	20040809AAX LIC
49A NJ TRENTON	USERRECORD01	APP

Result key: 235
 Scenario 175 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432693	869.9	
lost to all IX	538720	1086.8	

Potential Interfering Stations Included in above scenario 175

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432718	870.9	
lost to all IX	538745	1087.8	

Potential Interfering Stations Included in above scenario 175

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01	APP	

Result key: 236
 Scenario 176 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 432778 873.8
 lost to all IX 538805 1090.8

Potential Interfering Stations Included in above Scenario 176

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 432803 874.8
 lost to all IX 538830 1091.8

Potential Interfering Stations Included in above Scenario 176

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 237
 Scenario 177 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)

w25aw_stm_cc_49_da_02_977w

within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432778	873.8
lost to all IX	538805	1090.8

Potential Interfering Stations Included in above Scenario 177

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432803	874.8	
lost to all IX	538830	1091.8	

Potential Interfering Stations Included in above Scenario 177

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 238
Scenario 178 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432543	870.9	
lost to all IX	538570	1087.8	

Potential Interfering Stations Included in above Scenario 178

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432568	871.8	
lost to all IX	538595	1088.8	

Potential Interfering Stations Included in above Scenario 178

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 239
Scenario 179 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432628	874.8	
lost to all IX	538655	1091.8	

Potential Interfering Stations Included in above Scenario 179

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC

w25aw_stm_cc_49_da_02_977w

63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432653	875.8	
lost to all IX	538680	1092.8	

Potential Interfering Stations Included in above scenario 179

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 240
 Scenario 180 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432628	874.8	
lost to all IX	538655	1091.8	

Potential Interfering Stations Included in above scenario 180

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN

	w25aw_stm_cc_49_da_02_977w		
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432653	875.8	
lost to all IX	538680	1092.8	

Potential Interfering Stations Included in above Scenario 180

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 241
Scenario 181 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	149590	346.2	
lost to all IX	255617	563.1	

Potential Interfering Stations Included in above Scenario 181

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	149929	348.1	
lost to all IX	255956	565.1	

Potential Interfering Stations Included in above Scenario 181

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 242
 Scenario 182 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	149706	352.1	
lost to all IX	255733	569.1	

Potential Interfering Stations Included in above Scenario 182

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	

w25aw_stm_cc_49_da_02_977w

lost to additional IX by ATV	150045	354.1
lost to all IX	256072	571.0

Potential Interfering Stations Included in above Scenario 182

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 243
 Scenario 183 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	149706	352.1
lost to all IX	255733	569.1

Potential Interfering Stations Included in above Scenario 183

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	150045	354.1
lost to all IX	256072	571.0

Potential Interfering Stations Included in above Scenario 183

41N NJ PATERSON	BLCT	20041122AIG	LIC
-----------------	------	-------------	-----

w25aw_stm_cc_49_da_02_977w

47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 244
 Scenario 184 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	155641	351.1
lost to all IX	261668	568.1

Potential Interfering Stations Included in above Scenario 184

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	155666	352.1
lost to all IX	261693	569.1

Potential Interfering Stations Included in above Scenario 184

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP

w25aw_stm_cc_49_da_02_977w

46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 245
 Scenario 185 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	155757	357.0
lost to all IX	261784	574.0

Potential Interfering Stations Included in above scenario 185

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	155782	358.0
lost to all IX	261809	575.0

Potential Interfering Stations Included in above scenario 185

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP

w25aw_stm_cc_49_da_02_977w
 53A NJ NEWARK BLC DT 20040809AAX LIC
 49A NJ TRENTON USERRECORD01 APP

Result key: 246
 Scenario 186 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 155757 357.0
 lost to all IX 261784 574.0

Potential Interfering Stations Included in above Scenario 186

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLC DT	20040908AMF	LIC
49A MA NEW BEDFORD	BLC DT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLC DT	20020807AAF	LIC
53A NJ NEWARK	BLC DT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 155782 358.0
 lost to all IX 261809 575.0

Potential Interfering Stations Included in above Scenario 186

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLC DT	20040908AMF	LIC
49A MA NEW BEDFORD	BLC DT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLC DT	20020807AAF	LIC
53A NJ NEWARK	BLC DT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 247
 Scenario 187 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	149717	347.2	
lost to all IX	255744	564.1	

Potential Interfering Stations Included in above scenario 187

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	150056	349.1	
lost to all IX	256083	566.1	

Potential Interfering Stations Included in above scenario 187

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 248
 Scenario 188 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	

w25aw_stm_cc_49_da_02_977w
lost to additional IX by ATV 149833 353.1
lost to all IX 255860 570.1

Potential Interfering Stations Included in above Scenario 188

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
POPULATION AREA (sq km)
within Noise Limited Contour 3822904 11302.4
not affected by terrain losses 3394584 10181.0
lost to NTSC IX 106027 217.0
lost to additional IX by ATV 150172 355.0
lost to all IX 256199 572.0

Potential Interfering Stations Included in above Scenario 188

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 249
Scenario 189 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
POPULATION AREA (sq km)
within Noise Limited Contour 3822904 11302.4
not affected by terrain losses 3394584 10181.0
lost to NTSC IX 106027 217.0
lost to additional IX by ATV 149833 353.1
lost to all IX 255860 570.1

Potential Interfering Stations Included in above Scenario 189

41N NJ PATERSON	BLCT	20041122AIG	LIC
-----------------	------	-------------	-----

w25aw_stm_cc_49_da_02_977w

47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	150172	355.0
lost to all IX	256199	572.0

Potential Interfering Stations Included in above scenario 189

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 250
 Scenario 190 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	155768	352.1
lost to all IX	261795	569.1

Potential Interfering Stations Included in above scenario 190

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP

		w25aw_stm_cc_49_da_02_977w	
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	155793	353.1	
lost to all IX	261820	570.1	

Potential Interfering Stations Included in above scenario 190

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 251
Scenario 191 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	155884	358.0	
lost to all IX	261911	575.0	

Potential Interfering Stations Included in above scenario 191

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP

53A NJ NEWARK

w25aw_stm_cc_49_da_02_977w
BLC DT 20040809AAX LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	155909	359.0	
lost to all IX	261936	576.0	

Potential Interfering Stations Included in above scenario 191

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLC DT	20040908AMF	LIC
49A MA NEW BEDFORD	BLC DT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLC DT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 252
Scenario 192 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	155884	358.0	
lost to all IX	261911	575.0	

Potential Interfering Stations Included in above scenario 192

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLC DT	20040908AMF	LIC
49A MA NEW BEDFORD	BLC DT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLC DT	20020807AAF	LIC
53A NJ NEWARK	BLC DT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	

Page 258

w25aw_stm_cc_49_da_02_977w

within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	155909	359.0
lost to all IX	261936	576.0

Potential Interfering Stations Included in above Scenario 192

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 253
 Scenario 193 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432094	864.9
lost to all IX	538121	1081.9

Potential Interfering Stations Included in above Scenario 193

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432119	865.9
lost to all IX	538146	1082.9

Potential Interfering Stations Included in above Scenario 193

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 254

Scenario 194 Affected station 27 WEDW

Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432624	870.9	
lost to all IX	538651	1087.8	

Potential Interfering Stations Included in above Scenario 194

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432649	871.8	
lost to all IX	538676	1088.8	

Potential Interfering Stations Included in above Scenario 194

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC

w25aw_stm_cc_49_da_02_977w

63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 255
 Scenario 195 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432624	870.9
lost to all IX	538651	1087.8

Potential Interfering Stations Included in above scenario 195

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432649	871.8
lost to all IX	538676	1088.8

Potential Interfering Stations Included in above scenario 195

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN

w25aw_stm_cc_49_da_02_977w

49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 256
 Scenario 196 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	431844	864.9
lost to all IX	537871	1081.9

Potential Interfering Stations Included in above scenario 196

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	431869	865.9
lost to all IX	537896	1082.9

Potential Interfering Stations Included in above scenario 196

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 257
 Scenario 197 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 432374 870.9
 lost to all IX 538401 1087.8

Potential Interfering Stations Included in above scenario 197

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 432399 871.8
 lost to all IX 538426 1088.8

Potential Interfering Stations Included in above scenario 197

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 258
 Scenario 198 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)

w25aw_stm_cc_49_da_02_977w

within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432374	870.9
lost to all IX	538401	1087.8

Potential Interfering Stations Included in above Scenario 198

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432399	871.8	
lost to all IX	538426	1088.8	

Potential Interfering Stations Included in above Scenario 198

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 259
 Scenario 199 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432221	865.9	
lost to all IX	538248	1082.9	

Potential Interfering Stations Included in above Scenario 199

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432246	866.9	
lost to all IX	538273	1083.9	

Potential Interfering Stations Included in above Scenario 199

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 260
Scenario 200 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432751	871.8	
lost to all IX	538778	1088.8	

Potential Interfering Stations Included in above Scenario 200

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC

w25aw_stm_cc_49_da_02_977w

63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432776	872.8	
lost to all IX	538803	1089.8	

Potential Interfering Stations Included in above scenario 200

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 261
Scenario 201 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432751	871.8	
lost to all IX	538778	1088.8	

Potential Interfering Stations Included in above scenario 201

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN

	w25aw_stm_cc_49_da_02_977w		
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432776	872.8	
lost to all IX	538803	1089.8	

Potential Interfering Stations Included in above Scenario 201

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 262
Scenario 202 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	431971	865.9	
lost to all IX	537998	1082.9	

Potential Interfering Stations Included in above Scenario 202

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	431996	866.9	
lost to all IX	538023	1083.9	

Potential Interfering Stations Included in above Scenario 202

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 263
 Scenario 203 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	432501	871.8	
lost to all IX	538528	1088.8	

Potential Interfering Stations Included in above Scenario 203

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	

w25aw_stm_cc_49_da_02_977w

lost to additional IX by ATV	432526	872.8
lost to all IX	538553	1089.8

Potential Interfering Stations Included in above Scenario 203

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 264
 Scenario 204 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432501	871.8
lost to all IX	538528	1088.8

Potential Interfering Stations Included in above Scenario 204

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	432526	872.8
lost to all IX	538553	1089.8

Potential Interfering Stations Included in above Scenario 204

41N NJ PATERSON	BLCT	20041122AIG	LIC
-----------------	------	-------------	-----

w25aw_stm_cc_49_da_02_977w

47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 265
 Scenario 205 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	148355	337.3
lost to all IX	254382	554.3

Potential Interfering Stations Included in above Scenario 205

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	148694	339.3
lost to all IX	254721	556.2

Potential Interfering Stations Included in above Scenario 205

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP

w25aw_stm_cc_49_da_02_977w

46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 266
 Scenario 206 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	148916	345.2
lost to all IX	254943	562.2

Potential Interfering Stations Included in above scenario 206

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	149255	347.2
lost to all IX	255282	564.1

Potential Interfering Stations Included in above scenario 206

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP

w25aw_stm_cc_49_da_02_977w
 53A NJ NEWARK BLC DT 20040809AAX LIC
 49A NJ TRENTON USERRECORD01 APP

Result key: 267
 Scenario 207 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 148916 345.2
 lost to all IX 254943 562.2

Potential Interfering Stations Included in above Scenario 207

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLC DT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLC DT	20020812ABS	LIC
49A PA SCRANTON	BLC DT	20020807AAF	LIC
53A NJ NEWARK	BLC DT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 3822904 11302.4
 not affected by terrain losses 3394584 10181.0
 lost to NTSC IX 106027 217.0
 lost to additional IX by ATV 149255 347.2
 lost to all IX 255282 564.1

Potential Interfering Stations Included in above Scenario 207

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLC DT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	BLC DT	20020812ABS	LIC
49A PA SCRANTON	BLC DT	20020807AAF	LIC
53A NJ NEWARK	BLC DT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 268
 Scenario 208 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	154306	341.2	
lost to all IX	260333	558.2	

Potential Interfering Stations Included in above scenario 208

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	154331	342.2	
lost to all IX	260358	559.2	

Potential Interfering Stations Included in above scenario 208

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 269
 Scenario 209 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	

w25aw_stm_cc_49_da_02_977w

lost to additional IX by ATV	154867	349.1
lost to all IX	260894	566.1

Potential Interfering Stations Included in above Scenario 209

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	154892	350.1	
lost to all IX	260919	567.1	

Potential Interfering Stations Included in above Scenario 209

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDDT	19990729KF	CP
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 270
Scenario 210 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT

	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	154867	349.1	
lost to all IX	260894	566.1	

Potential Interfering Stations Included in above Scenario 210

41N NJ PATERSON	BLCT	20041122AIG	LIC
-----------------	------	-------------	-----

Page 274

w25aw_stm_cc_49_da_02_977w

47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	154892	350.1
lost to all IX	260919	567.1

Potential Interfering Stations Included in above scenario 210

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	BLEDT	20030618ABK	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 271
 Scenario 211 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	148482	338.3
lost to all IX	254509	555.3

Potential Interfering Stations Included in above scenario 211

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP

w25aw_stm_cc_49_da_02_977w

46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	148821	340.3
lost to all IX	254848	557.2

Potential Interfering Stations Included in above scenario 211

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 272
 Scenario 212 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	149043	346.2
lost to all IX	255070	563.1

Potential Interfering Stations Included in above scenario 212

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP

53A NJ NEWARK

w25aw_stm_cc_49_da_02_977w
BLC DT 20040809AAX LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	149382	348.1	
lost to all IX	255409	565.1	

Potential Interfering Stations Included in above scenario 212

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLC DT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLC DT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLC DT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 273
Scenario 213 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	149043	346.2	
lost to all IX	255070	563.1	

Potential Interfering Stations Included in above scenario 213

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLC DT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLC DT	20020812ABS	LIC
49A PA SCRANTON	BLC DT	20020807AAF	LIC
53A NJ NEWARK	BLC DT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	

Page 277

w25aw_stm_cc_49_da_02_977w

within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	149382	348.1
lost to all IX	255409	565.1

Potential Interfering Stations Included in above Scenario 213

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 274
Scenario 214 Affected station 27 WEDW
Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	154433	342.2
lost to all IX	260460	559.2

Potential Interfering Stations Included in above Scenario 214

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	154458	343.2
lost to all IX	260485	560.2

Potential Interfering Stations Included in above Scenario 214

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 275

Scenario 215 Affected station 27 WEDW

Before Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	154994	350.1	
lost to all IX	261021	567.1	

Potential Interfering Stations Included in above Scenario 215

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT	BLET	19870908KE	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	3822904	11302.4	
not affected by terrain losses	3394584	10181.0	
lost to NTSC IX	106027	217.0	
lost to additional IX by ATV	155019	351.1	
lost to all IX	261046	568.1	

Potential Interfering Stations Included in above Scenario 215

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC

w25aw_stm_cc_49_da_02_977w

63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
53A NJ NEWARK	BLCDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 276
 Scenario 216 Affected station 27 WEDW
 Before Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	154994	350.1
lost to all IX	261021	567.1

Potential Interfering Stations Included in above scenario 216

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
53A NJ NEWARK	BLCDT	20040809AAX	LIC

After Analysis

Results for: 49N CT BRIDGEPORT BLET 19870908KE LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	3822904	11302.4
not affected by terrain losses	3394584	10181.0
lost to NTSC IX	106027	217.0
lost to additional IX by ATV	155019	351.1
lost to all IX	261046	568.1

Potential Interfering Stations Included in above scenario 216

41N NJ PATERSON	BLCT	20041122AIG	LIC
47N NJ LINDEN	BPCT	19991028AAN	CP
50N NJ MONTCLAIR	BLET	19860805KG	LIC
53N CT NORWICH	BLET	20060106ABO	LIC
63N NJ NEWTON	BPCT	19980126KH	CP
42A CT BRIDGEPORT	BPCDT	19991101AFE	CP
45A CT HARTFORD	BPEDT	19990113KG	APP
46A CT HARTFORD	DTVPLN	DTVP1321	PLN
48A NY KINGSTON	BPRM	20000328AAV	APP
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC

		w25aw_stm_cc_49_da_02_977w	
49A NH KEENE	DTVPLN	DTVP1425	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
53A NJ NEWARK	BLCDDT	20040809AAX	LIC
49A NJ TRENTON	USERRECORD01		APP

#####

Analysis of Interference to Affected Station 28

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
49	WWTB-LP	WASHINGTON DC	BMPTTL	-20050912ACV

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
41	WUTB	BALTIMORE MD	47.5	APP	BMPCDDT	-20051118ADM
41	WHSW-DT	BALTIMORE MD	47.5	PLN	DTVPLN	-DTVP1163
41	WUTB	BALTIMORE MD	47.5	CP MOD	BMPCDDT	-20040608ABC
42	WMPT-DT	ANNAPOLIS MD	41.6	PLN	DTVPLN	-DTVP1198
42	WVPY	FRONT ROYAL VA	108.0	APP	BPET	-20060206ABM
42	WVPY	FRONT ROYAL VA	108.0	LIC	BLET	-19961015KF
46	WBFF	BALTIMORE MD	57.7	CP	BPCDDT	-19980803KR
46	WBFF-DT	BALTIMORE MD	57.7	PLN	DTVPLN	-DTVP1329
47	WMDT	SALISBURY MD	126.6	LIC	BLCT	-20030703ABJ
47	WPMT-DT	YORK PA	127.7	PLN	DTVPLN	-DTVP1370
47	WPMT	YORK PA	127.8	LIC	BMLCDDT	-20041025ABI
47	WAWB-DT	ASHLAND VA	134.0	PLN	DTVPLN	-DTVP1378
47	WUPV	ASHLAND VA	134.0	CP	BPCDDT	-19990928AAL
48	WRC-TV	WASHINGTON DC	0.0	LIC	BLCDDT	-20000216AAT
48	WRC-DT	WASHINGTON DC	0.0	PLN	DTVPLN	-DTVP1385
49	WRAZ	RALEIGH NC	384.8	CP MOD	BMPCDDT	-20040329AKW
49	WRAZ-DT	RALEIGH NC	384.8	PLN	DTVPLN	-DTVP1424
49	WWSI	ATLANTIC CITY NJ	247.0	LIC	BLCDDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	253.7	PLN	DTVPLN	-DTVP1426
49	WPCW	JEANNETTE PA	281.8	APP	BPCDDT	-20060510AAI
49	WNPA	JEANNETTE PA	281.8	LIC	BPRM	-20000413AAE
49	WGCW-TV	RED LION PA	115.5	LIC	BLCT	-19790419KG
49	WNEP-DT	SCRANTON PA	269.7	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	269.8	CP	BPCDDT	-19990729KF
49	WNEP-TV	SCRANTON PA	269.8	LIC	BLCDDT	-20020807AAF
49	WHSV-DT	HARRISONBURG VA	139.6	PLN	DTVPLN	-DTVP1434
49	WPXV	NORFOLK VA	242.3	LIC	BLCT	-20020225AAQ
49	WTAP-TV	PARKERSBURG WV	389.2	LIC	BLCDDT	-20040423ABG
49	WTAP-DT	PARKERSBURG WV	389.2	PLN	DTVPLN	-DTVP1436
50	WDCW	WASHINGTON DC	5.4	LIC	BLCT	-20030819ABE
51	WDCW	WASHINGTON DC	5.4	LIC	BLCDDT	-20030221AAG
51	WBDC-DT	WASHINGTON DC	5.4	PLN	DTVPLN	-DTVP1472
52	WMAR-DT	BALTIMORE MD	57.5	PLN	DTVPLN	-DTVP1511
53	WMDT	SALISBURY MD	126.7	CP MOD	BMPCDDT	-20000501ABT
53	WMDT-DT	SALISBURY MD	126.5	PLN	DTVPLN	-DTVP1530
56	WCPB	SALISBURY MD	143.2	LIC	BLEDT	-20031029ACH
56	WCPB-DT	SALISBURY MD	143.2	PLN	DTVPLN	-DTVP1584
57	WNVC-DT	FAIRFAX VA	14.3	PLN	DTVPLN	-DTVP1619
64	WZDC-LP	WASHINGTON DC	5.4	LIC	BLTTL	-19940404IK
64	WDPB	SEAFORD DE	131.2	LIC	BLET	-19841130KI
64	WDPB	SEAFORD DE	131.2	APP	BPET	-20040604ABG
49	W25AW	TRENTON NJ	253.6	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 29

DTV Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
49	WLNE-DT	NEW BEDFORD MA	DTVPLN	-DTVP1420

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
48	WYDN	WORCESTER MA	104.9	PLN	DTVPLN	-NPLN1732
49	WEDW	BRIDGEPORT CT	170.0	PLN	DTVPLN	-NPLN1748
49	WEKW-DT	KEENE NH	186.7	PLN	DTVPLN	-DTVP1425
49	WLEDTV	LITTLETON NH	309.7	PLN	DTVPLN	-NPLN1757
49	WACI-DT	ATLANTIC CITY NJ	340.4	PLN	DTVPLN	-DTVP1426
49	WNEP-DT	SCRANTON PA	393.1	PLN	DTVPLN	-DTVP1429
50	WNDS	DERRY NH	127.7	PLN	DTVPLN	-NPLN1778

Results for: 49A MA NEW BEDFORD	DTVPLN	DTVP1420	PLN
HAAT 283.0 m, ATV ERP 1000.0 kw			

	POPULATION	AREA (sq km)
within Noise Limited Contour	5474588	32831.9
not affected by terrain losses	5250820	31803.8
lost to NTSC IX	226366	1534.3
lost to additional IX by ATV	13146	47.1
lost to ATV IX only	42384	209.9
lost to all IX	239512	1581.4

NTSC Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
06	WLNETV	NEW BEDFORD MA	DTVPLN	-NPLN0414

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
05	WTIC-DT	HARTFORD CT	136.9	PLN	DTVPLN	-DTVP0019
05	WCVBTV	BOSTON MA	79.4	PLN	DTVPLN	-NPLN0353
06	WBNE-DT	NEW HAVEN CT	147.9	PLN	DTVPLN	-DTVP0027
06	WCSH	PORTLAND ME	254.5	PLN	DTVPLN	-NPLN0415
06	WRGB	SCHENECTADY NY	258.6	PLN	DTVPLN	-NPLN0432
06	WPVITV	PHILADELPHIA PA	381.9	PLN	DTVPLN	-NPLN0437

Results for: 6N MA NEW BEDFORD	DTVPLN	NPLN0414	PLN
--------------------------------	--------	----------	-----

	POPULATION	AREA (sq km)
within Noise Limited Contour	5474588	32831.9
not affected by terrain losses	5168869	31507.5
lost to NTSC IX	2633075	8851.8
lost to additional IX by ATV	108087	2497.7
lost to all IX	2741162	11349.5

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
49	WLNE-TV	NEW BEDFORD MA	BLCDT	-20040930BBS

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
48	WYDN	WORCESTER MA	70.1	LIC	BLET	-20001226AAM
48	WRNN-TV	KINGSTON NY	224.9	LIC	BLCDT	-20040908AMF
48	WRNNTV	KINGSTON NY	224.8	APP	BPRM	-20000328AAV

w25aw_stm_cc_49_da_02_977w

49	WEDW	BRIDGEPORT CT	170.8	LIC	BLET	-19870908KE
49	WEKW-TV	KEENE NH	157.2	LIC	BLEDT	-20030618ABK
49	WEKW-DT	KEENE NH	157.2	PLN	DTVPLN	-DTVP1425
49	WLED-TV	LITTLETON NH	278.9	LIC	BMLET	-20030725ACD
49	WWSI	ATLANTIC CITY NJ	358.1	LIC	BLCDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	354.2	PLN	DTVPLN	-DTVP1426
49	WNEP-DT	SCRANTON PA	389.0	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	388.7	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	388.7	LIC	BLCDT	-20020807AAF
50	WZMY-TV	DERRY NH	97.1	LIC	BLCT	-19831012KG
49	W25AW	TRENTON NJ	334.7	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 30

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
49	WSHM-LP	SPRINGFIELD MA	BDISDTL	-20060331AVR

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
48	WYDN	WORCESTER MA	62.2	LIC	BLET	-20001226AAM
49	WEDW	BRIDGEPORT CT	115.9	LIC	BLET	-19870908KE
49	WLNE-DT	NEW BEDFORD MA	140.3	PLN	DTVPLN	-DTVP1420
49	WLNE-TV	NEW BEDFORD MA	119.9	LIC	BLCDT	-20040930BBS
49	WEKW-TV	KEENE NH	91.0	LIC	BLEDT	-20030618ABK
49	WEKW-DT	KEENE NH	91.0	PLN	DTVPLN	-DTVP1425
49	WLED-TV	LITTLETON NH	246.0	LIC	BMLET	-20030725ACD
49	WWSI	ATLANTIC CITY NJ	323.4	LIC	BLCDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	322.0	PLN	DTVPLN	-DTVP1426
49	WNEP-DT	SCRANTON PA	292.2	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	291.9	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	291.9	LIC	BLCDT	-20020807AAF
50	WZMY-TV	DERRY NH	116.6	LIC	BLCT	-19831012KG
49	W25AW	TRENTON NJ	276.3	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 31

DTV Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
49	WEKW-DT	KEENE NH	DTVPLN	-DTVP1425

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
48	WYDN	WORCESTER MA	99.7	PLN	DTVPLN	-NPLN1732
48	WLED-DT	LITTLETON NH	155.2	PLN	DTVPLN	-DTVP1397
49	WEDW	BRIDGEPORT CT	206.3	PLN	DTVPLN	-NPLN1748
49	WLNE-DT	NEW BEDFORD MA	186.7	PLN	DTVPLN	-DTVP1420
49	WLEDTV	LITTLETON NH	155.2	PLN	DTVPLN	-NPLN1757
49	WACI-DT	ATLANTIC CITY NJ	411.7	PLN	DTVPLN	-DTVP1426
49	WNEP-DT	SCRANTON PA	354.7	PLN	DTVPLN	-DTVP1429
50	WNDS	DERRY NH	86.0	PLN	DTVPLN	-NPLN1778

50 WOCD-DT AMSTERDAM NY 147.4 PLN DTVPLN -DTVP1453

Results for: 49A NH KEENE DTVPLN DTVP1425 PLN
HAAT 329.0 m, ATV ERP 50.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	278057	9059.8
not affected by terrain losses	227450	7817.8
lost to NTSC IX	12685	151.1
lost to additional IX by ATV	5742	312.0
lost to ATV IX only	14557	386.5
lost to all IX	18427	463.0

NTSC Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
52	WEKWT	KEENE NH	DTVPLN	-NPLN1809

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
44	WGBX-TV	BOSTON MA	122.5	PLN	DTVPLN	-NPLN1664
45	WMEA-DT	BIDDEFORD ME	133.7	PLN	DTVPLN	-DTVP1302
45	WMHQ	SCHENECTADY NY	141.4	PLN	DTVPLN	-NPLN1687
49	WEKW-DT	KEENE NH	0.0	PLN	DTVPLN	-DTVP1425
50	WNDS	DERRY NH	86.0	PLN	DTVPLN	-NPLN1778
51	WPXT	PORTLAND ME	188.1	PLN	DTVPLN	-NPLN1796
51	WJAR-DT	PROVIDENCE RI	157.2	PLN	DTVPLN	-DTVP1492
52	WEDW-DT	BRIDGEPORT CT	206.3	PLN	DTVPLN	-DTVP1502
52	WHRC-DT	NORWELL MA	154.9	PLN	DTVPLN	-DTVP1510
52	WNJT	TRENTON NJ	361.3	PLN	DTVPLN	-NPLN1810
52	NEW	ITHACA NY	315.8	PLN	DTVPLN	-NPLN1811
53	WEDN	NORWICH CT	169.0	PLN	DTVPLN	-NPLN1821
53	WCAX-DT	BURLINGTON VT	169.8	PLN	DTVPLN	-DTVP1540
55	WGBB-DT	SPRINGFIELD MA	91.0	PLN	DTVPLN	-DTVP1568
56	WLVT	CAMBRIDGE MA	124.1	PLN	DTVPLN	-NPLN1867
56	WVER-DT	RUTLAND VT	91.7	PLN	DTVPLN	-DTVP1598
59	WBNE	NEW HAVEN CT	185.3	PLN	DTVPLN	-NPLN1903
59	WMUR-DT	MANCHESTER NH	63.6	PLN	DTVPLN	-DTVP1655
60	WGOT	MERRIMACK NH	63.5	PLN	DTVPLN	-NPLN1914
66	WHSHTV	MARLBOROUGH MA	101.6	PLN	DTVPLN	-NPLN1981

Results for: 52N NH KEENE DTVPLN NPLN1809 PLN

	POPULATION	AREA (sq km)
within Noise Limited Contour	278057	9059.8
not affected by terrain losses	149388	5815.5
lost to NTSC IX	223	10.8
lost to additional IX by ATV	318	7.8
lost to all IX	541	18.6

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
49	WEKW-TV	KEENE NH	BLEDT	-20030618ABK

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
48	WYDN	WORCESTER MA	89.7	LIC	BLET	-20001226AAM
48	WLED-DT	LITTLETON NH	155.2	PLN	DTVPLN	-DTVP1397
48	WRNN-TV	KINGSTON NY	215.4	LIC	BLCDDT	-20040908AMF
48	WRNNTV	KINGSTON NY	215.3	APP	BPRM	-20000328AAV
49	WEDW	BRIDGEPORT CT	206.3	LIC	BLET	-19870908KE
49	WLNE-DT	NEW BEDFORD MA	186.7	PLN	DTVPLN	-DTVP1420
49	WLNE-TV	NEW BEDFORD MA	157.2	LIC	BLCDDT	-20040930BBS
49	WLED-TV	LITTLETON NH	155.2	LIC	BMLET	-20030725ACD

w25aw_stm_cc_49_da_02_977w

49	WWSI	ATLANTIC CITY NJ	412.8	LIC	BLCDDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	411.7	PLN	DTVPLN	-DTVP1426
49	WNEP-DT	SCRANTON PA	354.7	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	354.4	CP	BPCDDT	-19990729KF
49	WNEP-TV	SCRANTON PA	354.4	LIC	BLCDDT	-20020807AAF
50	WZMY-TV	DERRY NH	86.0	LIC	BLCT	-19831012KG
50	WYPX	AMSTERDAM NY	147.6	LIC	BLCDDT	-20040908ABO
50	WOCD-DT	AMSTERDAM NY	147.4	PLN	DTVPLN	-DTVP1453
49	W25AW	TRENTON NJ	361.3	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 32

DTV Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
49	WACI-DT	ATLANTIC CITY NJ	DTVPLN	-DTVP1426

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
48	WGTW	BURLINGTON NJ	96.2	PLN	DTVPLN	-NPLN1735
49	WEDW	BRIDGEPORT CT	206.3	PLN	DTVPLN	-NPLN1748
49	WLNE-DT	NEW BEDFORD MA	340.4	PLN	DTVPLN	-DTVP1420
49	WEKW-DT	KEENE NH	411.7	PLN	DTVPLN	-DTVP1425
49	WGCBTV	RED LION PA	200.8	PLN	DTVPLN	-NPLN1760
49	WNEP-DT	SCRANTON PA	221.3	PLN	DTVPLN	-DTVP1429
49	WHSV-DT	HARRISONBURG VA	393.2	PLN	DTVPLN	-DTVP1434
49	WJCB	NORFOLK VA	368.0	PLN	DTVPLN	-NPLN1764
50	WWAC-DT	ATLANTIC CITY NJ	30.4	PLN	DTVPLN	-DTVP1452
50	WNJN	MONTCLAIR NJ	139.2	PLN	DTVPLN	-NPLN1779

Results for: 49A NJ ATLANTIC CITY DTVPLN DTVP1426 PLN
 HAAT 133.0 m, ATV ERP 98.5 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	1028103	11291.8
not affected by terrain losses	1026886	11273.0
lost to NTSC IX	1096	15.8
lost to additional IX by ATV	861	8.9
lost to ATV IX only	1813	18.8
lost to all IX	1957	24.7

NTSC Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
62	WACITV	ATLANTIC CITY NJ	DTVPLN	-NPLN1942

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
54	WPHL-DT	PHILADELPHIA PA	96.0	PLN	DTVPLN	-DTVP1554
55	WHYY-DT	WILMINGTON DE	96.0	PLN	DTVPLN	-DTVP1563
55	WLNY	RIVERHEAD NY	182.9	PLN	DTVPLN	-NPLN1853
61	WTGITV	WILMINGTON DE	89.0	PLN	DTVPLN	-NPLN1923
61	WNET-DT	NEWARK NJ	123.9	PLN	DTVPLN	-DTVP1667
62	WMFP	LAWRENCE MA	406.5	PLN	DTVPLN	-NPLN1935
62	WFPT	FREDERICK MD	266.6	PLN	DTVPLN	-NPLN1936
62	WRNNTV	KINGSTON NY	275.1	PLN	DTVPLN	-NPLN1944
62	WLVT-DT	ALLENTOWN PA	145.4	PLN	DTVPLN	-DTVP1671
63	WMBCTV	NEWTON NJ	157.7	PLN	DTVPLN	-NPLN1954
64	WPVI-DT	PHILADELPHIA PA	96.1	PLN	DTVPLN	-DTVP1675

w25aw_stm_cc_49_da_02_977w

65	WHSPTV	VINELAND NJ	51.2	PLN	DTVPLN	-NPLN1973
66	WHSP-DT	VINELAND NJ	51.2	PLN	DTVPLN	-DTVP1679
69	WFMZTV	ALLENTOWN PA	145.6	PLN	DTVPLN	-NPLN2015

Results for: 62N NJ ATLANTIC CITY DTVPLN NPLN1942 PLN

	POPULATION	AREA (sq km)
within Noise Limited Contour	1028585	11288.8
not affected by terrain losses	1026562	11259.2
lost to NTSC IX	273881	1895.0
lost to additional IX by ATV	22897	308.9
lost to all IX	296778	2203.9

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
49	WWSI	ATLANTIC CITY NJ	BLC DT	-20020812ABS

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
48	WGTW-TV	BURLINGTON NJ	88.6	LIC	BLCT	-19920821KF
48	WRNN-TV	KINGSTON NY	209.2	LIC	BLC DT	-20040908AMF
48	WRNNTV	KINGSTON NY	209.3	APP	BPRM	-20000328AAV
49	WEDW	BRIDGEPORT CT	208.0	LIC	BLET	-19870908KE
49	WLNE-DT	NEW BEDFORD MA	344.9	PLN	DTVPLN	-DTVP1420
49	WLNE-TV	NEW BEDFORD MA	358.1	LIC	BLC DT	-20040930BBS
49	WEKW-TV	KEENE NH	412.8	LIC	BLED T	-20030618ABK
49	WEKW-DT	KEENE NH	412.8	PLN	DTVPLN	-DTVP1425
49	WGB-TV	RED LION PA	192.9	LIC	BLCT	-19790419KG
49	WNEP-DT	SCRANTON PA	215.1	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	215.0	CP	BPC DT	-19990729KF
49	WNEP-TV	SCRANTON PA	215.0	LIC	BLC DT	-20020807AAF
49	WHSV-DT	HARRISONBURG VA	386.3	PLN	DTVPLN	-DTVP1434
49	WPXV	NORFOLK VA	365.6	LIC	BLCT	-20020225AAQ
50	NEW	WILMINGTON DE	88.3	APP	BPRM	-20051206AEA
50	WWAC-DT	ATLANTIC CITY NJ	29.1	PLN	DTVPLN	-DTVP1452
50	WNJN	MONTCLAIR NJ	137.7	LIC	BLET	-19860805KG
49	W25AW	TRENTON NJ	77.8	APP	USERRECORD-01	

Total scenarios = 6

Result key: 277
 Scenario 1 Affected station 32 WWSI
 Before Analysis

Results for: 49A NJ ATLANTIC CITY BLC DT 20020812ABS LIC

HAAT 296.0 m, ATV ERP 130.0 kw		
	POPULATION	AREA (sq km)
within Noise Limited Contour	1708663	15523.5
not affected by terrain losses	1708663	15523.5
lost to NTSC IX	41022	26.7
lost to additional IX by ATV	143	2.0
lost to ATV IX only	1428	4.9
lost to all IX	41165	28.6

Potential Interfering Stations Included in above Scenario 1

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N PA RED LION	BLCT	19790419KG	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN

After Analysis

Results for: 49A NJ ATLANTIC CITY BLCDT 20020812ABS LIC
 HAAT 296.0 m, ATV ERP 130.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	1708663	15523.5
not affected by terrain losses	1708663	15523.5
lost to NTSC IX	41022	26.7
lost to additional IX by ATV	3687	24.7
lost to ATV IX only	17974	36.5
lost to all IX	44709	51.3

Potential Interfering Stations Included in above Scenario 1

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N PA RED LION	BLCT	19790419KG	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 278
 Scenario 2 Affected station 32 WWSI
 Before Analysis

Results for: 49A NJ ATLANTIC CITY BLCDT 20020812ABS LIC
 HAAT 296.0 m, ATV ERP 130.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	1708663	15523.5
not affected by terrain losses	1708663	15523.5
lost to NTSC IX	41022	26.7
lost to additional IX by ATV	170	7.9
lost to ATV IX only	3930	12.8
lost to all IX	41192	34.6

Potential Interfering Stations Included in above Scenario 2

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N PA RED LION	BLCT	19790419KG	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP

After Analysis

Results for: 49A NJ ATLANTIC CITY BLCDT 20020812ABS LIC
 HAAT 296.0 m, ATV ERP 130.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	1708663	15523.5
not affected by terrain losses	1708663	15523.5
lost to NTSC IX	41022	26.7
lost to additional IX by ATV	3705	27.6
lost to ATV IX only	17992	39.5
lost to all IX	44727	54.3

Potential Interfering Stations Included in above Scenario 2

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N PA RED LION	BLCT	19790419KG	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 279
 Scenario 3 Affected station 32 WWSI
 Before Analysis

Results for: 49A NJ ATLANTIC CITY BLCDT 20020812ABS LIC
 HAAT 296.0 m, ATV ERP 130.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	1708663	15523.5
not affected by terrain losses	1708663	15523.5
lost to NTSC IX	41022	26.7
lost to additional IX by ATV	170	7.9
lost to ATV IX only	3930	12.8
lost to all IX	41192	34.6

Potential Interfering Stations Included in above Scenario 3

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N PA RED LION	BLCT	19790419KG	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC

After Analysis

Results for: 49A NJ ATLANTIC CITY BLCDT 20020812ABS LIC
 HAAT 296.0 m, ATV ERP 130.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	1708663	15523.5
not affected by terrain losses	1708663	15523.5
lost to NTSC IX	41022	26.7
lost to additional IX by ATV	3705	27.6
lost to ATV IX only	17992	39.5
lost to all IX	44727	54.3

Potential Interfering Stations Included in above Scenario 3

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N PA RED LION	BLCT	19790419KG	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 280
 Scenario 4 Affected station 32 WWSI
 Before Analysis

Results for: 49A NJ ATLANTIC CITY BLCDT 20020812ABS LIC
 HAAT 296.0 m, ATV ERP 130.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	1708663	15523.5
not affected by terrain losses	1708663	15523.5
lost to NTSC IX	41022	26.7
lost to additional IX by ATV	2449	3.0
lost to ATV IX only	35002	25.7
lost to all IX	43471	29.6

Potential Interfering Stations Included in above Scenario 4

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N PA RED LION	BLCT	19790419KG	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
50A DE WILMINGTON	BPRM	20051206AEA	APP

After Analysis

Results for: 49A NJ ATLANTIC CITY BLCDT 20020812ABS LIC
 Page 288

w25aw_stm_cc_49_da_02_977w

HAAT	296.0 m, ATV ERP	130.0 kw	
		POPULATION	AREA (sq km)
within Noise Limited Contour		1708663	15523.5
not affected by terrain losses		1708663	15523.5
lost to NTSC IX		41022	26.7
lost to additional IX by ATV		5993	25.7
lost to ATV IX only		40101	49.4
lost to all IX		47015	52.3

Potential Interfering Stations Included in above Scenario 4

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N PA RED LION	BLCT	19790419KG	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
50A DE WILMINGTON	BPRM	20051206AEA	APP
49A NJ TRENTON	USERRECORD01		APP

Result key: 281
 Scenario 5 Affected station 32 WWSI
 Before Analysis

Results for: 49A NJ ATLANTIC CITY BLCDT 20020812ABS LIC

HAAT	296.0 m, ATV ERP	130.0 kw	
		POPULATION	AREA (sq km)
within Noise Limited Contour		1708663	15523.5
not affected by terrain losses		1708663	15523.5
lost to NTSC IX		41022	26.7
lost to additional IX by ATV		2476	8.9
lost to ATV IX only		35029	31.6
lost to all IX		43498	35.5

Potential Interfering Stations Included in above Scenario 5

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N PA RED LION	BLCT	19790419KG	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
50A DE WILMINGTON	BPRM	20051206AEA	APP

After Analysis

Results for: 49A NJ ATLANTIC CITY BLCDT 20020812ABS LIC

HAAT	296.0 m, ATV ERP	130.0 kw	
		POPULATION	AREA (sq km)
within Noise Limited Contour		1708663	15523.5
not affected by terrain losses		1708663	15523.5
lost to NTSC IX		41022	26.7
lost to additional IX by ATV		6011	28.6
lost to ATV IX only		40119	52.3
lost to all IX		47033	55.3

Potential Interfering Stations Included in above Scenario 5

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N PA RED LION	BLCT	19790419KG	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
50A DE WILMINGTON	BPRM	20051206AEA	APP
49A NJ TRENTON	USERRECORD01		APP

Result key: 282
 Scenario 6 Affected station 32 WWSI
 Page 289

Before Analysis

Results for: 49A NJ ATLANTIC CITY BLCDT 20020812ABS LIC
 HAAT 296.0 m, ATV ERP 130.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	1708663	15523.5
not affected by terrain losses	1708663	15523.5
lost to NTSC IX	41022	26.7
lost to additional IX by ATV	2476	8.9
lost to ATV IX only	35029	31.6
lost to all IX	43498	35.5

Potential Interfering Stations Included in above Scenario 6

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N PA RED LION	BLCT	19790419KG	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP

After Analysis

Results for: 49A NJ ATLANTIC CITY BLCDT 20020812ABS LIC
 HAAT 296.0 m, ATV ERP 130.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	1708663	15523.5
not affected by terrain losses	1708663	15523.5
lost to NTSC IX	41022	26.7
lost to additional IX by ATV	6011	28.6
lost to ATV IX only	40119	52.3
lost to all IX	47033	55.3

Potential Interfering Stations Included in above Scenario 6

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N PA RED LION	BLCT	19790419KG	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
49A NJ TRENTON	USERRECORD01		APP

#####

Analysis of Interference to Affected Station 33

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
49	W49BE	HACKETTSTOWN NJ	BLTT	-19930517IG

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
41	WFUT-TV	NEWARK NJ	75.6	APP	BFRCT	-20050516AUU
41	WVIA-TV	SCRANTON PA	91.1	LIC	BLEDT	-20010109AAP
41	WVIA-DT	SCRANTON PA	91.1	PLN	DTVPLN	-DTVP1171
42	WTFX-TV	PHILADELPHIA PA	95.2	CP	BPCDT	-20020424AAZ
42	WTFX-DT	PHILADELPHIA PA	95.2	PLN	DTVPLN	-DTVP1207
45	WABC-DT	NEW YORK NY	74.3	PLN	DTVPLN	-DTVP1309
45	WOLFTV	HAZLETON PA	91.0	LIC	BPRM	-20000413AAD
45	WOLF-TV	HAZLETON PA	91.0	LIC	BLCDT	-20050906ACK
46	WFMZ-DT	ALLENTOWN PA	57.2	PLN	DTVPLN	-DTVP1339

w25aw_stm_cc_49_da_02_977w

46	WFMZ-TV	ALLENTOWN PA	57.2	CP MOD	BMPCDT	-20041029AHC
48	WGTW-TV	BURLINGTON NJ	95.1	LIC	BLCT	-19920821KF
48	WRNN-TV	KINGSTON NY	105.0	LIC	BLC DT	-20040908AMF
48	WRNNTV	KINGSTON NY	105.1	APP	BPRM	-20000328AAV
49	WEDW	BRIDGEPORT CT	149.4	LIC	BLET	-19870908KE
49	WLNE-DT	NEW BEDFORD MA	319.1	PLN	DTVPLN	-DTVP1420
49	WLNE-TV	NEW BEDFORD MA	319.9	LIC	BLC DT	-20040930BBS
49	WEKW-TV	KEENE NH	319.0	LIC	BLED T	-20030618ABK
49	WEKW-DT	KEENE NH	319.0	PLN	DTVPLN	-DTVP1425
49	WWSI	ATLANTIC CITY NJ	142.7	LIC	BLC DT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	147.2	PLN	DTVPLN	-DTVP1426
49	WNYO-TV	BUFFALO NY	366.1	LIC	BLCT	-19870911KH
49	WNYN-LP	NEW YORK NY	79.3	CP	BPTTL	-20030929AJK
49	WGCB-TV	RED LION PA	178.8	LIC	BLCT	-19790419KG
49	WNEP-DT	SCRANTON PA	91.3	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	91.0	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	91.0	LIC	BLC DT	-20020807AAF
50	NEW	WILMINGTON DE	95.2	APP	BPRM	-20051206AEA
50	WNJN	MONTCLAIR NJ	56.8	LIC	BLET	-19860805KG
51	WNJN-DT	MONTCLAIR NJ	56.8	PLN	DTVPLN	-DTVP1486
51	WNJN	MONTCLAIR NJ	56.8	APP	BMPE DT	-20060523ABB
51	WNJN	MONTCLAIR NJ	56.8	CP	BPED T	-20000425AAH
53	WFUT-TV	NEWARK NJ	75.6	LIC	BLC DT	-20040809AAX
53	WHSE-DT	NEWARK NJ	75.8	PLN	DTVPLN	-DTVP1533
56	WCBS-DT	NEW YORK NY	74.3	PLN	DTVPLN	-DTVP1590
63	WMBC-TV	NEWTON NJ	29.8	CP	BPCT	-19980126KH
64	WASA-LP	PORT JERVIS NY	29.5	CP MOD	BMPTTL	-20051020AFY
64	WPVI-TV	PHILADELPHIA PA	95.1	CP MOD	BMPCDT	-19980826KG
64	WPVI-DT	PHILADELPHIA PA	94.9	PLN	DTVPLN	-DTVP1675
64	WQPX	SCRANTON PA	96.2	LIC	BLCT	-19980528KH
64	W64AL	STROUDSBURG PA	29.5	LIC	BLTTV	-19790423IF
49	W25AW	TRENTON NJ	65.3	APP	USERRECORD-01	

Total scenarios = 12

Result key: 283
 Scenario 1 Affected station 33 W49BE
 Before Analysis

Results for: 49N NJ HACKETTSTOWN		BLTT	19930517IG	LIC
	POPULATION	AREA (sq km)		
within Noise Limited Contour	68252	756.9		
not affected by terrain losses	50004	583.3		
lost to NTSC IX	969	13.9		
lost to additional IX by ATV	1030	5.0		
lost to all IX	1999	18.8		

Potential Interfering Stations Included in above Scenario 1

48N NJ	BURLINGTON	BLCT	19920821KF	LIC
49N CT	BRIDGEPORT	BLET	19870908KE	LIC
49N NY	NEW YORK	BPTTL	20030929AJK	CP
63N NJ	NEWTON	BPCT	19980126KH	CP
49A NJ	ATLANTIC CITY	BLC DT	20020812ABS	LIC
49A PA	SCRANTON	DTVPLN	DTVP1429	PLN

After Analysis

Results for: 49N NJ HACKETTSTOWN		BLTT	19930517IG	LIC
	POPULATION	AREA (sq km)		
within Noise Limited Contour	68252	756.9		
not affected by terrain losses	50004	583.3		

w25aw_stm_cc_49_da_02_977w

lost to NTSC IX	969	13.9
lost to additional IX by ATV	1412	12.9
lost to all IX	2381	26.8

Potential Interfering Stations Included in above Scenario 1

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 284
 Scenario 2 Affected station 33 W49BE
 Before Analysis

Results for: 49N NJ HACKETTSTOWN

	BLTT	19930517IG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	68252	756.9	
not affected by terrain losses	50004	583.3	
lost to NTSC IX	969	13.9	
lost to additional IX by ATV	1620	8.9	
lost to all IX	2589	22.8	

Potential Interfering Stations Included in above Scenario 2

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP

After Analysis

Results for: 49N NJ HACKETTSTOWN

	BLTT	19930517IG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	68252	756.9	
not affected by terrain losses	50004	583.3	
lost to NTSC IX	969	13.9	
lost to additional IX by ATV	1976	15.9	
lost to all IX	2945	29.8	

Potential Interfering Stations Included in above Scenario 2

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 285
 Scenario 3 Affected station 33 W49BE
 Before Analysis

Results for: 49N NJ HACKETTSTOWN

	BLTT	19930517IG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	68252	756.9	
not affected by terrain losses	50004	583.3	

w25aw_stm_cc_49_da_02_977w

lost to NTSC IX	969	13.9
lost to additional IX by ATV	1620	8.9
lost to all IX	2589	22.8

Potential Interfering Stations Included in above Scenario 3

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC

After Analysis

Results for: 49N NJ HACKETTSTOWN	BLTT	19930517IG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	68252	756.9	
not affected by terrain losses	50004	583.3	
lost to NTSC IX	969	13.9	
lost to additional IX by ATV	1976	15.9	
lost to all IX	2945	29.8	

Potential Interfering Stations Included in above Scenario 3

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 286
 Scenario 4 Affected station 33 W49BE
 Before Analysis

Results for: 49N NJ HACKETTSTOWN	BLTT	19930517IG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	68252	756.9	
not affected by terrain losses	50004	583.3	
lost to NTSC IX	969	13.9	
lost to additional IX by ATV	1030	5.0	
lost to all IX	1999	18.8	

Potential Interfering Stations Included in above Scenario 4

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN

After Analysis

Results for: 49N NJ HACKETTSTOWN	BLTT	19930517IG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	68252	756.9	
not affected by terrain losses	50004	583.3	
lost to NTSC IX	969	13.9	
lost to additional IX by ATV	1412	12.9	
lost to all IX	2381	26.8	

Potential Interfering Stations Included in above Scenario 4

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 287
 Scenario 5 Affected station 33 W49BE
 Before Analysis

Results for: 49N NJ HACKETTSTOWN BLTT 19930517IG LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	68252	756.9
not affected by terrain losses	50004	583.3
lost to NTSC IX	969	13.9
lost to additional IX by ATV	1620	8.9
lost to all IX	2589	22.8

Potential Interfering Stations Included in above Scenario 5

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP

After Analysis

Results for: 49N NJ HACKETTSTOWN BLTT 19930517IG LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	68252	756.9
not affected by terrain losses	50004	583.3
lost to NTSC IX	969	13.9
lost to additional IX by ATV	1976	15.9
lost to all IX	2945	29.8

Potential Interfering Stations Included in above Scenario 5

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 288
 Scenario 6 Affected station 33 W49BE
 Before Analysis

Results for: 49N NJ HACKETTSTOWN BLTT 19930517IG LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	68252	756.9
not affected by terrain losses	50004	583.3
lost to NTSC IX	969	13.9
lost to additional IX by ATV	1620	8.9
lost to all IX	2589	22.8

Potential Interfering Stations Included in above Scenario 6

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC

After Analysis

Results for: 49N NJ HACKETTSTOWN	BLTT	19930517IG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	68252	756.9	
not affected by terrain losses	50004	583.3	
lost to NTSC IX	969	13.9	
lost to additional IX by ATV	1976	15.9	
lost to all IX	2945	29.8	

Potential Interfering Stations Included in above Scenario 6

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 289
 Scenario 7 Affected station 33 W49BE
 Before Analysis

Results for: 49N NJ HACKETTSTOWN	BLTT	19930517IG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	68252	756.9	
not affected by terrain losses	50004	583.3	
lost to NTSC IX	969	13.9	
lost to additional IX by ATV	1030	5.0	
lost to all IX	1999	18.8	

Potential Interfering Stations Included in above Scenario 7

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN

After Analysis

Results for: 49N NJ HACKETTSTOWN	BLTT	19930517IG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	68252	756.9	
not affected by terrain losses	50004	583.3	
lost to NTSC IX	969	13.9	
lost to additional IX by ATV	1412	12.9	
lost to all IX	2381	26.8	

Potential Interfering Stations Included in above Scenario 7

w25aw_stm_cc_49_da_02_977w

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 290
 Scenario 8 Affected station 33 W49BE
 Before Analysis

Results for: 49N NJ HACKETTSTOWN

	BLTT	19930517IG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	68252	756.9	
not affected by terrain losses	50004	583.3	
lost to NTSC IX	969	13.9	
lost to additional IX by ATV	1620	8.9	
lost to all IX	2589	22.8	

Potential Interfering Stations Included in above Scenario 8

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP

After Analysis

Results for: 49N NJ HACKETTSTOWN

	BLTT	19930517IG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	68252	756.9	
not affected by terrain losses	50004	583.3	
lost to NTSC IX	969	13.9	
lost to additional IX by ATV	1976	15.9	
lost to all IX	2945	29.8	

Potential Interfering Stations Included in above Scenario 8

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 291
 Scenario 9 Affected station 33 W49BE
 Before Analysis

Results for: 49N NJ HACKETTSTOWN

	BLTT	19930517IG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	68252	756.9	
not affected by terrain losses	50004	583.3	
lost to NTSC IX	969	13.9	
lost to additional IX by ATV	1620	8.9	
lost to all IX	2589	22.8	

Potential Interfering Stations Included in above Scenario 9

w25aw_stm_cc_49_da_02_977w

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC

After Analysis

Results for: 49N NJ HACKETTSTOWN	BLTT	19930517IG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	68252	756.9	
not affected by terrain losses	50004	583.3	
lost to NTSC IX	969	13.9	
lost to additional IX by ATV	1976	15.9	
lost to all IX	2945	29.8	

Potential Interfering Stations Included in above Scenario 9

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A NJ TRENTON	USERRECORD01		APP

Result key: 292
 Scenario 10 Affected station 33 W49BE
 Before Analysis

Results for: 49N NJ HACKETTSTOWN	BLTT	19930517IG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	68252	756.9	
not affected by terrain losses	50004	583.3	
lost to NTSC IX	969	13.9	
lost to additional IX by ATV	1030	5.0	
lost to all IX	1999	18.8	

Potential Interfering Stations Included in above Scenario 10

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN

After Analysis

Results for: 49N NJ HACKETTSTOWN	BLTT	19930517IG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	68252	756.9	
not affected by terrain losses	50004	583.3	
lost to NTSC IX	969	13.9	
lost to additional IX by ATV	1412	12.9	
lost to all IX	2381	26.8	

Potential Interfering Stations Included in above Scenario 10

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP

w25aw_stm_cc_49_da_02_977w

63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 293
 Scenario 11 Affected station 33 W49BE
 Before Analysis

Results for: 49N NJ HACKETTSTOWN BLTT 19930517IG LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	68252	756.9
not affected by terrain losses	50004	583.3
lost to NTSC IX	969	13.9
lost to additional IX by ATV	1620	8.9
lost to all IX	2589	22.8

Potential Interfering Stations Included in above Scenario 11

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP

After Analysis

Results for: 49N NJ HACKETTSTOWN BLTT 19930517IG LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	68252	756.9
not affected by terrain losses	50004	583.3
lost to NTSC IX	969	13.9
lost to additional IX by ATV	1976	15.9
lost to all IX	2945	29.8

Potential Interfering Stations Included in above Scenario 11

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 294
 Scenario 12 Affected station 33 W49BE
 Before Analysis

Results for: 49N NJ HACKETTSTOWN BLTT 19930517IG LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	68252	756.9
not affected by terrain losses	50004	583.3
lost to NTSC IX	969	13.9
lost to additional IX by ATV	1620	8.9
lost to all IX	2589	22.8

Potential Interfering Stations Included in above Scenario 12

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP

	w25aw_stm_cc_49_da_02_977w		
63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC

After Analysis

Results for: 49N NJ HACKETTSTOWN	BLTT	19930517IG	LIC
within Noise Limited Contour	POPULATION	AREA (sq km)	
not affected by terrain losses	68252	756.9	
lost to NTSC IX	50004	583.3	
lost to additional IX by ATV	969	13.9	
lost to all IX	1976	15.9	
	2945	29.8	

Potential Interfering Stations Included in above scenario 12

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
63N NJ NEWTON	BPCT	19980126KH	CP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
49A NJ TRENTON	USERRECORD01		APP

#####

Analysis of Interference to Affected Station 34

Analysis of current record

Channel	Call	City/State	Application Ref. No.
49	WFNY-CA	GLOVERSVILLE NY	BLTTL -19970811JF

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
41	WNPE-DT	WATERTOWN NY	138.2	PLN	DTVPLN -DTVP1168
47	WTVH-DT	SYRACUSE NY	142.2	PLN	DTVPLN -DTVP1367
47	WTVH	SYRACUSE NY	142.2	CP MOD	BMPCDT -20040810ABB
49	WEDW	BRIDGEPORT CT	225.0	LIC	BLET -19870908KE
49	WLNE-DT	NEW BEDFORD MA	310.3	PLN	DTVPLN -DTVP1420
49	WLNE-TV	NEW BEDFORD MA	287.8	LIC	BLCDDT -20040930BBS
49	WEKW-TV	KEENE NH	162.9	LIC	BLEDT -20030618ABK
49	WEKW-DT	KEENE NH	162.9	PLN	DTVPLN -DTVP1425
49	WLED-TV	LITTLETON NH	253.1	LIC	BMLET -20030725ACD
49	WWSI	ATLANTIC CITY NJ	385.8	LIC	BLCDDT -20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	387.9	PLN	DTVPLN -DTVP1426
49	WNYO-TV	BUFFALO NY	334.4	LIC	BLCT -19870911KH
49	WNEP-DT	SCRANTON PA	246.6	PLN	DTVPLN -DTVP1429
49	WNEP-TV	SCRANTON PA	246.5	CP	BPCDDT -19990729KF
49	WNEP-TV	SCRANTON PA	246.5	LIC	BLCDDT -20020807AAF
49	WVBK-CA	MANCHESTER, ETC. VT	102.0	LIC	BLTT -19980317JH
50	WYPX	AMSTERDAM NY	20.2	LIC	BLCDDT -20040908ABO
50	WOCD-DT	AMSTERDAM NY	20.3	PLN	DTVPLN -DTVP1453
56	WVER-DT	RUTLAND VT	119.4	PLN	DTVPLN -DTVP1598
49	W25AW	TRENTON NJ	314.5	APP	USERRECORD-01

Proposal causes no interference

#####

Analysis of Interference to Affected Station 35

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
49	WNYN-LP	NEW YORK NY	BPTTL	-20030929AJK

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
41	WFUT-TV	NEWARK NJ	3.7	APP	BFRCT	-20050516AUU
42	WSAH	BRIDGEPORT CT	97.5	APP	BMPCDT	-20060214AAF
42	WHAI-DT	BRIDGEPORT CT	97.5	PLN	DTVPLN	-DTVP1185
42	WSAH	BRIDGEPORT CT	97.5	CP	BPCDT	-19991101AFE
42	WTFX-TV	PHILADELPHIA PA	134.8	CP	BPCDT	-20020424AAZ
42	WTFX-DT	PHILADELPHIA PA	134.9	PLN	DTVPLN	-DTVP1207
45	WEDH	HARTFORD CT	141.2	APP	BPEDT	-19990113KG
45	WABC-DT	NEW YORK NY	7.1	PLN	DTVPLN	-DTVP1309
46	WFMZ-DT	ALLENTOWN PA	127.8	PLN	DTVPLN	-DTVP1339
46	WFMZ-TV	ALLENTOWN PA	127.8	CP MOD	BMPCDT	-20041029AHC
47	WLNY	RIVERHEAD NY	88.1	APP	BSRCCT	-20060228ALR
48	WRNN-TV	KINGSTON NY	82.4	LIC	BLCDD	-20040908AMF
48	WRNNTV	KINGSTON NY	82.4	APP	BPRM	-20000328AAV
49	WEDW	BRIDGEPORT CT	86.8	LIC	BLET	-19870908KE
49	WLNE-DT	NEW BEDFORD MA	249.0	PLN	DTVPLN	-DTVP1420
49	WLNE-TV	NEW BEDFORD MA	254.2	LIC	BLCDD	-20040930BBS
49	WEKW-TV	KEENE NH	285.6	LIC	BLEDT	-20030618ABK
49	WEKW-DT	KEENE NH	285.6	PLN	DTVPLN	-DTVP1425
49	WWSI	ATLANTIC CITY NJ	128.8	LIC	BLCDD	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	128.9	PLN	DTVPLN	-DTVP1426
49	W49BE	HACKETTSTOWN NJ	79.3	LIC	BLTT	-19930517IG
49	WGCB-TV	RED LION PA	242.4	LIC	BLCT	-19790419KG
49	WNEP-DT	SCRANTON PA	168.9	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	168.7	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	168.7	LIC	BLCDD	-20020807AAF
50	WNJN	MONTCLAIR NJ	25.3	LIC	BLET	-19860805KG
51	WNJN-DT	MONTCLAIR NJ	25.3	PLN	DTVPLN	-DTVP1486
51	WNJN	MONTCLAIR NJ	25.3	APP	BMPEDT	-20060523ABB
51	WNJN	MONTCLAIR NJ	25.3	CP	BPEDT	-20000425AAH
52	WEDW	BRIDGEPORT CT	86.8	LIC	BLEDT	-20030425AAK
52	WEDW-DT	BRIDGEPORT CT	86.8	PLN	DTVPLN	-DTVP1502
53	WFUT-TV	NEWARK NJ	3.7	LIC	BLCDD	-20040809AAX
53	WHSE-DT	NEWARK NJ	3.6	PLN	DTVPLN	-DTVP1533
56	WCBS-DT	NEW YORK NY	7.1	PLN	DTVPLN	-DTVP1590
57	WLNY	RIVERHEAD NY	88.1	CP MOD	BMPCDT	-20051201BIN
57	WLNY-DT	RIVERHEAD NY	88.1	PLN	DTVPLN	-DTVP1614
63	WMBC-TV	NEWTON NJ	61.9	CP	BPCT	-19980126KH
64	WXY-LP	NEW YORK NY	0.0	CP	BPTTL	-20030714AEA
64	WASA-LP	PORT JERVIS NY	62.0	CP MOD	BMPTTL	-20051020AFY
64	WPVI-TV	PHILADELPHIA PA	135.0	CP MOD	BMPCDT	-19980826KG
64	WPVI-DT	PHILADELPHIA PA	134.7	PLN	DTVPLN	-DTVP1675
49	W25AW	TRENTON NJ	81.2	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 36

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
49	WNDR-LP	SYRACUSE NY	BMJPTTA	-20031117AAS

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
41	NEW	GENESEO NY	143.3	ADD	BPRM	-20000717ABS
41	NEW	ROCHESTER NY	126.0	ADD	BPRM	-20000906AAB
41	WNPE-DT	WATERTOWN NY	100.6	PLN	DTVPLN	-DTVP1168
42	WSKG-DT	BINGHAMTON NY	106.6	PLN	DTVPLN	-DTVP1202
42	WSKG-TV	BINGHAMTON NY	106.0	LIC	BLEDT	-20050526ACA
45	WROC-DT	ROCHESTER NY	118.9	PLN	DTVPLN	-DTVP1310
47	WTVH-DT	SYRACUSE NY	5.8	PLN	DTVPLN	-DTVP1367
47	WTVH	SYRACUSE NY	5.8	CP MOD	BMPCDT	-20040810ABB
48	WYDC	CORNING NY	123.4	CP	BPCT	-20010123ABG
49	WEDW	BRIDGEPORT CT	309.4	LIC	BLET	-19870908KE
49	WEKW-TV	KEENE NH	305.7	LIC	BLEDT	-20030618ABK
49	WEKW-DT	KEENE NH	305.7	PLN	DTVPLN	-DTVP1425
49	WLED-TV	LITTLETON NH	383.5	LIC	BMLET	-20030725ACD
49	WNYO-TV	BUFFALO NY	191.2	LIC	BLCT	-19870911KH
49	WGCB-TV	RED LION PA	346.7	LIC	BLCT	-19790419KG
49	WNEP-DT	SCRANTON PA	203.7	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	203.6	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	203.6	LIC	BLCDT	-20020807AAF
50	WYDC-DT	CORNING NY	119.6	PLN	DTVPLN	-DTVP1454
50	WYDC	CORNING NY	119.6	CP	BPCDT	-19991029AID
50	WWTI	WATERTOWN NY	102.7	LIC	BMLCT	-20050829ABX
49	W25AW	TRENTON NJ	325.5	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 37

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
49	WLLS-LP	INDIANA PA	BLTTL	-19961230JA

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
41	WKBN-DT	YOUNGSTOWN OH	129.5	PLN	DTVPLN	-DTVP1170
41	WKBN-TV	YOUNGSTOWN OH	129.5	CP	BPCDT	-19991025ACU
42	WPMY	PITTSBURGH PA	68.4	CP MOD	BMPCDT	-20000428ABY
42	WPTT-DT	PITTSBURGH PA	47.6	PLN	DTVPLN	-DTVP1208
46	WKBS-DT	ALTOONA PA	65.6	PLN	DTVPLN	-DTVP1340
46	WKBS-TV	ALTOONA PA	65.6	CP	BPCDT	-19991026ACS
48	WPXI-DT	PITTSBURGH PA	69.3	PLN	DTVPLN	-DTVP1399
48	WPXI	PITTSBURGH PA	69.2	LIC	BLCDT	-20050609AAQ
49	WWTB-LP	WASHINGTON DC	261.4	CP MOD	BMPDTL	-20050912ACV
49	WNYO-TV	BUFFALO NY	247.7	LIC	BLCT	-19870911KH
49	WEAO	AKRON OH	209.6	LIC	BMLET	-20041027ABS
49	WNWO-DT	TOLEDO OH	365.4	PLN	DTVPLN	-DTVP1427
49	W49CS	ERIE PA	172.8	CP	BNPTTL	-20000830BMX
49	WPCW	JEANETTE PA	54.6	APP	BPCDT	-20060510AAI
49	WNPA	JEANETTE PA	54.6	LIC	BPRM	-20000413AAE
49	WGCB-TV	RED LION PA	237.1	LIC	BLCT	-19790419KG
49	WNEP-DT	SCRANTON PA	287.4	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	287.6	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	287.6	LIC	BLCDT	-20020807AAF
49	WHSV-DT	HARRISONBURG VA	230.6	PLN	DTVPLN	-DTVP1434
49	WTAP-TV	PARKERSBURG WV	245.5	LIC	BLCDT	-20040423ABG
49	WTAP-DT	PARKERSBURG WV	245.5	PLN	DTVPLN	-DTVP1436
50	WPCB-TV	GREENSBURG PA	54.6	LIC	BLCDT	-20030409ABC

w25aw_stm_cc_49_da_02_977w

50	WPCB-DT	GREENSBURG PA	54.6	PLN	DTVPLN	-DTVP1459
51	WTAE-DT	PITTSBURGH PA	63.0	PLN	DTVPLN	-DTVP1490
57	WTOV-DT	STEUBENVILLE OH	106.2	PLN	DTVPLN	-DTVP1615
57	WTOV-TV	STEUBENVILLE OH	123.1	CP MOD	BMPCDT	-20020408AAK
64	WBOA-LP	KITTANNING PA	32.5	LIC	BLTTL	-19990322JB
64	WBOA-LP	KITTANNING PA	32.5	APP	BMPTTL	-19961120JA
49	W25AW	TRENTON NJ	384.8	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 38

NTSC Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
49	WGCBT	RED LION PA	DTVPLN	-NPLN1760

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
41	WHSW-DT	BALTIMORE MD	70.3	PLN	DTVPLN	-DTVP1163
42	WMPT-DT	ANNAPOLIS MD	99.5	PLN	DTVPLN	-DTVP1198
42	WTFX-DT	PHILADELPHIA PA	115.5	PLN	DTVPLN	-DTVP1207
42	WVPY	FRONT ROYAL VA	183.2	PLN	DTVPLN	-NPLN1629
46	WBFF-DT	BALTIMORE MD	63.5	PLN	DTVPLN	-DTVP1329
46	WFMZ-DT	ALLENTOWN PA	121.6	PLN	DTVPLN	-DTVP1339
47	WPMT-DT	YORK PA	13.7	PLN	DTVPLN	-DTVP1370
48	WRC-DT	WASHINGTON DC	115.5	PLN	DTVPLN	-DTVP1385
48	WGTW	BURLINGTON NJ	115.2	PLN	DTVPLN	-NPLN1735
49	WEDW	BRIDGEPORT CT	324.9	PLN	DTVPLN	-NPLN1748
49	WACI-DT	ATLANTIC CITY NJ	200.8	PLN	DTVPLN	-DTVP1426
49	WNYOTV	BUFFALO NY	356.0	PLN	DTVPLN	-NPLN1758
49	WNEP-DT	SCRANTON PA	154.2	PLN	DTVPLN	-DTVP1429
49	WHSV-DT	HARRISONBURG VA	228.2	PLN	DTVPLN	-DTVP1434
49	WJCB	NORFOLK VA	344.2	PLN	DTVPLN	-NPLN1764
50	WBDCTV	WASHINGTON DC	111.5	PLN	DTVPLN	-NPLN1771
50	WWAC-DT	ATLANTIC CITY NJ	191.6	PLN	DTVPLN	-DTVP1452
51	WBDC-DT	WASHINGTON DC	111.5	PLN	DTVPLN	-DTVP1472
51	WTVE	READING PA	88.2	PLN	DTVPLN	-NPLN1799
52	WMAR-DT	BALTIMORE MD	63.6	PLN	DTVPLN	-DTVP1511
56	WWLF	HAZLETON PA	132.7	PLN	DTVPLN	-NPLN1870
56	WNVC	FAIRFAX VA	127.1	PLN	DTVPLN	-NPLN1873
57	WHTM-DT	HARRISBURG PA	55.3	PLN	DTVPLN	-DTVP1616
57	WPSG	PHILADELPHIA PA	115.6	PLN	DTVPLN	-NPLN1883
57	WNVC-DT	FAIRFAX VA	127.1	PLN	DTVPLN	-DTVP1619
64	WDPB	SEAFORD DE	162.2	PLN	DTVPLN	-NPLN1959
64	WPVI-DT	PHILADELPHIA PA	115.4	PLN	DTVPLN	-DTVP1675
64	WSWBTV	SCRANTON PA	184.9	PLN	DTVPLN	-NPLN1965

Results for: 49N PA RED LION	DTVPLN	NPLN1760	PLN
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1549484	10000.2	
not affected by terrain losses	1348832	8901.8	
lost to NTSC IX	24704	209.3	
lost to additional IX by ATV	97324	595.4	
lost to all IX	122028	804.6	

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
---------	------	------------	-------------	----------

w25aw_stm_cc_49_da_02_977w
 49 WGCB-TV RED LION PA BLCT -19790419KG

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
41	WUTB	BALTIMORE MD	70.3	APP	BMPCDT	-20051118ADM
41	WHSW-DT	BALTIMORE MD	70.3	PLN	DTVPLN	-DTVP1163
41	WUTB	BALTIMORE MD	70.3	CP MOD	BMPCDT	-20040608ABC
42	WMPT-DT	ANNAPOLIS MD	99.5	PLN	DTVPLN	-DTVP1198
42	WTFX-TV	PHILADELPHIA PA	115.5	CP	BPCDT	-20020424AAZ
42	WTFX-DT	PHILADELPHIA PA	115.5	PLN	DTVPLN	-DTVP1207
42	WVPY	FRONT ROYAL VA	183.2	APP	BPET	-20060206ABM
42	WVPY	FRONT ROYAL VA	183.2	LIC	BLET	-19961015KF
46	WBFF	BALTIMORE MD	63.5	CP	BPCDT	-19980803KR
46	WBFF-DT	BALTIMORE MD	63.5	PLN	DTVPLN	-DTVP1329
46	WFMZ-DT	ALLENTOWN PA	121.6	PLN	DTVPLN	-DTVP1339
46	WFMZ-TV	ALLENTOWN PA	121.6	CP MOD	BMPCDT	-20041029AHC
47	WPMT-DT	YORK PA	13.7	PLN	DTVPLN	-DTVP1370
47	WPMT	YORK PA	13.8	LIC	BMLCDT	-20041025ABI
48	WRC-TV	WASHINGTON DC	115.5	LIC	BLCDT	-20000216AAT
48	WRC-DT	WASHINGTON DC	115.5	PLN	DTVPLN	-DTVP1385
48	WGTW-TV	BURLINGTON NJ	115.2	LIC	BLCT	-19920821KF
49	WEDW	BRIDGEPORT CT	324.9	LIC	BLET	-19870908KE
49	WWSI	ATLANTIC CITY NJ	192.9	LIC	BLCDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	200.8	PLN	DTVPLN	-DTVP1426
49	WNYO-TV	BUFFALO NY	356.0	LIC	BLCT	-19870911KH
49	WPCW	JEANNETTE PA	277.1	APP	BPCDT	-20060510AAI
49	WNPA	JEANNETTE PA	277.1	LIC	BPRM	-20000413AAE
49	WNEP-DT	SCRANTON PA	154.2	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	154.4	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	154.4	LIC	BLCDT	-20020807AAF
49	WHSV-DT	HARRISONBURG VA	228.2	PLN	DTVPLN	-DTVP1434
49	WPXV	NORFOLK VA	344.2	LIC	BLCT	-20020225AAQ
50	WDCW	WASHINGTON DC	111.5	LIC	BLCT	-20030819ABE
50	NEW	WILMINGTON DE	115.4	APP	BPRM	-20051206AEA
50	WWAC-DT	ATLANTIC CITY NJ	191.6	PLN	DTVPLN	-DTVP1452
51	WDCW	WASHINGTON DC	111.5	LIC	BLCDT	-20030221AAG
51	WBDC-DT	WASHINGTON DC	111.5	PLN	DTVPLN	-DTVP1472
51	WTV	READING PA	76.7	CP	BPCT	-20010430AAL
52	WMAR-DT	BALTIMORE MD	63.6	PLN	DTVPLN	-DTVP1511
56	WOLF-TV	HAZLETON PA	154.4	LIC	BLCT	-19981202KG
56	WNVC	FAIRFAX VA	127.1	LIC	BLET	-19830525KF
57	WHTM-DT	HARRISBURG PA	55.3	PLN	DTVPLN	-DTVP1616
57	WPSG	PHILADELPHIA PA	115.6	LIC	BLCT	-19980213KE
57	WNVC-DT	FAIRFAX VA	127.1	PLN	DTVPLN	-DTVP1619
64	WDPB	SEAFORD DE	162.2	LIC	BLET	-19841130KI
64	WDPB	SEAFORD DE	162.2	APP	BPET	-20040604ABG
64	WPVI-TV	PHILADELPHIA PA	115.2	CP MOD	BMPCDT	-19980826KG
64	WPVI-DT	PHILADELPHIA PA	115.4	PLN	DTVPLN	-DTVP1675
64	WQPX	SCRANTON PA	184.8	LIC	BLCT	-19980528KH
49	W25AW	TRENTON NJ	166.7	APP	USERRECORD-01	

Total scenarios = 48

Result key: 295
 Scenario 1 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION BLCT 19790419KG LIC
 within Noise Limited Contour POPULATION AREA (sq km)
 not affected by terrain losses 1560535 10100.4
 1358810 8995.1

w25aw_stm_cc_49_da_02_977w

lost to NTSC IX	34149	264.3
lost to additional IX by ATV	96180	605.2
lost to all IX	130329	869.5

Potential Interfering Stations Included in above Scenario 1

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	96180	605.2	
lost to all IX	130329	869.5	

Potential Interfering Stations Included in above Scenario 1

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 296
Scenario 2 Affected station 38 WGCB-TV
Before Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	108438	675.9	
lost to all IX	142587	940.2	

Potential Interfering Stations Included in above Scenario 2

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN

w25aw_stm_cc_49_da_02_977w

48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	108438	675.9	
lost to all IX	142587	940.2	

Potential Interfering Stations Included in above Scenario 2

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 297
 Scenario 3 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	108438	675.9	
lost to all IX	142587	940.2	

Potential Interfering Stations Included in above Scenario 3

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	

	w25aw_stm_cc_49_da_02_977w	
lost to NTSC IX	34149	264.3
lost to additional IX by ATV	108438	675.9
lost to all IX	142587	940.2

Potential Interfering Stations Included in above Scenario 3

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 298
 Scenario 4 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	97180	584.5	
lost to all IX	131329	848.8	

Potential Interfering Stations Included in above Scenario 4

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	97180	584.5	
lost to all IX	131329	848.8	

Potential Interfering Stations Included in above Scenario 4

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN

w25aw_stm_cc_49_da_02_977w

48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 299
 Scenario 5 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	109574	656.3	
lost to all IX	143723	920.5	

Potential Interfering Stations Included in above Scenario 5

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	109574	656.3	
lost to all IX	143723	920.5	

Potential Interfering Stations Included in above Scenario 5

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 300
 Scenario 6 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
--	------	------------	-----

Page 307

w25aw_stm_cc_49_da_02_977w

	POPULATION	AREA (sq km)
within Noise Limited Contour	1560535	10100.4
not affected by terrain losses	1358810	8995.1
lost to NTSC IX	34149	264.3
lost to additional IX by ATV	109612	657.2
lost to all IX	143761	921.5

Potential Interfering Stations Included in above Scenario 6

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION BLCT 19790419KG LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	1560535	10100.4
not affected by terrain losses	1358810	8995.1
lost to NTSC IX	34149	264.3
lost to additional IX by ATV	109612	657.2
lost to all IX	143761	921.5

Potential Interfering Stations Included in above Scenario 6

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 301

Scenario 7 Affected station 38 WGCB-TV

Before Analysis

Results for: 49N PA RED LION BLCT 19790419KG LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	1560535	10100.4
not affected by terrain losses	1358810	8995.1
lost to NTSC IX	34149	264.3
lost to additional IX by ATV	96180	605.2
lost to all IX	130329	869.5

Potential Interfering Stations Included in above Scenario 7

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC

w25aw_stm_cc_49_da_02_977w

51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	96180	605.2	
lost to all IX	130329	869.5	

Potential Interfering Stations Included in above Scenario 7

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 302
 Scenario 8 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	108438	675.9	
lost to all IX	142587	940.2	

Potential Interfering Stations Included in above Scenario 8

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
------------------------------	------	------------	-----

Page 309

w25aw_stm_cc_49_da_02_977w

	POPULATION	AREA (sq km)
within Noise Limited Contour	1560535	10100.4
not affected by terrain losses	1358810	8995.1
lost to NTSC IX	34149	264.3
lost to additional IX by ATV	108438	675.9
lost to all IX	142587	940.2

Potential Interfering Stations Included in above Scenario 8

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 303
 Scenario 9 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	108438	675.9	
lost to all IX	142587	940.2	

Potential Interfering Stations Included in above Scenario 9

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	108438	675.9	
lost to all IX	142587	940.2	

Potential Interfering Stations Included in above Scenario 9

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC

w25aw_stm_cc_49_da_02_977w

51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 304
 Scenario 10 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION BLCT 19790419KG LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	1560535	10100.4
not affected by terrain losses	1358810	8995.1
lost to NTSC IX	34149	264.3
lost to additional IX by ATV	97180	584.5
lost to all IX	131329	848.8

Potential Interfering Stations Included in above Scenario 10

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION BLCT 19790419KG LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	1560535	10100.4
not affected by terrain losses	1358810	8995.1
lost to NTSC IX	34149	264.3
lost to additional IX by ATV	97180	584.5
lost to all IX	131329	848.8

Potential Interfering Stations Included in above Scenario 10

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 305
 Scenario 11 Affected station 38 WGCB-TV
 Page 311

Before Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	109574	656.3	
lost to all IX	143723	920.5	

Potential Interfering Stations Included in above Scenario 11

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	109574	656.3	
lost to all IX	143723	920.5	

Potential Interfering Stations Included in above Scenario 11

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 306
 Scenario 12 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	109612	657.2	
lost to all IX	143761	921.5	

Potential Interfering Stations Included in above Scenario 12

w25aw_stm_cc_49_da_02_977w

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	109612	657.2	
lost to all IX	143761	921.5	

Potential Interfering Stations Included in above Scenario 12

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 307
 Scenario 13 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	119699	711.3	
lost to all IX	153848	975.6	

Potential Interfering Stations Included in above Scenario 13

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	119699	711.3	
lost to all IX	153848	975.6	

Potential Interfering Stations Included in above Scenario 13

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 308
 Scenario 14 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	131903	781.0	
lost to all IX	166052	1045.3	

Potential Interfering Stations Included in above Scenario 14

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	131903	781.0	
lost to all IX	166052	1045.3	

Potential Interfering Stations Included in above Scenario 14

w25aw_stm_cc_49_da_02_977w

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 309
 Scenario 15 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION BLCT 19790419KG LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	1560535	10100.4
not affected by terrain losses	1358810	8995.1
lost to NTSC IX	34149	264.3
lost to additional IX by ATV	131903	781.0
lost to all IX	166052	1045.3

Potential Interfering Stations Included in above Scenario 15

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION BLCT 19790419KG LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	1560535	10100.4
not affected by terrain losses	1358810	8995.1
lost to NTSC IX	34149	264.3
lost to additional IX by ATV	131903	781.0
lost to all IX	166052	1045.3

Potential Interfering Stations Included in above Scenario 15

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 310
 Scenario 16 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	120699	690.6	
lost to all IX	154848	954.9	

Potential Interfering Stations Included in above Scenario 16

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	120699	690.6	
lost to all IX	154848	954.9	

Potential Interfering Stations Included in above Scenario 16

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 311
 Scenario 17 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	133039	761.4	
lost to all IX	167188	1025.7	

Potential Interfering Stations Included in above Scenario 17

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	133039	761.4	
lost to all IX	167188	1025.7	

Potential Interfering Stations Included in above Scenario 17

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 312
 Scenario 18 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	133077	762.4	
lost to all IX	167226	1026.6	

Potential Interfering Stations Included in above Scenario 18

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC

w25aw_stm_cc_49_da_02_977w
 49A VA HARRISONBURG DTVPLN DTVP1434 PLN
 52A MD BALTIMORE DTVPLN DTVP1511 PLN

After Analysis

Results for: 49N PA RED LION BLCT 19790419KG LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 1560535 10100.4
 not affected by terrain losses 1358810 8995.1
 lost to NTSC IX 34149 264.3
 lost to additional IX by ATV 133077 762.4
 lost to all IX 167226 1026.6

Potential Interfering Stations Included in above Scenario 18

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 313
 Scenario 19 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION BLCT 19790419KG LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 1560535 10100.4
 not affected by terrain losses 1358810 8995.1
 lost to NTSC IX 34149 264.3
 lost to additional IX by ATV 119699 711.3
 lost to all IX 153848 975.6

Potential Interfering Stations Included in above Scenario 19

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION BLCT 19790419KG LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 1560535 10100.4
 not affected by terrain losses 1358810 8995.1
 lost to NTSC IX 34149 264.3
 lost to additional IX by ATV 119699 711.3
 lost to all IX 153848 975.6

Potential Interfering Stations Included in above Scenario 19

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 314

Scenario 20 Affected station 38 WGCB-TV

Before Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	131903	781.0	
lost to all IX	166052	1045.3	

Potential Interfering Stations Included in above Scenario 20

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	131903	781.0	
lost to all IX	166052	1045.3	

Potential Interfering Stations Included in above Scenario 20

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP

w25aw_stm_cc_49_da_02_977w

49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 315
 Scenario 21 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	131903	781.0	
lost to all IX	166052	1045.3	

Potential Interfering Stations Included in above Scenario 21

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	131903	781.0	
lost to all IX	166052	1045.3	

Potential Interfering Stations Included in above Scenario 21

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 316
 Scenario 22 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	

w25aw_stm_cc_49_da_02_977w

lost to NTSC IX	34149	264.3
lost to additional IX by ATV	120699	690.6
lost to all IX	154848	954.9

Potential Interfering Stations Included in above Scenario 22

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	120699	690.6	
lost to all IX	154848	954.9	

Potential Interfering Stations Included in above Scenario 22

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 317
Scenario 23 Affected station 38 WGCB-TV
Before Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	133039	761.4	
lost to all IX	167188	1025.7	

Potential Interfering Stations Included in above Scenario 23

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC

w25aw_stm_cc_49_da_02_977w

48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	133039	761.4	
lost to all IX	167188	1025.7	

Potential Interfering Stations Included in above Scenario 23

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 318
 Scenario 24 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	133077	762.4	
lost to all IX	167226	1026.6	

Potential Interfering Stations Included in above Scenario 24

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	

	w25aw_stm_cc_49_da_02_977w	
lost to NTSC IX	34149	264.3
lost to additional IX by ATV	133077	762.4
lost to all IX	167226	1026.6

Potential Interfering Stations Included in above Scenario 24

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 319
Scenario 25 Affected station 38 WGCB-TV
Before Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	96180	605.2	
lost to all IX	130329	869.5	

Potential Interfering Stations Included in above Scenario 25

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	96180	605.2	
lost to all IX	130329	869.5	

Potential Interfering Stations Included in above Scenario 25

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP

w25aw_stm_cc_49_da_02_977w

46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 320
 Scenario 26 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	108438	675.9	
lost to all IX	142587	940.2	

Potential Interfering Stations Included in above Scenario 26

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	108438	675.9	
lost to all IX	142587	940.2	

Potential Interfering Stations Included in above Scenario 26

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 321

Scenario 27 Affected station 38 WGCB-TV
Before Analysis

Results for: 49N PA RED LION BLCT 19790419KG LIC
POPULATION AREA (sq km)
within Noise Limited Contour 1560535 10100.4
not affected by terrain losses 1358810 8995.1
lost to NTSC IX 34149 264.3
lost to additional IX by ATV 108438 675.9
lost to all IX 142587 940.2

Potential Interfering Stations Included in above scenario 27

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION BLCT 19790419KG LIC
POPULATION AREA (sq km)
within Noise Limited Contour 1560535 10100.4
not affected by terrain losses 1358810 8995.1
lost to NTSC IX 34149 264.3
lost to additional IX by ATV 108438 675.9
lost to all IX 142587 940.2

Potential Interfering Stations Included in above scenario 27

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 322
Scenario 28 Affected station 38 WGCB-TV
Before Analysis

Results for: 49N PA RED LION BLCT 19790419KG LIC
POPULATION AREA (sq km)
within Noise Limited Contour 1560535 10100.4
not affected by terrain losses 1358810 8995.1
lost to NTSC IX 34149 264.3
lost to additional IX by ATV 97180 584.5
lost to all IX 131329 848.8

Potential Interfering Stations Included in above Scenario 28

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	97180	584.5	
lost to all IX	131329	848.8	

Potential Interfering Stations Included in above Scenario 28

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 323
 Scenario 29 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	109574	656.3	
lost to all IX	143723	920.5	

Potential Interfering Stations Included in above Scenario 29

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN

w25aw_stm_cc_49_da_02_977w

48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	109574	656.3	
lost to all IX	143723	920.5	

Potential Interfering Stations Included in above Scenario 29

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 324
 Scenario 30 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	109612	657.2	
lost to all IX	143761	921.5	

Potential Interfering Stations Included in above Scenario 30

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	

Page 327

w25aw_stm_cc_49_da_02_977w

within Noise Limited Contour	1560535	10100.4
not affected by terrain losses	1358810	8995.1
lost to NTSC IX	34149	264.3
lost to additional IX by ATV	109612	657.2
lost to all IX	143761	921.5

Potential Interfering Stations Included in above Scenario 30

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 325
 Scenario 31 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	96180	605.2	
lost to all IX	130329	869.5	

Potential Interfering Stations Included in above Scenario 31

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	96180	605.2	
lost to all IX	130329	869.5	

Potential Interfering Stations Included in above Scenario 31

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC

w25aw_stm_cc_49_da_02_977w

50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 326
 Scenario 32 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION BLCT 19790419KG LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	1560535	10100.4
not affected by terrain losses	1358810	8995.1
lost to NTSC IX	34149	264.3
lost to additional IX by ATV	108438	675.9
lost to all IX	142587	940.2

Potential Interfering Stations Included in above scenario 32

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION BLCT 19790419KG LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	1560535	10100.4
not affected by terrain losses	1358810	8995.1
lost to NTSC IX	34149	264.3
lost to additional IX by ATV	108438	675.9
lost to all IX	142587	940.2

Potential Interfering Stations Included in above scenario 32

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

49A NJ TRENTON w25aw_stm_cc_49_da_02_977w
USERRECORD01 APP

Result key: 327
Scenario 33 Affected station 38 WGCB-TV
Before Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	108438	675.9	
lost to all IX	142587	940.2	

Potential Interfering Stations Included in above Scenario 33

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	108438	675.9	
lost to all IX	142587	940.2	

Potential Interfering Stations Included in above Scenario 33

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01	APP	

Result key: 328
Scenario 34 Affected station 38 WGCB-TV
Before Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	

w25aw_stm_cc_49_da_02_977w

lost to NTSC IX	34149	264.3
lost to additional IX by ATV	97180	584.5
lost to all IX	131329	848.8

Potential Interfering Stations Included in above Scenario 34

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	97180	584.5	
lost to all IX	131329	848.8	

Potential Interfering Stations Included in above Scenario 34

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 329
Scenario 35 Affected station 38 WGCB-TV
Before Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	109574	656.3	
lost to all IX	143723	920.5	

Potential Interfering Stations Included in above Scenario 35

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP

w25aw_stm_cc_49_da_02_977w

41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	109574	656.3	
lost to all IX	143723	920.5	

Potential Interfering Stations Included in above Scenario 35

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 330
 Scenario 36 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	109612	657.2	
lost to all IX	143761	921.5	

Potential Interfering Stations Included in above Scenario 36

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	109612	657.2	
lost to all IX	143761	921.5	

Potential Interfering Stations Included in above Scenario 36

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	DTVPLN	DTVP1370	PLN
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 331
 Scenario 37 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	119699	711.3	
lost to all IX	153848	975.6	

Potential Interfering Stations Included in above Scenario 37

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	119699	711.3	
lost to all IX	153848	975.6	

Potential Interfering Stations Included in above Scenario 37

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 332
 Scenario 38 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	131903	781.0	
lost to all IX	166052	1045.3	

Potential Interfering Stations Included in above Scenario 38

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	131903	781.0	
lost to all IX	166052	1045.3	

Potential Interfering Stations Included in above Scenario 38

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC

w25aw_stm_cc_49_da_02_977w

49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 333
 Scenario 39 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	131903	781.0	
lost to all IX	166052	1045.3	

Potential Interfering Stations Included in above scenario 39

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	131903	781.0	
lost to all IX	166052	1045.3	

Potential Interfering Stations Included in above scenario 39

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 334
 Scenario 40 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
--	------	------------	-----

Page 335

w25aw_stm_cc_49_da_02_977w

	POPULATION	AREA (sq km)
within Noise Limited Contour	1560535	10100.4
not affected by terrain losses	1358810	8995.1
lost to NTSC IX	34149	264.3
lost to additional IX by ATV	120699	690.6
lost to all IX	154848	954.9

Potential Interfering Stations Included in above Scenario 40

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	120699	690.6	
lost to all IX	154848	954.9	

Potential Interfering Stations Included in above Scenario 40

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 335

Scenario 41 Affected station 38 WGCB-TV
Before Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	133039	761.4	
lost to all IX	167188	1025.7	

Potential Interfering Stations Included in above Scenario 41

48N NJ BURLINGTON	BLCT	19920821KF	LIC
-------------------	------	------------	-----

w25aw_stm_cc_49_da_02_977w

49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION BLCT 19790419KG LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	1560535	10100.4
not affected by terrain losses	1358810	8995.1
lost to NTSC IX	34149	264.3
lost to additional IX by ATV	133039	761.4
lost to all IX	167188	1025.7

Potential Interfering Stations Included in above Scenario 41

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 336
Scenario 42 Affected station 38 WGCB-TV
Before Analysis

Results for: 49N PA RED LION BLCT 19790419KG LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	1560535	10100.4
not affected by terrain losses	1358810	8995.1
lost to NTSC IX	34149	264.3
lost to additional IX by ATV	133077	762.4
lost to all IX	167226	1026.6

Potential Interfering Stations Included in above Scenario 42

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN

52A MD BALTIMORE

w25aw_stm_cc_49_da_02_977w
DTVPLN DTVP1511 PLN

After Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	133077	762.4	
lost to all IX	167226	1026.6	

Potential Interfering Stations Included in above Scenario 42

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	BLCDDT	20000216AAT	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 337
Scenario 43 Affected station 38 WGCB-TV
Before Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	119699	711.3	
lost to all IX	153848	975.6	

Potential Interfering Stations Included in above Scenario 43

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	119699	711.3	

lost to all IX w25aw_stm_cc_49_da_02_977w
 153848 975.6

Potential Interfering Stations Included in above Scenario 43

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 338
 Scenario 44 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	131903	781.0	
lost to all IX	166052	1045.3	

Potential Interfering Stations Included in above Scenario 44

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	131903	781.0	
lost to all IX	166052	1045.3	

Potential Interfering Stations Included in above Scenario 44

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP

w25aw_stm_cc_49_da_02_977w

47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 339
 Scenario 45 Affected station 38 WGCB-TV
 Before Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	131903	781.0	
lost to all IX	166052	1045.3	

Potential Interfering Stations Included in above Scenario 45

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	131903	781.0	
lost to all IX	166052	1045.3	

Potential Interfering Stations Included in above Scenario 45

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 340
 Scenario 46 Affected station 38 WGCB-TV
 Page 340

Before Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	120699	690.6	
lost to all IX	154848	954.9	

Potential Interfering Stations Included in above Scenario 46

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	120699	690.6	
lost to all IX	154848	954.9	

Potential Interfering Stations Included in above Scenario 46

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 341

Scenario 47 Affected station 38 WGCB-TV

Before Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	133039	761.4	
lost to all IX	167188	1025.7	

Potential Interfering Stations Included in above Scenario 47

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	133039	761.4	
lost to all IX	167188	1025.7	

Potential Interfering Stations Included in above Scenario 47

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 342
 Scenario 48 Affected station 38 WGBB-TV
 Before Analysis

Results for: 49N PA RED LION	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	133077	762.4	
lost to all IX	167226	1026.6	

Potential Interfering Stations Included in above Scenario 48

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN

w25aw_stm_cc_49_da_02_977w

49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN

After Analysis

Results for: 49N PA RED LION

	BLCT	19790419KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1560535	10100.4	
not affected by terrain losses	1358810	8995.1	
lost to NTSC IX	34149	264.3	
lost to additional IX by ATV	133077	762.4	
lost to all IX	167226	1026.6	

Potential Interfering Stations Included in above Scenario 48

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N VA NORFOLK	BLCT	20020225AAQ	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
51N PA READING	BPCT	20010430AAL	CP
41A MD BALTIMORE	BMPCDT	20051118ADM	APP
46A MD BALTIMORE	BPCDT	19980803KR	CP
47A PA YORK	BMLCDT	20041025ABI	LIC
48A DC WASHINGTON	DTVPLN	DTVP1385	PLN
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC
49A VA HARRISONBURG	DTVPLN	DTVP1434	PLN
52A MD BALTIMORE	DTVPLN	DTVP1511	PLN
49A NJ TRENTON	USERRECORD01		APP

#####

Analysis of Interference to Affected Station 39

DTV Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
49	WNEP-DT	SCRANTON PA	DTVPLN	-DTVP1429

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
48	WGTW	BURLINGTON NJ	137.4	PLN	DTVPLN	-NPLN1735
48	WYDC	CORNING NY	145.6	PLN	DTVPLN	-NPLN1737
49	WEDW	BRIDGEPORT CT	224.8	PLN	DTVPLN	-NPLN1748
49	WLNE-DT	NEW BEDFORD MA	393.1	PLN	DTVPLN	-DTVP1420
49	WEKW-DT	KEENE NH	354.7	PLN	DTVPLN	-DTVP1425
49	WACI-DT	ATLANTIC CITY NJ	221.3	PLN	DTVPLN	-DTVP1426
49	WNYOTV	BUFFALO NY	277.9	PLN	DTVPLN	-NPLN1758
49	WGCBCV	RED LION PA	154.2	PLN	DTVPLN	-NPLN1760
49	WHSV-DT	HARRISONBURG VA	371.1	PLN	DTVPLN	-DTVP1434
50	WNJN	MONTCLAIR NJ	144.6	PLN	DTVPLN	-NPLN1779
50	WYDC-DT	CORNING NY	145.6	PLN	DTVPLN	-DTVP1454

Results for: 49A PA SCRANTON

	DTVPLN	DTVP1429	PLN
HAAT	506.0 m, ATV ERP	73.5 kw	

	POPULATION	AREA (sq km)
within Noise Limited Contour	1934572	25081.6
not affected by terrain losses	1510429	19931.2
lost to NTSC IX	121280	1246.7
lost to additional IX by ATV	163	14.8

w25aw_stm_cc_49_da_02_977w
lost to ATV IX only 14554 191.3
lost to all IX 121443 1261.5

NTSC Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
16	WNEPTV	SCRANTON PA	DTVPLN	-NPLN0964

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
15	WLYHTV	LANCASTER PA	113.8	PLN	DTVPLN	-NPLN0931
16	WJAL-DT	HAGERSTOWN MD	227.8	PLN	DTVPLN	-DTVP0223
16	WBOCTV	SALISBURY MD	298.3	PLN	DTVPLN	-NPLN0953
16	WXXI-DT	ROCHESTER NY	258.8	PLN	DTVPLN	-DTVP0236
16	WNPETV	WATERTOWN NY	298.1	PLN	DTVPLN	-NPLN0959
16	WSEE-DT	ERIE PA	360.9	PLN	DTVPLN	-DTVP0238
16	WQEX	PITTSBURGH PA	353.8	PLN	DTVPLN	-NPLN0963
17	WIXT-DT	SYRACUSE NY	196.3	PLN	DTVPLN	-DTVP0274
17	WPHLTV	PHILADELPHIA PA	137.6	PLN	DTVPLN	-NPLN1001
18	WNJB-DT	NEW BRUNSWICK NJ	130.8	PLN	DTVPLN	-DTVP0317
18	WETMTV	ELMIRA NY	132.0	PLN	DTVPLN	-NPLN1026
23	WNJS	CAMDEN NJ	183.6	PLN	DTVPLN	-NPLN1182
23	WLYH-DT	LANCASTER PA	113.8	PLN	DTVPLN	-DTVP0539
30	NEW	CORNING NY	121.0	PLN	DTVPLN	-NPLN1385
31	WBISTV	NEW YORK NY	164.6	PLN	DTVPLN	-NPLN1412
31	WOLF-DT	SCRANTON PA	30.6	PLN	DTVPLN	-DTVP0838

Results for: 16N PA SCRANTON	DTVPLN	NPLN0964	PLN
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1934543	25083.6	
not affected by terrain losses	1474502	19540.6	
lost to NTSC IX	118990	1223.0	
lost to additional IX by ATV	7051	109.5	
lost to all IX	126041	1332.5	

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
49	WNEP-TV	SCRANTON PA	BPCDT	-19990729KF

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
48	WGTW-TV	BURLINGTON NJ	137.3	LIC	BLCT	-19920821KF
48	WYDC	CORNING NY	146.4	CP	BPCT	-20010123ABG
48	WRNN-TV	KINGSTON NY	163.8	LIC	BLCDT	-20040908AMF
48	WRNNTV	KINGSTON NY	163.9	APP	BPRM	-20000328AAV
49	WEDW	BRIDGEPORT CT	224.6	LIC	BLET	-19870908KE
49	WLNE-DT	NEW BEDFORD MA	392.9	PLN	DTVPLN	-DTVP1420
49	WLNE-TV	NEW BEDFORD MA	388.7	LIC	BLCDT	-20040930BBS
49	WEKW-TV	KEENE NH	354.4	LIC	BLEDT	-20030618ABK
49	WEKW-DT	KEENE NH	354.4	PLN	DTVPLN	-DTVP1425
49	WWSI	ATLANTIC CITY NJ	215.0	LIC	BLCDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	221.2	PLN	DTVPLN	-DTVP1426
49	WNYO-TV	BUFFALO NY	278.1	LIC	BLCT	-19870911KH
49	WPCW	JEANETTE PA	340.7	APP	BPCDT	-20060510AAI
49	WNPA	JEANETTE PA	340.7	LIC	BPRM	-20000413AAE
49	WGCB-TV	RED LION PA	154.4	LIC	BLCT	-19790419KG
49	WHSV-DT	HARRISONBURG VA	371.3	PLN	DTVPLN	-DTVP1434
50	NEW	WILMINGTON DE	137.6	APP	BPRM	-20051206AEA
50	WNJN	MONTCLAIR NJ	144.3	LIC	BLET	-19860805KG
50	WYDC-DT	CORNING NY	145.7	PLN	DTVPLN	-DTVP1454
50	WYDC	CORNING NY	145.7	CP	BPCDT	-19991029AID
49	W25AW	TRENTON NJ	141.2	APP	USERRECORD-01	

Total scenarios = 36

Result key: 343
 Scenario 1 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	722	15.8
lost to ATV IX only	3160	63.1
lost to all IX	102548	1337.4

Potential Interfering Stations Included in above Scenario 1

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2945	49.3
lost to ATV IX only	10916	122.3
lost to all IX	104771	1371.0

Potential Interfering Stations Included in above Scenario 1

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 344
 Scenario 2 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6

w25aw_stm_cc_49_da_02_977w

lost to additional IX by ATV	872	28.6
lost to ATV IX only	3310	77.9
lost to all IX	102698	1350.2

Potential Interfering Stations Included in above Scenario 2

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BPCDDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	3095	62.1
lost to ATV IX only	11066	137.1
lost to all IX	104921	1383.8

Potential Interfering Stations Included in above Scenario 2

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 345
 Scenario 3 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2434	22.7
lost to ATV IX only	22399	215.0
lost to all IX	104260	1344.3

Potential Interfering Stations Included in above Scenario 3

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	4710	57.2
lost to ATV IX only	27002	259.4
lost to all IX	106536	1378.8

Potential Interfering Stations Included in above Scenario 3

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 346
 Scenario 4 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2584	35.5
lost to ATV IX only	22549	229.8
lost to all IX	104410	1357.1

Potential Interfering Stations Included in above Scenario 4

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	4860	70.0
lost to ATV IX only	27152	274.2
lost to all IX	106686	1391.7

Potential Interfering Stations Included in above Scenario 4

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 347
 Scenario 5 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	722	15.8
lost to ATV IX only	3484	64.1
lost to all IX	102548	1337.4

Potential Interfering Stations Included in above Scenario 5

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPCDDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BPCDDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2945	49.3
lost to ATV IX only	10916	122.3
lost to all IX	104771	1371.0

Potential Interfering Stations Included in above Scenario 5

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPCDDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 348
 Scenario 6 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	872	28.6
lost to ATV IX only	3634	78.9
lost to all IX	102698	1350.2

Potential Interfering Stations Included in above Scenario 6

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	3095	62.1
lost to ATV IX only	11066	137.1
lost to all IX	104921	1383.8

Potential Interfering Stations Included in above Scenario 6

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 349
 Scenario 7 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1

w25aw_stm_cc_49_da_02_977w

lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	722	15.8
lost to ATV IX only	3160	63.1
lost to all IX	102548	1337.4

Potential Interfering Stations Included in above Scenario 7

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPCDDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BPCDDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2945	49.3
lost to ATV IX only	10916	122.3
lost to all IX	104771	1371.0

Potential Interfering Stations Included in above Scenario 7

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPCDDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 350
 Scenario 8 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	872	28.6
lost to ATV IX only	3310	77.9
lost to all IX	102698	1350.2

Potential Interfering Stations Included in above Scenario 8

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC

w25aw_stm_cc_49_da_02_977w

49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA JEANNETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	3095	62.1
lost to ATV IX only	11066	137.1
lost to all IX	104921	1383.8

Potential Interfering Stations Included in above Scenario 8

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA JEANNETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 351
 Scenario 9 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	722	15.8
lost to ATV IX only	3484	64.1
lost to all IX	102548	1337.4

Potential Interfering Stations Included in above Scenario 9

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1

w25aw_stm_cc_49_da_02_977w

lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2945	49.3
lost to ATV IX only	10916	122.3
lost to all IX	104771	1371.0

Potential Interfering Stations Included in above Scenario 9

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 352
 Scenario 10 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	872	28.6
lost to ATV IX only	3634	78.9
lost to all IX	102698	1350.2

Potential Interfering Stations Included in above Scenario 10

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BPCDDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	3095	62.1
lost to ATV IX only	11066	137.1
lost to all IX	104921	1383.8

Potential Interfering Stations Included in above Scenario 10

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC

w25aw_stm_cc_49_da_02_977w

49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 353
 Scenario 11 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	722	15.8
lost to ATV IX only	3160	63.1
lost to all IX	102548	1337.4

Potential Interfering Stations Included in above Scenario 11

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BPCDDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2945	49.3
lost to ATV IX only	10916	122.3
lost to all IX	104771	1371.0

Potential Interfering Stations Included in above Scenario 11

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 354
 Scenario 12 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6

w25aw_stm_cc_49_da_02_977w

not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	872	28.6
lost to ATV IX only	3310	77.9
lost to all IX	102698	1350.2

Potential Interfering Stations Included in above Scenario 12

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BPCDDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	3095	62.1
lost to ATV IX only	11066	137.1
lost to all IX	104921	1383.8

Potential Interfering Stations Included in above Scenario 12

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 355
 Scenario 13 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2434	22.7
lost to ATV IX only	22399	215.0
lost to all IX	104260	1344.3

Potential Interfering Stations Included in above Scenario 13

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN

w25aw_stm_cc_49_da_02_977w

49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	4710	57.2
lost to ATV IX only	27002	259.4
lost to all IX	106536	1378.8

Potential Interfering Stations Included in above Scenario 13

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 356
 Scenario 14 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2584	35.5
lost to ATV IX only	22549	229.8
lost to all IX	104410	1357.1

Potential Interfering Stations Included in above Scenario 14

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
--	------------	--------------

Page 355

w25aw_stm_cc_49_da_02_977w

within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	4860	70.0
lost to ATV IX only	27152	274.2
lost to all IX	106686	1391.7

Potential Interfering Stations Included in above Scenario 14

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLC DT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 357
 Scenario 15 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2434	22.7
lost to ATV IX only	22399	215.0
lost to all IX	104260	1344.3

Potential Interfering Stations Included in above Scenario 15

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLC DT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	4710	57.2
lost to ATV IX only	27002	259.4
lost to all IX	106536	1378.8

Potential Interfering Stations Included in above Scenario 15

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC

w25aw_stm_cc_49_da_02_977w

49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLC DT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 358
 Scenario 16 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2584	35.5
lost to ATV IX only	22549	229.8
lost to all IX	104410	1357.1

Potential Interfering Stations Included in above Scenario 16

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLC DT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	4860	70.0
lost to ATV IX only	27152	274.2
lost to all IX	106686	1391.7

Potential Interfering Stations Included in above Scenario 16

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLC DT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 359
 Scenario 17 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2434	22.7
lost to ATV IX only	22399	215.0
lost to all IX	104260	1344.3

Potential Interfering Stations Included in above Scenario 17

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	4710	57.2
lost to ATV IX only	27002	259.4
lost to all IX	106536	1378.8

Potential Interfering Stations Included in above Scenario 17

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 360

Scenario 18 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2584	35.5
lost to ATV IX only	22549	229.8
lost to all IX	104410	1357.1

Potential Interfering Stations Included in above Scenario 18

w25aw_stm_cc_49_da_02_977w

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	4860	70.0
lost to ATV IX only	27152	274.2
lost to all IX	106686	1391.7

Potential Interfering Stations Included in above Scenario 18

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 361
 Scenario 19 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2434	22.7
lost to ATV IX only	22399	215.0
lost to all IX	104260	1344.3

Potential Interfering Stations Included in above Scenario 19

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP

HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	4710	57.2
lost to ATV IX only	27002	259.4
lost to all IX	106536	1378.8

Potential Interfering Stations Included in above Scenario 19

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 362

Scenario 20 Affected station 39 WNEP-TV

Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP

HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2584	35.5
lost to ATV IX only	22549	229.8
lost to all IX	104410	1357.1

Potential Interfering Stations Included in above Scenario 20

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP

HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	4860	70.0
lost to ATV IX only	27152	274.2
lost to all IX	106686	1391.7

Potential Interfering Stations Included in above Scenario 20

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC

w25aw_stm_cc_49_da_02_977w

49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 363
 Scenario 21 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	722	14.8
lost to ATV IX only	3484	63.1
lost to all IX	102548	1336.4

Potential Interfering Stations Included in above Scenario 21

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPCDDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BPCDDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2945	48.3
lost to ATV IX only	10916	121.3
lost to all IX	104771	1370.0

Potential Interfering Stations Included in above Scenario 21

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPCDDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 364
 Scenario 22 Affected station 39 WNEP-TV
 Page 361

Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	872	27.6
lost to ATV IX only	3634	77.9
lost to all IX	102698	1349.3

Potential Interfering Stations Included in above Scenario 22

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	3095	61.2
lost to ATV IX only	11066	136.1
lost to all IX	104921	1382.8

Potential Interfering Stations Included in above Scenario 22

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 365
 Scenario 23 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	722	14.8
lost to ATV IX only	3160	62.1

w25aw_stm_cc_49_da_02_977w
102548 1336.4

Potential Interfering Stations Included in above Scenario 23

48N	NJ	BURLINGTON	BLCT	19920821KF	LIC
49N	CT	BRIDGEPORT	BLET	19870908KE	LIC
49N	NY	BUFFALO	BLCT	19870911KH	LIC
49N	PA	RED LION	BLCT	19790419KG	LIC
48A	NY	KINGSTON	BPRM	20000328AAV	APP
49A	NJ	ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A	PA	JEANETTE	BPCDT	20060510AAI	APP
49A	PA	JEANNETTE	BPRM	20000413AAE	LIC
50A	NY	CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
HAAT 506.0 m, ATV ERP 100.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2945	48.3
lost to ATV IX only	10916	121.3
lost to all IX	104771	1370.0

Potential Interfering Stations Included in above Scenario 23

48N	NJ	BURLINGTON	BLCT	19920821KF	LIC
49N	CT	BRIDGEPORT	BLET	19870908KE	LIC
49N	NY	BUFFALO	BLCT	19870911KH	LIC
49N	PA	RED LION	BLCT	19790419KG	LIC
48A	NY	KINGSTON	BPRM	20000328AAV	APP
49A	NJ	ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A	PA	JEANETTE	BPCDT	20060510AAI	APP
49A	PA	JEANNETTE	BPRM	20000413AAE	LIC
50A	NY	CORNING	DTVPLN	DTVP1454	PLN
49A	NJ	TRENTON	USERRECORD01		APP

Result key: 366
Scenario 24 Affected station 39 WNEP-TV
Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
HAAT 506.0 m, ATV ERP 100.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	872	27.6
lost to ATV IX only	3310	76.9
lost to all IX	102698	1349.3

Potential Interfering Stations Included in above Scenario 24

48N	NJ	BURLINGTON	BLCT	19920821KF	LIC
49N	CT	BRIDGEPORT	BLET	19870908KE	LIC
49N	NY	BUFFALO	BLCT	19870911KH	LIC
49N	PA	RED LION	BLCT	19790419KG	LIC
48A	NY	KINGSTON	BPRM	20000328AAV	APP
49A	NJ	ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A	PA	JEANETTE	BPCDDT	20060510AAI	APP
49A	PA	JEANNETTE	BPRM	20000413AAE	LIC

50A NY CORNING

w25aw_stm_cc_49_da_02_977w
BPCDT 19991029AID CP

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	3095	61.2
lost to ATV IX only	11066	136.1
lost to all IX	104921	1382.8

Potential Interfering Stations Included in above Scenario 24

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 367
Scenario 25 Affected station 39 WNEP-TV
Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	722	14.8
lost to ATV IX only	3484	63.1
lost to all IX	102548	1336.4

Potential Interfering Stations Included in above Scenario 25

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2945	48.3
lost to ATV IX only	10916	121.3

w25aw_stm_cc_49_da_02_977w
104771 1370.0

Potential Interfering Stations Included in above Scenario 25

48N	NJ	BURLINGTON	BLCT	19920821KF	LIC
49N	CT	BRIDGEPORT	BLET	19870908KE	LIC
49N	NY	BUFFALO	BLCT	19870911KH	LIC
49N	PA	RED LION	BLCT	19790419KG	LIC
48A	NY	KINGSTON	BPRM	20000328AAV	APP
49A	NJ	ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A	PA	JEANNETTE	BPRM	20000413AAE	LIC
50A	DE	WILMINGTON	BPRM	20051206AEA	APP
50A	NY	CORNING	DTVPLN	DTVP1454	PLN
49A	NJ	TRENTON	USERRECORD01		APP

Result key: 368
Scenario 26 Affected station 39 WNEP-TV
Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
HAAT 506.0 m, ATV ERP 100.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	872	27.6
lost to ATV IX only	3634	77.9
lost to all IX	102698	1349.3

Potential Interfering Stations Included in above Scenario 26

48N	NJ	BURLINGTON	BLCT	19920821KF	LIC
49N	CT	BRIDGEPORT	BLET	19870908KE	LIC
49N	NY	BUFFALO	BLCT	19870911KH	LIC
49N	PA	RED LION	BLCT	19790419KG	LIC
48A	NY	KINGSTON	BPRM	20000328AAV	APP
49A	NJ	ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A	PA	JEANNETTE	BPRM	20000413AAE	LIC
50A	DE	WILMINGTON	BPRM	20051206AEA	APP
50A	NY	CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
HAAT 506.0 m, ATV ERP 100.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	3095	61.2
lost to ATV IX only	11066	136.1
lost to all IX	104921	1382.8

Potential Interfering Stations Included in above Scenario 26

48N	NJ	BURLINGTON	BLCT	19920821KF	LIC
49N	CT	BRIDGEPORT	BLET	19870908KE	LIC
49N	NY	BUFFALO	BLCT	19870911KH	LIC
49N	PA	RED LION	BLCT	19790419KG	LIC
48A	NY	KINGSTON	BPRM	20000328AAV	APP
49A	NJ	ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A	PA	JEANNETTE	BPRM	20000413AAE	LIC
50A	DE	WILMINGTON	BPRM	20051206AEA	APP

50A NY CORNING w25aw_stm_cc_49_da_02_977w
 49A NJ TRENTON BPCDT 19991029AID CP
 USERRECORD01 APP

Result key: 369
 Scenario 27 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw
 POPULATION AREA (sq km)
 within Noise Limited Contour 2036617 26809.6
 not affected by terrain losses 1632035 21663.1
 lost to NTSC IX 101826 1321.6
 lost to additional IX by ATV 722 14.8
 lost to ATV IX only 3160 62.1
 lost to all IX 102548 1336.4

Potential Interfering Stations Included in above Scenario 27

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw
 POPULATION AREA (sq km)
 within Noise Limited Contour 2036617 26809.6
 not affected by terrain losses 1632035 21663.1
 lost to NTSC IX 101826 1321.6
 lost to additional IX by ATV 2945 48.3
 lost to ATV IX only 10916 121.3
 lost to all IX 104771 1370.0

Potential Interfering Stations Included in above Scenario 27

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 370
 Scenario 28 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw
 POPULATION AREA (sq km)
 within Noise Limited Contour 2036617 26809.6
 not affected by terrain losses 1632035 21663.1
 lost to NTSC IX 101826 1321.6
 lost to additional IX by ATV 872 27.6

w25aw_stm_cc_49_da_02_977w
lost to ATV IX only 3310 76.9
lost to all IX 102698 1349.3

Potential Interfering Stations Included in above Scenario 28

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BPCDDT 19990729KF CP
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	3095	61.2
lost to ATV IX only	11066	136.1
lost to all IX	104921	1382.8

Potential Interfering Stations Included in above Scenario 28

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 371
Scenario 29 Affected station 39 WNEP-TV
Before Analysis

Results for: 49A PA SCRANTON BPCDDT 19990729KF CP
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2434	21.7
lost to ATV IX only	22399	214.0
lost to all IX	104260	1343.3

Potential Interfering Stations Included in above Scenario 29

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPCDDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP

50A NY CORNING

w25aw_stm_cc_49_da_02_977w
DTVPLN DTVP1454 PLN

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	4710	56.2
lost to ATV IX only	27002	258.4
lost to all IX	106536	1377.9

Potential Interfering Stations Included in above scenario 29

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 372

Scenario 30 Affected station 39 WNEP-TV

Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2584	34.5
lost to ATV IX only	22549	228.8
lost to all IX	104410	1356.2

Potential Interfering Stations Included in above scenario 30

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6

w25aw_stm_cc_49_da_02_977w

lost to additional IX by ATV	4860	69.0
lost to ATV IX only	27152	273.2
lost to all IX	106686	1390.7

Potential Interfering Stations Included in above Scenario 30

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 373

Scenario 31 Affected station 39 WNEP-TV
Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2434	21.7
lost to ATV IX only	22399	214.0
lost to all IX	104260	1343.3

Potential Interfering Stations Included in above Scenario 31

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	4710	56.2
lost to ATV IX only	27002	258.4
lost to all IX	106536	1377.9

Potential Interfering Stations Included in above Scenario 31

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP

w25aw_stm_cc_49_da_02_977w

49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 374
 Scenario 32 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2584	34.5
lost to ATV IX only	22549	228.8
lost to all IX	104410	1356.2

Potential Interfering Stations Included in above Scenario 32

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	4860	69.0
lost to ATV IX only	27152	273.2
lost to all IX	106686	1390.7

Potential Interfering Stations Included in above Scenario 32

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 375
 Scenario 33 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

w25aw_stm_cc_49_da_02_977w

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2434	21.7
lost to ATV IX only	22399	214.0
lost to all IX	104260	1343.3

Potential Interfering Stations Included in above Scenario 33

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	4710	56.2
lost to ATV IX only	27002	258.4
lost to all IX	106536	1377.9

Potential Interfering Stations Included in above Scenario 33

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 376

Scenario 34 Affected station 39 WNEP-TV

Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2584	34.5
lost to ATV IX only	22549	228.8
lost to all IX	104410	1356.2

Potential Interfering Stations Included in above Scenario 34

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC

w25aw_stm_cc_49_da_02_977w

49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	4860	69.0
lost to ATV IX only	27152	273.2
lost to all IX	106686	1390.7

Potential Interfering Stations Included in above Scenario 34

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 377
 Scenario 35 Affected station 39 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2434	21.7
lost to ATV IX only	22399	214.0
lost to all IX	104260	1343.3

Potential Interfering Stations Included in above Scenario 35

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
--	------------	--------------

Page 372

w25aw_stm_cc_49_da_02_977w

within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	4710	56.2
lost to ATV IX only	27002	258.4
lost to all IX	106536	1377.9

Potential Interfering Stations Included in above Scenario 35

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 378
Scenario 36 Affected station 39 WNEP-TV
Before Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	2584	34.5
lost to ATV IX only	22549	228.8
lost to all IX	104410	1356.2

Potential Interfering Stations Included in above Scenario 36

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BPCDT 19990729KF CP
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2036617	26809.6
not affected by terrain losses	1632035	21663.1
lost to NTSC IX	101826	1321.6
lost to additional IX by ATV	4860	69.0
lost to ATV IX only	27152	273.2
lost to all IX	106686	1390.7

Potential Interfering Stations Included in above Scenario 36

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP

w25aw_stm_cc_49_da_02_977w

49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

#####

Analysis of Interference to Affected Station 40

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
49	WNEP-TV	SCRANTON PA	BLCDDT	-20020807AAF

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
48	WGTW-TV	BURLINGTON NJ	137.3	LIC	BLCT	-19920821KF
48	WYDC	CORNING NY	146.4	CP	BPCT	-20010123ABG
48	WRNN-TV	KINGSTON NY	163.8	LIC	BLCDDT	-20040908AMF
48	WRNNTV	KINGSTON NY	163.9	APP	BPRM	-20000328AAV
49	WEDW	BRIDGEPORT CT	224.6	LIC	BLET	-19870908KE
49	WLNE-DT	NEW BEDFORD MA	392.9	PLN	DTVPLN	-DTVP1420
49	WLNE-TV	NEW BEDFORD MA	388.7	LIC	BLCDDT	-20040930BBS
49	WEKW-TV	KEENE NH	354.4	LIC	BLEDT	-20030618ABK
49	WEKW-DT	KEENE NH	354.4	PLN	DTVPLN	-DTVP1425
49	WWSI	ATLANTIC CITY NJ	215.0	LIC	BLCDDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	221.2	PLN	DTVPLN	-DTVP1426
49	WNYO-TV	BUFFALO NY	278.1	LIC	BLCT	-19870911KH
49	WPCW	JEANETTE PA	340.7	APP	BPCDDT	-20060510AAI
49	WNPA	JEANNETTE PA	340.7	LIC	BPRM	-20000413AAE
49	WGCW-TV	RED LION PA	154.4	LIC	BLCT	-19790419KG
49	WHSV-DT	HARRISONBURG VA	371.3	PLN	DTVPLN	-DTVP1434
50	NEW	WILMINGTON DE	137.6	APP	BPRM	-20051206AEA
50	WNJN	MONTCLAIR NJ	144.3	LIC	BLET	-19860805KG
50	WYDC-DT	CORNING NY	145.7	PLN	DTVPLN	-DTVP1454
50	WYDC	CORNING NY	145.7	CP	BPCDDT	-19991029AID
49	W25AW	TRENTON NJ	141.2	APP	USERRECORD-01	

Total scenarios = 36

Result key: 379

Scenario 1 Affected station 40 WNEP-TV

Before Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC

HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	709	12.8
lost to ATV IX only	2692	55.2
lost to all IX	103672	1331.5

Potential Interfering Stations Included in above Scenario 1

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC

w25aw_stm_cc_49_da_02_977w

48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	3015	47.3
lost to ATV IX only	10871	114.4
lost to all IX	105978	1366.0

Potential Interfering Stations Included in above Scenario 1

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 380
 Scenario 2 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	859	30.6
lost to ATV IX only	2842	75.0
lost to all IX	103822	1349.3

Potential Interfering Stations Included in above Scenario 2

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	3165	65.1

w25aw_stm_cc_49_da_02_977w
lost to ATV IX only 11021 134.1
lost to all IX 106128 1383.8

Potential Interfering Stations Included in above Scenario 2

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 381
Scenario 3 Affected station 40 WNEP-TV
Before Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	683	18.7
lost to ATV IX only	21188	213.0
lost to all IX	103646	1337.4

Potential Interfering Stations Included in above Scenario 3

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	2718	53.3
lost to ATV IX only	25107	253.5
lost to all IX	105681	1371.9

Potential Interfering Stations Included in above Scenario 3

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 382
 Scenario 4 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	833	36.5
lost to ATV IX only	21338	232.8
lost to all IX	103796	1355.2

Potential Interfering Stations Included in above Scenario 4

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	2868	71.0
lost to ATV IX only	25257	273.2
lost to all IX	105831	1389.7

Potential Interfering Stations Included in above Scenario 4

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 383
 Scenario 5 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	709	12.8
lost to ATV IX only	3016	56.2
lost to all IX	103672	1331.5

Potential Interfering Stations Included in above Scenario 5

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANETTE	BPCDDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC

HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	3015	47.3
lost to ATV IX only	10871	114.4
lost to all IX	105978	1366.0

Potential Interfering Stations Included in above Scenario 5

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANETTE	BPCDDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 384

Scenario 6 Affected station 40 WNEP-TV

Before Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC

HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	859	30.6
lost to ATV IX only	3166	75.9
lost to all IX	103822	1349.3

Potential Interfering Stations Included in above Scenario 6

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANETTE	BPCDDT	20060510AAI	APP

w25aw_stm_cc_49_da_02_977w

49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	3165	65.1
lost to ATV IX only	11021	134.1
lost to all IX	106128	1383.8

Potential Interfering Stations Included in above Scenario 6

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPCDDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 385
 Scenario 7 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	709	12.8
lost to ATV IX only	2692	55.2
lost to all IX	103672	1331.5

Potential Interfering Stations Included in above Scenario 7

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPCDDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7

w25aw_stm_cc_49_da_02_977w

lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	3015	47.3
lost to ATV IX only	10871	114.4
lost to all IX	105978	1366.0

Potential Interfering Stations Included in above Scenario 7

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPCDDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 386
 Scenario 8 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	859	30.6
lost to ATV IX only	2842	75.0
lost to all IX	103822	1349.3

Potential Interfering Stations Included in above Scenario 8

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPCDDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	3165	65.1
lost to ATV IX only	11021	134.1
lost to all IX	106128	1383.8

Potential Interfering Stations Included in above Scenario 8

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC

w25aw_stm_cc_49_da_02_977w

49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPCDDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 387
 Scenario 9 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	709	12.8
lost to ATV IX only	3016	56.2
lost to all IX	103672	1331.5

Potential Interfering Stations Included in above Scenario 9

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	3015	47.3
lost to ATV IX only	10871	114.4
lost to all IX	105978	1366.0

Potential Interfering Stations Included in above Scenario 9

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 388
 Scenario 10 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

w25aw_stm_cc_49_da_02_977w

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	859	30.6
lost to ATV IX only	3166	75.9
lost to all IX	103822	1349.3

Potential Interfering Stations Included in above Scenario 10

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	3165	65.1
lost to ATV IX only	11021	134.1
lost to all IX	106128	1383.8

Potential Interfering Stations Included in above Scenario 10

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 389

Scenario 11 Affected station 40 WNEP-TV

Before Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	709	12.8
lost to ATV IX only	2692	55.2
lost to all IX	103672	1331.5

Potential Interfering Stations Included in above Scenario 11

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC

w25aw_stm_cc_49_da_02_977w

49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	3015	47.3
lost to ATV IX only	10871	114.4
lost to all IX	105978	1366.0

Potential Interfering Stations Included in above Scenario 11

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 390
 Scenario 12 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	859	30.6
lost to ATV IX only	2842	75.0
lost to all IX	103822	1349.3

Potential Interfering Stations Included in above Scenario 12

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7

w25aw_stm_cc_49_da_02_977w

lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	3165	65.1
lost to ATV IX only	11021	134.1
lost to all IX	106128	1383.8

Potential Interfering Stations Included in above Scenario 12

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 391
 Scenario 13 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	683	18.7
lost to ATV IX only	21188	213.0
lost to all IX	103646	1337.4

Potential Interfering Stations Included in above Scenario 13

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPCDDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	2718	53.3
lost to ATV IX only	25107	253.5
lost to all IX	105681	1371.9

Potential Interfering Stations Included in above Scenario 13

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC

w25aw_stm_cc_49_da_02_977w

49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 392
 Scenario 14 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	833	36.5
lost to ATV IX only	21338	232.8
lost to all IX	103796	1355.2

Potential Interfering Stations Included in above Scenario 14

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	2868	71.0
lost to ATV IX only	25257	273.2
lost to all IX	105831	1389.7

Potential Interfering Stations Included in above Scenario 14

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 393
 Scenario 15 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	683	18.7
lost to ATV IX only	21188	213.0
lost to all IX	103646	1337.4

Potential Interfering Stations Included in above Scenario 15

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	2718	53.3
lost to ATV IX only	25107	253.5
lost to all IX	105681	1371.9

Potential Interfering Stations Included in above Scenario 15

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 394

Scenario 16 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	833	36.5
lost to ATV IX only	21338	232.8
lost to all IX	103796	1355.2

Potential Interfering Stations Included in above Scenario 16

w25aw_stm_cc_49_da_02_977w

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLC DT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BLC DT 20020807AAF LIC
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	2868	71.0
lost to ATV IX only	25257	273.2
lost to all IX	105831	1389.7

Potential Interfering Stations Included in above Scenario 16

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLC DT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 395
Scenario 17 Affected station 40 WNEP-TV
Before Analysis

Results for: 49A PA SCRANTON BLC DT 20020807AAF LIC
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	683	18.7
lost to ATV IX only	21188	213.0
lost to all IX	103646	1337.4

Potential Interfering Stations Included in above Scenario 17

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLC DT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	2718	53.3
lost to ATV IX only	25107	253.5
lost to all IX	105681	1371.9

Potential Interfering Stations Included in above Scenario 17

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 396
 Scenario 18 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	833	36.5
lost to ATV IX only	21338	232.8
lost to all IX	103796	1355.2

Potential Interfering Stations Included in above Scenario 18

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	2868	71.0
lost to ATV IX only	25257	273.2
lost to all IX	105831	1389.7

Potential Interfering Stations Included in above Scenario 18

w25aw_stm_cc_49_da_02_977w

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLC DT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 397
Scenario 19 Affected station 40 WNEP-TV
Before Analysis

Results for: 49A PA SCRANTON BLC DT 20020807AAF LIC
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	683	18.7
lost to ATV IX only	21188	213.0
lost to all IX	103646	1337.4

Potential Interfering Stations Included in above Scenario 19

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLC DT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BLC DT 20020807AAF LIC
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	2718	53.3
lost to ATV IX only	25107	253.5
lost to all IX	105681	1371.9

Potential Interfering Stations Included in above Scenario 19

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLC DT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 398
Scenario 20 Affected station 40 WNEP-TV
Page 389

Before Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	833	36.5
lost to ATV IX only	21338	232.8
lost to all IX	103796	1355.2

Potential Interfering Stations Included in above Scenario 20

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	2868	71.0
lost to ATV IX only	25257	273.2
lost to all IX	105831	1389.7

Potential Interfering Stations Included in above Scenario 20

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BLCDT	20040908AMF	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 399

Scenario 21 Affected station 40 WNEP-TV

Before Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	709	12.8
lost to ATV IX only	3016	56.2
lost to all IX	103672	1331.5

Potential Interfering Stations Included in above Scenario 21

w25aw_stm_cc_49_da_02_977w

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANETTE	BPCDDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	3015	47.3
lost to ATV IX only	10871	114.4
lost to all IX	105978	1366.0

Potential Interfering Stations Included in above Scenario 21

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANETTE	BPCDDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 400
 Scenario 22 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	859	30.6
lost to ATV IX only	3166	75.9
lost to all IX	103822	1349.3

Potential Interfering Stations Included in above Scenario 22

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANETTE	BPCDDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	3165	65.1
lost to ATV IX only	11021	134.1
lost to all IX	106128	1383.8

Potential Interfering Stations Included in above Scenario 22

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 401
 Scenario 23 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	709	12.8
lost to ATV IX only	2692	55.2
lost to all IX	103672	1331.5

Potential Interfering Stations Included in above Scenario 23

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	3015	47.3
lost to ATV IX only	10871	114.4

w25aw_stm_cc_49_da_02_977w
105978 1366.0

Potential Interfering Stations Included in above Scenario 23

48N	NJ	BURLINGTON	BLCT	19920821KF	LIC
49N	CT	BRIDGEPORT	BLET	19870908KE	LIC
49N	NY	BUFFALO	BLCT	19870911KH	LIC
49N	PA	RED LION	BLCT	19790419KG	LIC
48A	NY	KINGSTON	BPRM	20000328AAV	APP
49A	NJ	ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A	PA	JEANETTE	BPCDT	20060510AAI	APP
49A	PA	JEANNETTE	BPRM	20000413AAE	LIC
50A	NY	CORNING	DTVPLN	DTVP1454	PLN
49A	NJ	TRENTON	USERRECORD01		APP

Result key: 402
Scenario 24 Affected station 40 WNEP-TV
Before Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	859	30.6
lost to ATV IX only	2842	75.0
lost to all IX	103822	1349.3

Potential Interfering Stations Included in above Scenario 24

48N	NJ	BURLINGTON	BLCT	19920821KF	LIC
49N	CT	BRIDGEPORT	BLET	19870908KE	LIC
49N	NY	BUFFALO	BLCT	19870911KH	LIC
49N	PA	RED LION	BLCT	19790419KG	LIC
48A	NY	KINGSTON	BPRM	20000328AAV	APP
49A	NJ	ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A	PA	JEANETTE	BPCDDT	20060510AAI	APP
49A	PA	JEANNETTE	BPRM	20000413AAE	LIC
50A	NY	CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	3165	65.1
lost to ATV IX only	11021	134.1
lost to all IX	106128	1383.8

Potential Interfering Stations Included in above Scenario 24

48N	NJ	BURLINGTON	BLCT	19920821KF	LIC
49N	CT	BRIDGEPORT	BLET	19870908KE	LIC
49N	NY	BUFFALO	BLCT	19870911KH	LIC
49N	PA	RED LION	BLCT	19790419KG	LIC
48A	NY	KINGSTON	BPRM	20000328AAV	APP
49A	NJ	ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A	PA	JEANNETTE	BPCDDT	20060510AAI	APP
49A	PA	JEANNETTE	BPRM	20000413AAE	LIC

50A NY CORNING
 49A NJ TRENTON

w25aw_stm_cc_49_da_02_977w
 BPCDT 19991029AID CP
 USERRECORD01 APP

Result key: 403
 Scenario 25 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	709	12.8
lost to ATV IX only	3016	56.2
lost to all IX	103672	1331.5

Potential Interfering Stations Included in above Scenario 25

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	3015	47.3
lost to ATV IX only	10871	114.4
lost to all IX	105978	1366.0

Potential Interfering Stations Included in above Scenario 25

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 404
 Scenario 26 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7

w25aw_stm_cc_49_da_02_977w

lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	859	30.6
lost to ATV IX only	3166	75.9
lost to all IX	103822	1349.3

Potential Interfering Stations Included in above Scenario 26

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	3165	65.1
lost to ATV IX only	11021	134.1
lost to all IX	106128	1383.8

Potential Interfering Stations Included in above Scenario 26

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 405
Scenario 27 Affected station 40 WNEP-TV
Before Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	709	12.8
lost to ATV IX only	2692	55.2
lost to all IX	103672	1331.5

Potential Interfering Stations Included in above Scenario 27

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP

w25aw_stm_cc_49_da_02_977w

49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	3015	47.3
lost to ATV IX only	10871	114.4
lost to all IX	105978	1366.0

Potential Interfering Stations Included in above Scenario 27

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 406
 Scenario 28 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	859	30.6
lost to ATV IX only	2842	75.0
lost to all IX	103822	1349.3

Potential Interfering Stations Included in above Scenario 28

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BLCDDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	3165	65.1
lost to ATV IX only	11021	134.1

w25aw_stm_cc_49_da_02_977w
106128 1383.8

Potential Interfering Stations Included in above Scenario 28

48N	NJ	BURLINGTON	BLCT	19920821KF	LIC
49N	CT	BRIDGEPORT	BLET	19870908KE	LIC
49N	NY	BUFFALO	BLCT	19870911KH	LIC
49N	PA	RED LION	BLCT	19790419KG	LIC
48A	NY	KINGSTON	BPRM	20000328AAV	APP
49A	NJ	ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A	PA	JEANNETTE	BPRM	20000413AAE	LIC
50A	NY	CORNING	BPCDT	19991029AID	CP
49A	NJ	TRENTON	USERRECORD01		APP

Result key: 407
Scenario 29 Affected station 40 WNEP-TV
Before Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	683	18.7
lost to ATV IX only	21188	213.0
lost to all IX	103646	1337.4

Potential Interfering Stations Included in above Scenario 29

48N	NJ	BURLINGTON	BLCT	19920821KF	LIC
49N	CT	BRIDGEPORT	BLET	19870908KE	LIC
49N	NY	BUFFALO	BLCT	19870911KH	LIC
49N	PA	RED LION	BLCT	19790419KG	LIC
48A	NY	KINGSTON	BPRM	20000328AAV	APP
49A	NJ	ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A	PA	JEANETTE	BPCDT	20060510AAI	APP
49A	PA	JEANNETTE	BPRM	20000413AAE	LIC
50A	DE	WILMINGTON	BPRM	20051206AEA	APP
50A	NY	CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	2718	53.3
lost to ATV IX only	25107	253.5
lost to all IX	105681	1371.9

Potential Interfering Stations Included in above Scenario 29

48N	NJ	BURLINGTON	BLCT	19920821KF	LIC
49N	CT	BRIDGEPORT	BLET	19870908KE	LIC
49N	NY	BUFFALO	BLCT	19870911KH	LIC
49N	PA	RED LION	BLCT	19790419KG	LIC
48A	NY	KINGSTON	BPRM	20000328AAV	APP
49A	NJ	ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A	PA	JEANETTE	BPCDT	20060510AAI	APP
49A	PA	JEANNETTE	BPRM	20000413AAE	LIC

w25aw_stm_cc_49_da_02_977w
 50A DE WILMINGTON BPRM 20051206AEA APP
 50A NY CORNING DTVPLN DTVP1454 PLN
 49A NJ TRENTON USERRECORD01 APP

Result key: 408
 Scenario 30 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	833	36.5
lost to ATV IX only	21338	232.8
lost to all IX	103796	1355.2

Potential Interfering Stations Included in above Scenario 30

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	2868	71.0
lost to ATV IX only	25257	273.2
lost to all IX	105831	1389.7

Potential Interfering Stations Included in above Scenario 30

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 409
 Scenario 31 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

w25aw_stm_cc_49_da_02_977w

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	683	18.7
lost to ATV IX only	21188	213.0
lost to all IX	103646	1337.4

Potential Interfering Stations Included in above Scenario 31

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BLC DT 20020807AAF LIC
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	2718	53.3
lost to ATV IX only	25107	253.5
lost to all IX	105681	1371.9

Potential Interfering Stations Included in above Scenario 31

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 410

Scenario 32 Affected station 40 WNEP-TV

Before Analysis

Results for: 49A PA SCRANTON BLC DT 20020807AAF LIC
HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	833	36.5
lost to ATV IX only	21338	232.8
lost to all IX	103796	1355.2

Potential Interfering Stations Included in above Scenario 32

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC

w25aw_stm_cc_49_da_02_977w

49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	2868	71.0
lost to ATV IX only	25257	273.2
lost to all IX	105831	1389.7

Potential Interfering Stations Included in above scenario 32

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANETTE	BPCDT	20060510AAI	APP
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 411
 Scenario 33 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	683	18.7
lost to ATV IX only	21188	213.0
lost to all IX	103646	1337.4

Potential Interfering Stations Included in above scenario 33

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

w25aw_stm_cc_49_da_02_977w

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	2718	53.3
lost to ATV IX only	25107	253.5
lost to all IX	105681	1371.9

Potential Interfering Stations Included in above Scenario 33

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 412
 Scenario 34 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLC DT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	833	36.5
lost to ATV IX only	21338	232.8
lost to all IX	103796	1355.2

Potential Interfering Stations Included in above Scenario 34

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BLC DT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	2868	71.0
lost to ATV IX only	25257	273.2
lost to all IX	105831	1389.7

Potential Interfering Stations Included in above Scenario 34

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC

w25aw_stm_cc_49_da_02_977w

49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 413
 Scenario 35 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	683	18.7
lost to ATV IX only	21188	213.0
lost to all IX	103646	1337.4

Potential Interfering Stations Included in above Scenario 35

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN

After Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 HAAT 506.0 m, ATV ERP 100.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	2049765	26922.1
not affected by terrain losses	1636108	21695.7
lost to NTSC IX	102963	1318.7
lost to additional IX by ATV	2718	53.3
lost to ATV IX only	25107	253.5
lost to all IX	105681	1371.9

Potential Interfering Stations Included in above Scenario 35

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	DTVPLN	DTVP1454	PLN
49A NJ TRENTON	USERRECORD01		APP

Result key: 414
 Scenario 36 Affected station 40 WNEP-TV
 Before Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC
 Page 402

w25aw_stm_cc_49_da_02_977w

HAAT	506.0 m, ATV ERP	100.0 kw	
		POPULATION	AREA (sq km)
within Noise Limited Contour		2049765	26922.1
not affected by terrain losses		1636108	21695.7
lost to NTSC IX		102963	1318.7
lost to additional IX by ATV		833	36.5
lost to ATV IX only		21338	232.8
lost to all IX		103796	1355.2

Potential Interfering Stations Included in above Scenario 36

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 49A PA SCRANTON BLCDT 20020807AAF LIC

HAAT	506.0 m, ATV ERP	100.0 kw	
		POPULATION	AREA (sq km)
within Noise Limited Contour		2049765	26922.1
not affected by terrain losses		1636108	21695.7
lost to NTSC IX		102963	1318.7
lost to additional IX by ATV		2868	71.0
lost to ATV IX only		25257	273.2
lost to all IX		105831	1389.7

Potential Interfering Stations Included in above Scenario 36

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NY BUFFALO	BLCT	19870911KH	LIC
49N PA RED LION	BLCT	19790419KG	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA JEANNETTE	BPRM	20000413AAE	LIC
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

#####

Analysis of Interference to Affected Station 41

DTV Baseline Analysis

Channel	Call	City/State	Application Ref. No.
49	WHSV-DT	HARRISONBURG VA	DTVPLN -DTVP1434

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
48	WRC-DT	WASHINGTON DC	139.6	PLN	DTVPLN -DTVP1385
48	WVSX-DT	LEWISBURG WV	203.3	PLN	DTVPLN -DTVP1407
49	WRAZ-DT	RALEIGH NC	325.2	PLN	DTVPLN -DTVP1424
49	WACI-DT	ATLANTIC CITY NJ	393.2	PLN	DTVPLN -DTVP1426
49	WEAO	AKRON OH	376.3	PLN	DTVPLN -NPLN1759
49	WGCBTV	RED LION PA	228.2	PLN	DTVPLN -NPLN1760

w25aw_stm_cc_49_da_02_977w

49	WNEP-DT	SCRANTON PA	371.1	PLN	DTVPLN	-DTVP1429
49	WLFG-DT	GRUNDY VA	361.4	PLN	DTVPLN	-DTVP1433
49	WJCB	NORFOLK VA	273.4	PLN	DTVPLN	-NPLN1764
49	WTAP-DT	PARKERSBURG WV	266.7	PLN	DTVPLN	-DTVP1436
50	WBDCTV	WASHINGTON DC	144.8	PLN	DTVPLN	-NPLN1771
50	WPCB-DT	GREENSBURG PA	222.0	PLN	DTVPLN	-DTVP1459

Results for: 49A VA HARRISONBURG DTVPLN DTVP1434 PLN

HAAT 646.0 m, ATV ERP 95.2 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	787882	30942.9
not affected by terrain losses	460080	17056.4
lost to NTSC IX	17944	532.7
lost to additional IX by ATV	2124	84.1
lost to ATV IX only	5229	194.5
lost to all IX	20068	616.8

NTSC Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
03	WHSV-TV	HARRISONBURG VA	DTVPLN	-NPLN0265

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
02	WMARTV	BALTIMORE MD	189.7	PLN	DTVPLN	-NPLN0170
03	WBTW	CHARLOTTE NC	425.3	PLN	DTVPLN	-NPLN0240
03	WKYCTV	CLEVELAND OH	404.4	PLN	DTVPLN	-NPLN0250
03	WPSXTV	CLEARFIELD PA	280.7	PLN	DTVPLN	-NPLN0253
03	KYWTV	PHILADELPHIA PA	332.8	PLN	DTVPLN	-NPLN0254
03	WTKR	NORFOLK VA	275.1	PLN	DTVPLN	-NPLN0266
03	WBRA-DT	ROANOKE VA	205.5	PLN	DTVPLN	-DTVP0012
03	WSAZTV	HUNTINGTON WV	311.9	PLN	DTVPLN	-NPLN0269
04	WRCTV	WASHINGTON DC	139.6	PLN	DTVPLN	-NPLN0282
04	WTAETV	PITTSBURGH PA	211.9	PLN	DTVPLN	-NPLN0314

Results for: 3N VA HARRISONBURG DTVPLN NPLN0265 PLN

	POPULATION	AREA (sq km)
within Noise Limited Contour	787946	30941.9
not affected by terrain losses	707505	27051.7
lost to NTSC IX	174005	6272.2
lost to additional IX by ATV	3588	480.9
lost to all IX	177593	6753.1

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
49	WHSV-TV	HARRISONBURG VA	BMPCDT	-20051109AAL

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
48	WRC-TV	WASHINGTON DC	139.6	LIC	BLCDT	-20000216AAT
48	WRC-DT	WASHINGTON DC	139.6	PLN	DTVPLN	-DTVP1385
48	WVSX-DT	LEWISBURG WV	203.3	PLN	DTVPLN	-DTVP1407
49	WRAZ	RALEIGH NC	325.4	CP MOD	BMPCDT	-20040329AKW
49	WRAZ-DT	RALEIGH NC	325.2	PLN	DTVPLN	-DTVP1424
49	WWSI	ATLANTIC CITY NJ	386.3	LIC	BLCDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	393.2	PLN	DTVPLN	-DTVP1426
49	WEAO	AKRON OH	376.3	LIC	BMLET	-20041027ABS
49	WPCW	JEANETTE PA	222.2	APP	BPCDT	-20060510AAI
49	WNPA	JEANETTE PA	222.2	LIC	BPRM	-20000413AAE
49	WGCB-TV	RED LION PA	228.2	LIC	BLCT	-19790419KG
49	WNEP-DT	SCRANTON PA	371.1	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	371.3	CP	BPCDT	-19990729KF

w25aw_stm_cc_49_da_02_977w

49	WNEP-TV	SCRANTON PA	371.3	LIC	BLCDDT	-20020807AAF
49	WLFG	GRUNDY VA	361.4	CP	BPCDDT	-19991029AGK
49	WLFG-DT	GRUNDY VA	361.4	PLN	DTVPLN	-DTVP1433
49	WPXV	NORFOLK VA	273.4	LIC	BLCT	-20020225AAQ
49	WTAP-TV	PARKERSBURG WV	266.7	LIC	BLCDDT	-20040423ABG
49	WTAP-DT	PARKERSBURG WV	266.7	PLN	DTVPLN	-DTVP1436
50	WDCW	WASHINGTON DC	144.8	LIC	BLCT	-20030819ABE
50	WPCB-TV	GREENSBURG PA	222.2	LIC	BLCDDT	-20030409ABC
50	WPCB-DT	GREENSBURG PA	222.0	PLN	DTVPLN	-DTVP1459
49	W25AW	TRENTON NJ	386.8	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 42

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
49	WVBK-CA	MANCHESTER, ETC. VT	BLTT	-19980317JH

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
47	WYDN-DT	WORCESTER MA	135.1	PLN	DTVPLN	-DTVP1362
49	WEDW	BRIDGEPORT CT	209.8	LIC	BLET	-19870908KE
49	WLNE-DT	NEW BEDFORD MA	235.4	PLN	DTVPLN	-DTVP1420
49	WLNE-TV	NEW BEDFORD MA	208.2	LIC	BLCDDT	-20040930BBS
49	WEKW-TV	KEENE NH	62.5	LIC	BLEDT	-20030618ABK
49	WEKW-DT	KEENE NH	62.5	PLN	DTVPLN	-DTVP1425
49	WLED-TV	LITTLETON NH	172.2	LIC	BMLET	-20030725ACD
49	WFNY-CA	GLOVERSVILLE NY	102.0	LIC	BLTTL	-19970811JF
49	WNEP-DT	SCRANTON PA	316.4	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	316.1	CP	BPCDDT	-19990729KF
49	WNEP-TV	SCRANTON PA	316.1	LIC	BLCDDT	-20020807AAF
50	WYPX	AMSTERDAM NY	88.8	LIC	BLCDDT	-20040908ABO
50	WOCD-DT	AMSTERDAM NY	88.7	PLN	DTVPLN	-DTVP1453
56	WVER-DT	RUTLAND VT	54.8	PLN	DTVPLN	-DTVP1598
49	W25AW	TRENTON NJ	345.9	APP	USERRECORD-01	

Proposed station is beyond the site to nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 43

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
50	NEW	WILMINGTON DE	BPRM	-20051206AEA

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
49	WEDW	BRIDGEPORT CT	221.1	LIC	BLET	-19870908KE
49	WWSI	ATLANTIC CITY NJ	88.3	LIC	BLCDDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	95.9	PLN	DTVPLN	-DTVP1426
49	WGCB-TV	RED LION PA	115.4	LIC	BLCT	-19790419KG
49	WNEP-DT	SCRANTON PA	137.6	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	137.6	CP	BPCDDT	-19990729KF

w25aw_stm_cc_49_da_02_977w

49	WNEP-TV	SCRANTON PA	137.6	LIC	BLCDDT	-20020807AAF
50	WDCW	WASHINGTON DC	194.6	LIC	BLCT	-20030819ABE
50	WNJN	MONTCLAIR NJ	126.8	LIC	BLET	-19860805KG
50	WYPX	AMSTERDAM NY	338.7	LIC	BLCDDT	-20040908ABO
50	WOCD-DT	AMSTERDAM NY	338.8	PLN	DTVPLN	-DTVP1453
50	WYDC-DT	CORNING NY	279.6	PLN	DTVPLN	-DTVP1454
50	WYDC	CORNING NY	279.6	CP	BPCDDT	-19991029AID
50	WWTI	WATERTOWN NY	428.4	LIC	BMLCT	-20050829ABX
50	WPCB-TV	GREENSBURG PA	387.4	LIC	BLCDDT	-20030409ABC
50	WPCB-DT	GREENSBURG PA	387.3	PLN	DTVPLN	-DTVP1459
50	WGNT	PORTSMOUTH VA	374.4	LIC	BLCDDT	-20020718AAK
50	WGNT	PORTSMOUTH VA	374.5	LIC	BPRM	-20000413AAH
51	WDCW	WASHINGTON DC	194.6	LIC	BLCDDT	-20030221AAG
51	WBDC-DT	WASHINGTON DC	194.6	PLN	DTVPLN	-DTVP1472
51	WNJN-DT	MONTCLAIR NJ	126.8	PLN	DTVPLN	-DTVP1486
51	WNJN	MONTCLAIR NJ	126.8	APP	BMPEDT	-20060523ABB
51	WNJN	MONTCLAIR NJ	126.8	CP	BPEDT	-20000425AAH
51	WTVE	READING PA	65.9	CP	BPCT	-20010430AAL
49	W25AW	TRENTON NJ	54.1	APP	USERRECORD-01	

Total scenarios = 6

Result key: 415
 Scenario 1 Affected station 43 NEW
 Before Analysis

Results for: 50A DE WILMINGTON BPRM 20051206AEA APP
 HAAT 259.0 m, ATV ERP 50.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	6005923	13174.9
not affected by terrain losses	5923511	12796.1
lost to NTSC IX	117175	618.2
lost to additional IX by ATV	134	4.9
lost to ATV IX only	745	9.8
lost to all IX	117309	623.1

Potential Interfering Stations Included in above Scenario 1

50N DC WASHINGTON	BLCT	20030819ABE	LIC
50N NJ MONTCLAIR	BLET	19860805KG	LIC
51N PA READING	BPCT	20010430AAL	CP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 50A DE WILMINGTON BPRM 20051206AEA APP
 HAAT 259.0 m, ATV ERP 50.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	6005923	13174.9
not affected by terrain losses	5923511	12796.1
lost to NTSC IX	117175	618.2
lost to additional IX by ATV	4093	31.4
lost to ATV IX only	5597	51.0
lost to all IX	121268	649.6

Potential Interfering Stations Included in above Scenario 1

50N DC WASHINGTON	BLCT	20030819ABE	LIC
50N NJ MONTCLAIR	BLET	19860805KG	LIC

w25aw_stm_cc_49_da_02_977w

51N PA READING	BPCT	20010430AAL	CP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
50A NY AMSTERDAM	BLCDT	20040908ABO	LIC
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 416
 Scenario 2 Affected station 43 NEW
 Before Analysis

Results for: 50A DE WILMINGTON BPRM 20051206AEA APP
 HAAT 259.0 m, ATV ERP 50.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	6005923	13174.9
not affected by terrain losses	5923511	12796.1
lost to NTSC IX	117175	618.2
lost to additional IX by ATV	134	4.9
lost to ATV IX only	745	10.8
lost to all IX	117309	623.1

Potential Interfering Stations Included in above Scenario 2

50N DC WASHINGTON	BLCT	20030819ABE	LIC
50N NJ MONTCLAIR	BLET	19860805KG	LIC
51N PA READING	BPCT	20010430AAL	CP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
50A NY AMSTERDAM	BLCDT	20040908ABO	LIC
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 50A DE WILMINGTON BPRM 20051206AEA APP
 HAAT 259.0 m, ATV ERP 50.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	6005923	13174.9
not affected by terrain losses	5923511	12796.1
lost to NTSC IX	117175	618.2
lost to additional IX by ATV	4093	31.4
lost to ATV IX only	5597	52.0
lost to all IX	121268	649.6

Potential Interfering Stations Included in above Scenario 2

50N DC WASHINGTON	BLCT	20030819ABE	LIC
50N NJ MONTCLAIR	BLET	19860805KG	LIC
51N PA READING	BPCT	20010430AAL	CP
49A NJ ATLANTIC CITY	BLCDT	20020812ABS	LIC
49A PA SCRANTON	BPCDT	19990729KF	CP
50A NY AMSTERDAM	BLCDT	20040908ABO	LIC
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 417
 Scenario 3 Affected station 43 NEW
 Before Analysis

Results for: 50A DE WILMINGTON BPRM 20051206AEA APP
 HAAT 259.0 m, ATV ERP 50.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	6005923	13174.9
not affected by terrain losses	5923511	12796.1

w25aw_stm_cc_49_da_02_977w

lost to NTSC IX	117175	618.2
lost to additional IX by ATV	134	4.9
lost to ATV IX only	745	10.8
lost to all IX	117309	623.1

Potential Interfering Stations Included in above Scenario 3

50N DC WASHINGTON	BLCT	20030819ABE	LIC
50N NJ MONTCLAIR	BLET	19860805KG	LIC
51N PA READING	BPCT	20010430AAL	CP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 50A DE WILMINGTON BPRM 20051206AEA APP
 HAAT 259.0 m, ATV ERP 50.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	6005923	13174.9
not affected by terrain losses	5923511	12796.1
lost to NTSC IX	117175	618.2
lost to additional IX by ATV	4093	31.4
lost to ATV IX only	5597	52.0
lost to all IX	121268	649.6

Potential Interfering Stations Included in above Scenario 3

50N DC WASHINGTON	BLCT	20030819ABE	LIC
50N NJ MONTCLAIR	BLET	19860805KG	LIC
51N PA READING	BPCT	20010430AAL	CP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 418
 Scenario 4 Affected station 43 NEW
 Before Analysis

Results for: 50A DE WILMINGTON BPRM 20051206AEA APP
 HAAT 259.0 m, ATV ERP 50.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	6005923	13174.9
not affected by terrain losses	5923511	12796.1
lost to NTSC IX	117175	618.2
lost to additional IX by ATV	134	4.9
lost to ATV IX only	745	9.8
lost to all IX	117309	623.1

Potential Interfering Stations Included in above Scenario 4

50N DC WASHINGTON	BLCT	20030819ABE	LIC
50N NJ MONTCLAIR	BLET	19860805KG	LIC
51N PA READING	BPCT	20010430AAL	CP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 50A DE WILMINGTON BPRM 20051206AEA APP
 HAAT 259.0 m, ATV ERP 50.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	6005923	13174.9
not affected by terrain losses	5923511	12796.1
lost to NTSC IX	117175	618.2
lost to additional IX by ATV	4093	31.4
lost to ATV IX only	5597	51.0
lost to all IX	121268	649.6

Potential Interfering Stations Included in above Scenario 4

50N DC WASHINGTON	BLCT	20030819ABE	LIC
50N NJ MONTCLAIR	BLET	19860805KG	LIC
51N PA READING	BPCT	20010430AAL	CP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 419
 Scenario 5 Affected station 43 NEW
 Before Analysis

Results for: 50A DE WILMINGTON BPRM 20051206AEA APP
 HAAT 259.0 m, ATV ERP 50.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	6005923	13174.9
not affected by terrain losses	5923511	12796.1
lost to NTSC IX	117175	618.2
lost to additional IX by ATV	134	4.9
lost to ATV IX only	745	10.8
lost to all IX	117309	623.1

Potential Interfering Stations Included in above Scenario 5

50N DC WASHINGTON	BLCT	20030819ABE	LIC
50N NJ MONTCLAIR	BLET	19860805KG	LIC
51N PA READING	BPCT	20010430AAL	CP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 50A DE WILMINGTON BPRM 20051206AEA APP
 HAAT 259.0 m, ATV ERP 50.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	6005923	13174.9
not affected by terrain losses	5923511	12796.1
lost to NTSC IX	117175	618.2
lost to additional IX by ATV	4093	31.4
lost to ATV IX only	5597	52.0
lost to all IX	121268	649.6

Potential Interfering Stations Included in above Scenario 5

50N DC WASHINGTON	BLCT	20030819ABE	LIC
50N NJ MONTCLAIR	BLET	19860805KG	LIC
51N PA READING	BPCT	20010430AAL	CP

w25aw_stm_cc_49_da_02_977w

49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 420
 Scenario 6 Affected station 43 NEW
 Before Analysis

Results for: 50A DE WILMINGTON BPRM 20051206AEA APP
 HAAT 259.0 m, ATV ERP 50.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	6005923	13174.9
not affected by terrain losses	5923511	12796.1
lost to NTSC IX	117175	618.2
lost to additional IX by ATV	134	4.9
lost to ATV IX only	745	10.8
lost to all IX	117309	623.1

Potential Interfering Stations Included in above scenario 6

50N DC WASHINGTON	BLCT	20030819ABE	LIC
50N NJ MONTCLAIR	BLET	19860805KG	LIC
51N PA READING	BPCT	20010430AAL	CP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 50A DE WILMINGTON BPRM 20051206AEA APP
 HAAT 259.0 m, ATV ERP 50.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	6005923	13174.9
not affected by terrain losses	5923511	12796.1
lost to NTSC IX	117175	618.2
lost to additional IX by ATV	4093	31.4
lost to ATV IX only	5597	52.0
lost to all IX	121268	649.6

Potential Interfering Stations Included in above scenario 6

50N DC WASHINGTON	BLCT	20030819ABE	LIC
50N NJ MONTCLAIR	BLET	19860805KG	LIC
51N PA READING	BPCT	20010430AAL	CP
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

#####

Analysis of Interference to Affected Station 44

NTSC Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
50	WNJN	MONTCLAIR NJ	DTVPLN	-NPLN1779

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
42	WHAI-DT	BRIDGEPORT CT	106.5	PLN	DTVPLN	-DTVP1185
42	WTFX-DT	PHILADELPHIA PA	126.9	PLN	DTVPLN	-DTVP1207
43	WHAITV	BRIDGEPORT CT	106.5	PLN	DTVPLN	-NPLN1636
43	WNJT-DT	TRENTON NJ	76.6	PLN	DTVPLN	-DTVP1235
46	WFMZ-DT	ALLENTOWN PA	109.6	PLN	DTVPLN	-DTVP1339
47	WNJU	LINDEN NJ	23.2	PLN	DTVPLN	-NPLN1721
48	WGTW	BURLINGTON NJ	126.9	PLN	DTVPLN	-NPLN1735
49	WEDW	BRIDGEPORT CT	96.7	PLN	DTVPLN	-NPLN1748
49	WACI-DT	ATLANTIC CITY NJ	139.2	PLN	DTVPLN	-DTVP1426
49	WNEP-DT	SCRANTON PA	144.6	PLN	DTVPLN	-DTVP1429
50	WBDCTV	WASHINGTON DC	320.5	PLN	DTVPLN	-NPLN1771
50	WNDS	DERRY NH	312.0	PLN	DTVPLN	-NPLN1778
50	WWAC-DT	ATLANTIC CITY NJ	166.3	PLN	DTVPLN	-DTVP1452
50	WOCD-DT	AMSTERDAM NY	235.6	PLN	DTVPLN	-DTVP1453
50	WYDC-DT	CORNING NY	276.6	PLN	DTVPLN	-DTVP1454
50	WWTI	WATERTOWN NY	357.6	PLN	DTVPLN	-NPLN1781
51	WNJN-DT	MONTCLAIR NJ	0.0	PLN	DTVPLN	-DTVP1486
51	WTVE	READING PA	140.3	PLN	DTVPLN	-NPLN1799
52	WEDW-DT	BRIDGEPORT CT	96.7	PLN	DTVPLN	-DTVP1502
52	WNJT	TRENTON NJ	76.6	PLN	DTVPLN	-NPLN1810
53	WHSE-DT	NEWARK NJ	22.2	PLN	DTVPLN	-DTVP1533
54	WTBY	POUGHKEEPSIE NY	96.5	PLN	DTVPLN	-NPLN1843
54	WPHL-DT	PHILADELPHIA PA	126.9	PLN	DTVPLN	-DTVP1554
57	WGBYTV	SPRINGFIELD MA	200.2	PLN	DTVPLN	-NPLN1880
57	WLNY-DT	RIVERHEAD NY	108.1	PLN	DTVPLN	-DTVP1614
57	WPSG	PHILADELPHIA PA	126.9	PLN	DTVPLN	-NPLN1883
58	WNJB	NEW BRUNSWICK NJ	37.2	PLN	DTVPLN	-NPLN1896
64	WPVI-DT	PHILADELPHIA PA	126.7	PLN	DTVPLN	-DTVP1675
64	WSWBTV	SCRANTON PA	142.5	PLN	DTVPLN	-NPLN1965
65	WEDY	NEW HAVEN CT	120.0	PLN	DTVPLN	-NPLN1970
65	WHSPTV	VINELAND NJ	136.8	PLN	DTVPLN	-NPLN1973

Results for: 50N NJ MONTCLAIR		DTVPLN	NPLN1779	PLN
		POPULATION	AREA (sq km)	
within Noise Limited Contour		16030702	17631.2	
not affected by terrain losses		15729586	15294.2	
lost to NTSC IX		408958	1108.5	
lost to additional IX by ATV		16259	70.5	
lost to all IX		425217	1178.9	

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
50	WNJN	MONTCLAIR NJ	BLET	-19860805KG

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
42	WSAH	BRIDGEPORT CT	106.5	APP	BMPCDT	-20060214AAF
42	WHAI-DT	BRIDGEPORT CT	106.5	PLN	DTVPLN	-DTVP1185
42	WSAH	BRIDGEPORT CT	106.5	CP	BPCDT	-19991101AFE
42	WTFX-TV	PHILADELPHIA PA	126.9	CP	BPCDT	-20020424AAZ
42	WTFX-DT	PHILADELPHIA PA	126.9	PLN	DTVPLN	-DTVP1207
43	WSAH	BRIDGEPORT CT	106.5	LIC	BLCT	-19871009KE
43	WSAH	BRIDGEPORT CT	106.5	APP	BPCT	-20060222AAG
43	WNJT-DT	TRENTON NJ	76.6	PLN	DTVPLN	-DTVP1235
46	WFMZ-DT	ALLENTOWN PA	109.6	PLN	DTVPLN	-DTVP1339
46	WFMZ-TV	ALLENTOWN PA	109.6	CP MOD	BMPCDT	-20041029AHC
47	WNJU	LINDEN NJ	23.2	CP	BPCT	-19991028AAN
47	WLNY	RIVERHEAD NY	108.1	APP	BSRCCT	-20060228ALR
48	WGTW-TV	BURLINGTON NJ	126.9	LIC	BLCT	-19920821KF

w25aw_stm_cc_49_da_02_977w

48	WRNN-TV	KINGSTON NY	72.4	LIC	BLCDDT	-20040908AMF
48	WRNNTV	KINGSTON NY	72.5	APP	BPRM	-20000328AAV
49	WEDW	BRIDGEPORT CT	96.7	LIC	BLET	-19870908KE
49	WWSI	ATLANTIC CITY NJ	137.7	LIC	BLCDDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	139.2	PLN	DTVPLN	-DTVP1426
49	WNEP-DT	SCRANTON PA	144.6	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	144.3	CP	BPCDDT	-19990729KF
49	WNEP-TV	SCRANTON PA	144.3	LIC	BLCDDT	-20020807AAF
50	WDCW	WASHINGTON DC	320.5	LIC	BLCT	-20030819ABE
50	NEW	WILMINGTON DE	126.8	APP	BPRM	-20051206AEA
50	WZMY-TV	DERRY NH	312.0	LIC	BLCT	-19831012KG
50	WWAC-DT	ATLANTIC CITY NJ	166.3	PLN	DTVPLN	-DTVP1452
50	WYPX	AMSTERDAM NY	235.6	LIC	BLCDDT	-20040908ABO
50	WOCD-DT	AMSTERDAM NY	235.6	PLN	DTVPLN	-DTVP1453
50	WYDC-DT	CORNING NY	276.6	PLN	DTVPLN	-DTVP1454
50	WYDC	CORNING NY	276.6	CP	BPCDDT	-19991029AID
50	WWTI	WATERTOWN NY	357.6	LIC	BMLCT	-20050829ABX
51	960724LI	PITTSFIELD MA	201.6	APP	BPCT	-19960724LI
51	WNYA	PITTSFIELD MA	196.3	LIC	BLCT	-20060120ABO
51	WNJN-DT	MONTCLAIR NJ	0.0	PLN	DTVPLN	-DTVP1486
51	WNJN	MONTCLAIR NJ	0.0	APP	BMPEDT	-20060523ABB
51	WNJN	MONTCLAIR NJ	0.0	CP	BPEDT	-20000425AAH
51	WTVE	READING PA	154.1	CP	BPCT	-20010430AAL
52	WEDW	BRIDGEPORT CT	96.7	LIC	BLEDT	-20030425AAK
52	WEDW-DT	BRIDGEPORT CT	96.7	PLN	DTVPLN	-DTVP1502
52	WNJT	TRENTON NJ	76.6	LIC	BLET	-20030625AAS
53	WFUT-TV	NEWARK NJ	21.7	LIC	BLCDDT	-20040809AAX
53	WHSE-DT	NEWARK NJ	22.2	PLN	DTVPLN	-DTVP1533
54	WTBY-TV	POUGHKEEPSIE NY	96.5	LIC	BLCT	-19921016KF
54	WPHL-TV	PHILADELPHIA PA	126.6	LIC	BLCDDT	-20021025ABE
54	WPHL-DT	PHILADELPHIA PA	126.9	PLN	DTVPLN	-DTVP1554
57	WGBY-TV	SPRINGFIELD MA	200.2	LIC	BLET	-19961101KE
57	WLNY	RIVERHEAD NY	108.1	CP MOD	BMPCDT	-20051201BIN
57	WLNY-DT	RIVERHEAD NY	108.1	PLN	DTVPLN	-DTVP1614
57	WPSG	PHILADELPHIA PA	126.9	LIC	BLCT	-19980213KE
58	WNJB	NEW BRUNSWICK NJ	37.2	LIC	BLET	-19860618KE
64	WPVI-TV	PHILADELPHIA PA	126.9	CP MOD	BMPCDT	-19980826KG
64	WPVI-DT	PHILADELPHIA PA	126.7	PLN	DTVPLN	-DTVP1675
64	WQPX	SCRANTON PA	142.5	LIC	BLCT	-19980528KH
65	WEDY	NEW HAVEN CT	120.0	LIC	BLET	-372
65	WUVP-TV	VINELAND NJ	126.6	LIC	BLCT	-20030103AAB
49	W25AW	TRENTON NJ	76.6	APP	USERRECORD-01	

Total scenarios = 10

Result key: 421
 Scenario 1 Affected station 44 WNJN
 Before Analysis

Results for: 50N NJ MONTCLAIR	BLET	19860805KG	LIC
within Noise Limited Contour	POPULATION 15347291	AREA (sq km) 14732.8	
not affected by terrain losses	15092555	12746.2	
lost to NTSC IX	396523	1065.7	
lost to additional IX by ATV	13474	105.2	
lost to all IX	409997	1170.9	

Potential Interfering Stations Included in above Scenario 1

47N NJ LINDEN	BPCT	19991028AAN	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC

w25aw_stm_cc_49_da_02_977w

52N NJ TRENTON	BLET	20030625AAS	LIC
58N NJ NEW BRUNSWICK	BLET	19860618KE	LIC
65N NJ VINELAND	BLCT	20030103AAB	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
50A NJ ATLANTIC CITY	DTVPLN	DTVP1452	PLN
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 50N NJ MONTCLAIR

	BLET	19860805KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	15347291	14732.8	
not affected by terrain losses	15092555	12746.2	
lost to NTSC IX	396523	1065.7	
lost to additional IX by ATV	13474	105.2	
lost to all IX	409997	1170.9	

Potential Interfering Stations Included in above Scenario 1

47N NJ LINDEN	BPCT	19991028AAN	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
52N NJ TRENTON	BLET	20030625AAS	LIC
58N NJ NEW BRUNSWICK	BLET	19860618KE	LIC
65N NJ VINELAND	BLCT	20030103AAB	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
50A NJ ATLANTIC CITY	DTVPLN	DTVP1452	PLN
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 422
 Scenario 2 Affected station 44 WNJN
 Before Analysis

Results for: 50N NJ MONTCLAIR

	BLET	19860805KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	15347291	14732.8	
not affected by terrain losses	15092555	12746.2	
lost to NTSC IX	396523	1065.7	
lost to additional IX by ATV	13474	105.2	
lost to all IX	409997	1170.9	

Potential Interfering Stations Included in above Scenario 2

47N NJ LINDEN	BPCT	19991028AAN	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
52N NJ TRENTON	BLET	20030625AAS	LIC
58N NJ NEW BRUNSWICK	BLET	19860618KE	LIC
65N NJ VINELAND	BLCT	20030103AAB	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
50A NJ ATLANTIC CITY	DTVPLN	DTVP1452	PLN
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 50N NJ MONTCLAIR

	BLET	19860805KG	LIC
--	------	------------	-----

w25aw_stm_cc_49_da_02_977w

	POPULATION	AREA (sq km)
within Noise Limited Contour	15347291	14732.8
not affected by terrain losses	15092555	12746.2
lost to NTSC IX	396523	1065.7
lost to additional IX by ATV	13474	105.2
lost to all IX	409997	1170.9

Potential Interfering Stations Included in above Scenario 2

47N NJ LINDEN	BPCT	19991028AAN	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
52N NJ TRENTON	BLET	20030625AAS	LIC
58N NJ NEW BRUNSWICK	BLET	19860618KE	LIC
65N NJ VINELAND	BLCT	20030103AAB	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
50A NJ ATLANTIC CITY	DTVPLN	DTVP1452	PLN
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 423
 Scenario 3 Affected station 44 WNJN
 Before Analysis

Results for: 50N NJ MONTCLAIR

	BLET	19860805KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	15347291	14732.8	
not affected by terrain losses	15092555	12746.2	
lost to NTSC IX	396523	1065.7	
lost to additional IX by ATV	63770	351.3	
lost to all IX	460293	1417.0	

Potential Interfering Stations Included in above Scenario 3

47N NJ LINDEN	BPCT	19991028AAN	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
52N NJ TRENTON	BLET	20030625AAS	LIC
58N NJ NEW BRUNSWICK	BLET	19860618KE	LIC
65N NJ VINELAND	BLCT	20030103AAB	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 50N NJ MONTCLAIR

	BLET	19860805KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	15347291	14732.8	
not affected by terrain losses	15092555	12746.2	
lost to NTSC IX	396523	1065.7	
lost to additional IX by ATV	63770	351.3	
lost to all IX	460293	1417.0	

Potential Interfering Stations Included in above Scenario 3

47N NJ LINDEN	BPCT	19991028AAN	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC

w25aw_stm_cc_49_da_02_977w

52N NJ TRENTON	BLET	20030625AAS	LIC
58N NJ NEW BRUNSWICK	BLET	19860618KE	LIC
65N NJ VINELAND	BLCT	20030103AAB	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 424
 Scenario 4 Affected station 44 WNJN
 Before Analysis

Results for: 50N NJ MONTCLAIR BLET 19860805KG LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	15347291	14732.8
not affected by terrain losses	15092555	12746.2
lost to NTSC IX	396523	1065.7
lost to additional IX by ATV	13474	105.2
lost to all IX	409997	1170.9

Potential Interfering Stations Included in above Scenario 4

47N NJ LINDEN	BPCT	19991028AAN	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
52N NJ TRENTON	BLET	20030625AAS	LIC
58N NJ NEW BRUNSWICK	BLET	19860618KE	LIC
65N NJ VINELAND	BLCT	20030103AAB	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
50A NJ ATLANTIC CITY	DTVPLN	DTVP1452	PLN
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 50N NJ MONTCLAIR BLET 19860805KG LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	15347291	14732.8
not affected by terrain losses	15092555	12746.2
lost to NTSC IX	396523	1065.7
lost to additional IX by ATV	13474	105.2
lost to all IX	409997	1170.9

Potential Interfering Stations Included in above Scenario 4

47N NJ LINDEN	BPCT	19991028AAN	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
52N NJ TRENTON	BLET	20030625AAS	LIC
58N NJ NEW BRUNSWICK	BLET	19860618KE	LIC
65N NJ VINELAND	BLCT	20030103AAB	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP
50A NJ ATLANTIC CITY	DTVPLN	DTVP1452	PLN
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 425
 Scenario 5 Affected station 44 WNJN
 Page 415

Before Analysis

Results for: 50N NJ MONTCLAIR	BLET	19860805KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	15347291	14732.8	
not affected by terrain losses	15092555	12746.2	
lost to NTSC IX	396523	1065.7	
lost to additional IX by ATV	63770	351.3	
lost to all IX	460293	1417.0	

Potential Interfering Stations Included in above Scenario 5

47N NJ LINDEN	BPCT	19991028AAN	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
52N NJ TRENTON	BLET	20030625AAS	LIC
58N NJ NEW BRUNSWICK	BLET	19860618KE	LIC
65N NJ VINELAND	BLCT	20030103AAB	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 50N NJ MONTCLAIR	BLET	19860805KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	15347291	14732.8	
not affected by terrain losses	15092555	12746.2	
lost to NTSC IX	396523	1065.7	
lost to additional IX by ATV	63770	351.3	
lost to all IX	460293	1417.0	

Potential Interfering Stations Included in above Scenario 5

47N NJ LINDEN	BPCT	19991028AAN	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
52N NJ TRENTON	BLET	20030625AAS	LIC
58N NJ NEW BRUNSWICK	BLET	19860618KE	LIC
65N NJ VINELAND	BLCT	20030103AAB	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 426
 Scenario 6 Affected station 44 WNJN
 Before Analysis

Results for: 50N NJ MONTCLAIR	BLET	19860805KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	15347291	14732.8	
not affected by terrain losses	15092555	12746.2	
lost to NTSC IX	396523	1065.7	
lost to additional IX by ATV	13474	105.2	
lost to all IX	409997	1170.9	

Potential Interfering Stations Included in above Scenario 6

w25aw_stm_cc_49_da_02_977w

47N NJ LINDEN	BPCT	19991028AAN	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
52N NJ TRENTON	BLET	20030625AAS	LIC
58N NJ NEW BRUNSWICK	BLET	19860618KE	LIC
65N NJ VINELAND	BLCT	20030103AAB	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
50A NJ ATLANTIC CITY	DTVPLN	DTVP1452	PLN
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 50N NJ MONTCLAIR	BLET	19860805KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	15347291	14732.8	
not affected by terrain losses	15092555	12746.2	
lost to NTSC IX	396523	1065.7	
lost to additional IX by ATV	13474	105.2	
lost to all IX	409997	1170.9	

Potential Interfering Stations Included in above Scenario 6

47N NJ LINDEN	BPCT	19991028AAN	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
52N NJ TRENTON	BLET	20030625AAS	LIC
58N NJ NEW BRUNSWICK	BLET	19860618KE	LIC
65N NJ VINELAND	BLCT	20030103AAB	LIC
48A NY KINGSTON	BLCDDT	20040908AMF	LIC
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
50A NJ ATLANTIC CITY	DTVPLN	DTVP1452	PLN
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 427
 Scenario 7 Affected station 44 WNJN
 Before Analysis

Results for: 50N NJ MONTCLAIR	BLET	19860805KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	15347291	14732.8	
not affected by terrain losses	15092555	12746.2	
lost to NTSC IX	396523	1065.7	
lost to additional IX by ATV	63677	338.4	
lost to all IX	460200	1404.1	

Potential Interfering Stations Included in above Scenario 7

47N NJ LINDEN	BPCT	19991028AAN	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
52N NJ TRENTON	BLET	20030625AAS	LIC
58N NJ NEW BRUNSWICK	BLET	19860618KE	LIC
65N NJ VINELAND	BLCT	20030103AAB	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A PA SCRANTON	BPCDDT	19990729KF	CP
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 50N NJ MONTCLAIR	BLET	19860805KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	15347291	14732.8	
not affected by terrain losses	15092555	12746.2	
lost to NTSC IX	396523	1065.7	
lost to additional IX by ATV	63677	338.4	
lost to all IX	460200	1404.1	

Potential Interfering Stations Included in above Scenario 7

47N NJ LINDEN	BPCT	19991028AAN	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
52N NJ TRENTON	BLET	20030625AAS	LIC
58N NJ NEW BRUNSWICK	BLET	19860618KE	LIC
65N NJ VINELAND	BLCT	20030103AAB	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A PA SCRANTON	BPCDT	19990729KF	CP
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 428
 Scenario 8 Affected station 44 WNJN
 Before Analysis

Results for: 50N NJ MONTCLAIR	BLET	19860805KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	15347291	14732.8	
not affected by terrain losses	15092555	12746.2	
lost to NTSC IX	396523	1065.7	
lost to additional IX by ATV	13381	92.3	
lost to all IX	409904	1158.0	

Potential Interfering Stations Included in above Scenario 8

47N NJ LINDEN	BPCT	19991028AAN	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
52N NJ TRENTON	BLET	20030625AAS	LIC
58N NJ NEW BRUNSWICK	BLET	19860618KE	LIC
65N NJ VINELAND	BLCT	20030103AAB	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A PA SCRANTON	BPCDT	19990729KF	CP
50A NJ ATLANTIC CITY	DTVPLN	DTVP1452	PLN
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 50N NJ MONTCLAIR	BLET	19860805KG	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	15347291	14732.8	
not affected by terrain losses	15092555	12746.2	
lost to NTSC IX	396523	1065.7	
lost to additional IX by ATV	13381	92.3	
lost to all IX	409904	1158.0	

Potential Interfering Stations Included in above Scenario 8

w25aw_stm_cc_49_da_02_977w

47N NJ LINDEN	BPCT	19991028AAN	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
52N NJ TRENTON	BLET	20030625AAS	LIC
58N NJ NEW BRUNSWICK	BLET	19860618KE	LIC
65N NJ VINELAND	BLCT	20030103AAB	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A PA SCRANTON	BPCDT	19990729KF	CP
50A NJ ATLANTIC CITY	DTVPLN	DTVP1452	PLN
50A NY AMSTERDAM	BLCDT	20040908ABO	LIC
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 429
 Scenario 9 Affected station 44 WNJN
 Before Analysis

Results for: 50N NJ MONTCLAIR BLET 19860805KG LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	15347291	14732.8
not affected by terrain losses	15092555	12746.2
lost to NTSC IX	396523	1065.7
lost to additional IX by ATV	63677	338.4
lost to all IX	460200	1404.1

Potential Interfering Stations Included in above Scenario 9

47N NJ LINDEN	BPCT	19991028AAN	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
52N NJ TRENTON	BLET	20030625AAS	LIC
58N NJ NEW BRUNSWICK	BLET	19860618KE	LIC
65N NJ VINELAND	BLCT	20030103AAB	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A PA SCRANTON	BLCDT	20020807AAF	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY AMSTERDAM	BLCDT	20040908ABO	LIC
50A NY CORNING	BPCDT	19991029AID	CP

After Analysis

Results for: 50N NJ MONTCLAIR BLET 19860805KG LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	15347291	14732.8
not affected by terrain losses	15092555	12746.2
lost to NTSC IX	396523	1065.7
lost to additional IX by ATV	63677	338.4
lost to all IX	460200	1404.1

Potential Interfering Stations Included in above Scenario 9

47N NJ LINDEN	BPCT	19991028AAN	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
52N NJ TRENTON	BLET	20030625AAS	LIC
58N NJ NEW BRUNSWICK	BLET	19860618KE	LIC
65N NJ VINELAND	BLCT	20030103AAB	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A PA SCRANTON	BLCDT	20020807AAF	LIC
50A DE WILMINGTON	BPRM	20051206AEA	APP
50A NY AMSTERDAM	BLCDT	20040908ABO	LIC
50A NY CORNING	BPCDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

Result key: 430
 Scenario 10 Affected station 44 WNJN
 Before Analysis

Results for: 50N NJ MONTCLAIR BLET 19860805KG LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 15347291 14732.8
 not affected by terrain losses 15092555 12746.2
 lost to NTSC IX 396523 1065.7
 lost to additional IX by ATV 13381 92.3
 lost to all IX 409904 1158.0

Potential Interfering Stations Included in above Scenario 10

47N NJ LINDEN	BPCT	19991028AAN	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
52N NJ TRENTON	BLET	20030625AAS	LIC
58N NJ NEW BRUNSWICK	BLET	19860618KE	LIC
65N NJ VINELAND	BLCT	20030103AAB	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
50A NJ ATLANTIC CITY	DTVPLN	DTVP1452	PLN
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP

After Analysis

Results for: 50N NJ MONTCLAIR BLET 19860805KG LIC
 POPULATION AREA (sq km)
 within Noise Limited Contour 15347291 14732.8
 not affected by terrain losses 15092555 12746.2
 lost to NTSC IX 396523 1065.7
 lost to additional IX by ATV 13381 92.3
 lost to all IX 409904 1158.0

Potential Interfering Stations Included in above Scenario 10

47N NJ LINDEN	BPCT	19991028AAN	CP
49N CT BRIDGEPORT	BLET	19870908KE	LIC
50N DC WASHINGTON	BLCT	20030819ABE	LIC
52N NJ TRENTON	BLET	20030625AAS	LIC
58N NJ NEW BRUNSWICK	BLET	19860618KE	LIC
65N NJ VINELAND	BLCT	20030103AAB	LIC
48A NY KINGSTON	BPRM	20000328AAV	APP
49A PA SCRANTON	BLCDDT	20020807AAF	LIC
50A NJ ATLANTIC CITY	DTVPLN	DTVP1452	PLN
50A NY AMSTERDAM	BLCDDT	20040908ABO	LIC
50A NY CORNING	BPCDDT	19991029AID	CP
49A NJ TRENTON	USERRECORD01		APP

#####

Analysis of Interference to Affected Station 45

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
50	940415D9	HARRISBURG PA	BPTTL	-19940415D9

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
43	WPMT	YORK PA	53.5	LIC	BMLCT	-20041025ABJ
46	WBFF	BALTIMORE MD	120.3	CP	BPCDT	-19980803KR
46	WBFF-DT	BALTIMORE MD	120.3	PLN	DTVPLN	-DTVP1329
46	WFMZ-DT	ALLENTOWN PA	136.3	PLN	DTVPLN	-DTVP1339
46	WFMZ-TV	ALLENTOWN PA	136.4	CP MOD	BMPCDT	-20041029AHC
46	WKBS-DT	ALTOONA PA	120.8	PLN	DTVPLN	-DTVP1340
46	WKBS-TV	ALTOONA PA	120.8	CP	BPCDT	-19991026ACS
47	WPMT-DT	YORK PA	53.6	PLN	DTVPLN	-DTVP1370
47	WPMT	YORK PA	53.5	LIC	BMLCDT	-20041025ABI
49	WGCB-TV	RED LION PA	65.0	LIC	BLCT	-19790419KG
49	WNEP-DT	SCRANTON PA	132.5	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	132.8	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	132.8	LIC	BLCDT	-20020807AAF
50	WDCW	WASHINGTON DC	157.3	LIC	BLCT	-20030819ABE
50	NEW	WILMINGTON DE	156.8	APP	BPRM	-20051206AEA
50	WWAC-DT	ATLANTIC CITY NJ	246.6	PLN	DTVPLN	-DTVP1452
50	WNJN	MONTCLAIR NJ	245.1	LIC	BLET	-19860805KG
50	WYPX	AMSTERDAM NY	374.1	LIC	BLCDT	-20040908ABO
50	WOCD-DT	AMSTERDAM NY	374.2	PLN	DTVPLN	-DTVP1453
50	WYDC-DT	CORNING NY	198.3	PLN	DTVPLN	-DTVP1454
50	WYDC	CORNING NY	198.3	CP	BPCDT	-19991029AID
50	WTOO-CA	ALTOONA PA	112.2	CP	BPTTL	-20010712ACG
50	WQLN-DT	ERIE PA	313.8	PLN	DTVPLN	-DTVP1458
50	WQLN	ERIE PA	313.9	APP	BMPEDT	-20000412AAR
50	WPCB-TV	GREENSBURG PA	232.6	LIC	BLCDT	-20030409ABC
50	WPCB-DT	GREENSBURG PA	232.6	PLN	DTVPLN	-DTVP1459
50	940413EW	WILKES-BARRE, SCRANTO PA	134.9	APP	BPTTL	-19940413EW
50	W50DE	MARTINSBURG WV	134.5	LIC	BLTT	-20040510ABB
51	WTVE	READING PA	96.2	CP	BPCT	-20010430AAL
52	WMAR-DT	BALTIMORE MD	120.4	PLN	DTVPLN	-DTVP1511
57	WHTM-DT	HARRISBURG PA	9.8	PLN	DTVPLN	-DTVP1616
58	WGAL	LANCASTER PA	51.9	LIC	BLCDT	-20010621ABF
58	WGAL-DT	LANCASTER PA	51.9	PLN	DTVPLN	-DTVP1635
49	W25AW	TRENTON NJ	199.2	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 46

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
50	W66AI	POTTSVILLE, ETC. PA	BDISDTT	-20060403ADI

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
49	WGCB-TV	RED LION PA	91.7	LIC	BLCT	-19790419KG
49	WNEP-DT	SCRANTON PA	62.6	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	62.8	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	62.8	LIC	BLCDT	-20020807AAF
50	WDCW	WASHINGTON DC	203.2	LIC	BLCT	-20030819ABE
50	NEW	WILMINGTON DE	107.5	APP	BPRM	-20051206AEA
50	WWAC-DT	ATLANTIC CITY NJ	207.0	PLN	DTVPLN	-DTVP1452
50	WNJN	MONTCLAIR NJ	169.4	LIC	BLET	-19860805KG
50	WYPX	AMSTERDAM NY	306.1	LIC	BLCDT	-20040908ABO
50	WOCD-DT	AMSTERDAM NY	306.2	PLN	DTVPLN	-DTVP1453

w25aw_stm_cc_49_da_02_977w

50	WYDC-DT	CORNING NY	179.4	PLN	DTVPLN	-DTVP1454
50	WYDC	CORNING NY	179.4	CP	BPCDT	-19991029AID
50	WWTI	WATERTOWN NY	358.3	LIC	BMLCT	-20050829ABX
50	WQLN-DT	ERIE PA	356.6	PLN	DTVPLN	-DTVP1458
50	WQLN	ERIE PA	356.6	APP	BMPEDT	-20000412AAR
50	WPCB-TV	GREENSBURG PA	304.3	LIC	BLCDDT	-20030409ABC
50	WPCB-DT	GREENSBURG PA	304.3	PLN	DTVPLN	-DTVP1459
50	940413EW	WILKES-BARRE, SCRANTO PA	69.6	APP	BPTTL	-19940413EW
51	WTVE	READING PA	43.8	CP	BPCT	-20010430AAL
49	W25AW	TRENTON NJ	135.1	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 47

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
50	940413EW	WILKES-BARRE, SCRANTO PA	BPTTL	-19940413EW

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
42	WSKG-DT	BINGHAMTON NY	87.0	PLN	DTVPLN	-DTVP1202
42	WSKG-TV	BINGHAMTON NY	87.5	LIC	BLEDT	-20050526ACA
46	WFMZ-DT	ALLENTOWN PA	89.7	PLN	DTVPLN	-DTVP1339
46	WFMZ-TV	ALLENTOWN PA	89.8	CP MOD	BMPEDT	-20041029AHC
49	WNEP-DT	SCRANTON PA	12.1	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	12.2	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	12.2	LIC	BLCDDT	-20020807AAF
50	WRDM-LP	HARTFORD CT	268.8	LIC	BLTTA	-20060303ABE
50	WDCW	WASHINGTON DC	272.6	LIC	BLCT	-20030819ABE
50	NEW	WILMINGTON DE	149.5	APP	BPRM	-20051206AEA
50	WWAC-DT	ATLANTIC CITY NJ	245.9	PLN	DTVPLN	-DTVP1452
50	WNJN	MONTCLAIR NJ	153.7	LIC	BLET	-19860805KG
50	WYPX	AMSTERDAM NY	239.7	LIC	BLCDDT	-20040908ABO
50	WOCD-DT	AMSTERDAM NY	239.8	PLN	DTVPLN	-DTVP1453
50	WYDC-DT	CORNING NY	133.6	PLN	DTVPLN	-DTVP1454
50	WYDC	CORNING NY	133.6	CP	BPCDT	-19991029AID
50	WWTI	WATERTOWN NY	290.3	LIC	BMLCT	-20050829ABX
50	WQLN-DT	ERIE PA	352.1	PLN	DTVPLN	-DTVP1458
50	WQLN	ERIE PA	352.1	APP	BMPEDT	-20000412AAR
50	WPCB-TV	GREENSBURG PA	336.5	LIC	BLCDDT	-20030409ABC
50	WPCB-DT	GREENSBURG PA	336.5	PLN	DTVPLN	-DTVP1459
51	W51BP	CLARKS SUMMIT, ETC PA	30.9	APP	BDFCDTT	-20060403AKM
51	W51BP	CLARKS SUMMIT, ETC. PA	30.9	LIC	BLTT	-19901105JR
51	WTVE	READING PA	102.3	CP	BPCT	-20010430AAL
57	WHTM-DT	HARRISBURG PA	135.6	PLN	DTVPLN	-DTVP1616
64	WQPX	SCRANTON PA	26.0	LIC	BLCT	-19980528KH
49	W25AW	TRENTON NJ	153.2	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 48

NTSC Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
51	WTVE	READING PA	DTVPLN	-NPLN1799

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
43	WNJT-DT	TRENTON NJ	86.2	PLN	DTVPLN	-DTVP1235
43	WPMT	YORK PA	83.0	PLN	DTVPLN	-NPLN1647
44	WVIATV	SCRANTON PA	96.1	PLN	DTVPLN	-NPLN1669
47	WPMT-DT	YORK PA	83.0	PLN	DTVPLN	-DTVP1370
48	WGTW	BURLINGTON NJ	50.3	PLN	DTVPLN	-NPLN1735
49	WGCBTV	RED LION PA	88.2	PLN	DTVPLN	-NPLN1760
49	WNEP-DT	SCRANTON PA	96.2	PLN	DTVPLN	-DTVP1429
50	WBDCTV	WASHINGTON DC	189.2	PLN	DTVPLN	-NPLN1771
50	WWAC-DT	ATLANTIC CITY NJ	149.9	PLN	DTVPLN	-DTVP1452
50	WNJN	MONTCLAIR NJ	140.3	PLN	DTVPLN	-NPLN1779
51	WBDC-DT	WASHINGTON DC	189.2	PLN	DTVPLN	-DTVP1472
51	WNJN-DT	MONTCLAIR NJ	140.3	PLN	DTVPLN	-DTVP1486
51	WAQF	BATAVIA NY	344.1	PLN	DTVPLN	-NPLN1797
51	WTAE-DT	PITTSBURGH PA	347.5	PLN	DTVPLN	-DTVP1490
51	WVPT	STAUNTON VA	392.7	PLN	DTVPLN	-NPLN1802
52	WMAR-DT	BALTIMORE MD	136.7	PLN	DTVPLN	-DTVP1511
52	WNJT	TRENTON NJ	86.2	PLN	DTVPLN	-NPLN1810
54	WPHL-DT	PHILADELPHIA PA	50.5	PLN	DTVPLN	-DTVP1554
55	WHYY-DT	WILMINGTON DE	50.5	PLN	DTVPLN	-DTVP1563
58	WNJB	NEW BRUNSWICK NJ	106.6	PLN	DTVPLN	-NPLN1896
58	WGAL-DT	LANCASTER PA	84.2	PLN	DTVPLN	-DTVP1635
59	WBAL-DT	BALTIMORE MD	136.7	PLN	DTVPLN	-DTVP1650
59	WBPH-DT	BETHLEHEM PA	34.7	PLN	DTVPLN	-DTVP1658
65	WHSPTV	VINELAND NJ	98.5	PLN	DTVPLN	-NPLN1973
66	WHSP-DT	VINELAND NJ	98.5	PLN	DTVPLN	-DTVP1679
66	WFMETV	WEST MILFORD NJ	154.4	PLN	DTVPLN	-NPLN1983
66	WVVI	MANASSAS VA	220.6	PLN	DTVPLN	-NPLN1986

Results for: 51N PA READING	DTVPLN	NPLN1799	PLN
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7222504	20600.4	
not affected by terrain losses	6980106	18833.7	
lost to NTSC IX	1860692	2214.8	
lost to additional IX by ATV	292265	920.6	
lost to all IX	2152957	3135.4	

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
51	940630KG	READING PA	BPCT	-19940630KG

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
43	WNJT-DT	TRENTON NJ	102.3	PLN	DTVPLN	-DTVP1235
43	WPMT	YORK PA	66.4	LIC	BMLCT	-20041025ABJ
44	WWAC-TV	ATLANTIC CITY NJ	106.5	LIC	BPRM	-20000724ACE
44	WMCN-TV	ATLANTIC CITY NJ	109.0	CP	BPCDT	-19990604KF
44	WVIA-TV	SCRANTON PA	99.4	LIC	BLET	-19830929KG
47	WPMT-DT	YORK PA	66.4	PLN	DTVPLN	-DTVP1370
47	WPMT	YORK PA	66.4	LIC	BMLCDT	-20041025ABI
48	WGTW-TV	BURLINGTON NJ	61.8	LIC	BLCT	-19920821KF
49	WGCB-TV	RED LION PA	72.3	LIC	BLCT	-19790419KG
49	WNEP-DT	SCRANTON PA	99.5	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	99.6	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	99.6	LIC	BLCDT	-20020807AAF
50	WDCW	WASHINGTON DC	176.3	LIC	BLCT	-20030819ABE
50	NEW	WILMINGTON DE	62.1	APP	BPRM	-20051206AEA

w25aw_stm_cc_49_da_02_977w

50	WWAC-DT	ATLANTIC CITY NJ	159.3	PLN	DTVPLN	-DTVP1452
50	WNJN	MONTCLAIR NJ	156.8	LIC	BLET	-19860805KG
51	WDCW	WASHINGTON DC	176.3	LIC	BLCDT	-20030221AAG
51	WBDC-DT	WASHINGTON DC	176.3	PLN	DTVPLN	-DTVP1472
51	960724LI	PITTSFIELD MA	332.1	APP	BPCT	-19960724LI
51	WNYA	PITTSFIELD MA	326.9	LIC	BLCT	-20060120ABO
51	WNJN-DT	MONTCLAIR NJ	156.8	PLN	DTVPLN	-DTVP1486
51	WNJN	MONTCLAIR NJ	156.8	APP	BMPEDT	-20060523ABB
51	WNJN	MONTCLAIR NJ	156.8	CP	BPEDT	-20000425AAH
51	WPXJ-TV	BATAVIA NY	339.2	LIC	BLCT	-19990625KF
51	WTAE-DT	PITTSBURGH PA	331.3	PLN	DTVPLN	-DTVP1490
51	WVPT	STAUNTON VA	377.2	LIC	BLET	-222
52	WMAR-DT	BALTIMORE MD	124.0	PLN	DTVPLN	-DTVP1511
52	WNJT	TRENTON NJ	102.5	LIC	BLET	-20030625AAS
54	WNUV	BALTIMORE MD	133.4	LIC	BLCT	-19890914KF
54	WPHL-TV	PHILADELPHIA PA	62.3	LIC	BLCDT	-20021025ABE
54	WPHL-DT	PHILADELPHIA PA	62.0	PLN	DTVPLN	-DTVP1554
55	WHYY-DT	WILMINGTON DE	62.0	PLN	DTVPLN	-DTVP1563
58	WNJB	NEW BRUNSWICK NJ	123.4	LIC	BLET	-19860618KE
58	WGAL	LANCASTER PA	67.6	LIC	BLCDT	-20010621ABF
58	WGAL-DT	LANCASTER PA	67.6	PLN	DTVPLN	-DTVP1635
59	WBAL-DT	BALTIMORE MD	124.0	PLN	DTVPLN	-DTVP1650
59	960920YV	VINELAND NJ	109.0	APP	BPCT	-19960920YV
59	960920LO	VINELAND NJ	121.8	APP	BPCT	-19960920LO
59	WBPH-DT	BETHLEHEM PA	49.3	PLN	DTVPLN	-DTVP1658
65	WUVP-TV	VINELAND NJ	62.3	LIC	BLCT	-20030103AAB
66	WUVP-TV	VINELAND NJ	62.3	LIC	BLCDT	-20030310AQM
66	WHSP-DT	VINELAND NJ	108.7	PLN	DTVPLN	-DTVP1679
66	WFME-TV	WEST MILFORD NJ	170.2	LIC	BLET	-19960409KE
66	WPXW	MANASSAS VA	207.1	LIC	BLCT	-20000804ABN
49	W25AW	TRENTON NJ	102.5	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 49

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
51	WTVE	READING PA	BLCT	-19800521KW

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
43	WNJT-DT	TRENTON NJ	102.8	PLN	DTVPLN	-DTVP1235
43	WPMT	YORK PA	69.7	LIC	BMLCT	-20041025ABJ
44	WWAC-TV	ATLANTIC CITY NJ	112.2	LIC	BPRM	-20000724ACE
44	WMCN-TV	ATLANTIC CITY NJ	113.6	CP	BPCDT	-19990604KF
44	WVIA-TV	SCRANTON PA	92.0	LIC	BLET	-19830929KG
47	WPMT-DT	YORK PA	69.7	PLN	DTVPLN	-DTVP1370
47	WPMT	YORK PA	69.7	LIC	BMLCDT	-20041025ABI
48	WGTW-TV	BURLINGTON NJ	65.6	LIC	BLCT	-19920821KF
49	WGCB-TV	RED LION PA	76.7	LIC	BLCT	-19790419KG
49	WNEP-DT	SCRANTON PA	92.1	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	92.2	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	92.2	LIC	BLCDT	-20020807AAF
50	WDCW	WASHINGTON DC	182.3	LIC	BLCT	-20030819ABE
50	NEW	WILMINGTON DE	65.9	APP	BPRM	-20051206AEA
50	WWAC-DT	ATLANTIC CITY NJ	164.2	PLN	DTVPLN	-DTVP1452
50	WNJN	MONTCLAIR NJ	154.1	LIC	BLET	-19860805KG
51	WDCW	WASHINGTON DC	182.3	LIC	BLCDT	-20030221AAG

w25aw_stm_cc_49_da_02_977w

51	WBDC-DT	WASHINGTON DC	182.3	PLN	DTVPLN	-DTVP1472
51	960724LI	PITTSFIELD MA	326.6	APP	BPCT	-19960724LI
51	WNYA	PITTSFIELD MA	321.4	LIC	BLCT	-20060120ABO
51	WNJN-DT	MONTCLAIR NJ	154.1	PLN	DTVPLN	-DTVP1486
51	WNJN	MONTCLAIR NJ	154.1	APP	BMPEDT	-20060523ABB
51	WNJN	MONTCLAIR NJ	154.1	CP	BPEDT	-20000425AAH
51	WPXJ-TV	BATAVIA NY	332.7	LIC	BLCT	-19990625KF
51	WTAE-DT	PITTSBURGH PA	330.9	PLN	DTVPLN	-DTVP1490
51	WVPT	STAUNTON VA	381.5	LIC	BLET	-222
52	WMAR-DT	BALTIMORE MD	130.2	PLN	DTVPLN	-DTVP1511
52	WNJT	TRENTON NJ	103.1	LIC	BLET	-20030625AAS
53	WILF	WILLIAMSPORT PA	139.7	LIC	BLCT	-19990203KE
54	WNUV	BALTIMORE MD	139.5	LIC	BLCT	-19890914KF
54	WPHL-TV	PHILADELPHIA PA	66.1	LIC	BLCDDT	-20021025ABE
54	WPHL-DT	PHILADELPHIA PA	65.8	PLN	DTVPLN	-DTVP1554
55	WHYY-DT	WILMINGTON DE	65.8	PLN	DTVPLN	-DTVP1563
58	WNJB	NEW BRUNSWICK NJ	121.6	LIC	BLET	-19860618KE
58	WGAL	LANCASTER PA	70.7	LIC	BLCDDT	-20010621ABF
58	WGAL-DT	LANCASTER PA	70.7	PLN	DTVPLN	-DTVP1635
59	WBAL-DT	BALTIMORE MD	130.2	PLN	DTVPLN	-DTVP1650
59	960920YV	VINELAND NJ	113.6	APP	BPCT	-19960920YV
59	960920LO	VINELAND NJ	127.9	APP	BPCT	-19960920LO
59	WBPH-DT	BETHLEHEM PA	45.3	PLN	DTVPLN	-DTVP1658
65	WUVP-TV	VINELAND NJ	66.1	LIC	BLCT	-20030103AAB
66	WUVP-TV	VINELAND NJ	66.1	LIC	BLCDDT	-20030310AQM
66	WHSP-DT	VINELAND NJ	113.3	PLN	DTVPLN	-DTVP1679
66	WFME-TV	WEST MILFORD NJ	166.5	LIC	BLET	-19960409KE
66	WPXW	MANASSAS VA	212.9	LIC	BLCT	-20000804ABN
49	W25AW	TRENTON NJ	103.1	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 50

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
51	WTVE	READING PA	BPCT	-20010430AAL

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
43	WNJT-DT	TRENTON NJ	102.8	PLN	DTVPLN	-DTVP1235
43	WPMT	YORK PA	69.7	LIC	BMLCT	-20041025ABJ
44	WWAC-TV	ATLANTIC CITY NJ	112.2	LIC	BPRM	-20000724ACE
44	WMCN-TV	ATLANTIC CITY NJ	113.6	CP	BPCDDT	-19990604KF
44	WVIA-TV	SCRANTON PA	92.0	LIC	BLET	-19830929KG
47	WPMT-DT	YORK PA	69.7	PLN	DTVPLN	-DTVP1370
47	WPMT	YORK PA	69.7	LIC	BMLCDDT	-20041025ABI
48	WGTW-TV	BURLINGTON NJ	65.6	LIC	BLCT	-19920821KF
49	WGCB-TV	RED LION PA	76.7	LIC	BLCT	-19790419KG
49	WNEP-DT	SCRANTON PA	92.1	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	92.2	CP	BPCDDT	-19990729KF
49	WNEP-TV	SCRANTON PA	92.2	LIC	BLCDDT	-20020807AAF
50	WDCW	WASHINGTON DC	182.3	LIC	BLCT	-20030819ABE
50	NEW	WILMINGTON DE	65.9	APP	BPRM	-20051206AEA
50	WWAC-DT	ATLANTIC CITY NJ	164.2	PLN	DTVPLN	-DTVP1452
50	WNJN	MONTCLAIR NJ	154.1	LIC	BLET	-19860805KG
51	WDCW	WASHINGTON DC	182.3	LIC	BLCDDT	-20030221AAG

w25aw_stm_cc_49_da_02_977w

51	WBDC-DT	WASHINGTON DC	182.3	PLN	DTVPLN	-DTVP1472
51	960724LI	PITTSFIELD MA	326.6	APP	BPCT	-19960724LI
51	WNYA	PITTSFIELD MA	321.4	LIC	BLCT	-20060120ABO
51	WNJN-DT	MONTCLAIR NJ	154.1	PLN	DTVPLN	-DTVP1486
51	WNJN	MONTCLAIR NJ	154.1	APP	BMPEDT	-20060523ABB
51	WNJN	MONTCLAIR NJ	154.1	CP	BPEDT	-20000425AAH
51	WPXJ-TV	BATAVIA NY	332.7	LIC	BLCT	-19990625KF
51	WTAE-DT	PITTSBURGH PA	330.9	PLN	DTVPLN	-DTVP1490
51	WVPT	STAUNTON VA	381.5	LIC	BLET	-222
52	WMAR-DT	BALTIMORE MD	130.2	PLN	DTVPLN	-DTVP1511
52	WNJT	TRENTON NJ	103.1	LIC	BLET	-20030625AAS
53	WILF	WILLIAMSPORT PA	139.7	LIC	BLCT	-19990203KE
54	WNUV	BALTIMORE MD	139.5	LIC	BLCT	-19890914KF
54	WPHL-TV	PHILADELPHIA PA	66.1	LIC	BLCDDT	-20021025ABE
54	WPHL-DT	PHILADELPHIA PA	65.8	PLN	DTVPLN	-DTVP1554
55	WHYY-DT	WILMINGTON DE	65.8	PLN	DTVPLN	-DTVP1563
58	WNJB	NEW BRUNSWICK NJ	121.6	LIC	BLET	-19860618KE
58	WGAL	LANCASTER PA	70.7	LIC	BLCDDT	-20010621ABF
58	WGAL-DT	LANCASTER PA	70.7	PLN	DTVPLN	-DTVP1635
59	WBAL-DT	BALTIMORE MD	130.2	PLN	DTVPLN	-DTVP1650
59	960920YV	VINELAND NJ	113.6	APP	BPCT	-19960920YV
59	960920LO	VINELAND NJ	127.9	APP	BPCT	-19960920LO
59	WBPH-DT	BETHLEHEM PA	45.3	PLN	DTVPLN	-DTVP1658
65	WUVP-TV	VINELAND NJ	66.1	LIC	BLCT	-20030103AAB
66	WUVP-TV	VINELAND NJ	66.1	LIC	BLCDDT	-20030310AQM
66	WHSP-DT	VINELAND NJ	113.3	PLN	DTVPLN	-DTVP1679
66	WFME-TV	WEST MILFORD NJ	166.5	LIC	BLET	-19960409KE
66	WPXW	MANASSAS VA	212.9	LIC	BLCT	-20000804ABN
49	W25AW	TRENTON NJ	103.1	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 51

NTSC Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
52	WNJT	TRENTON NJ	DTVPLN	-NPLN1810

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
44	WNYW-DT	NEW YORK NY	74.3	PLN	DTVPLN	-DTVP1278
44	WVIATV	SCRANTON PA	141.0	PLN	DTVPLN	-NPLN1669
45	WBFF	BALTIMORE MD	197.8	PLN	DTVPLN	-NPLN1682
45	WABC-DT	NEW YORK NY	74.3	PLN	DTVPLN	-DTVP1309
49	WACI-DT	ATLANTIC CITY NJ	82.8	PLN	DTVPLN	-DTVP1426
49	WNEP-DT	SCRANTON PA	141.2	PLN	DTVPLN	-DTVP1429
50	WWAC-DT	ATLANTIC CITY NJ	102.3	PLN	DTVPLN	-DTVP1452
50	WNJN	MONTCLAIR NJ	76.6	PLN	DTVPLN	-NPLN1779
51	WNJN-DT	MONTCLAIR NJ	76.6	PLN	DTVPLN	-DTVP1486
51	WTVE	READING PA	86.2	PLN	DTVPLN	-NPLN1799
52	WEDW-DT	BRIDGEPORT CT	168.1	PLN	DTVPLN	-DTVP1502
52	WHRC-DT	NORWELL MA	360.2	PLN	DTVPLN	-DTVP1510
52	WMAR-DT	BALTIMORE MD	197.9	PLN	DTVPLN	-DTVP1511
52	WEKWT	KEENE NH	361.3	PLN	DTVPLN	-NPLN1809
52	NEW	ITHACA NY	258.2	PLN	DTVPLN	-NPLN1811
53	WWACTV	ATLANTIC CITY NJ	102.3	PLN	DTVPLN	-NPLN1826
53	WHSE-DT	NEWARK NJ	78.7	PLN	DTVPLN	-DTVP1533
54	WPHL-DT	PHILADELPHIA PA	54.0	PLN	DTVPLN	-DTVP1554
55	WHYY-DT	WILMINGTON DE	54.0	PLN	DTVPLN	-DTVP1563

w25aw_stm_cc_49_da_02_977w

56	WCBS-DT	NEW YORK NY	74.3	PLN	DTVPLN	-DTVP1590
59	WBNE	NEW HAVEN CT	193.3	PLN	DTVPLN	-NPLN1903
59	WBPH-DT	BETHLEHEM PA	70.9	PLN	DTVPLN	-DTVP1658
60	WBPHTV	BETHLEHEM PA	70.9	PLN	DTVPLN	-NPLN1915
66	WHSP-DT	VINELAND NJ	62.3	PLN	DTVPLN	-DTVP1679
66	WFMETV	WEST MILFORD NJ	101.7	PLN	DTVPLN	-NPLN1983
67	WMPB	BALTIMORE MD	200.8	PLN	DTVPLN	-NPLN1992
67	WHSITV	SMITHTOWN NY	161.2	PLN	DTVPLN	-NPLN1993
67	WCAU-DT	PHILADELPHIA PA	53.6	PLN	DTVPLN	-DTVP1681

Results for: 52N NJ TRENTON	DTVPLN	NPLN1810	PLN
	POPULATION	AREA (sq km)	
within Noise Limited Contour	8832453	15190.8	
not affected by terrain losses	8649592	14637.6	
lost to NTSC IX	1120495	1629.4	
lost to additional IX by ATV	79315	324.5	
lost to all IX	1199810	1954.0	

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
52	WNJT	TRENTON NJ	BLET	-20030625AAS

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
44	WWAC-TV	ATLANTIC CITY NJ	83.4	LIC	BPRM	-20000724ACE
44	WMCN-TV	ATLANTIC CITY NJ	63.1	CP	BPCDT	-19990604KF
44	WNYW-DT	NEW YORK NY	74.2	PLN	DTVPLN	-DTVP1278
44	WNYW	NEW YORK NY	78.6	CP MOD	BMPCT	-19990402KI
44	WVIA-TV	SCRANTON PA	141.2	LIC	BLET	-19830929KG
45	WBFF	BALTIMORE MD	197.9	CP MOD	BMPCT	-20030116AAX
45	WABC-DT	NEW YORK NY	74.2	PLN	DTVPLN	-DTVP1309
45	WOLFTV	HAZLETON PA	141.2	LIC	BPRM	-20000413AAD
45	WOLF-TV	HAZLETON PA	141.2	LIC	BLCDDT	-20050906ACK
49	WWSI	ATLANTIC CITY NJ	77.8	LIC	BLCDDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	82.7	PLN	DTVPLN	-DTVP1426
49	WNEP-DT	SCRANTON PA	141.4	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	141.2	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	141.2	LIC	BLCDDT	-20020807AAF
50	NEW	WILMINGTON DE	54.1	APP	BPRM	-20051206AEA
50	WWAC-DT	ATLANTIC CITY NJ	102.2	PLN	DTVPLN	-DTVP1452
50	WNJN	MONTCLAIR NJ	76.6	LIC	BLET	-19860805KG
51	WNJN-DT	MONTCLAIR NJ	76.6	PLN	DTVPLN	-DTVP1486
51	WNJN	MONTCLAIR NJ	76.6	APP	BMPEDT	-20060523ABB
51	WNJN	MONTCLAIR NJ	76.6	CP	BPEDT	-20000425AAH
51	WTVE	READING PA	103.1	CP	BPCT	-20010430AAL
52	WEDW	BRIDGEPORT CT	168.0	LIC	BLEDT	-20030425AAK
52	WEDW-DT	BRIDGEPORT CT	167.9	PLN	DTVPLN	-DTVP1502
52	WWDW	NORWELL MA	360.2	CP MOD	BMPCT	-20020208AAJ
52	WHRC-DT	NORWELL MA	360.1	PLN	DTVPLN	-DTVP1510
52	WWDW	NORWELL MA	356.8	LIC	BLCDDT	-20031015ABV
52	WMAR-DT	BALTIMORE MD	198.1	PLN	DTVPLN	-DTVP1511
52	WEKW-TV	KEENE NH	361.3	LIC	BMLET	-20030618ABM
52	WNYI	ITHACA NY	282.4	LIC	BLCT	-20021209AAA
52	WNYI	ITHACA NY	314.8	APP	BMPCT	-20011212AAT
53	WFUT-TV	NEWARK NJ	79.1	LIC	BLCDDT	-20040809AAX
53	WHSE-DT	NEWARK NJ	78.6	PLN	DTVPLN	-DTVP1533
54	WPHL-TV	PHILADELPHIA PA	53.9	LIC	BLCDDT	-20021025ABE
54	WPHL-DT	PHILADELPHIA PA	54.1	PLN	DTVPLN	-DTVP1554
55	WHYY-DT	WILMINGTON DE	54.1	PLN	DTVPLN	-DTVP1563
56	WCBS-DT	NEW YORK NY	74.2	PLN	DTVPLN	-DTVP1590
56	WOLF-TV	HAZLETON PA	141.2	LIC	BLCT	-19981202KG
59	WCTX	NEW HAVEN CT	193.2	LIC	BLCT	-19960918KE

w25aw_stm_cc_49_da_02_977w

59	960920YV	VINELAND NJ	63.1	APP	BPCT	-19960920YV
59	960920LO	VINELAND NJ	99.8	APP	BPCT	-19960920LO
59	WBPH-DT	BETHLEHEM PA	71.1	PLN	DTVPLN	-DTVP1658
60	WBPH-TV	BETHLEHEM PA	71.0	LIC	BLCT	-20020703AAA
66	WUVP-TV	VINELAND NJ	53.9	LIC	BLCDT	-20030310AQM
66	WHSP-DT	VINELAND NJ	62.3	PLN	DTVPLN	-DTVP1679
66	WFME-TV	WEST MILFORD NJ	101.7	LIC	BLET	-19960409KE
67	WMPB	BALTIMORE MD	201.3	CP	BPET	-20000502ABF
67	WFTY-TV	SMITHTOWN NY	161.1	LIC	BLCT	-19840314KE
67	WCAU	PHILADELPHIA PA	53.9	LIC	BLCDT	-20040112ACE
67	WCAU-DT	PHILADELPHIA PA	53.8	PLN	DTVPLN	-DTVP1681
49	W25AW	TRENTON NJ	0.0	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 52

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
52	W52DW	PORT JERVIS NY	BNPTTL	-20000831CEX

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
44	WNYW-DT	NEW YORK NY	94.9	PLN	DTVPLN	-DTVP1278
44	WNYW	NEW YORK NY	93.3	CP MOD	BMPCDT	-19990402KI
45	WABC-DT	NEW YORK NY	94.9	PLN	DTVPLN	-DTVP1309
45	WOLFTV	HAZLETON PA	97.5	LIC	BPRM	-20000413AAD
45	WOLF-TV	HAZLETON PA	97.5	LIC	BLCDT	-20050906ACK
48	WRNN-TV	KINGSTON NY	66.4	LIC	BLCDT	-20040908AMF
48	WRNNTV	KINGSTON NY	66.5	APP	BPRM	-20000328AAV
49	WNEP-DT	SCRANTON PA	97.7	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	97.5	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	97.5	LIC	BLCDT	-20020807AAF
51	WNJN-DT	MONTCLAIR NJ	71.8	PLN	DTVPLN	-DTVP1486
51	WNJN	MONTCLAIR NJ	71.8	APP	BMPEDT	-20060523ABB
51	WNJN	MONTCLAIR NJ	71.8	CP	BPEDT	-20000425AAH
52	WEDW	BRIDGEPORT CT	129.4	LIC	BLEDT	-20030425AAK
52	WEDW-DT	BRIDGEPORT CT	129.4	PLN	DTVPLN	-DTVP1502
52	WWDW	NORWELL MA	313.9	CP MOD	BMPCDT	-20020208AAJ
52	WHRC-DT	NORWELL MA	313.1	PLN	DTVPLN	-DTVP1510
52	WWDW	NORWELL MA	310.0	LIC	BLCDT	-20031015ABV
52	WMAR-DT	BALTIMORE MD	278.9	PLN	DTVPLN	-DTVP1511
52	WEKW-TV	KEENE NH	268.1	LIC	BMLET	-20030618ABM
52	WNJT	TRENTON NJ	121.2	LIC	BLET	-20030625AAS
52	WNYI	ITHACA NY	187.5	LIC	BLCT	-20021209AAA
52	WNYI	ITHACA NY	206.6	APP	BMPCT	-20011212AAT
53	WFUT-TV	NEWARK NJ	92.7	LIC	BLCDT	-20040809AAX
53	WHSE-DT	NEWARK NJ	93.3	PLN	DTVPLN	-DTVP1533
56	WCBS-DT	NEW YORK NY	94.9	PLN	DTVPLN	-DTVP1590
59	WBPH-DT	BETHLEHEM PA	107.8	PLN	DTVPLN	-DTVP1658
66	WFME-TV	WEST MILFORD NJ	52.4	LIC	BLET	-19960409KE
49	W25AW	TRENTON NJ	121.2	APP	USERRECORD-01	

Proposed station is beyond the site to nearest cell evaluation distance

#####

w25aw_stm_cc_49_da_02_977w
Analysis of Interference to Affected Station 53

Analysis of current record

Channel	Call	City/State	Application Ref. No.
52	W52DW	PORT JERVIS NY	BMP TTL -20060403ARS

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
44	WNYW-DT	NEW YORK NY	94.9	PLN	DTVPLN	-DTVP1278
44	WNYW	NEW YORK NY	93.3	CP MOD	BMPCDT	-19990402KI
45	WABC-DT	NEW YORK NY	94.9	PLN	DTVPLN	-DTVP1309
45	WOLFTV	HAZLETON PA	97.5	LIC	BPRM	-20000413AAD
45	WOLF-TV	HAZLETON PA	97.5	LIC	BLC DT	-20050906ACK
48	WRNN-TV	KINGSTON NY	66.4	LIC	BLC DT	-20040908AMF
48	WRNNTV	KINGSTON NY	66.5	APP	BPRM	-20000328AAV
49	WNEP-DT	SCRANTON PA	97.7	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	97.5	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	97.5	LIC	BLC DT	-20020807AAF
51	WNJN-DT	MONTCLAIR NJ	71.8	PLN	DTVPLN	-DTVP1486
51	WNJN	MONTCLAIR NJ	71.8	APP	BMP EDT	-20060523ABB
51	WNJN	MONTCLAIR NJ	71.8	CP	BP EDT	-20000425AAH
52	WEDW	BRIDGEPORT CT	129.4	LIC	BLED T	-20030425AAK
52	WEDW-DT	BRIDGEPORT CT	129.4	PLN	DTVPLN	-DTVP1502
52	WWDP	NORWELL MA	313.9	CP MOD	BMPCDT	-20020208AAJ
52	WHRC-DT	NORWELL MA	313.1	PLN	DTVPLN	-DTVP1510
52	WWDP	NORWELL MA	310.0	LIC	BLC DT	-20031015ABV
52	WMAR-DT	BALTIMORE MD	278.9	PLN	DTVPLN	-DTVP1511
52	WEKW-TV	KEENE NH	268.1	LIC	BMLET	-20030618ABM
52	WNJT	TRENTON NJ	121.2	LIC	BLET	-20030625AAS
52	W52DF	ALBANY NY	153.0	APP	BPTT	-20031003ACK
52	W52DF	ALBANY NY	153.0	LIC	BLTT	-20020620AAR
52	WNYI	ITHACA NY	187.5	LIC	BLCT	-20021209AAA
52	WNYI	ITHACA NY	206.6	APP	BMPCT	-20011212AAT
53	WFUT-TV	NEWARK NJ	92.7	LIC	BLC DT	-20040809AAX
53	WHSE-DT	NEWARK NJ	93.3	PLN	DTVPLN	-DTVP1533
56	WCBS-DT	NEW YORK NY	94.9	PLN	DTVPLN	-DTVP1590
59	WBPH-DT	BETHLEHEM PA	107.8	PLN	DTVPLN	-DTVP1658
66	WFME-TV	WEST MILFORD NJ	52.4	LIC	BLET	-19960409KE
49	W25AW	TRENTON NJ	121.2	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 54

Analysis of current record

Channel	Call	City/State	Application Ref. No.
53	W55BT	TALLEYVILLE DE	BPTTL -20030307ABS

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
46	WBFF	BALTIMORE MD	114.0	CP	BPCDT	-19980803KR
46	WBFF-DT	BALTIMORE MD	114.0	PLN	DTVPLN	-DTVP1329
46	WFMZ-DT	ALLENTOWN PA	79.9	PLN	DTVPLN	-DTVP1339
46	WFMZ-TV	ALLENTOWN PA	79.8	CP MOD	BMPCDT	-20041029AHC
49	WWSI	ATLANTIC CITY NJ	100.6	LIC	BLC DT	-20020812ABS

w25aw_stm_cc_49_da_02_977w

49	WACI-DT	ATLANTIC CITY NJ	108.5	PLN	DTVPLN	-DTVP1426
50	NEW	WILMINGTON DE	30.7	APP	BPRM	-20051206AEA
50	WWAC-DT	ATLANTIC CITY NJ	103.4	PLN	DTVPLN	-DTVP1452
52	WMAR-DT	BALTIMORE MD	114.2	PLN	DTVPLN	-DTVP1511
52	WNJT	TRENTON NJ	84.2	LIC	BLET	-20030625AAS
53	WEDN	NORWICH CT	336.5	LIC	BLET	-20060106ABO
53	WMDT	SALISBURY MD	151.0	CP MOD	BMPCDT	-20000501ABT
53	WMDT-DT	SALISBURY MD	151.0	PLN	DTVPLN	-DTVP1530
53	WFUT-TV	NEWARK NJ	163.0	LIC	BLCDT	-20040809AAX
53	WHSE-DT	NEWARK NJ	162.5	PLN	DTVPLN	-DTVP1533
53	WPGH-TV	PITTSBURGH PA	389.6	LIC	BLCT	-19970919KF
53	WILF	WILLIAMSPORT PA	203.9	LIC	BLCT	-19990203KE
54	WNUV	BALTIMORE MD	125.0	LIC	BLCT	-19890914KF
54	WPHL-TV	PHILADELPHIA PA	30.9	LIC	BLCDT	-20021025ABE
54	WPHL-DT	PHILADELPHIA PA	30.7	PLN	DTVPLN	-DTVP1554
55	WHYY-DT	WILMINGTON DE	30.7	PLN	DTVPLN	-DTVP1563
57	WHTM-DT	HARRISBURG PA	134.2	PLN	DTVPLN	-DTVP1616
67	WMPB	BALTIMORE MD	118.6	CP	BPET	-20000502ABF
67	WCAU	PHILADELPHIA PA	30.9	LIC	BLCDT	-20040112ACE
67	WCAU-DT	PHILADELPHIA PA	31.0	PLN	DTVPLN	-DTVP1681
49	W25AW	TRENTON NJ	84.2	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 55

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
53	W55BT	TALLEYVILLE DE	BSTA	-20040806AGQ

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
46	WBFF	BALTIMORE MD	107.9	CP	BPCDT	-19980803KR
46	WBFF-DT	BALTIMORE MD	107.9	PLN	DTVPLN	-DTVP1329
46	WFMZ-DT	ALLENTOWN PA	85.8	PLN	DTVPLN	-DTVP1339
46	WFMZ-TV	ALLENTOWN PA	85.7	CP MOD	BMPCDT	-20041029AHC
49	WWSI	ATLANTIC CITY NJ	103.3	LIC	BLCDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	111.2	PLN	DTVPLN	-DTVP1426
50	NEW	WILMINGTON DE	37.4	APP	BPRM	-20051206AEA
50	WWAC-DT	ATLANTIC CITY NJ	104.3	PLN	DTVPLN	-DTVP1452
52	WMAR-DT	BALTIMORE MD	108.0	PLN	DTVPLN	-DTVP1511
52	WNJT	TRENTON NJ	90.6	LIC	BLET	-20030625AAS
53	WEDN	NORWICH CT	342.9	LIC	BLET	-20060106ABO
53	WMDT	SALISBURY MD	144.9	CP MOD	BMPCDT	-20000501ABT
53	WMDT-DT	SALISBURY MD	145.0	PLN	DTVPLN	-DTVP1530
53	WFUT-TV	NEWARK NJ	169.5	LIC	BLCDT	-20040809AAX
53	WHSE-DT	NEWARK NJ	169.0	PLN	DTVPLN	-DTVP1533
53	WPGH-TV	PITTSBURGH PA	387.0	LIC	BLCT	-19970919KF
53	WILF	WILLIAMSPORT PA	205.5	LIC	BLCT	-19990203KE
54	WNUV	BALTIMORE MD	118.8	LIC	BLCT	-19890914KF
54	WPHL-TV	PHILADELPHIA PA	37.6	LIC	BLCDT	-20021025ABE
54	WPHL-DT	PHILADELPHIA PA	37.4	PLN	DTVPLN	-DTVP1554
55	WHYY-DT	WILMINGTON DE	37.4	PLN	DTVPLN	-DTVP1563
57	WHTM-DT	HARRISBURG PA	133.0	PLN	DTVPLN	-DTVP1616
67	WMPB	BALTIMORE MD	112.9	CP	BPET	-20000502ABF
67	WCAU	PHILADELPHIA PA	37.6	LIC	BLCDT	-20040112ACE
67	WCAU-DT	PHILADELPHIA PA	37.7	PLN	DTVPLN	-DTVP1681

w25aw_stm_cc_49_da_02_977w
 49 W25AW TRENTON NJ 90.6 APP USERRECORD-01

Proposed station is beyond the site to
 nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 56

NTSC Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
56	WWLF	HAZLETON PA	DTVPLN	-NPLN1870

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
48	WGTW	BURLINGTON NJ	131.4	PLN	DTVPLN	-NPLN1735
49	WGCBTV	RED LION PA	132.7	PLN	DTVPLN	-NPLN1760
49	WNEP-DT	SCRANTON PA	24.1	PLN	DTVPLN	-DTVP1429
53	WILF	WILLIAMSPORT PA	89.1	PLN	DTVPLN	-NPLN1830
54	WPHL-DT	PHILADELPHIA PA	131.7	PLN	DTVPLN	-DTVP1554
55	WHYY-DT	WILMINGTON DE	131.7	PLN	DTVPLN	-DTVP1563
55	WENY-DT	ELMIRA NY	135.6	PLN	DTVPLN	-DTVP1573
56	WCPB-DT	SALISBURY MD	297.7	PLN	DTVPLN	-DTVP1584
56	WCBS-DT	NEW YORK NY	177.8	PLN	DTVPLN	-DTVP1590
56	NEW	SYRACUSE NY	212.5	PLN	DTVPLN	-NPLN1869
56	WNVC	FAIRFAX VA	259.2	PLN	DTVPLN	-NPLN1873
56	WVER-DT	RUTLAND VT	380.5	PLN	DTVPLN	-DTVP1598
57	NEW	WAVERLY NY	119.8	PLN	DTVPLN	-NPLN1882
57	WHTM-DT	HARRISBURG PA	108.4	PLN	DTVPLN	-DTVP1616
57	WPSG	PHILADELPHIA PA	132.0	PLN	DTVPLN	-NPLN1883
58	WNJB	NEW BRUNSWICK NJ	140.8	PLN	DTVPLN	-NPLN1896
58	WGAL-DT	LANCASTER PA	120.2	PLN	DTVPLN	-DTVP1635
59	WBPH-DT	BETHLEHEM PA	75.5	PLN	DTVPLN	-DTVP1658
60	WBPHTV	BETHLEHEM PA	75.5	PLN	DTVPLN	-NPLN1915
63	WMBCTV	NEWTON NJ	125.1	PLN	DTVPLN	-NPLN1954
64	WPVI-DT	PHILADELPHIA PA	131.4	PLN	DTVPLN	-DTVP1675
64	WSWBTV	SCRANTON PA	53.6	PLN	DTVPLN	-NPLN1965

Results for: 56N PA HAZLETON		DTVPLN	NPLN1870	PLN
		POPULATION	AREA (sq km)	
within Noise Limited Contour		919965	12627.3	
not affected by terrain losses		506756	8604.2	
lost to NTSC IX		1092	120.7	
lost to additional IX by ATV		5818	260.3	
lost to all IX		6910	381.0	

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
56	WOLF-TV	HAZLETON PA	BLCT	-19981202KG

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
48	WGTW-TV	BURLINGTON NJ	137.3	LIC	BLCT	-19920821KF
49	WGCB-TV	RED LION PA	154.4	LIC	BLCT	-19790419KG
49	WNEP-DT	SCRANTON PA	0.3	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	0.0	CP	BPCDT	-19990729KF
49	WNEP-TV	SCRANTON PA	0.0	LIC	BLCDT	-20020807AAF
53	WILF	WILLIAMSPORT PA	105.2	LIC	BLCT	-19990203KE
54	WPHL-TV	PHILADELPHIA PA	137.7	LIC	BLCDT	-20021025ABE

w25aw_stm_cc_49_da_02_977w

54	WPHL-DT	PHILADELPHIA PA	137.6	PLN	DTVPLN	-DTVP1554
55	WHYY-DT	WILMINGTON DE	137.6	PLN	DTVPLN	-DTVP1563
55	WENY-DT	ELMIRA NY	132.0	PLN	DTVPLN	-DTVP1573
56	WLVI-TV	CAMBRIDGE MA	405.2	LIC	BLCT	-2080
56	WCPB	SALISBURY MD	311.8	LIC	BLEDT	-20031029ACH
56	WCPB-DT	SALISBURY MD	311.8	PLN	DTVPLN	-DTVP1584
56	NEW	ARCADE NY	226.6	APP	BPRM	-20000717AEW
56	WCBS-DT	NEW YORK NY	164.4	PLN	DTVPLN	-DTVP1590
56	WSPX-TV	SYRACUSE NY	236.3	LIC	BLCT	-19981207KE
56	WNVC	FAIRFAX VA	281.3	LIC	BLET	-19830525KF
56	WVER-DT	RUTLAND VT	356.5	PLN	DTVPLN	-DTVP1598
57	961213KE	WAVERLY NY	113.2	APP	BPET	-19961213KE
57	961213KF	WAVERLY NY	110.7	APP	BPET	-19961213KF
57	WHTM-DT	HARRISBURG PA	132.6	PLN	DTVPLN	-DTVP1616
57	WPSG	PHILADELPHIA PA	137.9	LIC	BLCT	-19980213KE
58	WNJB	NEW BRUNSWICK NJ	130.6	LIC	BLET	-19860618KE
59	WBPH-DT	BETHLEHEM PA	77.6	PLN	DTVPLN	-DTVP1658
60	WBPH-TV	BETHLEHEM PA	77.7	LIC	BLCT	-20020703AAA
63	WMBC-TV	NEWTON NJ	108.7	CP	BPCT	-19980126KH
64	WPVI-TV	PHILADELPHIA PA	137.4	CP MOD	BMPCDT	-19980826KG
64	WPVI-DT	PHILADELPHIA PA	137.3	PLN	DTVPLN	-DTVP1675
64	WQPX	SCRANTON PA	30.4	LIC	BLCT	-19980528KH
49	W25AW	TRENTON NJ	141.2	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 57

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
57	WRNN-LP	NYACK NY	BLTT	-19950510ID

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
50	WNJN	MONTCLAIR NJ	47.2	LIC	BLET	-19860805KG
53	WFUT-TV	NEWARK NJ	47.1	LIC	BLCDDT	-20040809AAX
53	WHSE-DT	NEWARK NJ	47.9	PLN	DTVPLN	-DTVP1533
56	WCBS-DT	NEW YORK NY	52.5	PLN	DTVPLN	-DTVP1590
57	WGBY-TV	SPRINGFIELD MA	153.5	LIC	BLET	-19961101KE
57	WENH-DT	DURHAM NH	309.4	PLN	DTVPLN	-DTVP1613
57	WCFE-TV	PLATTSBURGH NY	393.9	CP	BPET	-20040414ADB
57	WLNY	RIVERHEAD NY	78.3	CP MOD	BMPCDT	-20051201BIN
57	WLNY-DT	RIVERHEAD NY	78.3	PLN	DTVPLN	-DTVP1614
57	961213KE	WAVERLY NY	253.8	APP	BPET	-19961213KE
57	961213KF	WAVERLY NY	247.8	APP	BPET	-19961213KF
57	WHTM-DT	HARRISBURG PA	282.2	PLN	DTVPLN	-DTVP1616
57	WPSG	PHILADELPHIA PA	174.0	LIC	BLCT	-19980213KE
57	WNVC-DT	FAIRFAX VA	386.9	PLN	DTVPLN	-DTVP1619
58	WNJB	NEW BRUNSWICK NJ	84.4	LIC	BLET	-19860618KE
61	WNET-DT	NEWARK NJ	52.5	PLN	DTVPLN	-DTVP1667
49	W25AW	TRENTON NJ	122.8	APP	USERRECORD-01	

Proposed station is beyond the site to nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 58

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
57	WRNN-LP	NYACK NY	BPTTA	-20030530CAT

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
49	WWSI	ATLANTIC CITY NJ	128.0	LIC	BLCDDT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	128.3	PLN	DTVPLN	-DTVP1426
50	NEW	WILMINGTON DE	132.0	APP	BPRM	-20051206AEA
50	WNJN	MONTCLAIR NJ	22.2	LIC	BLET	-19860805KG
53	WFUT-TV	NEWARK NJ	0.9	LIC	BLCDDT	-20040809AAX
53	WHSE-DT	NEWARK NJ	0.0	PLN	DTVPLN	-DTVP1533
54	WTBY-TV	POUGHKEEPSIE NY	107.9	LIC	BLCT	-19921016KF
54	WPHL-TV	PHILADELPHIA PA	131.8	LIC	BLCDDT	-20021025ABE
54	WPHL-DT	PHILADELPHIA PA	132.0	PLN	DTVPLN	-DTVP1554
55	WHYY-DT	WILMINGTON DE	132.0	PLN	DTVPLN	-DTVP1563
55	WLNY	RIVERHEAD NY	91.6	LIC	BLCT	-19850429KJ
56	WCBS-DT	NEW YORK NY	4.7	PLN	DTVPLN	-DTVP1590
57	WGBY-TV	SPRINGFIELD MA	199.8	LIC	BLET	-19961101KE
57	WENH-DT	DURHAM NH	354.2	PLN	DTVPLN	-DTVP1613
57	WLNY	RIVERHEAD NY	91.6	CP MOD	BMPCDDT	-20051201BIN
57	WLNY-DT	RIVERHEAD NY	91.6	PLN	DTVPLN	-DTVP1614
57	961213KE	WAVERLY NY	261.0	APP	BPET	-19961213KE
57	961213KF	WAVERLY NY	255.9	APP	BPET	-19961213KF
57	WHTM-DT	HARRISBURG PA	255.0	PLN	DTVPLN	-DTVP1616
57	WPSG	PHILADELPHIA PA	132.0	LIC	BLCT	-19980213KE
57	WNVC-DT	FAIRFAX VA	346.0	PLN	DTVPLN	-DTVP1619
58	WNJB1	LONG BRANCH NJ	59.0	LIC	BLUB	-19940428IB
58	WNJB	NEW BRUNSWICK NJ	45.9	LIC	BLET	-19860618KE
59	WCTX	NEW HAVEN CT	114.6	LIC	BLCT	-19960918KE
59	960920YV	VINELAND NJ	134.8	APP	BPCT	-19960920YV
59	WBPH-DT	BETHLEHEM PA	124.3	PLN	DTVPLN	-DTVP1658
60	WBPH-TV	BETHLEHEM PA	124.3	LIC	BLCT	-20020703AAA
61	WTIC-TV	HARTFORD CT	143.4	CP	BPCT	-20040907AAM
61	WNET-DT	NEWARK NJ	4.7	PLN	DTVPLN	-DTVP1667
64	WPVI-TV	PHILADELPHIA PA	132.2	CP MOD	BMPCDDT	-19980826KG
64	WPVI-DT	PHILADELPHIA PA	131.9	PLN	DTVPLN	-DTVP1675
49	W25AW	TRENTON NJ	78.6	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 59

NTSC Baseline Analysis

Channel	Call	City/State	Application	Ref. No.
57	WPSG	PHILADELPHIA PA	DTVPLN	-NPLN1883

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
49	WACI-DT	ATLANTIC CITY NJ	95.6	PLN	DTVPLN	-DTVP1426
49	WGBTV	RED LION PA	115.6	PLN	DTVPLN	-NPLN1760
49	WNEP-DT	SCRANTON PA	138.0	PLN	DTVPLN	-DTVP1429
50	WBDCTV	WASHINGTON DC	194.6	PLN	DTVPLN	-NPLN1771
50	WWAC-DT	ATLANTIC CITY NJ	99.4	PLN	DTVPLN	-DTVP1452

w25aw_stm_cc_49_da_02_977w

50	WNJN	MONTCLAIR NJ	126.9	PLN	DTVPLN	-NPLN1779
53	WHSE-DT	NEWARK NJ	132.0	PLN	DTVPLN	-DTVP1533
54	WPHL-DT	PHILADELPHIA PA	0.4	PLN	DTVPLN	-DTVP1554
55	WHYY-DT	WILMINGTON DE	0.4	PLN	DTVPLN	-DTVP1563
56	WCPB-DT	SALISBURY MD	186.3	PLN	DTVPLN	-DTVP1584
56	WCBS-DT	NEW YORK NY	127.8	PLN	DTVPLN	-DTVP1590
56	WWLF	HAZLETON PA	132.0	PLN	DTVPLN	-NPLN1870
57	WGBYTV	SPRINGFIELD MA	326.9	PLN	DTVPLN	-NPLN1880
57	WLNY-DT	RIVERHEAD NY	218.2	PLN	DTVPLN	-DTVP1614
57	NEW	WAVERLY NY	250.4	PLN	DTVPLN	-NPLN1882
57	WHTM-DT	HARRISBURG PA	148.7	PLN	DTVPLN	-DTVP1616
57	WNVC-DT	FAIRFAX VA	214.0	PLN	DTVPLN	-DTVP1619
57	WCVW	RICHMOND VA	347.6	PLN	DTVPLN	-NPLN1886
58	WNJB	NEW BRUNSWICK NJ	89.7	PLN	DTVPLN	-NPLN1896
58	WGAL-DT	LANCASTER PA	117.6	PLN	DTVPLN	-DTVP1635
59	WBPH-DT	BETHLEHEM PA	60.9	PLN	DTVPLN	-DTVP1658
60	WPHTV	BETHLEHEM PA	60.9	PLN	DTVPLN	-NPLN1915
61	WTGTV	WILMINGTON DE	38.6	PLN	DTVPLN	-NPLN1923
61	WNET-DT	NEWARK NJ	127.8	PLN	DTVPLN	-DTVP1667
64	WDPB	SEAFORD DE	157.3	PLN	DTVPLN	-NPLN1959
64	WPVI-DT	PHILADELPHIA PA	0.6	PLN	DTVPLN	-DTVP1675
64	WSWBTV	SCRANTON PA	160.6	PLN	DTVPLN	-NPLN1965
65	WHSPTV	VINELAND NJ	47.7	PLN	DTVPLN	-NPLN1973

Results for: 57N PA PHILADELPHIA DTVPLN NPLN1883 PLN

	POPULATION	AREA (sq km)
within Noise Limited Contour	6719987	17625.1
not affected by terrain losses	6485128	16700.1
lost to NTSC IX	277181	1038.8
lost to additional IX by ATV	39070	413.9
lost to all IX	316251	1452.7

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
57	WPSG	PHILADELPHIA PA	BLCT	-19980213KE

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
49	WWSI	ATLANTIC CITY NJ	88.0	LIC	BLC DT	-20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	95.6	PLN	DTVPLN	-DTVP1426
49	WGCB-TV	RED LION PA	115.6	LIC	BLCT	-19790419KG
49	WNEP-DT	SCRANTON PA	138.0	PLN	DTVPLN	-DTVP1429
49	WNEP-TV	SCRANTON PA	137.9	CP	BPC DT	-19990729KF
49	WNEP-TV	SCRANTON PA	137.9	LIC	BLC DT	-20020807AAF
50	WDCW	WASHINGTON DC	194.6	LIC	BLCT	-20030819ABE
50	NEW	WILMINGTON DE	0.4	APP	BPRM	-20051206AEA
50	WWAC-DT	ATLANTIC CITY NJ	99.4	PLN	DTVPLN	-DTVP1452
50	WNJN	MONTCLAIR NJ	126.9	LIC	BLET	-19860805KG
53	WFUT-TV	NEWARK NJ	132.5	LIC	BLC DT	-20040809AAX
53	WHSE-DT	NEWARK NJ	132.0	PLN	DTVPLN	-DTVP1533
54	WPHL-TV	PHILADELPHIA PA	0.3	LIC	BLC DT	-20021025ABE
54	WPHL-DT	PHILADELPHIA PA	0.4	PLN	DTVPLN	-DTVP1554
55	WHYY-DT	WILMINGTON DE	0.4	PLN	DTVPLN	-DTVP1563
56	WCPB	SALISBURY MD	186.3	LIC	BLED T	-20031029ACH
56	WCPB-DT	SALISBURY MD	186.3	PLN	DTVPLN	-DTVP1584
56	WCBS-DT	NEW YORK NY	127.8	PLN	DTVPLN	-DTVP1590
56	WOLF-TV	HAZLETON PA	137.9	LIC	BLCT	-19981202KG
57	WGBY-TV	SPRINGFIELD MA	326.8	LIC	BLET	-19961101KE
57	WLNY	RIVERHEAD NY	218.2	CP MOD	BMPCDT	-20051201BIN
57	WLNY-DT	RIVERHEAD NY	218.2	PLN	DTVPLN	-DTVP1614
57	961213KE	WAVERLY NY	250.4	APP	BPET	-19961213KE
57	961213KF	WAVERLY NY	248.3	APP	BPET	-19961213KF

w25aw_stm_cc_49_da_02_977w

57	WHTM-DT	HARRISBURG PA	148.7	PLN	DTVPLN	-DTVP1616
57	WNVC-DT	FAIRFAX VA	214.0	PLN	DTVPLN	-DTVP1619
57	WCVW	RICHMOND VA	347.6	LIC	BLET	-20050303AAW
58	WNJB	NEW BRUNSWICK NJ	89.7	LIC	BLET	-19860618KE
58	WGAL	LANCASTER PA	117.6	LIC	BLCDDT	-20010621ABF
58	WGAL-DT	LANCASTER PA	117.6	PLN	DTVPLN	-DTVP1635
59	960920YV	VINELAND NJ	48.1	APP	BPCT	-19960920YV
59	960920LO	VINELAND NJ	71.1	APP	BPCT	-19960920LO
59	WBPH-DT	BETHLEHEM PA	60.9	PLN	DTVPLN	-DTVP1658
60	WBPH-TV	BETHLEHEM PA	60.9	LIC	BLCT	-20020703AAA
61	WPPX	WILMINGTON DE	38.6	LIC	BLCT	-19860717KH
61	WNET-DT	NEWARK NJ	127.8	PLN	DTVPLN	-DTVP1667
64	WDPB	SEAFORD DE	157.3	LIC	BLET	-19841130KI
64	WDPB	SEAFORD DE	157.3	APP	BPET	-20040604ABG
64	WPVI-TV	PHILADELPHIA PA	0.6	CP MOD	BMPCDDT	-19980826KG
64	WPVI-DT	PHILADELPHIA PA	0.6	PLN	DTVPLN	-DTVP1675
64	WQPX	SCRANTON PA	160.5	LIC	BLCT	-19980528KH
65	WUVP-TV	VINELAND NJ	0.3	LIC	BLCT	-20030103AAB
49	W25AW	TRENTON NJ	54.0	APP	USERRECORD-01	

Proposal causes no interference

#####

Analysis of Interference to Affected Station 60

Analysis of current record

Channel	Call	City/State	Application Ref. No.
49	W25AW	TRENTON NJ	USERRECORD-01

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
48	WGTW-TV	BURLINGTON NJ	54.2	LIC	BLCT -19920821KF
49	WEDW	BRIDGEPORT CT	167.9	LIC	BLET -19870908KE
49	WLNE-DT	NEW BEDFORD MA	327.8	PLN	DTVPLN -DTVP1420
49	WLNE-TV	NEW BEDFORD MA	334.7	LIC	BLCDDT -20040930BBS
49	WEKW-TV	KEENE NH	361.3	LIC	BLEDT -20030618ABK
49	WEKW-DT	KEENE NH	361.3	PLN	DTVPLN -DTVP1425
49	WWSI	ATLANTIC CITY NJ	77.8	LIC	BLCDDT -20020812ABS
49	WACI-DT	ATLANTIC CITY NJ	82.7	PLN	DTVPLN -DTVP1426
49	W49BE	HACKETTSTOWN NJ	65.3	LIC	BLTT -19930517IG
49	WNYN-LP	NEW YORK NY	81.2	CP	BPTTL -20030929AJK
49	WGCB-TV	RED LION PA	166.7	LIC	BLCT -19790419KG
49	WNEP-DT	SCRANTON PA	141.4	PLN	DTVPLN -DTVP1429
49	WNEP-TV	SCRANTON PA	141.2	CP	BPCDDT -19990729KF
49	WNEP-TV	SCRANTON PA	141.2	LIC	BLCDDT -20020807AAF
49	WHSV-DT	HARRISONBURG VA	386.8	PLN	DTVPLN -DTVP1434
50	NEW	WILMINGTON DE	54.1	APP	BPRM -20051206AEA
50	WWAC-DT	ATLANTIC CITY NJ	102.2	PLN	DTVPLN -DTVP1452
50	WNJN	MONTCLAIR NJ	76.6	LIC	BLET -19860805KG

Total scenarios = 6

Result key: 431

Scenario 1 Affected station 60 W25AW
Before Analysis

Results for: 49A NJ TRENTON USERRECORD01 APP
HAAT 186.0 m, ATV ERP 1.0 kw

POPULATION AREA (sq km)
Page 435

w25aw_stm_cc_49_da_02_977w

within Noise Limited Contour	694831	1726.1
not affected by terrain losses	688638	1672.2
lost to NTSC IX	8761	57.0
lost to additional IX by ATV	22216	89.0
lost to ATV IX only	29597	124.9
lost to all IX	30977	145.9

Potential Interfering Stations Included in above Scenario 1

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NJ HACKETTSTOWN	BLTT	19930517IG	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
49N PA RED LION	BLCT	19790419KG	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	DTVPLN	DTVP1429	PLN

Result key: 432
Scenario 2 Affected station 60 W25AW
Before Analysis

Results for: 49A NJ TRENTON USERRECORD01 APP

HAAT 186.0 m, ATV ERP 1.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	694831	1726.1
not affected by terrain losses	688638	1672.2
lost to NTSC IX	8761	57.0
lost to additional IX by ATV	22753	91.0
lost to ATV IX only	30418	129.9
lost to all IX	31514	147.9

Potential Interfering Stations Included in above Scenario 2

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NJ HACKETTSTOWN	BLTT	19930517IG	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
49N PA RED LION	BLCT	19790419KG	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC
49A PA SCRANTON	BPCDDT	19990729KF	CP

Result key: 433
Scenario 3 Affected station 60 W25AW
Before Analysis

Results for: 49A NJ TRENTON USERRECORD01 APP

HAAT 186.0 m, ATV ERP 1.0 kw

	POPULATION	AREA (sq km)
within Noise Limited Contour	694831	1726.1
not affected by terrain losses	688638	1672.2
lost to NTSC IX	8761	57.0
lost to additional IX by ATV	22753	91.0
lost to ATV IX only	30418	129.9
lost to all IX	31514	147.9

Potential Interfering Stations Included in above Scenario 3

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NJ HACKETTSTOWN	BLTT	19930517IG	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
49N PA RED LION	BLCT	19790419KG	LIC
49A NJ ATLANTIC CITY	BLCDDT	20020812ABS	LIC

49A PA SCRANTON w25aw_stm_cc_49_da_02_977w
BLCDT 20020807AAF LIC

Result key: 434
Scenario 4 Affected station 60 W25AW
Before Analysis

Results for: 49A NJ TRENTON USERRECORD01 APP

HAAT 186.0 m, ATV ERP 1.0 kw	POPULATION	AREA (sq km)
within Noise Limited Contour	694831	1726.1
not affected by terrain losses	688638	1672.2
lost to NTSC IX	8761	57.0
lost to additional IX by ATV	14043	75.0
lost to ATV IX only	21933	118.9
lost to all IX	22804	131.9

Potential Interfering Stations Included in above Scenario 4

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NJ HACKETTSTOWN	BLTT	19930517IG	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
49N PA RED LION	BLCT	19790419KG	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	DTVPLN	DTVP1429	PLN

Result key: 435
Scenario 5 Affected station 60 W25AW
Before Analysis

Results for: 49A NJ TRENTON USERRECORD01 APP

HAAT 186.0 m, ATV ERP 1.0 kw	POPULATION	AREA (sq km)
within Noise Limited Contour	694831	1726.1
not affected by terrain losses	688638	1672.2
lost to NTSC IX	8761	57.0
lost to additional IX by ATV	14611	78.0
lost to ATV IX only	22706	122.9
lost to all IX	23372	134.9

Potential Interfering Stations Included in above Scenario 5

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NJ HACKETTSTOWN	BLTT	19930517IG	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
49N PA RED LION	BLCT	19790419KG	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BPCDT	19990729KF	CP

Result key: 436
Scenario 6 Affected station 60 W25AW
Before Analysis

Results for: 49A NJ TRENTON USERRECORD01 APP

HAAT 186.0 m, ATV ERP 1.0 kw	POPULATION	AREA (sq km)
within Noise Limited Contour	694831	1726.1
not affected by terrain losses	688638	1672.2
lost to NTSC IX	8761	57.0
lost to additional IX by ATV	16199	79.0
lost to ATV IX only	24294	123.9
lost to all IX	24960	135.9

Potential Interfering Stations Included in above Scenario 6

48N NJ BURLINGTON	BLCT	19920821KF	LIC
49N CT BRIDGEPORT	BLET	19870908KE	LIC
49N NJ HACKETTSTOWN	BLTT	19930517IG	LIC
49N NY NEW YORK	BPTTL	20030929AJK	CP
49N PA RED LION	BLCT	19790419KG	LIC
49A NJ ATLANTIC CITY	DTVPLN	DTVP1426	PLN
49A PA SCRANTON	BLCDT	20020807AAF	LIC

#####

FINISHED FINISHED FINISHED FINISHED FINISHED FINISHED