


FIELD STRENGTH MEASUREMENT DATA

Azimuth: N 190.0 E

Call: WEGG
Frequency: 710.0 kHz
Power: .250 kW
Pattern: ND

Point Number	Date	Time	Distance (km)	Field Strength (mV/m)
1	071202	1534	.40	272.
2		1532	.50	191.
3		1530	.68	172.
4		1527	.90	108.
5		1525	1.10	102.
6		1523	1.30	60.
7		1520	1.50	94.
8		1517	1.70	92.
9		1514	1.90	74.
10		1511	2.10	60.
11		1508	2.30	63.
12		1505	2.49	45.
13		1503	2.70	40.0
14		1500	2.87	38.0
15	071202	1450	3.00	37.0
16	071102	1819	4.50	35.5
17		1815	4.99	24.5
18		1810	7.94	16.6
19		1807	8.72	12.5
20		1804	10.30	12.3
21		1801	11.90	9.8
22		1758	13.10	8.1
23		1755	13.60	7.6

24		1746	18.30	6.1
25		1741	21.30	4.3
26		1734	24.80	3.15
27		1717	26.90	2.42
28		1711	28.90	2.14
29		1706	32.60	1.90
30		1656	40.40	.72
31		1648	46.50	.63
32	071102	1642	50.40	.365
33	071202	1143	53.30	.295
34		1210	61.30	.144
35		1219	65.40	.099
36		1233	71.00	.096
37	071202	1253	77.20	.085




FIELD STRENGTH MEASUREMENT DATA

Azimuth: N 210.0 E

Call: WEGG
Frequency: 710.0 kHz
Power: .250 kW
Pattern: ND

Point Number	Date	Time	Distance (km)	Field Strength (mV/m)
1	070702	1659	4.12	27.2
2		1656	5.18	23.1
3		1650	7.77	15.9
4		1645	8.99	11.7
5		1639	11.00	9.8
6		1633	13.20	7.6
7		1631	15.10	5.9
8		1623	18.10	4.3
9	070702	1617	20.30	3.45
10	071102	0920	22.60	2.90
11		0928	27.10	2.22
12		0935	29.90	1.24
13		0945	35.30	.80
14		0952	39.70	.49
15		0958	43.70	.272
16		1009	50.90	.225
17		1031	56.60	.198
18		1043	63.10	.188
19	071102	1050	67.10	.163




FIELD STRENGTH MEASUREMENT DATA

Azimuth: N 230.0 E

Call: WEGG
Frequency: 710.0 kHz
Power: .250 kW
Pattern: ND

Point Number	Date	Time	Distance (km)	Field Strength (mV/m)
1	070702	1036	.41	295.
2		1030	.50	192.
3		1153	.70	192.
4		1044	.93	142.
5		1046	1.13	109.
6		1048	1.31	116.
7		1052	1.50	90.
8		1054	1.71	77.
9		1100	1.91	67.
10		1107	2.00	67.
11		1121	2.33	53.
12		1124	2.53	47.
13		1128	2.72	41.
14		1133	2.90	42.
15		1131	3.05	41.5
16		1530	4.45	26.1
17		1533	4.57	27.2
18		1539	7.61	13.6
19		1542	9.83	12.1
20		1548	11.30	8.3
21		1553	12.80	6.8
22		1601	16.10	4.0
23	070702	1604	17.10	3.40

24	071002	0815	19.90	2.92
25		0828	21.80	2.60
26		0837	25.00	2.05
27		0851	29.70	1.35
28		0908	35.40	.50
29		0935	40.80	.380
30		0958	43.70	.310
31		1021	49.00	.188
32		1050	54.40	.168
33		1105	59.70	.148
34		1115	63.50	.134
35		1132	69.00	.098
36		1140	76.50	.072
37		1152	82.50	.063
38		1200	86.10	.058
39	071002	1209	90.60	.050
40	071102		95.20	.048
41			99.60	.043
42			104.00	.0390
43			109.90	.0340
44			116.40	.0270
45			120.00	.0265
46	071102		125.20	.0250




FIELD STRENGTH MEASUREMENT DATA

Azimuth: N 250.0 E

Call: WEGG
Frequency: 710.0 kHz
Power: .250 kW
Pattern: ND

Point Number	Date	Time	Distance (km)	Field Strength (mV/m)
1	070702	1410	3.54	35.0
2		1213	4.02	40.0
3		1217	4.98	22.6
4		1221	7.56	12.4
5		1225	8.91	8.9
6		1231	10.80	8.2
7		1233	12.50	5.6
8		1238	15.50	4.2
9		1244	17.80	2.85
10	070702	1250	20.80	1.66
11	071102	0816	23.90	1.45
12		0821	28.10	1.17
13		0826	30.80	.98
14		0839	37.40	.55
15	071102	0845	40.30	.42
16	071002	1827	45.60	.187
17		1815	53.30	.154
18		1809	54.70	.148
19		1758	59.40	.127
20		1743	65.90	.100
21		1735	72.10	.074
22		1728	76.70	.062
23		1718	82.20	.051

24		1710	86.60	.0400
25		1704	89.90	.0350
26		1656	94.50	.0250
27	071002	1640	101.00	.0110




FIELD STRENGTH MEASUREMENT DATA

Azimuth: N 270.0 E

Call: WEGG
Frequency: 710.0 kHz
Power: .250 kW
Pattern: ND

Point Number	Date	Time	Distance (km)	Field Strength (mV/m)
1	070502	1620	2.07	61.
2	070702	1414	3.54	36.0
3	070502	1607	5.43	18.2
4		1602	6.71	12.6
5	070502	1557	7.72	11.3
6	071202	0832	9.86	7.6
7	071202	0836	11.20	5.1
8	070502	1548	13.80	1.32
9	070502	1532	15.20	1.38
10	070702	1308	15.60	2.65
11	070502	1521	20.60	1.79
12		1514	24.10	1.38
13		1507	26.60	1.06
14		1459	29.50	.92
15		1453	34.50	.67
16		1442	40.10	.241
17		1432	45.70	.296
18		1424	50.60	.138
19		1417	55.00	.122
20		1409	57.70	.116
21		1349	63.30	.092
22		1335	69.50	.067
23		1304	74.20	.049

24		1246	79.20	.051
25		1235	85.90	.045
26		1221	90.20	.0330
27		1206	95.80	.0280
28		1154	100.70	.0240
29		1137	109.70	.0170
30		1124	116.00	.0117
31		1111	124.00	.0095
32	070502	1053	132.80	.0080
33	070402	1803	140.50	.0100
34	070502	1039	142.50	.0092
35	070402	1743	148.30	.0090
36	070502	1017	149.30	.0080



FIELD STRENGTH MEASUREMENT DATA


Azimuth: N 290.0 E

Call: WEGG
Frequency: 710.0 kHz
Power: .250 kW
Pattern: ND

Point Number	Date	Time	Distance (km)	Field Strength (mV/m)
1	070702	0819	.40	319.
2		0821	.50	226.
3		0826	.70	185.
4		0843	.90	143.
5		0847	1.11	121.
6		0851	1.33	96.
7		0855	1.50	90.
8		0900	1.70	80.
9		0903	1.91	71.
10		0915	2.11	66.
11		0920	2.33	60.
12		0929	2.51	56.
13		0933	2.71	53.
14		0937	2.90	49.
15		0942	3.00	47.
16		1714	4.39	25.6
17	070702	1715	4.42	24.1
18	071202	1031	6.24	16.9
19		1017	8.93	9.9
20	071202	1007	10.30	5.7
21	070702	1812	13.40	5.7
22		1808	15.20	3.30
23	070702	1803	17.90	3.25

24	070302	1639	22.00	1.89
25		1646	25.20	1.56
26		1651	27.40	1.24
27		1655	29.10	1.01
28		1709	34.70	.83
29		1721	40.20	.380
30		1732	45.40	.272
31		1742	50.30	.215
32		1751	54.70	.167
33		1759	59.00	.133
34		1808	64.40	.118
35	070302	1818	69.90	.074
36	070402	0808	74.40	.055
37		0819	78.60	.041
38		0838	81.60	.0330
39		0848	84.80	.0380
40		0856	88.10	.0380
41		1059	107.80	.0280
42		1116	111.10	.0260
43		1040	113.40	.0250
44		1022	120.80	.0210
45		1145	125.00	.0170
46	070402	1201	132.00	.0130
47	070602	1821	139.80	.0105
48	070402	1228	146.00	.0110
49	070402	1247	152.80	.0105
50	070602	1736	156.70	.0075
51		1726	158.60	.0075

52		1432	166.90	.0065
53		1524	169.00	.0060
54	070602	1541	176.50	.0050
55	070402	1402	177.70	.0050
56	070402	1420	185.20	.0042




FIELD STRENGTH MEASUREMENT DATA

Azimuth: N 310.0 E

Call: WEGG
Frequency: 710.0 kHz
Power: .250 kW
Pattern: ND

Point Number	Date	Time	Distance (km)	Field Strength (mV/m)
1	070802	0930	3.00	47.
2	070702	1722	4.05	31.5
3		1725	4.76	24.7
4		1730	7.63	11.8
5		1738	10.10	7.4
6		1746	13.10	4.7
7		1749	14.90	2.40
8	070702	1756	18.20	2.21
9	070902	1805	20.90	1.54
10		1758	25.10	1.25
11		1754	26.90	1.02
12		1745	30.60	.89
13		1737	34.50	.72
14		1731	38.10	.56
15		1719	43.50	.265
16		1712	49.00	.192
17		1704	54.30	.113
18		1656	60.00	.094
19	070902	1648	64.60	.086
20	070602	0826	70.40	.079
21		0833	74.40	.068
22		0844	80.10	.052
23		0853	84.30	.041

24		0904	92.00	.0330
25		0911	94.70	.0300
26		0928	99.70	.0240
27	070602	0954	108.20	.0130
28	070802	1334	114.90	.0095
29		1454	132.80	.0095
30		1510	135.50	.0090
31		1607	144.40	.0085
32	070802	1644	149.40	.0080



FIELD STRENGTH MEASUREMENT DATA

Azimuth: N 330.0 E

Call: WEGG


Frequency: 710.0 kHz

Power: .250 kW

Pattern: ND

Point Number	Date	Time	Distance (km)	Field Strength (mV/m)
-----	-----	-----	-----	-----
1	070802	0802	.46	205.
2		0806	.50	210.
3		0811	.71	190.
4		0815	.90	140.
5		0819	1.10	118.
6		0823	1.30	100.
7		0828	1.51	89.
8		0834	1.70	78.
9		0839	1.96	67.
10		0846	2.10	64.
11		0852	2.31	50.
12		0857	2.50	48.
13		0903	2.69	41.
14		0909	2.90	43.
15		0914	3.20	41.
16		0935	3.96	27.8
17		0939	4.26	23.2
18		0944	6.49	16.1
19		0950	9.86	7.1
20	070802	1001	12.20	6.2
21	070302	1410	13.00	5.6
22	070802	1007	14.50	4.6
23		1017	18.50	2.72

24		1023	21.80	2.07
25		1028	24.90	1.88
26		1034	27.80	1.45
27		1040	30.30	1.39
28		1048	36.00	.81
29		1053	40.20	.72
30		1102	43.90	.51
31		1112	49.10	.335
32		1124	54.90	.182
33		1132	59.30	.160
34		1137	62.00	.143
35		1141	63.00	30.0
36		1146	65.00	.141
37	070802	1156	69.10	.105



WEGG

ROSE HILL, NORTH CAROLINA

WEGG GROUND CONDUCTIVITY AND RADIATED FIELDS

Azimuth	Radiation (mV/m at one km)	Ground Conductivity Data:							
		Region conductivity in mS/m followed by distance in km to the end of region. E - map data; M - measurement data.							
0.0	291.29	4.0E	67.3	2.0E	549.1	4.0E	661.3	2.0E	735.9
		4.0E	874.1	8.0E	971.0	15.0E	1011.4	6.0E	1062.7
		4.0E	1091.7	1.0E	1464.8				
5.0	291.29	4.0E	64.5	2.0E	723.1	4.0E	940.2	8.0E	975.4
		15.0E	1010.9	4.0E	1013.5	15.0E	1023.6	4.0E	1028.6
		15.0E	1031.8	10.0E	1051.3	4.0E	1464.8		
10.0	291.29	4.0E	62.5	2.0E	387.2	4.0E	392.2	5000.0E	398.3
		4.0E	419.3	5000.0E	423.8	4.0E	441.5	2.0E	538.8
		4.0E	616.6	2.0E	722.6	4.0E	1102.7	10.0E	1464.8
15.0	291.29	4.0E	61.0	2.0E	362.6	4.0E	383.0	5000.0E	394.4
		4.0E	395.7	5000.0E	402.3	4.0E	483.3	5000.0E	484.5
		4.0E	493.3	5000.0E	505.9	4.0E	513.4	5000.0E	513.5
		4.0E	659.2	2.0E	712.6	4.0E	1464.8		
20.0	291.29	4.0E	60.0	2.0E	279.8	5000.0E	282.4	2.0E	315.5
		5000.0E	315.9	2.0E	344.8	5000.0E	349.0	4.0E	380.4
		5000.0E	390.1	4.0E	396.5	5000.0E	397.1	4.0E	408.5
		5000.0E	410.2	4.0E	418.9	5000.0E	430.8	2.0E	431.5
		5000.0E	445.4	4.0E	447.9	5000.0E	462.0	4.0E	465.9
		5000.0E	469.8	4.0E	474.1	5000.0E	481.4	4.0E	727.1
		2.0E	771.2	4.0E	967.7	2.0E	1464.8		
25.0	291.29	4.0E	59.5	2.0E	283.1	5000.0E	287.6	2.0E	298.2
		5000.0E	302.1	2.0E	336.7	5000.0E	341.8	4.0E	361.4
		5000.0E	365.6	4.0E	367.8	5000.0E	421.7	2.0E	460.8
		4.0E	538.2	5000.0E	551.0	4.0E	974.1	1.0E	1145.0
		0.5E	1464.8						
30.0	291.29	4.0E	59.8	2.0E	229.6	4.0E	270.1	5000.0E	277.5
		4.0E	295.9	5000.0E	401.4	2.0E	489.9	4.0E	510.1
		5000.0E	537.1	4.0E	579.7	5000.0E	580.2	4.0E	673.1
		5000.0E	676.5	4.0E	682.4	5000.0E	745.2	0.5E	787.2
		4.0E	790.4	5000.0E	820.9	1.0E	842.6	2.0E	978.8
		1.0E	1118.8	2.0E	1317.9	1.0E	1464.8		
35.0	291.29	4.0E	62.1	2.0E	197.9	4.0E	276.6	5000.0E	276.9
		4.0E	282.9	5000.0E	317.2	2.0E	328.8	5000.0E	345.4
		2.0E	346.9	5000.0E	361.4	2.0E	365.6	5000.0E	374.7
		2.0E	377.1	5000.0E	835.7	0.5E	857.3	5000.0E	897.2
		2.0E	964.0	5000.0E	965.1	2.0E	1031.2	5000.0E	1355.5
		2.0E	1359.2	5000.0E	1361.3	2.0E	1392.2	1.0E	1464.8
40.0	291.29	4.0E	69.1	2.0E	172.5	4.0E	179.9	5000.0E	183.4
		4.0E	286.9	5000.0E	1019.6	2.0E	1044.8	5000.0E	1464.8
45.0	291.29	4.0E	165.7	5000.0E	184.0	4.0E	205.1	5000.0E	206.8
		4.0E	254.0	5000.0E	260.4	4.0E	267.8	5000.0E	1464.8
50.0	291.29	4.0E	115.0	5000.0E	116.3	4.0E	193.9	5000.0E	214.9
		4.0E	215.2	5000.0E	220.5	4.0E	229.4	5000.0E	234.5
		4.0E	243.2	5000.0E	245.0	4.0E	251.0	5000.0E	1464.8
55.0	291.29	4.0E	115.4	5000.0E	120.4	4.0E	217.3	5000.0E	242.0
		4.0E	244.7	5000.0E	1464.8				
60.0	291.29	4.0E	123.6	5000.0E	130.7	4.0E	146.3	5000.0E	152.4

WEGG GROUND CONDUCTIVITY AND RADIATED FIELDS...(continued)

	Radiation	Ground Conductivity Data:							
Azimuth	(mV/m at one km)	Region conductivity in mS/m followed by distance in km to the end of region. E - map data; M - measurement data.							
65.0	291.29	4.0E	132.6	5000.0E	142.6	4.0E	145.0	5000.0E	150.3
		4.0E	232.3	5000.0E	1464.8				
70.0	291.29	4.0E	93.5	5000.0E	94.0	4.0E	148.4	5000.0E	161.5
		4.0E	162.3	5000.0E	166.8	4.0E	196.3	5000.0E	1464.8
75.0	291.29	4.0E	95.3	5000.0E	98.4	4.0E	125.8	5000.0E	141.7
		4.0E	142.4	5000.0E	1464.8				
80.0	291.29	4.0E	98.0	5000.0E	105.5	4.0E	131.8	5000.0E	1464.8
85.0	291.29	4.0E	108.2	5000.0E	121.6	4.0E	145.7	5000.0E	155.3
		4.0E	159.6	5000.0E	1464.8				
90.0	291.29	4.0E	149.1	5000.0E	1464.8				
95.0	291.29	4.0E	116.9	5000.0E	124.7	4.0E	130.0	5000.0E	134.9
		4.0E	140.8	5000.0E	1464.8				
100.0	291.29	4.0E	85.2	5000.0E	86.4	4.0E	98.7	5000.0E	1464.8
105.0	291.29	4.0E	57.1	5000.0E	58.8	4.0E	83.7	5000.0E	1464.8
110.0	291.29	4.0E	62.8	5000.0E	66.4	4.0E	79.7	5000.0E	1464.8
115.0	291.29	4.0E	62.3	5000.0E	68.2	4.0E	76.5	5000.0E	1464.8
120.0	291.29	4.0E	71.9	5000.0E	1464.8				
125.0	291.29	4.0E	69.3	5000.0E	1464.8				
130.0	291.29	4.0E	67.6	5000.0E	1464.8				
135.0	291.29	4.0E	66.7	5000.0E	1464.8				
140.0	291.29	4.0E	66.4	5000.0E	1464.8				
145.0	291.29	4.0E	66.5	5000.0E	1464.8				
150.0	291.29	4.0E	67.2	5000.0E	1464.8				
155.0	291.29	4.0E	68.5	5000.0E	1464.8				
160.0	291.29	4.0E	71.6	5000.0E	1464.8				
165.0	291.29	4.0E	79.3	5000.0E	1464.8				
170.0	291.29	4.0E	89.6	5000.0E	1464.8				
175.0	291.29	4.0E	90.7	5000.0E	1464.8				
180.0	291.29	8.0M	2.1	4.0M	5.0	8.0M	18.3	4.0M	46.5
		2.0M	77.2	4.0E	109.2	5000.0E	1464.8		
185.0	291.29	8.0M	2.1	4.0M	5.0	8.0M	18.3	4.0M	46.5
		2.0M	77.2	4.0E	108.9	5000.0E	1464.8		
190.0	291.29	8.0M	2.1	4.0M	5.0	8.0M	18.3	4.0M	46.5
		2.0M	77.2	4.0E	109.4	5000.0E	1464.8		
195.0	291.29	8.0M	2.1	4.0M	5.0	8.0M	18.3	4.0M	46.5
		2.0M	77.2	4.0E	111.1	5000.0E	857.8	8.0E	1111.1
		5000.0E	1464.8						
200.0	291.29	8.0M	2.1	4.0M	5.0	8.0M	18.3	4.0M	46.5
		2.0M	77.2	4.0E	118.3	5000.0E	768.6	8.0E	814.7
		2.0E	895.0	8.0E	1049.6	5000.0E	1464.8		
205.0	291.29	5.0M	15.1	4.0M	22.6	2.0M	67.1	4.0E	127.5
		5000.0E	682.5	2.0E	894.8	4.0E	962.5	5000.0E	970.2
		8.0E	979.1	5000.0E	1464.8				
210.0	291.29	5.0M	15.1	4.0M	22.6	2.0M	67.1	4.0E	148.8
		5000.0E	216.7	4.0E	218.9	5000.0E	633.2	8.0E	643.3
		4.0E	654.4	2.0E	813.8	4.0E	886.1	5000.0E	1464.8
215.0	291.29	5.0M	15.1	4.0M	22.6	2.0M	67.1	4.0E	266.5
		5000.0E	276.6	4.0E	280.7	5000.0E	565.9	8.0E	577.9
		5000.0E	581.7	8.0E	592.1	4.0E	661.1	2.0E	716.3
		4.0E	792.5	5000.0E	1464.8				
220.0	291.29	5.0M	15.1	4.0M	22.6	2.0M	67.1	4.0E	341.6

WEGG GROUND CONDUCTIVITY AND RADIATED FIELDS...(continued)

Azimuth	Radiation (mV/m at one km)	Ground Conductivity Data:							
		Region conductivity in mS/m followed by distance in km to the end of region. E - map data; M - measurement data.							
225.0	291.29	3.0M	1.5	4.0M	7.6	3.0M	25.0	2.0M	59.7
		1.5M	125.2	4.0E	619.3	2.0E	765.0	5000.0E	1464.8
230.0	291.29	3.0M	1.5	4.0M	7.6	3.0M	25.0	2.0M	59.7
		1.5M	125.2	4.0E	612.3	2.0E	792.1	1.0E	844.7
		5000.0E	1464.8						
235.0	291.29	3.0M	1.5	4.0M	7.6	3.0M	25.0	2.0M	59.7
		1.5M	125.2	4.0E	757.9	2.0E	809.5	4.0E	812.1
		1.0E	878.6	5000.0E	883.8	1.0E	888.3	5000.0E	1464.8
240.0	291.29	3.0M	1.5	4.0M	7.6	3.0M	25.0	2.0M	59.7
		1.5M	125.2	4.0E	401.8	2.0E	448.5	4.0E	847.5
		1.0E	913.6	5000.0E	927.7	1.0E	932.3	5000.0E	1464.8
245.0	291.29	3.0M	12.5	2.0M	30.8	1.5M	72.1	1.0M	101.0
		4.0E	340.7	2.0E	455.5	4.0E	862.7	8.0E	896.7
		1.0E	1040.5	2.0E	1044.7	5000.0E	1065.8	2.0E	1074.1
		5000.0E	1224.3	15.0E	1227.0	5000.0E	1232.5	15.0E	1232.9
		5000.0E	1243.5	15.0E	1263.2	5000.0E	1464.8		
250.0	291.29	3.0M	12.5	2.0M	30.8	1.5M	72.1	1.0M	101.0
		2.0E	393.3	4.0E	774.0	8.0E	970.7	2.0E	1168.3
		4.0E	1464.8						
255.0	291.29	3.0M	12.5	2.0M	30.8	1.5M	72.1	1.0M	101.0
		2.0E	324.1	4.0E	576.4	1.0E	618.3	4.0E	622.5
		2.0E	750.4	4.0E	893.7	2.0E	1068.9	4.0E	1464.8
260.0	291.29	3.0M	12.5	2.0M	30.8	1.5M	72.1	1.0M	101.0
		2.0E	272.2	4.0E	545.2	1.0E	591.3	2.0E	760.5
		4.0E	869.3	2.0E	1105.7	8.0E	1464.8		
265.0	291.29	2.0M	11.2	1.0M	15.6	2.0M	45.7	1.0M	95.8
		0.5M	149.3	2.0E	238.1	4.0E	470.0	2.0E	676.4
		4.0E	752.6	2.0E	832.9	4.0E	884.7	2.0E	1056.6
		8.0E	1464.8						
270.0	291.29	2.0M	11.2	1.0M	15.6	2.0M	45.7	1.0M	95.8
		0.5M	149.3	2.0E	214.4	4.0E	308.8	2.0E	593.8
		4.0E	684.1	2.0E	806.8	4.0E	1004.0	8.0E	1464.8
275.0	291.29	2.0M	11.2	1.0M	15.6	2.0M	45.7	1.0M	95.8
		0.5M	149.3	2.0E	196.3	4.0E	280.7	2.0E	594.4
		4.0E	643.6	2.0E	740.8	4.0E	1013.5	8.0E	1464.8
280.0	291.29	2.0M	11.2	1.0M	15.6	2.0M	45.7	1.0M	95.8
		0.5M	149.3	2.0E	181.0	4.0E	260.7	2.0E	680.3
		4.0E	1029.9	8.0E	1464.8				
285.0	291.29	2.0M	45.4	1.5M	64.4	1.0M	139.8	0.5M	185.2
		4.0E	249.0	2.0E	643.8	4.0E	1026.0	8.0E	1464.8
290.0	291.29	2.0M	45.4	1.5M	64.4	1.0M	139.8	0.5M	185.2
		4.0E	243.6	2.0E	443.6	4.0E	480.2	2.0E	654.5
		4.0E	854.3	8.0E	1464.8				
295.0	291.29	2.0M	45.4	1.5M	64.4	1.0M	139.8	0.5M	185.2
		4.0E	241.5	2.0E	414.6	4.0E	517.2	2.0E	655.1
		4.0E	838.1	8.0E	1094.2	15.0E	1464.8		
300.0	291.29	2.0M	45.4	1.5M	64.4	1.0M	139.8	0.5M	185.2
		4.0E	233.4	2.0E	392.3	4.0E	473.7	2.0E	601.2
		8.0E	657.3	4.0E	834.5	8.0E	1071.8	15.0E	1464.8
305.0	291.29	2.0M	30.6	1.5M	70.4	1.0M	108.2	0.5M	149.4
		4.0E	224.3	2.0E	375.0	4.0E	439.2	2.0E	608.1

WEGG GROUND CONDUCTIVITY AND RADIATED FIELDS...(continued)

Azimuth	Radiation (mV/m at one km)	Ground Conductivity Data:							
		Region conductivity in mS/m followed by distance in km to the end of region. E - map data; M - measurement data.							
310.0	291.29	2.0M	30.6	1.5M	70.4	1.0M	108.2	0.5M	149.4
		4.0E	218.2	2.0E	638.4	8.0E	1102.0	15.0E	1162.3
		8.0E	1464.8						
315.0	291.29	2.0M	30.6	1.5M	70.4	1.0M	108.2	0.5M	149.4
		4.0E	228.7	2.0E	670.2	8.0E	864.1	15.0E	938.6
		8.0E	1122.0	15.0E	1139.2	8.0E	1378.3	4.0E	1464.8
320.0	291.29	2.0M	30.6	1.5M	70.4	1.0M	108.2	0.5M	149.4
		4.0E	264.6	2.0E	667.4	8.0E	786.3	15.0E	907.4
		8.0E	1010.0	2.0E	1087.1	8.0E	1243.5	15.0E	1270.2
		8.0E	1397.1	4.0E	1464.8				
325.0	291.29	2.0M	1.5	5.0M	2.1	3.0M	40.2	2.0M	69.1
		4.0E	267.1	2.0E	649.0	8.0E	751.5	15.0E	832.3
		8.0E	962.3	4.0E	1016.1	2.0E	1175.0	8.0E	1464.8
330.0	291.29	2.0M	1.5	5.0M	2.1	3.0M	40.2	2.0M	69.1
		4.0E	113.7	2.0E	132.0	4.0E	271.6	2.0E	610.2
		4.0E	650.1	8.0E	809.6	15.0E	885.9	8.0E	1195.5
		2.0E	1296.6	8.0E	1464.8				
335.0	291.29	2.0M	1.5	5.0M	2.1	3.0M	40.2	2.0M	69.1
		4.0E	99.7	2.0E	146.9	4.0E	278.5	2.0E	593.3
		4.0E	661.0	8.0E	847.5	10.0E	875.3	20.0E	878.5
		10.0E	883.0	20.0E	941.1	15.0E	980.4	8.0E	1464.8
340.0	291.29	2.0M	1.5	5.0M	2.1	3.0M	40.2	2.0M	69.1
		4.0E	89.4	2.0E	183.3	4.0E	223.4	2.0E	491.7
		4.0E	546.6	2.0E	586.4	4.0E	678.8	8.0E	854.5
		10.0E	898.7	20.0E	979.5	10.0E	1004.7	8.0E	1464.8
345.0	291.29	4.0E	81.6	2.0E	480.1	4.0E	702.8	8.0E	807.2
		4.0E	818.7	8.0E	854.1	10.0E	900.5	4.0E	917.5
		20.0E	938.9	4.0E	954.2	6.0E	1095.9	10.0E	1464.8
350.0	291.29	4.0E	75.6	2.0E	479.7	4.0E	660.2	2.0E	781.9
		4.0E	837.2	8.0E	859.4	10.0E	898.9	20.0E	959.3
		4.0E	1097.1	10.0E	1464.8				
355.0	291.29	4.0E	70.9	2.0E	496.2	4.0E	595.9	2.0E	758.2
		4.0E	856.2	8.0E	889.2	10.0E	894.4	20.0E	906.6
		8.0E	961.1	15.0E	996.7	6.0E	1102.4	1.0E	1464.8

WEGG

ROSE HILL, NORTH CAROLINA

DISTANCES TO WEGG CONTOURS

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers: Contour levels in mV/m.				
		5.000	0.500	0.250	0.025	0.005
0.0	291.29	24.71	72.98	90.98	201.51	330.47
5.0	291.29	24.71	72.14	90.14	200.67	329.63
10.0	291.29	24.71	71.49	89.49	200.02	328.98
15.0	291.29	24.71	71.03	89.02	199.56	328.52
20.0	291.29	24.71	70.71	88.70	199.24	330.10
25.0	291.29	24.71	70.55	88.54	199.08	333.23
30.0	291.29	24.71	70.65	88.64	199.18	404.89
35.0	291.29	24.71	71.39	89.39	200.30	402.47
40.0	291.29	24.71	73.53	91.52	210.53	452.59
45.0	291.29	24.71	75.39	100.18	253.14	599.36
50.0	291.29	24.71	75.39	100.18	282.07	642.19
55.0	291.29	24.71	75.39	100.18	284.20	644.32
60.0	291.29	24.71	75.39	100.18	284.50	644.61
65.0	291.29	24.71	75.39	100.18	283.27	643.39
70.0	291.29	24.71	75.39	100.55	359.99	720.11
75.0	291.29	24.71	75.39	102.60	503.24	863.35
80.0	291.29	24.71	75.39	106.19	501.61	861.72
85.0	291.29	24.71	75.39	100.18	464.96	825.07
90.0	291.29	24.71	75.39	100.18	428.36	788.47
95.0	291.29	24.71	75.39	100.18	489.03	849.15
100.0	291.29	24.71	75.39	110.85	595.15	955.26
105.0	291.29	24.71	76.76	175.21	659.51	1019.62
110.0	291.29	24.71	78.40	202.85	687.14	1047.26
115.0	291.29	24.71	97.71	228.13	712.42	1072.54
120.0	291.29	24.71	91.89	222.31	706.61	1066.73
125.0	291.29	24.71	104.20	234.62	718.91	1079.03
130.0	291.29	24.71	112.45	242.87	727.17	1087.28
135.0	291.29	24.71	116.54	246.96	731.26	1091.37
140.0	291.29	24.71	118.19	248.61	732.91	1093.02
145.0	291.29	24.71	117.34	247.76	732.05	1092.17
150.0	291.29	24.71	114.07	244.49	728.78	1088.90
155.0	291.29	24.71	108.18	238.60	722.90	1083.02
160.0	291.29	24.71	93.23	223.65	707.94	1068.06
165.0	291.29	24.71	75.39	187.75	672.05	1032.16
170.0	291.29	24.71	75.39	142.56	626.85	986.97
175.0	291.29	24.71	75.39	138.01	622.31	982.42
180.0	291.29	24.71	54.39	69.56	412.42	772.54
185.0	291.29	24.71	54.39	69.56	413.30	773.41
190.0	291.29	24.71	54.39	69.56	411.85	771.97
195.0	291.29	24.71	54.39	69.56	407.04	767.16
200.0	291.29	24.71	54.39	69.56	387.99	748.11
205.0	291.29	23.63	51.36	70.14	376.72	704.09
210.0	291.29	23.63	51.36	70.14	322.43	655.56
215.0	291.29	23.63	51.36	70.14	209.11	472.42
220.0	291.29	23.63	51.36	70.14	209.11	374.39
225.0	291.29	21.49	51.36	62.85	172.19	318.94
230.0	291.29	21.49	51.36	62.85	172.19	318.94

DISTANCES TO WEGG CONTOURS...(continued)

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers:				
		Contour levels in mV/m.				
		5.000	0.500	0.250	0.025	0.005
235.0	291.29	21.49	51.36	62.85	172.19	318.94
240.0	291.29	21.49	51.36	62.85	172.19	318.94
245.0	291.29	17.43	44.32	60.33	157.95	304.70
250.0	291.29	17.43	44.32	60.33	147.79	276.76
255.0	291.29	17.43	44.32	60.33	147.79	276.76
260.0	291.29	17.43	44.32	60.33	147.79	277.22
265.0	291.29	12.86	48.35	53.03	117.22	235.43
270.0	291.29	12.86	48.35	53.03	117.22	237.57
275.0	291.29	12.86	48.35	53.03	117.22	239.51
280.0	291.29	12.86	48.35	53.03	117.22	241.59
285.0	291.29	17.43	47.45	60.33	139.56	230.51
290.0	291.29	17.43	47.45	60.33	139.56	230.51
295.0	291.29	17.43	47.45	60.33	139.56	230.51
300.0	291.29	17.43	47.45	60.33	139.56	230.51
305.0	291.29	17.43	44.32	60.33	119.41	243.98
310.0	291.29	17.43	44.32	60.33	119.41	243.32
315.0	291.29	17.43	44.32	60.33	119.41	244.45
320.0	291.29	17.43	44.32	60.33	119.41	245.95
325.0	291.29	21.49	51.45	69.44	208.41	345.81
330.0	291.29	21.49	51.45	69.44	203.48	341.97
335.0	291.29	21.49	51.45	69.44	195.88	336.14
340.0	291.29	21.49	51.45	69.44	185.25	319.94
345.0	291.29	24.71	75.39	95.15	205.68	334.65
350.0	291.29	24.71	75.39	93.43	203.97	332.93
355.0	291.29	24.71	74.06	92.05	202.59	331.55