

2.0 mV/m
0.5 mV/m

WSBB NEW SMYRNA BEACH FL

Freq: 1230 kHz
Class: C
Latitude: 29-01-57 N
Longitude: 080-55-03 W
Power: 1 kW
RMS: 271.98 mV/m @1km
Towers: 1
LICENSED - DASHED LINES

WSBB NEW SMYRNA BEACH FL

Freq: 1230 kHz
Class: C
Latitude: 29-02-03 N
Longitude: 080-55-02 W
Power: 1 kW
RMS: 271.272 mV/m @1km
Towers: 1
PROPOSED - SOLID LINES

EXHIBIT #1A

**MINOR CHANGE APPLICATION
T K RADIO, INC.**

**WSBB AM RADIO STATION
1230 kHz - 1.0 kW - ND
NEW SMYRNA BEACH, FLORIDA
November 2005**

WIDE AREA SERVICE CONTOURS

Scale 1:500,000

0 7 14 21 km

WSBB NEW SMYRNA BEACH FL

Freq: 1230 kHz
Class: C
Latitude: 29-01-57 N
Longitude: 080-55-03 W
Power: 1 kW
RMS: 271.98 mV/m @1km
Towers: 1
LICENSED - DASHED LINES

WSBB NEW SMYRNA BEACH FL

Freq: 1230 kHz
Class: C
Latitude: 29-02-03 N
Longitude: 080-55-02 W
Power: 1 kW
RMS: 271.272 mV/m @1km
Towers: 1
PROPOSED - SOLID LINES

- 5.0 mV/m - DAYTIME CITY GRADE
- 21.42 mV/m PRESENT NIFC - DASHED
- 24.415 mV/m PROPOSED NIFC - SOLID

GRAHAM BROCK, INC.

BROADCAST TECHNICAL CONSULTANTS




EXHIBIT #1B
MINOR CHANGE APPLICATION
T K RADIO, INC.
WSBB AM RADIO STATION
1230 kHz - 1.0 kW - ND
NEW SMYRNA BEACH, FLORIDA
November 2005

CITY GRADE SERVICE CONTOURS

Scale 1:250,000

0 3 6 9 km

WSBB NEW SMYRNA BEACH FL

Freq: 1230 kHz

Class: C

Latitude: 29-01-57 N

Longitude: 080-55-03 W

Power: 1 kW

RMS: 271.98 mV/m @1km

Towers: 1

LICENSED - DASHED LINES

WSBB NEW SMYRNA BEACH FL

Freq: 1230 kHz

Class: C

Latitude: 29-02-03 N

Longitude: 080-55-02 W

Power: 1 kW

RMS: 271.272 mV/m @1km

Towers: 1

PROPOSED - SOLID LINES

1000 mV/m

GRAHAM BROCK, INC.

BROADCAST TECHNICAL CONSULTANTS

EXHIBIT #1C

MINOR CHANGE APPLICATION

T K RADIO, INC.

WSBB AM RADIO STATION

1230 kHz - 1.0 kW - ND

NEW SMYRNA BEACH, FLORIDA

November 2005

1000 mV/m SERVICE CONTOURS

**WITHIN THE PROPOSED 1000 mV/m CONTOUR:
0 PERSONS - 2000 CENSUS**

Scale 1:24,000

0 0.33 0.67 1.0 km

MINOR CHANGE APPLICATION
T K RADIO, INC.
WSBB AM RADIO STATION
1230 kHz - 1.0 kW - NDU
NEW SMYRNA BEACH, FLORIDA
November 2005

EXHIBIT #1D

Present Site Service Contour Tabulation

NORTH LATITUDE: 29° 01' 57"
 WEST LONGITUDE: 80° 55' 03"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :				
		Contour levels in mV/m.				
		1000.000	* 24.420	5.000	2.000	.500
0.0	271.98	0.23	4.10	32.01	95.61	270.02
5.0	271.98	0.23	4.10	37.24	100.84	275.26
10.0	271.98	0.23	4.10	40.47	104.07	278.49
15.0	271.98	0.23	4.10	42.59	106.19	280.60
20.0	271.98	0.23	4.10	44.04	107.64	282.06
25.0	271.98	0.23	4.48	45.07	108.67	283.09
30.0	271.98	0.23	5.23	45.82	109.42	283.83
35.0	271.98	0.23	5.78	46.37	109.96	284.38
40.0	271.98	0.23	6.18	46.77	110.37	284.78
45.0	271.98	0.23	6.47	47.06	110.65	285.07
50.0	271.98	0.23	6.66	47.25	110.85	285.27
55.0	271.98	0.23	6.79	47.38	110.98	285.39
60.0	271.98	0.23	6.84	47.43	111.03	285.45
65.0	271.98	0.23	6.84	47.43	111.02	285.44
70.0	271.98	0.23	6.76	47.35	110.95	285.36
75.0	271.98	0.23	6.62	47.21	110.81	285.22
80.0	271.98	0.23	6.40	46.99	110.58	285.00
85.0	271.98	0.23	6.08	46.67	110.27	284.68
90.0	271.98	0.23	5.64	46.23	109.83	284.25
95.0	271.98	0.23	5.05	45.64	109.24	283.65
100.0	271.98	0.23	4.23	44.82	108.42	282.84
105.0	271.98	0.23	4.10	43.70	107.29	281.71
110.0	271.98	0.23	4.10	42.10	105.69	280.11
115.0	271.98	0.23	4.10	39.74	103.34	277.75
120.0	271.98	0.23	4.10	36.08	99.68	274.09
125.0	271.98	0.23	4.10	30.03	93.63	268.05
130.0	271.98	0.23	4.10	19.08	82.68	257.10
135.0	271.98	0.23	4.10	9.68	60.36	234.77
140.0	271.98	0.23	4.10	9.68	15.00	182.35
145.0	271.98	0.23	4.10	9.68	15.00	45.24
150.0	271.98	0.23	4.10	9.68	15.00	28.41
155.0	271.98	0.23	4.10	9.68	15.00	28.41
160.0	271.98	0.23	4.10	9.68	15.00	28.41
165.0	271.98	0.23	4.10	9.68	15.00	28.41
170.0	271.98	0.23	4.10	9.68	15.00	28.41
175.0	271.98	0.23	4.10	9.68	15.00	28.41

* - Nighttime Interference Free Contour

MINOR CHANGE APPLICATION
T K RADIO, INC.
WSBB AM RADIO STATION
1230 kHz - 1.0 kW - NDU
NEW SMYRNA BEACH, FLORIDA
November 2005

EXHIBIT #1D (continued)

Present Site Service Contour Tabulation

NORTH LATITUDE: 29° 01' 57"
WEST LONGITUDE: 80° 55' 03"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :				
		Contour levels in mV/m.				
		1000.000	* 24.420	5.000	2.000	.500
180.0	271.98	0.23	4.10	9.68	15.00	28.41
185.0	271.98	0.23	4.10	9.68	15.00	28.41
190.0	271.98	0.23	4.10	9.68	15.00	28.41
195.0	271.98	0.23	4.10	9.68	15.00	28.41
200.0	271.98	0.23	4.10	9.68	15.00	28.41
205.0	271.98	0.23	4.10	9.68	15.00	28.41
210.0	271.98	0.23	4.10	9.68	15.00	28.41
215.0	271.98	0.23	4.10	9.68	15.00	28.41
220.0	271.98	0.23	4.10	9.68	15.00	28.41
225.0	271.98	0.23	4.10	9.68	15.00	28.41
230.0	271.98	0.23	4.10	9.68	15.00	28.41
235.0	271.98	0.23	4.10	9.68	15.00	28.41
240.0	271.98	0.23	4.10	9.68	15.00	28.41
245.0	271.98	0.23	4.10	9.68	15.00	28.41
250.0	271.98	0.23	4.10	9.68	15.00	28.41
255.0	271.98	0.23	4.10	9.68	15.00	28.41
260.0	271.98	0.23	4.10	9.68	15.00	28.41
265.0	271.98	0.23	4.10	9.68	15.00	28.41
270.0	271.98	0.23	4.10	9.68	15.00	28.41
275.0	271.98	0.23	4.10	9.68	15.00	28.41
280.0	271.98	0.23	4.10	9.68	15.00	28.41
285.0	271.98	0.23	4.10	9.68	15.00	28.41
290.0	271.98	0.23	4.10	9.68	15.00	28.41
295.0	271.98	0.23	4.10	9.68	15.00	28.41
300.0	271.98	0.23	4.10	9.68	15.00	28.41
305.0	271.98	0.23	4.10	9.68	15.00	28.41
310.0	271.98	0.23	4.10	9.68	15.00	28.41
315.0	271.98	0.23	4.10	9.68	15.00	28.41
320.0	271.98	0.23	4.10	9.68	15.00	28.41
325.0	271.98	0.23	4.10	9.68	15.00	28.41
330.0	271.98	0.23	4.10	9.68	15.00	28.41
335.0	271.98	0.23	4.10	9.68	15.00	28.41
340.0	271.98	0.23	4.10	9.68	15.00	28.41
345.0	271.98	0.23	4.10	9.68	15.00	183.45
350.0	271.98	0.23	4.10	9.68	68.23	242.65
355.0	271.98	0.23	4.10	22.79	86.39	260.80

* - Nighttime Interference Free Contour

MINOR CHANGE APPLICATION
T K RADIO, INC.
WSBB AM RADIO STATION
1230 kHz - 1.0 kW - NDU
NEW SMYRNA BEACH, FLORIDA
November 2005

EXHIBIT #1E

Present Site Ground Conductivity

North Latitude: 29° 01' 57"
 West Longitude: 80° 55' 03"

Conductivity Database Used: US M3

Ground Conductivity Data:												
Region conductivity in mS/m followed by distance in km												
to the end of region. E - map data; M - measurement data.												
Azimuth												
0.0	2.0E	6.8	5000.0E	337.0	8.0E	367.2	4.0E	534.4	2.0E	600.0	4.0E	684.5
5.0	2.0E	5.8	5000.0E	365.5	8.0E	383.1	4.0E	387.8	5000.0E	388.8	4.0E	558.3
10.0	2.0E	5.2	5000.0E	396.4	4.0E	585.7	2.0E	720.4	4.0E	899.2	2.0E	1158.5
15.0	2.0E	4.7	5000.0E	435.0	4.0E	435.2	5000.0E	443.2	4.0E	626.2	2.0E	736.0
20.0	2.0E	4.3	5000.0E	549.1	4.0E	680.9	2.0E	705.0	4.0E	764.4	2.0E	1054.5
25.0	2.0E	4.0	5000.0E	598.9	4.0E	820.4	2.0E	877.4	4.0E	880.4	5000.0E	890.5
30.0	2.0E	3.8	5000.0E	737.4	4.0E	767.8	5000.0E	779.2	4.0E	792.6	5000.0E	798.2
35.0	2.0E	3.6	5000.0E	1300.0								
40.0	2.0E	3.4	5000.0E	1300.0								
45.0	2.0E	3.3	5000.0E	1300.0								
50.0	2.0E	3.3	5000.0E	1300.0								
55.0	2.0E	3.2	5000.0E	1300.0								
60.0	2.0E	3.2	5000.0E	1300.0								
65.0	2.0E	3.2	5000.0E	1300.0								
70.0	2.0E	3.2	5000.0E	1300.0								
75.0	2.0E	3.3	5000.0E	1300.0								
80.0	2.0E	3.4	5000.0E	1300.0								
85.0	2.0E	3.5	5000.0E	1300.0								
90.0	2.0E	3.6	5000.0E	1300.0								
95.0	2.0E	3.8	5000.0E	1300.0								
100.0	2.0E	4.1	5000.0E	1300.0								
105.0	2.0E	4.4	5000.0E	1300.0								
110.0	2.0E	4.8	5000.0E	1300.0								
115.0	2.0E	5.3	5000.0E	1300.0								
120.0	2.0E	6.1	5000.0E	1300.0								
125.0	2.0E	7.1	5000.0E	1300.0								
130.0	2.0E	8.6	5000.0E	1300.0								
135.0	2.0E	11.0	5000.0E	1300.0								
140.0	2.0E	15.6	5000.0E	1300.0								
145.0	2.0E	26.9	5000.0E	1300.0								
150.0	2.0E	35.8	5000.0E	1300.0								
155.0	2.0E	37.4	5000.0E	1300.0								
160.0	2.0E	39.5	5000.0E	223.8	8.0E	238.5	5000.0E	1300.0				
165.0	2.0E	42.2	5000.0E	89.8	8.0E	320.7	5000.0E	1300.0				
170.0	2.0E	46.5	8.0E	378.7	5000.0E	1300.0						
175.0	2.0E	52.5	8.0E	144.2	2.0E	201.0	8.0E	423.4	5000.0E	1300.0		

MINOR CHANGE APPLICATION
T K RADIO, INC.
WSBB AM RADIO STATION
1230 kHz - 1.0 kW - NDU
NEW SMYRNA BEACH, FLORIDA
November 2005

EXHIBIT #1E (continued)

North Latitude: 29° 01' 57"
West Longitude: 80° 55' 03"

Ground Conductivity Data:												
Region conductivity in mS/m followed by distance in km												
Azimuth to the end of region. E - map data; M - measurement data.												
180.0	2.0E	69.6	8.0E	89.2	2.0E	200.4	8.0E	431.6	5000.0E	1300.0		
185.0	2.0E	198.3	8.0E	364.4	5000.0E	370.0	8.0E	379.5	5000.0E	1300.0		
190.0	2.0E	197.8	8.0E	352.5	5000.0E	1300.0						
195.0	2.0E	198.4	8.0E	337.8	5000.0E	1300.0						
200.0	2.0E	200.5	8.0E	280.3	5000.0E	292.2	8.0E	302.3	5000.0E	1300.0		
205.0	2.0E	204.7	8.0E	252.8	5000.0E	254.1	8.0E	264.3	5000.0E	1300.0		
210.0	2.0E	186.1	4.0E	276.2	5000.0E	1300.0						
215.0	2.0E	167.9	4.0E	263.6	5000.0E	1073.5	6.0E	1132.0	5000.0E	1200.4	6.0E	1300.0
220.0	2.0E	158.6	4.0E	248.4	5000.0E	1070.4	6.0E	1300.0				
225.0	2.0E	153.5	4.0E	231.6	5000.0E	237.0	4.0E	244.0	5000.0E	1160.7	6.0E	1300.0
230.0	2.0E	149.8	4.0E	191.8	5000.0E	200.8	4.0E	205.0	5000.0E	220.6	4.0E	225.8 5000.0E 1300.0
235.0	2.0E	146.4	4.0E	201.0	5000.0E	212.2	4.0E	228.1	5000.0E	1300.0		
240.0	2.0E	142.4	4.0E	210.8	5000.0E	1300.0						
245.0	2.0E	137.8	4.0E	196.2	5000.0E	1300.0						
250.0	2.0E	133.7	4.0E	184.0	5000.0E	1300.0						
255.0	2.0E	129.7	4.0E	175.2	5000.0E	1300.0						
260.0	2.0E	125.8	4.0E	170.4	5000.0E	1300.0						
265.0	2.0E	122.7	4.0E	168.2	5000.0E	1300.0						
270.0	2.0E	119.4	4.0E	177.2	5000.0E	1300.0						
275.0	2.0E	113.2	4.0E	207.0	5000.0E	837.8	15.0E	864.7	5000.0E	887.8	15.0E	999.8 5000.0E 1300.0
280.0	2.0E	107.2	4.0E	221.2	5000.0E	834.8	15.0E	836.2	5000.0E	854.3	2.0E	865.0 5000.0E 869.5
285.0	2.0E	102.8	4.0E	245.7	5000.0E	370.9	1.0E	464.2	5000.0E	630.3	1.0E	644.5 5000.0E 649.0
	1.0E	688.8	2.0E	693.7	5000.0E	710.7	2.0E	850.7	4.0E	969.3	8.0E	1154.4 15.0E 1210.9
290.0	2.0E	103.6	4.0E	256.5	2.0E	279.2	5000.0E	347.5	2.0E	352.1	1.0E	705.4 2.0E 840.5
295.0	2.0E	155.8	4.0E	241.2	2.0E	420.3	4.0E	573.2	8.0E	702.6	2.0E	835.5 4.0E 952.6
300.0	2.0E	161.5	4.0E	220.9	2.0E	398.5	4.0E	572.7	8.0E	703.2	2.0E	934.9 8.0E 1135.0
305.0	2.0E	368.1	4.0E	576.3	8.0E	661.7	4.0E	720.1	2.0E	949.6	8.0E	1208.0 4.0E 1257.1
310.0	2.0E	365.9	4.0E	776.7	2.0E	952.9	4.0E	967.9	8.0E	1300.0		
315.0	2.0E	116.8	4.0E	145.5	2.0E	366.8	4.0E	603.1	2.0E	687.9	4.0E	745.1 2.0E 812.5
320.0	2.0E	102.9	4.0E	215.1	2.0E	354.9	4.0E	564.3	2.0E	700.2	4.0E	743.5 2.0E 831.6
325.0	2.0E	94.5	4.0E	579.7	1.0E	580.4	2.0E	704.8	4.0E	753.2	2.0E	840.9 4.0E 1065.2
330.0	2.0E	86.8	4.0E	569.9	1.0E	625.7	2.0E	702.2	4.0E	782.0	2.0E	852.1 4.0E 1076.5
335.0	2.0E	79.5	8.0E	122.5	4.0E	613.3	2.0E	862.8	4.0E	1142.5	8.0E	1300.0
340.0	2.0E	35.4	5000.0E	110.4	8.0E	157.3	5000.0E	164.4	8.0E	198.4	4.0E	627.6 2.0E 978.8
345.0	2.0E	15.5	5000.0E	187.6	8.0E	195.5	5000.0E	198.6	8.0E	203.3	5000.0E	214.0 8.0E 222.9
	5000.0E	228.8	8.0E	247.9	4.0E	430.1	2.0E	495.4	4.0E	636.2	2.0E	985.2 8.0E 1288.5
350.0	2.0E	10.2	5000.0E	259.3	8.0E	282.0	4.0E	450.1	2.0E	526.5	4.0E	635.3 2.0E 814.0
355.0	2.0E	8.1	5000.0E	288.9	8.0E	290.1	5000.0E	301.3	8.0E	328.2	4.0E	498.9 2.0E 560.1
	4.0E	639.9	2.0E	846.4	4.0E	905.3	2.0E	1177.4	4.0E	1190.3	8.0E	1300.0

MINOR CHANGE APPLICATION
T K RADIO, INC.
WSBB AM RADIO STATION
1230 kHz - 1.0 kW - NDU
NEW SMYRNA BEACH, FLORIDA
November 2005

EXHIBIT #1F

Proposed Site Service Contour Tabulation

NORTH LATITUDE: 29° 02' 03"
WEST LONGITUDE: 80° 55' 02"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :				
		Contour levels in mV/m.				
		1000.000	* 24.415	5.000	2.000	.500
0.0	271.27	0.23	4.09	33.42	96.90	271.16
5.0	271.27	0.23	4.09	38.24	101.72	275.98
10.0	271.27	0.23	4.09	41.21	104.68	278.94
15.0	271.27	0.23	4.09	43.15	106.63	280.89
20.0	271.27	0.23	4.09	44.49	107.97	282.23
25.0	271.27	0.23	4.95	45.44	108.92	283.18
30.0	271.27	0.23	5.64	46.13	109.61	283.87
35.0	271.27	0.23	6.14	46.63	110.11	284.37
40.0	271.27	0.23	6.51	47.00	110.48	284.74
45.0	271.27	0.23	6.78	47.27	110.75	285.01
50.0	271.27	0.23	6.96	47.45	110.93	285.19
55.0	271.27	0.23	7.07	47.57	111.04	285.31
60.0	271.27	0.23	7.13	47.62	111.10	285.36
65.0	271.27	0.23	7.12	47.61	111.09	285.35
70.0	271.27	0.23	7.05	47.54	111.02	285.28
75.0	271.27	0.23	6.92	47.41	110.89	285.15
80.0	271.27	0.23	6.71	47.20	110.68	284.94
85.0	271.27	0.23	6.42	46.91	110.39	284.65
90.0	271.27	0.23	6.02	46.51	109.99	284.25
95.0	271.27	0.23	5.47	45.96	109.44	283.70
100.0	271.27	0.23	4.72	45.21	108.69	282.95
105.0	271.27	0.23	4.09	44.17	107.65	281.91
110.0	271.27	0.23	4.09	42.70	106.18	280.44
115.0	271.27	0.23	4.09	40.52	104.00	278.26
120.0	271.27	0.23	4.09	37.16	100.64	274.90
125.0	271.27	0.23	4.09	31.59	95.07	269.33
130.0	271.27	0.23	4.09	21.50	84.98	259.24
135.0	271.27	0.23	4.09	9.67	64.29	238.55
140.0	271.27	0.23	4.09	9.67	14.98	189.22
145.0	271.27	0.23	4.09	9.67	14.98	56.13
150.0	271.27	0.23	4.09	9.67	14.98	28.38
155.0	271.27	0.23	4.09	9.67	14.98	28.38
160.0	271.27	0.23	4.09	9.67	14.98	28.38
165.0	271.27	0.23	4.09	9.67	14.98	28.38
170.0	271.27	0.23	4.09	9.67	14.98	28.38
175.0	271.27	0.23	4.09	9.67	14.98	28.38

* - Nighttime Interference Free Contour

MINOR CHANGE APPLICATION
T K RADIO, INC.
WSBB AM RADIO STATION
1230 kHz - 1.0 kW - NDU
NEW SMYRNA BEACH, FLORIDA
November 2005

EXHIBIT #1F (continued)

Proposed Site Service Contour Tabulation

NORTH LATITUDE: 29° 02' 03"
WEST LONGITUDE: 80° 55' 02"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :				
		Contour levels in mV/m.				
		1000.000	* 24.415	5.000	2.000	.500
180.0	271.27	0.23	4.09	9.67	14.98	28.38
185.0	271.27	0.23	4.09	9.67	14.98	28.38
190.0	271.27	0.23	4.09	9.67	14.98	28.38
195.0	271.27	0.23	4.09	9.67	14.98	28.38
200.0	271.27	0.23	4.09	9.67	14.98	28.38
205.0	271.27	0.23	4.09	9.67	14.98	28.38
210.0	271.27	0.23	4.09	9.67	14.98	28.38
215.0	271.27	0.23	4.09	9.67	14.98	28.38
220.0	271.27	0.23	4.09	9.67	14.98	28.38
225.0	271.27	0.23	4.09	9.67	14.98	28.38
230.0	271.27	0.23	4.09	9.67	14.98	28.38
235.0	271.27	0.23	4.09	9.67	14.98	28.38
240.0	271.27	0.23	4.09	9.67	14.98	28.38
245.0	271.27	0.23	4.09	9.67	14.98	28.38
250.0	271.27	0.23	4.09	9.67	14.98	28.38
255.0	271.27	0.23	4.09	9.67	14.98	28.38
260.0	271.27	0.23	4.09	9.67	14.98	28.38
265.0	271.27	0.23	4.09	9.67	14.98	28.38
270.0	271.27	0.23	4.09	9.67	14.98	28.38
275.0	271.27	0.23	4.09	9.67	14.98	28.38
280.0	271.27	0.23	4.09	9.67	14.98	28.38
285.0	271.27	0.23	4.09	9.67	14.98	28.38
290.0	271.27	0.23	4.09	9.67	14.98	28.38
295.0	271.27	0.23	4.09	9.67	14.98	28.38
300.0	271.27	0.23	4.09	9.67	14.98	28.38
305.0	271.27	0.23	4.09	9.67	14.98	28.38
310.0	271.27	0.23	4.09	9.67	14.98	28.38
315.0	271.27	0.23	4.09	9.67	14.98	28.38
320.0	271.27	0.23	4.09	9.67	14.98	28.38
325.0	271.27	0.23	4.09	9.67	14.98	28.38
330.0	271.27	0.23	4.09	9.67	14.98	28.38
335.0	271.27	0.23	4.09	9.67	14.98	28.38
340.0	271.27	0.23	4.09	9.67	14.98	28.38
345.0	271.27	0.23	4.09	9.67	17.73	188.35
350.0	271.27	0.23	4.09	9.67	71.61	245.87
355.0	271.27	0.23	4.09	24.91	88.39	262.65

* - Nighttime Interference Free Contour

MINOR CHANGE APPLICATION
T K RADIO, INC.
WSBB AM RADIO STATION
1230 kHz - 1.0 kW - NDU
NEW SMYRNA BEACH, FLORIDA
November 2005

EXHIBIT #1G

Proposed Site Ground Conductivity

North Latitude: 29' 02' 03"
West Longitude: 80' 55' 02"

Conductivity Database Used: US M3

Ground Conductivity Data: Region conductivity in mS/m followed by distance in km to the end of region. E - map data; M - measurement data.												
Azimuth												
0.0	2.0E	6.5	5000.0E	336.8	8.0E	367.2	4.0E	534.3	2.0E	599.9	4.0E	684.4
5.0	2.0E	5.6	5000.0E	365.4	8.0E	383.0	4.0E	387.6	5000.0E	388.7	4.0E	558.1
10.0	2.0E	5.0	5000.0E	396.2	4.0E	585.6	2.0E	720.3	4.0E	899.0	2.0E	1158.3
15.0	2.0E	4.5	5000.0E	434.8	4.0E	435.0	5000.0E	443.0	4.0E	626.1	2.0E	735.9
20.0	2.0E	4.1	5000.0E	548.9	4.0E	680.7	2.0E	704.8	4.0E	764.3	2.0E	1054.4
25.0	2.0E	3.8	5000.0E	598.7	4.0E	820.2	2.0E	877.3	4.0E	880.2	5000.0E	890.3
30.0	2.0E	3.6	5000.0E	737.2	4.0E	767.4	5000.0E	779.0	4.0E	792.5	5000.0E	798.1
35.0	2.0E	3.4	5000.0E	1300.0								
40.0	2.0E	3.3	5000.0E	1300.0								
45.0	2.0E	3.2	5000.0E	1300.0								
50.0	2.0E	3.1	5000.0E	1300.0								
55.0	2.0E	3.1	5000.0E	1300.0								
60.0	2.0E	3.1	5000.0E	1300.0								
65.0	2.0E	3.1	5000.0E	1300.0								
70.0	2.0E	3.1	5000.0E	1300.0								
75.0	2.0E	3.2	5000.0E	1300.0								
80.0	2.0E	3.2	5000.0E	1300.0								
85.0	2.0E	3.3	5000.0E	1300.0								
90.0	2.0E	3.5	5000.0E	1300.0								
95.0	2.0E	3.7	5000.0E	1300.0								
100.0	2.0E	3.9	5000.0E	1300.0								
105.0	2.0E	4.2	5000.0E	1300.0								
110.0	2.0E	4.6	5000.0E	1300.0								
115.0	2.0E	5.1	5000.0E	1300.0								
120.0	2.0E	5.8	5000.0E	1300.0								
125.0	2.0E	6.8	5000.0E	1300.0								
130.0	2.0E	8.3	5000.0E	1300.0								
135.0	2.0E	10.6	5000.0E	1300.0								
140.0	2.0E	15.0	5000.0E	1300.0								
145.0	2.0E	25.8	5000.0E	1300.0								
150.0	2.0E	35.9	5000.0E	1300.0								
155.0	2.0E	37.5	5000.0E	1300.0								
160.0	2.0E	39.6	5000.0E	224.1	8.0E	237.2	5000.0E	1300.0				
165.0	2.0E	42.3	5000.0E	90.7	8.0E	320.6	5000.0E	1300.0				
170.0	2.0E	46.6	8.0E	378.7	5000.0E	1300.0						
175.0	2.0E	52.6	8.0E	144.5	2.0E	201.1	8.0E	423.6	5000.0E	1300.0		

MINOR CHANGE APPLICATION
T K RADIO, INC.
WSBB AM RADIO STATION
1230 kHz - 1.0 kW - NDU
NEW SMYRNA BEACH, FLORIDA
November 2005


EXHIBIT #1G (continued)

Proposed Site Ground Conductivity

North Latitude: 29° 02' 03"
West Longitude: 80° 55' 02"

Conductivity Database Used: US M3

Ground Conductivity Data: Region conductivity in mS/m followed by distance in km to the end of region. E - map data; M - measurement data.													
Azimuth													
180.0	2.0E	69.4	8.0E	90.0	2.0E	200.6	8.0E	431.7	5000.0E	1300.0			
185.0	2.0E	198.5	8.0E	364.6	5000.0E	370.2	8.0E	379.7	5000.0E	1300.0			
190.0	2.0E	197.9	8.0E	352.6	5000.0E	1300.0							
195.0	2.0E	198.6	8.0E	338.0	5000.0E	1300.0							
200.0	2.0E	200.6	8.0E	280.4	5000.0E	292.3	8.0E	302.5	5000.0E	1300.0			
205.0	2.0E	204.8	8.0E	252.9	5000.0E	254.3	8.0E	264.4	5000.0E	1300.0			
210.0	2.0E	186.2	4.0E	276.3	5000.0E	1300.0							
215.0	2.0E	168.0	4.0E	263.7	5000.0E	1073.5	6.0E	1132.2	5000.0E	1200.5	6.0E	1300.0	
220.0	2.0E	158.8	4.0E	248.6	5000.0E	1070.5	6.0E	1300.0					
225.0	2.0E	153.6	4.0E	231.6	5000.0E	237.2	4.0E	244.2	5000.0E	1160.9	6.0E	1300.0	
230.0	2.0E	149.9	4.0E	191.9	5000.0E	200.9	4.0E	205.2	5000.0E	220.6	4.0E	225.9	5000.0E 1300.0
235.0	2.0E	146.5	4.0E	201.1	5000.0E	212.4	4.0E	228.2	5000.0E	1300.0			
240.0	2.0E	142.5	4.0E	210.9	5000.0E	1300.0							
245.0	2.0E	137.9	4.0E	196.3	5000.0E	1300.0							
250.0	2.0E	133.8	4.0E	184.1	5000.0E	1300.0							
255.0	2.0E	129.7	4.0E	175.2	5000.0E	1300.0							
260.0	2.0E	125.8	4.0E	170.4	5000.0E	1300.0							
265.0	2.0E	122.7	4.0E	168.3	5000.0E	1300.0							
270.0	2.0E	119.4	4.0E	177.3	5000.0E	1300.0							
275.0	2.0E	113.1	4.0E	207.1	5000.0E	837.7	15.0E	864.7	5000.0E	887.8	15.0E	999.8	5000.0E 1300.0
280.0	2.0E	107.2	4.0E	221.4	5000.0E	835.6	15.0E	836.3	5000.0E	854.2	2.0E	865.1	5000.0E 869.7
285.0	2.0E	102.7	4.0E	245.8	5000.0E	370.7	1.0E	464.5	5000.0E	630.3	1.0E	644.5	5000.0E 649.0
	1.0E	689.0	2.0E	693.8	5000.0E	710.7	2.0E	850.7	4.0E	969.3	8.0E	1154.4	15.0E 1210.9
290.0	2.0E	103.7	4.0E	256.4	2.0E	279.6 5000.0E	347.4	2.0E	352.1	1.0E	705.4	2.0E	840.5
295.0	2.0E	155.8	4.0E	241.1	2.0E	420.3	4.0E	573.2	8.0E	702.6	2.0E	835.5	4.0E 952.5
300.0	2.0E	161.5	4.0E	220.7	2.0E	397.8	4.0E	572.7	8.0E	703.2	2.0E	934.9	8.0E 1134.9
305.0	2.0E	368.1	4.0E	576.3	8.0E	661.5	4.0E	720.1	2.0E	949.5	8.0E	1208.5	4.0E 1256.2
310.0	2.0E	365.9	4.0E	776.9	2.0E	952.6	4.0E	967.9	8.0E	1300.0			
315.0	2.0E	116.4	4.0E	145.9	2.0E	366.8	4.0E	602.8	2.0E	687.9	4.0E	745.0	2.0E 812.6
320.0	2.0E	102.7	4.0E	215.7	2.0E	354.7	4.0E	564.1	2.0E	700.2	4.0E	743.4	2.0E 831.5
325.0	2.0E	94.3	4.0E	579.4	1.0E	580.4	2.0E	704.8	4.0E	753.1	2.0E	840.8	4.0E 1065.1
330.0	2.0E	86.6	4.0E	569.8	1.0E	625.7	2.0E	702.1	4.0E	782.0	2.0E	852.1	4.0E 1076.5
335.0	2.0E	79.2	8.0E	123.1	4.0E	613.3	2.0E	862.7	4.0E	1142.4	8.0E	1300.0	
340.0	2.0E	33.8	5000.0E	111.1	8.0E	157.1 5000.0E	164.3	8.0E	198.8	4.0E	627.5	2.0E	978.8
345.0	2.0E	14.8	5000.0E	187.7	8.0E	195.0 5000.0E	198.6	8.0E	203.4 5000.0E	214.0	8.0E	222.7	
	5000.0E	228.7	8.0E	247.8	4.0E	429.9	2.0E	495.4	4.0E	636.0	2.0E	985.2	8.0E 1288.4
350.0	2.0E	9.8	5000.0E	259.1	8.0E	282.0	4.0E	450.0	2.0E	526.4	4.0E	635.2	2.0E 813.9
355.0	2.0E	7.8	5000.0E	288.9	8.0E	289.9 5000.0E	301.1	8.0E	328.2	4.0E	498.8	2.0E	560.0
	4.0E	639.8	2.0E	846.3	4.0E	905.1	2.0E	1177.3	4.0E	1190.2	8.0E	1300.0	



North Latitude 29-02-03
West Longitude 80-55-02

Site Elev 0.00 m (0.0 ft) AMSL

(Sketch not drawn to scale)

VERTICAL PLAN SKETCH

SITE ELEVATION - 0 m (0 ft) AMSL

TOP OF STRUCTURE - 28 m (92 ft) AGL
28 m (92 ft) AMSL

AM Radiator - 27 m (90 ft)

FIGURES ROUNDED TO NEAREST METER (FOOT).

EXHIBIT #1H
MINOR CHANGE APPLICATION
T K RADIO, INC.
WSBB AM RADIO STATION
1230 kHz - 1.0 kW NDU
NEW SMYRNA BEACH, FLORIDA
November 2005

GRAHAM BROCK, INC.
BROADCAST TECHNICAL CONSULTANTS