

EXHIBIT 15-I-1
Summary of WBUD Measured Ground Conductivity Data

WBUD 1260 kHz N. Lat: 40 15 56 W. Lon: 74 45 27

All distances are in kilometers (US metric curves)
 All distances are cumulative.

Bearing	Region		Region		Region		Region	
	Cond	Dist	Cond	Dist	Cond	Dist	Cond	Dist
-----	-----	-----	-----	-----	-----	-----	-----	-----
14.5	2.0	30.4	1.0	70.0				
30.0	1.5	1.9	3.0	29.9				
34.0	1.5	2.3	3.0	30.1				
49.0	3.0	20.1	2.0	37.5				
54.0	3.0	24.9	1.0	37.0				
66.0	3.0	19.6	2.0	49.2				
90.0	2.0	50.4	0.5	64.9				
110.0	1.5	29.9	0.5	58.9				
140.0	3.0	31.7						
160.0	2.0	27.0	0.5	79.7				
172.0	2.0	42.5	0.1	83.7				
185.0	2.0	40.6	1.0	69.8				
190.0	3.0	27.4	2.0	40.9	1.0	80.0		
205.0	2.0	52.0	1.0	87.7				
214.0	4.0	29.9	3.0	60.0				
231.0	3.0	29.9	1.0	65.0				
240.0	2.0	79.8						

EXHIBIT 15-I-1 (cont.)
Summary of WBUD Measured Ground Conductivity Data

Bearing	Region		Region		Region		Region	
-----	Cond	Dist	Cond	Dist	Cond	Dist	Cond	Dist
-----	-----	-----	-----	-----	-----	-----	-----	-----
246.0	3.5	9.7	5.0	30.4				
250.0	4.0	49.9	5.0	86.6				
265.0	2.0	78.9						
283.0	4.0	23.7	2.0	64.5				
300.0	1.5	32.0	2.0	78.1				
320.0	2.5	30.9	1.0	76.9				
357.0	2.0	57.3						

Origin of Measurement Data from WBUD Proof and Application
for CP (BP-19890515AI).