

WEGG

ROSE HILL, NORTH CAROLINA

TABLE OF CONTENTS FOR AMENDMENT

FCC 301 SECTION III-A EXHIBIT 17

TABLE OF CONTENTS FOR AMENDMENT

NARRATIVE

DECLARATION OF LEWIS T. CRAIN

WEGG 024 DEGREE MEASUREMENT DATA

WEGG 024 DEGREE GRAPH

AMENDED RADIATED FIELDS AND DISTANCES TO CONTOURS

COCHANNEL ALLOCATION STUDY - WZOO AND WQKI

COCHANNEL ALLOCATION STUDY - WOR

COCHANNEL ALLOCATION STUDY - WAQI

FIRST-ADJACENT CHANNEL ALLOCATION STUDY

SECOND-ADJACENT CHANNEL ALLOCATION STUDY

PRESENT AND PROPOSED 5 mV/m CONTOURS AND
PRINCIPAL COMMUNITY

PRESENT AND PROPOSED 2 mV/m CONTOURS

PRESENT AND PROPOSED 0.5 mV/m CONTOURS

TOPOGRAPHIC SITE MAP AND PROPOSED 1 VOLT CONTOUR

FCC 301 SECTION III-A EXHIBIT 18

RFR STATEMENT FOR 2.5 KILOWATTS

RFR GRAPH

TABLE OF CONTENTS FOR AMENDMENT (continued)

FCC 301 SECTION III-A EXHIBIT 21

CRITICAL HOURS STATEMENT

SAMPLE CRITICAL HOURS CALCULATIONS

WEGG, ROSE HILL, NORTH CAROLINA

NARRATIVE

The purpose of this amendment is to change the proposed power from 1.0 kilowatt to 2.5 kilowatts. All amendment attachments are in Exhibits 17, 18 and 21.

Included in the attachments are field strength measurement data and a graph on the WEGG 024 degree radial demonstrating clearance to the licensed and authorized WOR 0.1 mV/m contours. Using contours that were calculated and plotted at 0.5 degree intervals, it is shown that there is no prohibited overlap of the WOR contours on U.S. soil. Also included are new allocation studies, new coverage maps, a new tabulation of Distances to Proposed Contours and a Topographic Site Map showing the 1 volt contour at 0.44 kilometer.

Since the application was prepared, the facility of WZOO, 710 kilohertz, Asheboro, North Carolina has been deleted from the FCC database, however, out of an abundance of caution, it has been retained in the cochannel allocation study.

No power reduction is required during critical hours. Values of limitations on several azimuths are shown in Exhibit 21.


AFAB Enterprises, Inc.

3639 Hwy 414
Landrum, SC 29356
(864) 895-1519

DECLARATION

I declare under penalty of perjury that I personally made the field strength measurements contained in this amendment on the WEGG 024 degree radial and that this data is accurate to the best of my knowledge and belief.

These measurements were made using Potomac Instruments FIM-41, Serial Number 535, calibrated on 26 January 2001.



Lewis T. Crain



Date


Weggmeas.024
FIELD STRENGTH MEASUREMENT DATA
Azimuth: N 24.0 E

Call: WEGG
Frequency: 710.0 kHz
Power: 0.250 kw
Pattern: ND

Point Number	Date	Time	Distance (km)	Field Strength (mV/m)
1	052204	1011	.31	480.
2		0955	.41	360.
3		0958	.51	282.
4		1001	.61	238.
5		1005	.66	218.
6		1003	.71	196.
7		1021	1.40	100.
8		1027	1.50	98.
9		1029	1.57	98.
10		1032	1.69	71.
11		1038	1.84	70.
12		1050	1.96	62.
13		1052	2.09	73.
14		1112	2.54	52.
15		1114	2.73	63.
16		1116	3.05	42.
17		1120	3.92	35.0
18		1123	4.60	25.6
19		1127	6.62	14.7
20		1132	9.33	10.0
21		1138	11.70	5.6
22		1143	13.20	4.7
23		1149	16.10	2.97
24		1154	18.10	3.40
25		1200	21.30	2.38
26		1208	25.10	1.08

weggmeas .024				
27		1214	27.60	1.05
28		1221	30.30	.83
29		1231	35.60	.54
30		1242	41.60	.332
31		1250	45.30	.246
32		1258	50.50	.194
33		1314	56.30	.140
34		1334	62.30	.138
35		1345	67.20	.098
36		1401	72.20	.090
37		1415	75.90	.088
38		1430	80.60	.085
39		1453	87.10	.062
40		1506	90.40	.057
41		1523	96.00	.049
42		1542	99.70	.0330
43		1559	108.70	.0300
44		1618	115.30	.0280
45		1636	124.20	.0250
46	052204	1653	132.40	.0205

Exhibit: EDX-AMDAT
Azimuth: N 24.0 E
Station: WEGG - 710.0 KHz
0.25 kW ND
145.6 mV/m at 1 km



- Net Conductivities:**
- 1: 15.0 mS/m to 1.40 km
 - 2: 7.0 mS/m to 1.69 km
 - 3: 10.0 mS/m to 3.92 km
 - 4: 3.0 mS/m to 18.10 km
 - 5: 2.0 mS/m to 45.30 km
 - 6: 1.5 mS/m to 132.40 km

DISTANCE FROM ANTENNA (km)

WEGG, ROSE HILL, NORTH CAROLINA

DISTANCES TO PROPOSED WEGG CONTOURS

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers: Contour levels in mV/m.				
		5.000	2.000	0.500	0.250	0.025
0.0	460.57	31.92	50.26	84.28	106.09	234.35
1.0	460.57	31.92	50.26	84.09	105.91	234.16
2.0	460.57	31.92	50.26	83.92	105.73	233.99
3.0	460.57	31.92	50.26	83.75	105.57	233.82
4.0	460.57	31.92	50.26	83.59	105.40	233.66
5.0	460.57	31.92	50.26	83.44	105.25	233.51
6.0	460.57	31.92	50.26	83.29	105.10	233.36
7.0	460.57	31.92	50.26	83.15	104.97	233.22
8.0	460.57	31.92	50.26	83.02	104.84	233.09
9.0	460.57	31.92	50.26	82.90	104.71	232.97
10.0	460.57	31.92	50.26	82.78	104.60	232.86
11.0	460.57	31.92	50.26	82.68	104.49	232.75
12.0	460.57	31.92	50.26	82.58	104.39	232.65
13.0	460.57	31.92	50.26	82.49	104.30	232.56
14.0	460.57	22.13	34.07	54.39	73.88	196.18
15.0	460.57	22.13	34.07	54.39	73.88	196.18
16.0	460.57	22.13	34.07	54.39	73.88	196.18
17.0	460.57	22.13	34.07	54.39	73.88	196.18
18.0	460.57	22.13	34.07	54.39	73.88	196.18
19.0	460.57	22.13	34.07	54.39	73.88	196.18
20.0	460.57	22.13	34.07	54.39	73.88	196.18
21.0	460.57	22.13	34.07	54.39	73.88	196.18
22.0	460.57	22.13	34.07	54.39	73.88	196.18
23.0	460.57	22.13	34.07	54.39	73.88	196.18
24.0	460.57	22.13	34.07	54.39	73.88	196.18
25.0	460.57	22.13	34.07	54.39	73.88	196.18
26.0	460.57	22.13	34.07	54.39	73.88	196.18
27.0	460.57	22.13	34.07	54.39	73.88	196.18
28.0	460.57	22.13	34.07	54.39	73.88	196.18
29.0	460.57	22.13	34.07	54.39	73.88	196.18
30.0	460.57	22.13	34.07	54.39	73.88	196.18
31.0	460.57	22.13	34.07	54.39	73.88	196.18
32.0	460.57	22.13	34.07	54.39	73.88	196.18
33.0	460.57	22.13	34.07	54.39	73.88	196.18
34.0	460.57	22.13	34.07	54.39	73.88	196.18
35.0	460.57	31.92	50.26	82.69	104.50	238.92
36.0	460.57	31.92	50.26	83.00	104.82	240.47
37.0	460.57	31.92	50.26	83.43	105.24	242.06
38.0	460.57	31.92	50.26	83.87	105.69	251.23
39.0	460.57	31.92	50.26	84.33	106.14	247.72
40.0	460.57	31.92	50.26	84.82	106.63	249.15
41.0	460.57	31.92	50.26	86.56	108.37	252.16
42.0	460.57	31.92	50.26	89.43	111.24	257.65
43.0	460.57	31.92	50.26	91.06	116.42	266.19
44.0	460.57	31.92	50.26	91.06	120.29	323.99
45.0	460.57	31.92	50.26	91.06	120.29	340.03
46.0	460.57	31.92	50.26	91.06	120.29	341.96
47.0	460.57	31.92	50.26	91.06	120.29	353.61

48.0	460.57	31.92	50.26	91.06	120.29	378.75
49.0	460.57	31.92	50.26	91.06	120.74	380.84
50.0	460.57	31.92	50.26	91.06	121.28	382.85
51.0	460.57	31.92	50.26	91.06	121.83	407.86
52.0	460.57	31.92	50.26	91.06	122.38	414.21
53.0	460.57	31.92	50.26	91.06	122.94	394.30
54.0	460.57	31.92	50.26	91.06	123.52	387.87
55.0	460.57	31.92	50.26	91.06	124.10	384.98
56.0	460.57	31.92	50.26	91.06	124.70	390.87
57.0	460.57	31.92	50.26	91.06	124.48	393.56
58.0	460.57	31.92	50.26	91.06	123.28	393.71
59.0	460.57	31.92	50.26	91.06	120.29	377.54
60.0	460.57	31.92	50.26	91.06	120.29	385.28
61.0	460.57	31.92	50.26	91.06	120.29	394.76
62.0	460.57	31.92	50.26	91.06	120.29	400.11
63.0	460.57	31.92	50.26	91.06	120.29	385.89
64.0	460.57	31.92	50.26	91.06	120.29	380.86
65.0	460.57	31.92	50.26	91.06	120.29	384.05
66.0	460.57	31.92	50.26	91.06	120.29	395.45
67.0	460.57	31.92	50.26	91.06	120.29	426.01
68.0	460.57	31.92	50.26	91.06	120.29	444.88
69.0	460.57	31.92	50.26	91.06	120.29	456.26
70.0	460.57	31.92	50.26	91.06	120.66	460.77
71.0	460.57	31.92	50.26	91.06	121.05	500.89
72.0	460.57	31.92	50.26	91.06	121.45	519.75
73.0	460.57	31.92	50.26	91.06	121.86	546.43
74.0	460.57	31.92	50.26	91.06	122.28	566.80
75.0	460.57	31.92	50.26	91.06	122.71	604.02
76.0	460.57	31.92	50.26	91.06	123.15	586.45
77.0	460.57	31.92	50.26	91.06	123.62	571.28
78.0	460.57	31.92	50.26	91.06	124.43	581.66
79.0	460.57	31.92	50.26	91.06	125.34	592.09
80.0	460.57	31.92	50.26	91.06	126.30	602.39
81.0	460.57	31.92	50.26	91.06	127.06	602.30
82.0	460.57	31.92	50.26	91.06	138.07	616.11
83.0	460.57	31.92	50.26	91.06	143.39	624.20
84.0	460.57	31.92	50.26	91.06	137.17	597.46
85.0	460.57	31.92	50.26	91.06	130.70	565.74
86.0	460.57	31.92	50.26	91.06	125.85	527.58
87.0	460.57	31.92	50.26	91.06	121.90	522.64
88.0	460.57	31.92	50.26	91.06	120.29	509.67
89.0	460.57	31.92	50.26	91.06	120.29	519.49
90.0	460.57	31.92	50.26	91.06	120.29	529.14
91.0	460.57	31.92	50.26	91.06	120.29	538.84
92.0	460.57	31.92	50.26	91.06	120.29	547.88
93.0	460.57	31.92	50.26	91.06	120.29	564.31
94.0	460.57	31.92	50.26	91.06	120.29	567.87
95.0	460.57	31.92	50.26	91.06	126.32	589.81
96.0	460.57	31.92	50.26	91.06	121.75	594.48
97.0	460.57	31.92	50.26	91.06	120.29	595.51
98.0	460.57	31.92	50.26	91.24	156.76	650.39
99.0	460.57	31.92	50.26	91.64	185.32	678.94
100.0	460.57	31.92	50.26	92.06	202.30	695.93
101.0	460.57	31.92	50.26	92.48	218.55	712.18
102.0	460.57	31.92	50.26	97.10	234.19	727.81
103.0	460.57	31.92	50.26	113.77	250.85	744.48
104.0	460.57	31.92	50.26	119.70	256.78	750.41


105.0	460.57	31.92	50.26	129.58	266.66	760.28
106.0	460.57	31.92	50.26	139.78	276.87	770.49
107.0	460.57	31.92	50.26	149.95	287.03	780.66
108.0	460.57	31.92	50.26	153.70	290.79	784.41
109.0	460.57	31.92	50.26	155.63	292.72	786.34
110.0	460.57	31.92	50.26	157.21	294.30	787.92
111.0	460.57	31.92	50.26	158.26	295.34	788.97
112.0	460.57	31.92	50.26	156.41	293.49	787.12
113.0	460.57	31.92	50.26	165.41	302.50	796.12
114.0	460.57	31.92	50.26	173.89	310.98	804.60
115.0	460.57	31.92	50.26	182.50	319.58	813.20
116.0	460.57	31.92	50.26	190.50	327.59	821.21
117.0	460.57	31.92	50.26	193.56	330.65	824.27
118.0	460.57	31.92	50.26	197.46	334.55	828.17
119.0	460.57	31.92	50.26	192.21	329.30	822.92
120.0	460.57	31.92	50.26	176.68	313.77	807.39
121.0	460.57	31.92	50.26	174.16	311.24	804.87
122.0	460.57	31.92	50.26	178.15	315.24	808.86
123.0	460.57	31.92	50.26	181.93	319.02	812.64
124.0	460.57	31.92	50.26	185.49	322.58	816.20
125.0	460.57	31.92	50.26	188.99	326.07	819.69
126.0	460.57	31.92	50.26	192.03	329.12	822.74
127.0	460.57	31.92	50.26	193.50	330.59	824.21
128.0	460.57	31.92	50.26	194.86	331.94	825.57
129.0	460.57	31.92	50.26	196.10	333.19	826.81
130.0	460.57	31.92	50.26	197.24	334.32	827.94
131.0	460.57	31.92	50.26	198.26	335.35	828.97
132.0	460.57	31.92	50.26	199.18	336.27	829.89
133.0	460.57	31.92	50.26	200.00	337.09	830.71
134.0	460.57	31.92	50.26	200.71	337.80	831.42
135.0	460.57	31.92	50.26	201.33	338.42	832.04
136.0	460.57	31.92	50.26	201.84	338.93	832.55
137.0	460.57	31.92	50.26	202.28	339.36	832.98
138.0	460.57	31.92	50.26	202.61	339.70	833.32
139.0	460.57	31.92	50.26	202.84	339.93	833.55
140.0	460.57	31.92	50.26	202.98	340.06	833.69
141.0	460.57	31.92	50.26	203.01	340.09	833.72
142.0	460.57	31.92	50.26	202.94	340.03	833.65
143.0	460.57	31.92	50.26	202.77	339.86	833.48
144.0	460.57	31.92	50.26	202.50	339.58	833.21
145.0	460.57	31.92	50.26	202.12	339.21	832.83
146.0	460.57	31.92	50.26	201.67	338.75	832.37
147.0	460.57	31.92	50.26	201.11	338.20	831.82
148.0	460.57	31.92	50.26	200.46	337.55	831.17
149.0	460.57	31.92	50.26	199.71	336.79	830.42
150.0	460.57	31.92	50.26	198.85	335.94	829.56
151.0	460.57	31.92	50.26	197.89	334.98	828.60
152.0	460.57	31.92	50.26	196.83	333.91	827.54
153.0	460.57	31.92	50.26	195.65	332.74	826.36
154.0	460.57	31.92	50.26	194.37	331.46	825.08
155.0	460.57	31.92	50.26	192.97	330.06	823.68
156.0	460.57	31.92	50.26	191.46	328.54	822.17
157.0	460.57	31.92	50.26	189.82	326.91	820.53
158.0	460.57	31.92	50.26	188.07	325.15	818.77
159.0	460.57	31.92	50.26	184.20	321.29	814.91
160.0	460.57	31.92	50.26	178.01	315.10	808.72
161.0	460.57	31.92	50.26	171.43	308.52	802.14

162.0	460.57	31.92	50.26	164.69	301.77	795.40
163.0	460.57	31.92	50.26	157.56	294.65	788.27
164.0	460.57	31.92	50.26	149.92	287.00	780.63
165.0	460.57	31.92	50.26	142.12	279.20	772.82
166.0	460.57	31.92	50.26	133.94	271.03	764.65
167.0	460.57	31.92	50.26	125.14	262.22	755.84
168.0	460.57	31.92	50.26	116.21	253.30	746.92
169.0	460.57	31.92	50.26	106.66	243.74	737.37
170.0	460.57	31.92	50.26	96.92	234.01	727.63
171.0	460.57	31.92	50.26	91.06	223.70	717.32
172.0	460.57	31.92	50.26	91.06	213.03	706.66
173.0	460.57	31.92	50.26	91.06	201.68	695.30
174.0	460.57	31.92	50.26	91.06	189.64	683.26
175.0	460.57	31.92	50.26	92.38	229.46	723.09
176.0	460.57	31.92	50.26	91.06	213.87	707.49
177.0	460.57	31.92	50.26	91.06	197.08	690.70
178.0	460.57	31.92	50.26	91.06	179.39	673.01
179.0	460.57	31.92	50.26	91.06	160.41	654.03
180.0	460.57	31.92	50.26	91.06	158.21	651.84
181.0	460.57	31.92	50.26	91.06	158.67	652.29
182.0	460.57	31.92	50.26	91.06	159.01	652.63
183.0	460.57	31.92	50.26	91.06	159.23	652.85
184.0	460.57	31.92	50.26	91.06	159.33	652.96
185.0	460.57	31.92	50.26	91.06	159.32	652.94
186.0	460.57	31.92	50.26	91.06	159.19	652.81
187.0	460.57	31.92	50.26	91.06	158.94	652.56
188.0	460.57	31.92	50.26	91.06	158.58	652.20
189.0	460.57	31.92	50.26	91.06	158.09	651.72
190.0	460.57	31.92	50.26	91.06	157.49	651.11
191.0	460.57	31.92	50.26	91.06	156.77	650.39
192.0	460.57	31.92	50.26	91.06	155.92	649.55
193.0	460.57	31.92	50.26	91.06	154.96	648.58
194.0	460.57	31.92	50.26	91.06	153.87	647.49
195.0	460.57	31.92	50.26	91.06	151.40	645.02
196.0	460.57	31.92	50.26	91.06	146.84	640.46
197.0	460.57	31.92	50.26	91.06	142.05	635.67
198.0	460.57	31.92	50.26	91.06	137.03	630.65
199.0	460.57	31.92	50.26	91.06	132.10	625.72
200.0	460.57	24.84	34.07	62.65	90.25	501.07
201.0	460.57	24.84	34.07	62.65	90.25	496.80
202.0	460.57	24.84	34.07	62.65	90.25	492.33
203.0	460.57	24.84	34.07	62.65	90.25	487.65
204.0	460.57	24.84	34.07	62.65	90.25	482.74
205.0	460.57	24.84	34.07	62.65	90.25	477.50
206.0	460.57	24.84	34.07	62.65	90.25	472.00
207.0	460.57	24.84	34.07	62.65	90.25	466.53
208.0	460.57	24.84	34.07	62.65	90.25	460.94
209.0	460.57	24.84	34.07	62.65	90.25	448.98
210.0	460.57	24.84	34.07	62.65	90.25	423.21
211.0	460.57	24.84	34.07	62.65	90.25	370.65
212.0	460.57	24.84	34.07	62.65	90.25	313.62
213.0	460.57	24.84	34.07	62.65	90.25	253.74
214.0	460.57	24.84	34.07	62.65	90.25	261.22
215.0	460.57	24.84	34.07	62.65	90.25	247.73
216.0	460.57	24.84	34.07	62.65	90.25	247.73
217.0	460.57	24.84	34.07	62.65	90.25	247.73
218.0	460.57	24.84	34.07	62.65	90.25	247.73


219.0	460.57	24.84	34.07	62.65	90.25	247.73
220.0	460.57	24.84	34.07	62.65	90.25	247.73
221.0	460.57	26.16	34.07	61.43	73.88	210.81
222.0	460.57	26.16	34.07	61.43	73.88	210.81
223.0	460.57	26.16	34.07	61.43	73.88	210.81
224.0	460.57	26.16	34.07	61.43	73.88	210.81
225.0	460.57	26.16	34.07	61.43	73.88	210.81
226.0	460.57	26.16	34.07	61.43	73.88	210.81
227.0	460.57	26.16	34.07	61.43	73.88	210.81
228.0	460.57	26.16	34.07	61.43	73.88	210.81
229.0	460.57	26.16	34.07	61.43	73.88	210.81
230.0	460.57	26.16	34.07	61.43	73.88	210.81
231.0	460.57	26.16	34.07	61.43	73.88	210.81
232.0	460.57	26.16	34.07	61.43	73.88	210.81
233.0	460.57	26.16	34.07	61.43	73.88	210.81
234.0	460.57	26.16	34.07	61.43	73.88	210.81
235.0	460.57	26.16	34.07	61.43	73.88	210.81
236.0	460.57	26.16	34.07	61.43	73.88	210.81
237.0	460.57	26.16	34.07	61.43	73.88	210.81
238.0	460.57	26.16	34.07	61.43	73.88	210.81
239.0	460.57	26.16	34.07	61.43	73.88	210.81
240.0	460.57	26.16	34.07	61.43	73.88	210.81
241.0	460.57	15.43	23.96	45.46	62.39	191.86
242.0	460.57	15.43	23.96	45.46	62.39	191.86
243.0	460.57	15.43	23.96	45.46	62.39	191.86
244.0	460.57	15.43	23.96	45.46	62.39	191.86
245.0	460.57	15.43	23.96	45.46	62.39	191.86
246.0	460.57	15.43	23.96	45.46	62.39	191.86
247.0	460.57	15.43	23.96	45.46	62.39	178.55
248.0	460.57	15.43	23.96	45.46	62.39	178.55
249.0	460.57	15.43	23.96	45.46	62.39	178.55
250.0	460.57	15.43	23.96	45.46	62.39	178.55
251.0	460.57	15.43	23.96	45.46	62.39	178.55
252.0	460.57	15.43	23.96	45.46	62.39	178.55
253.0	460.57	15.43	23.96	45.46	62.39	178.55
254.0	460.57	15.43	23.96	45.46	62.39	178.55
255.0	460.57	15.43	23.96	45.46	62.39	178.55
256.0	460.57	15.43	23.96	45.46	62.39	178.55
257.0	460.57	15.43	23.96	45.46	62.39	178.55
258.0	460.57	15.43	23.96	45.46	62.39	178.55
259.0	460.57	15.43	23.96	45.46	62.39	178.55
260.0	460.57	15.43	23.96	45.46	62.39	178.55
261.0	460.57	18.91	34.07	54.35	71.93	141.64
262.0	460.57	18.91	34.07	54.35	71.93	141.64
263.0	460.57	18.91	34.07	54.35	71.93	141.64
264.0	460.57	18.91	34.07	54.35	71.93	141.64
265.0	460.57	18.91	34.07	54.35	71.93	141.64
266.0	460.57	18.91	34.07	54.35	71.93	141.64
267.0	460.57	18.91	34.07	54.35	71.93	141.64
268.0	460.57	18.91	34.07	54.35	71.93	141.64
269.0	460.57	18.91	34.07	54.35	71.93	141.64
270.0	460.57	18.91	34.07	54.35	71.93	141.64
271.0	460.57	18.91	34.07	54.35	71.93	141.64
272.0	460.57	18.91	34.07	54.35	71.93	141.64
273.0	460.57	18.91	34.07	54.35	71.93	141.64
274.0	460.57	18.91	34.07	54.35	71.93	141.64
275.0	460.57	18.91	34.07	54.35	71.93	141.64

276.0	460.57	18.91	34.07	54.35	71.93	141.64
277.0	460.57	18.91	34.07	54.35	71.93	141.64
278.0	460.57	18.91	34.07	54.35	71.93	141.64
279.0	460.57	18.91	34.07	54.35	71.93	141.64
280.0	460.57	18.91	34.07	54.35	71.93	141.64
281.0	460.57	22.08	34.07	54.40	67.65	148.75
282.0	460.57	22.08	34.07	54.40	67.65	148.75
283.0	460.57	22.08	34.07	54.40	67.65	148.75
284.0	460.57	22.08	34.07	54.40	67.65	148.75
285.0	460.57	22.08	34.07	54.40	67.65	148.75
286.0	460.57	22.08	34.07	54.40	67.65	148.75
287.0	460.57	22.08	34.07	54.40	67.65	148.75
288.0	460.57	22.08	34.07	54.40	67.65	148.75
289.0	460.57	22.08	34.07	54.40	67.65	148.75
290.0	460.57	22.08	34.07	54.40	67.65	148.75
291.0	460.57	22.08	34.07	54.40	67.65	148.75
292.0	460.57	22.08	34.07	54.40	67.65	148.75
293.0	460.57	22.08	34.07	54.40	67.65	148.75
294.0	460.57	22.08	34.07	54.40	67.65	148.75
295.0	460.57	22.08	34.07	54.40	67.65	148.75
296.0	460.57	22.08	34.07	54.40	67.65	148.75
297.0	460.57	22.08	34.07	54.40	67.65	148.75
298.0	460.57	22.08	34.07	54.40	67.65	148.75
299.0	460.57	22.08	34.07	54.40	67.65	148.75
300.0	460.57	22.08	34.07	54.40	67.65	148.75
301.0	460.57	18.91	29.19	54.35	73.88	141.64
302.0	460.57	18.91	29.19	54.35	73.88	141.64
303.0	460.57	18.91	29.19	54.35	73.88	141.64
304.0	460.57	18.91	29.19	54.35	73.88	141.64
305.0	460.57	18.91	29.19	54.35	73.88	141.64
306.0	460.57	18.91	29.19	54.35	73.88	141.64
307.0	460.57	18.91	29.19	54.35	73.88	141.64
308.0	460.57	18.91	29.19	54.35	73.88	141.64
309.0	460.57	18.91	29.19	54.35	73.88	141.64
310.0	460.57	18.91	29.19	54.35	73.88	141.64
311.0	460.57	18.91	29.19	54.35	73.88	141.64
312.0	460.57	18.91	29.19	54.35	73.88	141.64
313.0	460.57	18.91	29.19	54.35	73.88	141.64
314.0	460.57	18.91	29.19	54.35	73.88	141.64
315.0	460.57	18.91	29.19	54.35	73.88	141.64
316.0	460.57	18.91	29.19	54.35	73.88	141.64
317.0	460.57	18.91	29.19	54.35	73.88	141.64
318.0	460.57	18.91	29.19	54.35	73.88	141.64
319.0	460.57	18.91	29.19	54.35	73.88	141.64
320.0	460.57	18.91	29.19	54.35	73.88	141.64
321.0	460.57	27.48	41.67	62.65	89.54	247.03
322.0	460.57	27.48	41.67	62.65	89.54	247.03
323.0	460.57	27.48	41.67	62.65	89.54	247.03
324.0	460.57	27.48	41.67	62.65	89.54	247.03
325.0	460.57	27.48	41.67	62.65	89.54	247.03
326.0	460.57	27.48	41.67	62.65	89.54	247.03
327.0	460.57	27.48	41.67	62.65	89.54	246.41
328.0	460.57	27.48	41.67	62.65	89.54	244.92
329.0	460.57	27.48	41.67	62.65	89.54	243.48
330.0	460.57	27.48	41.67	62.65	89.54	242.10
331.0	460.57	27.48	41.67	62.65	89.54	240.72
332.0	460.57	27.48	41.67	62.65	89.54	239.18

333.0	460.57	27.48	41.67	62.65	89.54	237.68
334.0	460.57	27.48	41.67	62.65	89.54	236.20
335.0	460.57	27.48	41.67	62.65	89.54	234.50
336.0	460.57	27.48	41.67	62.65	89.54	232.74
337.0	460.57	27.48	41.67	62.65	89.54	230.90
338.0	460.57	27.48	41.67	62.65	89.54	228.95
339.0	460.57	27.48	41.67	62.65	89.54	226.46
340.0	460.57	27.48	41.67	62.65	89.51	223.81
341.0	460.57	31.92	50.26	90.13	111.94	240.20
342.0	460.57	31.92	50.26	89.68	111.49	239.75
343.0	460.57	31.92	50.26	89.25	111.06	239.32
344.0	460.57	31.92	50.26	88.84	110.65	238.91
345.0	460.57	31.92	50.26	88.45	110.26	238.52
346.0	460.57	31.92	50.26	88.07	109.89	238.14
347.0	460.57	31.92	50.26	87.71	109.53	237.78
348.0	460.57	31.92	50.26	87.37	109.18	237.44
349.0	460.57	31.92	50.26	87.04	108.86	237.11
350.0	460.57	31.92	50.26	86.73	108.55	236.80
351.0	460.57	31.92	50.26	86.43	108.25	236.50
352.0	460.57	31.92	50.26	86.14	107.95	236.21
353.0	460.57	31.92	50.26	85.86	107.68	235.93
354.0	460.57	31.92	50.26	85.60	107.42	235.67
355.0	460.57	31.92	50.26	85.35	107.17	235.42
356.0	460.57	31.92	50.26	85.12	106.93	235.19
357.0	460.57	31.92	50.26	84.89	106.71	234.96
358.0	460.57	31.92	50.26	84.68	106.49	234.75
359.0	460.57	31.92	50.26	84.47	106.29	234.54



AMW™: WEGGCOCH.am	
<u>Sites</u>	
Call sign: WZOO Power: 1.000 kW Pattern: DA-D Frequency: 710 kHz Coordinates: N35°45'50.00" W79°50'04.00"	
Call sign: WEGG Power: 2.500 kW Pattern: ND-D Frequency: 710 kHz Coordinates: N34°51'48.00" W78°02'16.00"	
Call sign: WQKI Power: 1.000 kW Pattern: DA-D Frequency: 710 kHz Coordinates: N33°37'04.00" W80°46'50.00"	
<div>KILOMETERS</div> <div><div></div><div>-25</div><div>0</div><div>100</div></div>	
FIGURE 1A COCHANNEL ALLOCATION STUDY	
SCALE	1:2,500,000



AMW™: WEGG_WOR.am

Sites

Call sign: WOR Power: 50.000 kW
Pattern: DA-U Frequency: 710 kHz
Coordinates: N40°47'50.00" W74°05'24.00"

Call sign: WOR_ Power: 50.000 kW
Pattern: DA-U Frequency: 710 kHz
Coordinates: N40°47'30.00" W74°05'38.00"

Call sign: WEGG Power: 2.500 kW
Pattern: ND-D Frequency: 710 kHz
Coordinates: N34°51'48.00" W78°02'16.00"

Notes

THE WEGG PROPOSED 0.005 mV/m
AND THE 0.1 mV/m OF THE WOR
LICENSED AND AUTHORIZED FACILITIES.
THE CONTOURS WERE CALCULATED AT
0.5 DEGREE INTERVALS.
THERE IS NO PROHIBITED OVERLAP
ON US SOIL.


KILOMETERS

-100 0 100

WEGG, ROSE HILL, NC

COCHANNEL ALLOCATION STUDY-WOR

SCALE 1:5,000,000




AMW™: WEGG_WAQI.am

Sites


Call sign: WAQI Power: 50.000 kW
Pattern: DA-U Frequency: 710 kHz
Coordinates: N25°58'07.00" W80°22'44.00"

Call sign: WEGG Power: 2.500 kW
Pattern: ND-D Frequency: 710 kHz
Coordinates: N34°51'48.00" W78°02'16.00"



WEGG, ROSE HILL, NC
COCHANNEL ALLOCATION STUDY-WAQI

SCALE 1:7,500,000




AMW™: WEGG1ADJ.am

Sites

Call sign: WWWJ Power: 2.200 kW
Pattern: DA-U Frequency: 720 kHz
Coordinates: N36°56'34.00" W76°31'56.00"

Call sign: WEGG Power: 2.500 kW
Pattern: ND-D Frequency: 710 kHz
Coordinates: N34°51'48.00" W78°02'16.00"

Call sign: NEW Power: 20.000 kW
Pattern: DA-U Frequency: 720 kHz
Coordinates: N36°51'03.00" W76°43'40.00"




WEGG, ROSE HILL, NC

FIRST-ADJ. CHANNEL ALLOC. STUDY

SCALE

1:2,500,000



AMW™: WEGG2ADJ.am

Sites

Call sign: WFMC Power: 1.000 kW
Pattern: ND-U Frequency: 730 kHz
Coordinates: N35°22'25.00" W78°00'41.00"

Call sign: WEGG Power: 2.500 kW
Pattern: ND-D Frequency: 710 kHz
Coordinates: N34°51'48.00" W78°02'16.00"

KILOMETERS

-25

0

25

WEGG, ROSE HILL, NC

SECOND-ADJACENT CHANNEL STUDY

SCALE 1:1,000,000