

EXHIBIT 17

Section III – Assignee

No. 11(b) - Rebroadcast Certification

Rebroadcast Certification:

The Applicant certifies that the FM translator's (a) coverage contour do not extend beyond the protected contour of the commercial FM primary station to be rebroadcast, or (b) the entire 60dBu contour is contained within the lesser of: (i) the 2-mV/m daytime contour of the AM primary station to be rebroadcast, or (ii) the 25-mile radius centered at the AM primary station's transmitter site. (See Exhibits A & B)

K224EL 92.7MHz, Pocatello, ID (Facility No. 141125); Station rebroadcast KBLI(AM) 690kHz, Blackfoot, ID (Facility No. 71780) – Contour Map (Exhibit A)

K231BY 94.1MHz, Lava Hot Springs, ID (Facility No. 146561); Station rebroadcast KBLI(AM) 690kHz, Blackfoot, ID (Facility No. 71780) – Contour Map (Exhibit B)


K265EW 100.9MHz, Pocatello, ID (Facility No. 146523)); Station rebroadcast KCVI(FM) 101.5MHz, Blackfoot, Idaho (Facility No. 71785)

K290CA 105.9MHz, West Yellowstone, WY (Facility No. 155899); Station rebroadcast KBYI(FM) 94.3MHz, Rexburg, Idaho (Facility No. 56345)

[illegible]

 State Borders
  Highways
  Lat/Lon Grid

Exhibit B - Proposed K231BY and Fill-In KBLI(AM)



WRL-ID048A, 15m, 99W, channel 270, FML-1-DA, Fill-IN KBLI(AM)

State Borders Highways Lat/Lon Grid