


FIGURE 2 - DA-N AMENDED



CHARLES A. HECHT & ASSOCIATES, INC. - NOVEMBER 2006

Callsign	: KMPC	T#	Field	Phase	Spacing	Orientation	Height	Top Load	Tower Ref
Frequency	: 1540 kHz	1	0.617	135.5	0.0	0.0	110.0	0.0	0
Power	: 44.000 kw	2	1.000	0.0	88.9	233.5	110.0	0.0	0
ERSS	: 3574 mV/m/km	3	0.581	231.8	184.7	233.5	110.0	0.0	0
Theoret. Pattern RMS	: 2335 mV/m/km	4	0.325	319.7	137.1	170.0	110.0	0.0	0
Standard Pattern RMS	: 2454 mV/m/km	5	0.610	190.6	186.6	195.9	110.0	0.0	0
Modified Pattern RMS	:	6	0.353	50.6	257.1	210.0	110.0	0.0	0
Latitude	: 34-04-43.0 N								
Longitude	: 118-11-05.0 W								
Number Augmentations	: 0								

Azim	Field [mV/m]
0.0	690.169
5.0	639.261
10.0	550.801
15.0	438.965
20.0	318.935
25.0	207.111
30.0	124.722
35.0	99.416
40.0	114.288
45.0	123.293
50.0	113.702
55.0	97.556
60.0	108.723
65.0	159.856
70.0	226.325
75.0	287.723
80.0	331.557
85.0	350.846
90.0	344.464
95.0	318.375
100.0	286.392
105.0	266.627
110.0	267.345
115.0	274.340
120.0	261.182
125.0	206.002
130.0	115.920
135.0	186.274
140.0	450.095
145.0	804.625
150.0	1229.350
155.0	1708.190
160.0	2223.103
165.0	2754.514
170.0	3282.449
175.0	3787.617
180.0	4252.259
185.0	4660.742
190.0	4999.902
195.0	5259.209

Azim	Field [mV/m]
200.0	5430.792
205.0	5509.411
210.0	5492.414
215.0	5379.733
220.0	5173.982
225.0	4880.682
230.0	4508.711
235.0	4071.060
240.0	3586.105
245.0	3079.768
250.0	2589.152
255.0	2167.370
260.0	1882.790
265.0	1790.614
270.0	1877.944
275.0	2064.020
280.0	2261.562
285.0	2410.038
290.0	2474.960
295.0	2440.807
300.0	2306.017
305.0	2079.718
310.0	1779.095
315.0	1426.900
320.0	1049.111
325.0	673.482
330.0	334.271
335.0	161.831
340.0	329.199
345.0	510.257
350.0	632.717
355.0	691.131