

Fernley, NV BNPFT-20030311ALU Calvary Chapel Of Twin Falls, Inc. CH# 263D - 100.5 MHz, Pwr= 0.006 kW, HAAT= 746.0 M, COR= 2163 M Average Protected F(50-50)= 12.64 km Omni-directional											
REFERENCE										DISPLAY DATES	
39 42 48.0 N.										DATA 03-29-13	
119 10 10.0 W.										SEARCH 03-29-13	
CH CITY	CALL	TYPE STATE	ANT STATE	AZI <--	DI ST FILE #	LAT LNG	PWR(kW) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*
263D Fernley	634300	APP_V_	NV	0.0 0.0	0.00 BNPFT20030311ALU	39 42 48.0 119 10 10.0	0.010 746	36.7 2163	10.9 Calvary Chapel	-46.1*	-42.9* Of Twin Fal
263D Carson City	640606	APP_C_	NV	222.5 42.2	68.32 BNPFT20030314BPM	39 15 34.0 119 42 21.0	0.010 608	37.1 2279	11.0 American Educational	18.4	6.8 Broad
261C1 Dayton	KTHX-FM	LIC_ZCX	NV	222.5 42.2	68.32 BLH20020313AAA	39 15 34.0 119 42 21.0	12.000 659	5.7 2307	57.1 Wilks License Company	49.8	11.1 Company-reno
265A Sparks	KMXW	LIC_CN	NV	234.2 53.8	65.38 BLH19910830KB	39 22 04.0 119 47 07.0	6.000 62	4.0 1893	44.2 Wilks License Company	48.5	21.0 Company-reno
263D Carson City	652032	APP_C_	NV	224.2 43.8	76.81 BNPFT20030317MQI	39 12 59.0 119 47 26.0	0.010 -89	10.2 1710	3.2 David L. Metts	53.8	22.9
266D Lovelock	K266A0	LIC_DH_	NV	39.8 220.1	58.71 BLFT20040806AAR	40 07 05.0 118 43 39.0	0.073 636	0.1 2094	7.0 Western Inspirational Broa	46.4	51.6

Terrain database is USGS 03 SEC , R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM
 Contour distances are on direct line to and from reference station. Reference zone= , Co to 3rd adjacent.
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, _= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)
 "*"affixed to 'IN' or 'OUT' values = site inside protected contour.